

**Table 1.11C (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	689	694	362	325	331	345	530	523	689	694
<b>AGE</b>										
18-25	119	126	59	59	63	68	86	96	119	126
26-49	410	417	224	213	219	226	311	304	410	417
50 or Older	527	530	263	224	259	257	412	422	527	530
<b>GENDER</b>										
Male	467	452	220	190	223	221	359	347	467	452
Female	507	513	267	261	250	271	392	389	507	513
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	640	641	330	309	296	332	503	481	640	641
White	657	650	296	284	281	299	483	469	1,797	1,761
Black or African American	254	232	98	84	102	94	201	194	750	704
American Indian or Alaska Native	35	68	28	45	6	34	19	34	102	101
Native Hawaiian or Other Pacific Islander	*	*	*	*	9	20	*	*	*	*
Asian	156	169	60	60	54	91	132	119	540	568
Two or More Races	83	105	69	36	28	71	35	72	169	183
Hispanic or Latino	245	259	126	99	161	115	172	212	245	259
<b>CURRENT EMPLOYMENT</b>										
Full-Time	481	490	212	185	223	239	360	345	1,442	1,446
Part-Time	253	279	109	131	112	125	192	208	598	601
Unemployed	205	174	99	77	102	92	138	122	383	337
Other <sup>1</sup>	507	483	228	223	235	220	360	366	1,112	1,136

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories.

Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.11D (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	0.30	0.30	0.16	0.14	0.14	0.15	0.23	0.22	0.30	0.30
<b>AGE</b>										
18-25	0.35	0.37	0.17	0.17	0.18	0.20	0.25	0.28	0.35	0.37
26-49	0.42	0.43	0.23	0.22	0.22	0.23	0.32	0.31	0.42	0.43
50 or Older	0.55	0.53	0.27	0.22	0.27	0.26	0.43	0.42	0.55	0.53
<b>GENDER</b>										
Male	0.42	0.40	0.20	0.17	0.20	0.20	0.32	0.31	0.42	0.40
Female	0.43	0.42	0.23	0.22	0.21	0.22	0.33	0.32	0.43	0.42
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.32	0.32	0.17	0.16	0.15	0.17	0.25	0.24	0.32	0.32
White	0.36	0.36	0.19	0.18	0.17	0.19	0.28	0.28	0.36	0.36
Black or African American	0.84	0.75	0.36	0.31	0.37	0.34	0.70	0.65	0.84	0.75
American Indian or Alaska Native	3.08	3.89	2.51	3.34	0.61	2.33	1.79	2.42	3.08	3.89
Native Hawaiian or Other Pacific Islander	*	*	*	*	1.35	2.36	*	*	*	*
Asian	1.43	1.38	0.59	0.52	0.52	0.79	1.20	1.02	1.43	1.38
Two or More Races	2.80	2.78	2.47	1.08	1.06	2.07	1.37	2.09	2.80	2.78
Hispanic or Latino	0.77	0.76	0.39	0.29	0.51	0.34	0.54	0.62	0.77	0.76
<b>CURRENT EMPLOYMENT</b>										
Full-Time	0.38	0.39	0.18	0.16	0.19	0.20	0.30	0.28	0.38	0.39
Part-Time	0.70	0.76	0.32	0.40	0.33	0.37	0.55	0.60	0.70	0.76
Unemployed	1.20	1.11	0.65	0.55	0.66	0.65	0.88	0.84	1.20	1.11
Other <sup>1</sup>	0.67	0.61	0.33	0.32	0.34	0.30	0.50	0.47	0.67	0.61

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories.

Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.11P (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	0.5156	0.3417			0.5169		0.5008		0.5156	
<b>AGE</b>										
18-25	0.3475	0.5766			0.8649		0.0728		0.3475	
26-49	0.3018	0.6155			0.2355		0.0535		0.3018	
50 or Older	0.9159	0.5383			0.9835		0.8216		0.9159	
<b>GENDER</b>										
Male	0.2799	0.5832			0.8030		0.3495		0.2799	
Female	0.9884	0.4023			0.3213		0.9135		0.9884	
<b>HISPANIC ORIGIN AND RACE</b>										
Not Hispanic or Latino	0.9867	0.6641			0.2063		0.5696		0.9867	
White	0.9839	0.6355			0.6615		0.5366		0.9839	
Black or African American	0.5737	0.0299			0.9776		0.6481		0.5737	
American Indian or Alaska Native	0.0409	0.6890			0.0213		0.3046		0.0409	
Native Hawaiian or Other Pacific Islander	*	*			0.3760		*		*	
Asian	0.7789	0.6789			0.0243		0.1478		0.7789	
Two or More Races	0.3486	0.2981			0.2448		0.1145		0.3486	
Hispanic or Latino	0.1323	0.1361			0.2255		0.8080		0.1323	
<b>CURRENT EMPLOYMENT</b>										
Full-Time	0.1853	0.1113			0.3817		0.1462		0.1853	
Part-Time	0.1703	0.3043			0.6327		0.4243		0.1703	
Unemployed	0.6884	0.3241			0.7335		0.3331		0.6884	
Other <sup>1</sup>	0.5820	0.8233			0.8060		0.6865		0.5820	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories.

Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.12C (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Geographic/Socioeconomic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	689	694	362	325	331	345	530	523	689	694
<b>GEOGRAPHIC REGION</b>										
Northeast	282	275	131	126	151	138	205	205	282	275
Midwest	276	271	153	127	125	138	206	194	276	271
South	442	404	213	188	208	226	349	325	442	404
West	361	405	187	184	186	184	278	296	361	405
<b>COUNTY TYPE</b>										
Large Metro	591	602	266	239	260	267	431	445	1,734	1,766
Small Metro	473	452	174	191	204	216	323	302	1,378	1,358
250K – 1 Mil. Pop.	394	373	153	157	170	182	275	240	1,127	1,110
< 250K Pop.	252	270	81	103	110	111	171	184	820	832
Nonmetro	324	313	172	125	137	133	226	207	904	878
Urbanized	231	206	117	81	101	79	151	145	678	610
Less Urbanized	217	223	95	85	88	104	164	148	692	693
Completely Rural	117	84	84	29	36	45	48	51	336	345
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	319	333	165	182	151	153	210	219	615	647
100-199%	364	339	158	148	187	161	258	266	815	796
200% or More	599	606	262	231	253	284	457	450	1,966	1,867
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>										
Yes	408	420	193	210	192	199	271	285	718	768
No	675	669	299	257	294	306	503	493	2,087	2,033
<b>HEALTH INSURANCE<sup>3</sup></b>										
Private	580	585	254	217	254	281	445	426	1,860	1,820
Medicaid/CHIP <sup>4</sup>	310	296	153	159	141	128	215	216	490	524
Other <sup>5</sup>	454	415	184	160	182	178	347	337	1,074	1,078
No Coverage	310	317	148	143	157	151	223	223	667	691

<sup>1</sup>Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.12D (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Geographic/Socioeconomic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	0.30	0.30	0.16	0.14	0.14	0.15	0.23	0.22	0.30	0.30
<b>GEOGRAPHIC REGION</b>										
Northeast	0.67	0.64	0.31	0.30	0.36	0.32	0.48	0.48	0.67	0.64
Midwest	0.55	0.54	0.30	0.25	0.25	0.27	0.41	0.39	0.55	0.54
South	0.53	0.47	0.25	0.22	0.25	0.26	0.42	0.38	0.53	0.47
West	0.68	0.75	0.35	0.34	0.35	0.34	0.52	0.55	0.68	0.75
<b>COUNTY TYPE</b>										
Large Metro	0.42	0.42	0.21	0.19	0.20	0.21	0.32	0.33	0.42	0.42
Small Metro	0.56	0.51	0.24	0.25	0.28	0.29	0.40	0.36	0.56	0.51
250K – 1 Mil. Pop.	0.72	0.62	0.33	0.30	0.35	0.36	0.52	0.43	0.72	0.62
< 250K Pop.	0.89	0.90	0.33	0.41	0.45	0.45	0.63	0.66	0.89	0.90
Nonmetro	0.71	0.69	0.45	0.33	0.35	0.35	0.55	0.47	0.71	0.69
Urbanized	1.13	1.08	0.72	0.52	0.60	0.52	0.83	0.77	1.13	1.08
Less Urbanized	0.99	0.94	0.52	0.46	0.47	0.55	0.82	0.70	0.99	0.94
Completely Rural	2.61	1.96	2.24	0.74	0.98	1.09	1.24	1.26	2.61	1.96
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.90	0.85	0.53	0.53	0.49	0.46	0.65	0.61	0.90	0.85
100-199%	0.68	0.64	0.33	0.31	0.38	0.33	0.51	0.51	0.68	0.64
200% or More	0.35	0.35	0.17	0.15	0.16	0.18	0.28	0.27	0.35	0.35
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>										
Yes	0.81	0.75	0.46	0.44	0.45	0.43	0.60	0.57	0.81	0.75
No	0.32	0.31	0.16	0.13	0.15	0.16	0.25	0.24	0.32	0.31
<b>HEALTH INSURANCE<sup>3</sup></b>										
Private	0.35	0.34	0.17	0.14	0.16	0.18	0.28	0.26	0.35	0.34
Medicaid/CHIP <sup>4</sup>	1.19	1.07	0.69	0.65	0.64	0.54	0.92	0.85	1.19	1.07
Other <sup>5</sup>	0.76	0.67	0.34	0.29	0.33	0.32	0.60	0.56	0.76	0.67
No Coverage	0.69	0.73	0.38	0.37	0.39	0.38	0.53	0.55	0.69	0.73

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.12P (REVISED) Levels of Mental Illness in the Past Year among Persons Aged 18 or Older, by Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Geographic/Socioeconomic Characteristic	Any Mental Illness (2010)	Any Mental Illness (2011)	Serious Mental Illness (2010)	Serious Mental Illness (2011)	Moderate Mental Illness (2010)	Moderate Mental Illness (2011)	Mild Mental Illness (2010)	Mild Mental Illness (2011)	No Mental Illness (2010)	No Mental Illness (2011)
<b>TOTAL</b>	0.5156	0.3417			0.5169		0.5008		0.5156	
<b>GEOGRAPHIC REGION</b>										
Northeast	0.0141		0.2244		0.3070		0.0641		0.0141	
Midwest	0.3134		0.3523		0.2068		0.1136		0.3134	
South	0.5350		0.7893		0.3950		0.7022		0.5350	
West	0.5066		0.9240		0.8881		0.4491		0.5066	
<b>COUNTY TYPE</b>										
Large Metro	0.2553		0.0975		0.8516		0.5881		0.2553	
Small Metro	0.9851		0.4967		0.4041		0.2900		0.9851	
250K – 1 Mil. Pop.	0.4684		0.5926		0.3822		0.1854		0.4684	
< 250K Pop.	0.2688		0.0188		0.8327		0.9252		0.2688	
Nonmetro	0.6788		0.7542		0.9875		0.4404		0.6788	
Urbanized	0.6510		0.6737		0.4059		0.1530		0.6510	
Less Urbanized	0.7665		0.5018		0.6276		0.7153		0.7665	
Completely Rural	0.8646		0.2985		0.5030		0.6467		0.8646	
<b>POVERTY LEVEL<sup>1</sup></b>										
Less Than 100%	0.3791		0.4351		0.4237		0.9539		0.3791	
100-199%	0.9740		0.8100		0.7721		0.6943		0.9740	
200% or More	0.1067		0.0375		0.6561		0.2590		0.1067	
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>										
Yes	0.4650		0.8449		0.9579		0.3987		0.4650	
No	0.0891		0.0737		0.6190		0.1432		0.0891	
<b>HEALTH INSURANCE<sup>3</sup></b>										
Private	0.0822		0.0097		0.2920		0.1472		0.0822	
Medicaid/CHIP <sup>4</sup>	0.9350		0.4295		0.3236		0.9867		0.9350	
Other <sup>5</sup>	0.5220		0.1811		0.9605		0.9437		0.5220	
No Coverage	0.3349		0.6317		0.2748		0.8970		0.3349	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.