

**Table 1.20C (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	689	694	139	121	788	775
<b>AGE</b>						
18-49	426	437	114	95	512	505
18-25	119	126	34	33	142	159
26-34	251	245	70	64	282	286
35-49	324	338	86	62	377	370
<b>GENDER/AGE</b>						
Male 18 or Older	467	452	94	93	498	476
Male 18-49	290	286	85	68	318	305
Female 18 or Older	507	513	99	79	565	575
Female 18-49	308	324	77	70	361	382

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.20D (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	0.30	0.30	2.02	2.09	0.31	0.30
<b>AGE</b>						
18-49	0.32	0.33	1.97	1.94	0.33	0.33
18-25	0.35	0.37	1.63	1.68	0.36	0.37
26-34	0.69	0.67	3.86	4.48	0.70	0.68
35-49	0.52	0.55	4.44	4.42	0.53	0.55
<b>GENDER/AGE</b>						
Male 18 or Older	0.42	0.40	2.16	2.43	0.43	0.41
Male 18-49	0.44	0.44	2.16	2.22	0.45	0.45
Female 18 or Older	0.43	0.42	3.89	4.01	0.43	0.42
Female 18-49	0.46	0.48	3.88	3.97	0.46	0.48

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.20P (REVISED) Any Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	0.5156		0.6345		0.5527	
<b>AGE</b>						
18-49	0.4627		0.3510		0.4514	
18-25	0.3475		0.3320		0.4149	
26-34	0.5027		0.1308		0.3769	
35-49	0.4208		0.7883		0.5361	
<b>GENDER/AGE</b>						
Male 18 or Older	0.2799		0.4629		0.2483	
Male 18-49	0.1801		0.6274		0.1710	
Female 18 or Older	0.9884		0.9701		0.8706	
Female 18-49	0.9272		0.4417		0.9046	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.21C (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	362	325	79	71	354	321
<b>AGE</b>						
18-49	233	221	67	55	228	226
18-25	59	59	17	16	60	61
26-34	137	129	52	34	130	130
35-49	179	162	40	40	179	166
<b>GENDER/AGE</b>						
Male 18 or Older	220	190	45	47	209	184
Male 18-49	147	127	41	37	141	124
Female 18 or Older	267	261	64	53	265	262
Female 18-49	171	179	52	41	170	185

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.21D (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	0.16	0.14	1.33	1.42	0.16	0.14
<b>AGE</b>						
18-49	0.18	0.17	1.30	1.28	0.17	0.17
18-25	0.17	0.17	0.93	0.94	0.18	0.17
26-34	0.37	0.36	3.13	2.80	0.36	0.36
35-49	0.29	0.26	2.42	3.09	0.29	0.27
<b>GENDER/AGE</b>						
Male 18 or Older	0.20	0.17	1.16	1.39	0.20	0.17
Male 18-49	0.22	0.20	1.18	1.30	0.22	0.20
Female 18 or Older	0.23	0.22	3.34	3.24	0.22	0.21
Female 18-49	0.26	0.27	3.14	2.82	0.25	0.27

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.21P (REVISED) Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total <sup>1</sup> (2010)	Total <sup>1</sup> (2011)	On Probation (2010)	On Probation (2011)	Not on Probation (2010)	Not on Probation (2011)
<b>TOTAL 18 OR OLDER</b>	0.3417		0.7038		0.3425	
<b>AGE</b>						
18-49	0.5201		0.8267		0.5698	
18-25	0.5766		0.4473		0.4421	
26-34	0.8807		0.7488		0.9021	
35-49	0.6028		0.4863		0.5839	
<b>GENDER/AGE</b>						
Male 18 or Older	0.5832		0.6995		0.5476	
Male 18-49	0.3240		0.8135		0.3182	
Female 18 or Older	0.4023		0.7962		0.4349	
Female 18-49	0.9027		0.9916		1.0000	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.