

**Table 1.60C Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	363	341	235	227	280	251
18	38	34	23	20	30	27
19	31	35	19	19	24	29
20	37	32	23	23	29	24
21	34	32	19	21	27	24
22	29	27	18	15	22	23
23	24	24	14	16	20	18
24	27	28	18	21	20	19
25	24	26	15	17	19	20
26-29	91	105	58	67	72	80
30-34	95	84	64	60	71	55
35-39	105	93	65	50	85	78
40-44	87	93	46	62	73	68
45-49	109	110	75	73	73	80
50-54	141	151	86	109	113	115
55-59	164	116	66	61	147	96
60-64	117	108	90	83	74	69
65 or Older	141	128	99	99	107	80

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.60D Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2010 and 2011**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	0.16	0.15	0.21	0.20	0.24	0.21
18	0.74	0.66	0.87	0.76	1.21	1.11
19	0.66	0.74	0.81	0.85	1.05	1.15
20	0.76	0.66	0.93	0.99	1.24	0.97
21	0.72	0.69	0.86	0.92	1.14	1.04
22	0.67	0.60	0.83	0.67	1.04	1.04
23	0.59	0.59	0.69	0.84	0.97	0.82
24	0.64	0.64	0.90	0.94	0.93	0.89
25	0.60	0.63	0.78	0.83	0.89	0.97
26-29	0.53	0.59	0.66	0.76	0.84	0.90
30-34	0.46	0.43	0.64	0.63	0.67	0.55
35-39	0.54	0.47	0.68	0.51	0.84	0.76
40-44	0.42	0.46	0.45	0.64	0.68	0.63
45-49	0.48	0.50	0.69	0.67	0.62	0.72
50-54	0.62	0.64	0.79	0.96	0.96	0.94
55-59	0.82	0.60	0.71	0.65	1.37	0.97
60-64	0.69	0.59	1.08	0.94	0.88	0.74
65 or Older	0.36	0.32	0.58	0.56	0.49	0.35

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.60P Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Gender and Detailed Age Category: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Age Category	Total (2010)	Total (2011)	Male (2010)	Male (2011)	Female (2010)	Female (2011)
<b>TOTAL</b>	0.5612		0.7292		0.2723	
18	0.4878		0.5627		0.5559	
19	0.1252		0.3344		0.2213	
20	0.3150		0.6458		0.0648	
21	0.3224		0.5236		0.0698	
22	0.3401		0.1923		0.8039	
23	0.9654		0.1737		0.2401	
24	0.7843		0.8415		0.5813	
25	0.4551		0.8267		0.4160	
26-29	0.2058		0.5110		0.3032	
30-34	0.5383		0.9321		0.4251	
35-39	0.3822		0.5371		0.5317	
40-44	0.4613		0.0912		0.6176	
45-49	0.8738		0.6783		0.5109	
50-54	0.3826		0.1694		0.9450	
55-59	0.3865		0.6635		0.4667	
60-64	0.4813		0.6756		0.5580	
65 or Older	0.4326		0.4598		0.7355	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61C Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic/Health Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
<b>TOTAL</b>	363	341	84	80	217	215	272	245
<b>GENDER</b>								
Male	235	227	53	53	142	142	173	177
Female	280	251	64	61	158	162	221	173
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	320	309	72	68	192	194	240	221
White	288	267	62	61	170	173	216	197
Black or African American	137	114	35	33	86	78	101	71
American Indian or Alaska Native	11	36	5	5	9	14	*	*
Native Hawaiian or Other Pacific Islander	21	*	*	*	*	*	*	*
Asian	53	62	24	27	30	36	37	*
Two or More Races	69	45	16	10	16	31	*	32
Hispanic or Latino	163	139	43	40	100	82	124	105
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	229	211	57	60	148	132	164	151
Medicaid/CHIP <sup>2</sup>	204	191	40	40	123	119	153	143
Other <sup>3</sup>	199	197	25	19	80	80	179	181
No Coverage	161	160	48	48	102	117	110	97
<b>CURRENT EMPLOYMENT</b>								
Full-Time	196	187	43	48	150	141	120	122
Part-Time	116	121	46	42	86	82	61	81
Unemployed	113	97	36	36	76	56	71	69
Other <sup>4</sup>	268	240	47	45	124	127	230	196

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61D Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic/Health Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
<b>TOTAL</b>	0.16	0.15	0.25	0.23	0.22	0.22	0.28	0.24
<b>GENDER</b>								
Male	0.21	0.20	0.31	0.31	0.29	0.30	0.38	0.38
Female	0.24	0.21	0.38	0.36	0.32	0.32	0.43	0.32
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.16	0.16	0.26	0.25	0.24	0.24	0.27	0.24
White	0.18	0.17	0.29	0.28	0.27	0.28	0.29	0.26
Black or African American	0.48	0.41	0.68	0.62	0.66	0.62	1.03	0.71
American Indian or Alaska Native	1.07	2.61	2.42	2.32	1.88	2.89	*	*
Native Hawaiian or Other Pacific Islander	3.13	*	*	*	*	*	*	*
Asian	0.50	0.55	1.45	1.39	0.55	0.62	1.01	*
Two or More Races	2.46	1.35	2.71	1.36	1.48	2.37	*	2.39
Hispanic or Latino	0.51	0.41	0.65	0.57	0.59	0.45	1.48	1.18
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	0.15	0.14	0.30	0.28	0.22	0.20	0.24	0.21
Medicaid/CHIP <sup>2</sup>	0.89	0.77	0.73	0.68	1.23	1.13	2.06	1.76
Other <sup>3</sup>	0.36	0.35	1.02	0.81	1.15	1.20	0.39	0.38
No Coverage	0.40	0.42	0.48	0.53	0.46	0.53	1.31	1.23
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.17	0.16	0.34	0.36	0.22	0.21	0.33	0.32
Part-Time	0.34	0.37	0.47	0.42	0.68	0.70	0.53	0.70
Unemployed	0.75	0.68	0.73	0.76	1.09	0.92	1.94	2.04
Other <sup>4</sup>	0.39	0.34	0.58	0.52	0.84	0.83	0.49	0.40

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.61P Serious Psychological Distress in the Past Month among Persons Aged 18 or Older, by Age Group, Demographic Characteristics, and Health Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic/Health Characteristic	Total (2010)	Total (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26-49 (2010)	Aged 26-49 (2011)	Aged 50+ (2010)	Aged 50+ (2011)
<b>TOTAL</b>	0.5612	0.5033			0.7764		0.4910	
<b>GENDER</b>								
Male	0.7292	0.5273			0.6402		0.9826	
Female	0.2723	0.1337			0.9547		0.3811	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6954	0.8449			0.2063		0.7870	
White	0.9058	0.7760			0.3938		0.8358	
Black or African American	0.8923	0.4254			0.6946		0.4665	
American Indian or Alaska Native	0.1625	0.5128			0.4881		*	
Native Hawaiian or Other Pacific Islander	*	*			*		*	
Asian	0.7056	0.8259			0.7527		*	
Two or More Races	0.9789	0.0167			0.0807		*	
Hispanic or Latino	0.0304	0.3386			0.0539		0.3039	
<b>HEALTH INSURANCE<sup>1</sup></b>								
Private	0.1615	0.5250			0.1739		0.3277	
Medicaid/CHIP <sup>2</sup>	0.7516	0.2126			0.6187		0.6151	
Other <sup>3</sup>	0.9365	0.3899			0.5254		0.9511	
No Coverage	0.5683	0.6429			0.1587		0.7719	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.6754	0.9767			0.5909		0.9473	
Part-Time	0.2569	0.4879			0.3174		0.2253	
Unemployed	0.8480	0.2238			0.1991		0.8564	
Other <sup>4</sup>	0.3422	0.1063			0.2770		0.1712	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Psychological Distress (SPD) is defined for this table as having a score of 13 or higher on the K6 scale during the past 30 days.

<sup>1</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>2</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>3</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

<sup>4</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.