

Table 1.33C (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Numbers in Thousands, 2009 and 2010

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2010)	Mental Health Treatment Only ¹ (2009)	Mental Health Treatment Only ¹ (2010)	Substance Use Treatment at a Specialty Facility Only ² (2009)	Substance Use Treatment at a Specialty Facility Only ² (2010)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2010)
TOTAL	614	622	590	609	119	117	117	103
DEPENDENCE OR ABUSE	250	241	218	209	77	78	92	88
Any Mental Illness	202	195	178	168	48	43	79	85
Serious Mental Illness	115	138	100	114	14	32	51	67
Moderate Mental Illness	104	89	87	79	29	17	46	37
Mild Mental Illness	128	108	114	98	36	23	43	39
No Mental Illness	138	149	114	127	59	65	45	21
NO DEPENDENCE OR ABUSE	636	652	628	651	90	81	74	52
Any Mental Illness	421	465	414	462	41	50	63	45
Serious Mental Illness	249	268	247	266	7	1	30	26
Moderate Mental Illness	219	223	216	221	23	25	18	25
Mild Mental Illness	262	293	254	290	34	44	52	27
No Mental Illness	452	460	447	457	71	65	40	25

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health.

Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.33D (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: Standard Errors of Percentages, 2009 and 2010

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2010)	Mental Health Treatment Only ¹ (2009)	Mental Health Treatment Only ¹ (2010)	Substance Use Treatment at a Specialty Facility Only ² (2009)	Substance Use Treatment at a Specialty Facility Only ² (2010)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2010)
TOTAL	0.27	0.27	0.26	0.27	0.05	0.05	0.05	0.04
DEPENDENCE OR ABUSE	1.00	0.97	0.92	0.88	0.36	0.38	0.43	0.42
Any Mental Illness	1.76	1.74	1.70	1.68	0.60	0.54	0.99	1.02
Serious Mental Illness	2.94	2.63	3.24	3.23	0.67	1.30	2.28	2.47
Moderate Mental Illness	3.41	3.42	3.20	3.21	1.37	0.81	2.08	1.71
Mild Mental Illness	2.60	2.49	2.48	2.47	0.95	0.69	1.14	1.08
No Mental Illness	1.01	1.05	0.85	0.92	0.45	0.50	0.34	0.17
NO DEPENDENCE OR ABUSE	0.28	0.28	0.28	0.28	0.04	0.04	0.04	0.02
Any Mental Illness	0.97	1.00	0.96	1.00	0.12	0.15	0.19	0.13
Serious Mental Illness	2.02	2.06	2.08	2.06	0.11	0.02	0.48	0.38
Moderate Mental Illness	2.04	1.99	2.00	1.97	0.29	0.32	0.22	0.33
Mild Mental Illness	1.21	1.24	1.18	1.23	0.18	0.23	0.27	0.14
No Mental Illness	0.25	0.25	0.24	0.25	0.04	0.04	0.02	0.01

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.33P (REVISED) Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Past Year Illicit Drug or Alcohol Dependence or Abuse Status and Past Year Level of Mental Illness: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Illicit Drug or Alcohol Dependence or Abuse Status/Level of Mental Illness	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{1,2} (2010)	Mental Health Treatment Only ¹ (2009)	Mental Health Treatment Only ¹ (2010)	Substance Use Treatment at a Specialty Facility Only ² (2009)	Substance Use Treatment at a Specialty Facility Only ² (2010)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2009)	Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{1,2} (2010)
TOTAL	0.2942		0.2618		0.8118		0.5803	
DEPENDENCE OR ABUSE	0.4787		0.4961		0.7437		0.9247	
Any Mental Illness	0.8296		0.7735		0.5906		0.8414	
Serious Mental Illness	0.2421		0.5993		0.1057		0.9465	
Moderate Mental Illness	0.5157		0.8655		0.5801		0.5479	
Mild Mental Illness	0.4251		0.6426		0.1154		0.6848	
No Mental Illness	0.6579		0.6829		0.4233		0.3099	
NO DEPENDENCE OR ABUSE	0.3358		0.3151		0.8415		0.5955	
Any Mental Illness	0.0619		0.0654		0.5080		0.8375	
Serious Mental Illness	0.9135		0.9564		0.1426		0.6139	
Moderate Mental Illness	0.1876		0.2550		0.4171		0.5991	
Mild Mental Illness	0.2253		0.1815		0.6013		0.3277	
No Mental Illness	0.9954		0.9327		0.8501		0.5125	

*Low precision; no estimate reported.

NOTE: Some 2009 and 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Mental Illness is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Three categories of mental illness severity are defined based on the level of functional impairment: mild mental illness, moderate mental illness, and serious mental illness. Any mental illness includes persons in any of the three categories. Estimates for mental illness presented in this table may differ from previously published mental illness estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health.

Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.