

**Table 1.44A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	21,778	20,523	2,048	1,861	690	624
<b>AGE</b>						
12-17	2,015	1,877	885	820	262	223
18-25	3,396 <sup>a</sup>	3,106	597	500	135	144
26 or Older	16,367	15,540	566	541	293	257
<b>GENDER</b>						
Male	14,255	13,214	1,198	1,146	450	418
Female	7,523	7,309	850	715	240	206
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	19,444 <sup>a</sup>	18,153	1,665	1,515	541	523
White	17,225	16,171	1,403	1,149	447	383
Black or African American	1,155	964	154	160	70	77
American Indian or Alaska Native	220 <sup>a</sup>	114	20	*	6	3
Native Hawaiian or Other Pacific Islander	34	85	2	23	1	13
Asian	422	355	43	91	8	30
Two or More Races	388	465	43	62	9	16
Hispanic or Latino	2,334	2,370	384	346	149	102

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.44B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	8.6 <sup>a</sup>	8.0	0.8	0.7	0.3	0.2
<b>AGE</b>						
12-17	8.3 <sup>a</sup>	7.5	3.6	3.3	1.1	0.9
18-25	10.0 <sup>a</sup>	9.1	1.8	1.5	0.4	0.4
26 or Older	8.4	7.8	0.3	0.3	0.2	0.1
<b>GENDER</b>						
Male	11.5 <sup>a</sup>	10.6	1.0	0.9	0.4	0.3
Female	5.8	5.5	0.7 <sup>a</sup>	0.5	0.2	0.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.0 <sup>a</sup>	8.3	0.8	0.7	0.2	0.2
White	10.1	9.6	0.8	0.7	0.3	0.2
Black or African American	3.8	3.2	0.5	0.5	0.2	0.3
American Indian or Alaska Native	18.3 <sup>b</sup>	8.0	1.6	*	0.5	0.2
Native Hawaiian or Other Pacific Islander	4.7	9.1	0.3	2.5	0.2	1.4
Asian	3.7	2.9	0.4	0.7	0.1	0.2
Two or More Races	12.2	11.6	1.3	1.5	0.3	0.4
Hispanic or Latino	6.3	6.0	1.0	0.9	0.4	0.3

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.45A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	2,015	1,877	885	820	262	223
<b>GENDER</b>						
Male	985	909	381	396	115	98
Female	1,030	968	504	424	147	124
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	1,554 <sup>a</sup>	1,410	668	588	193	156
White	1,103 <sup>a</sup>	956	511 <sup>a</sup>	413	140 <sup>a</sup>	101
Black or African American	277	264	98	97	44	39
American Indian or Alaska Native	20	12	8	6	4	3
Native Hawaiian or Other Pacific Islander	*	*	1	*	1	*
Asian	90	86	28	26	3	3
Two or More Races	58	75	21	34	2	8
Hispanic or Latino	461	467	217	232	69	67
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	547	484	225	202	66	45
Female, White, Not Hispanic	557	472	286 <sup>a</sup>	211	74	56
Male, Black, Not Hispanic	137	128	43	46	16	13
Female, Black, Not Hispanic	140	136	56	52	28	26
Male, Hispanic	213	218	86	116	29	38
Female, Hispanic	248	250	132	116	40	29

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.45B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	8.3 <sup>a</sup>	7.5	3.6	3.3	1.1	0.9
<b>GENDER</b>						
Male	7.9	7.1	3.1	3.1	0.9	0.8
Female	8.7	7.9	4.2 <sup>a</sup>	3.5	1.2	1.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8.0 <sup>a</sup>	7.2	3.4	3.0	1.0	0.8
White	7.8 <sup>a</sup>	6.9	3.6 <sup>a</sup>	3.0	1.0	0.7
Black or African American	7.8	7.5	2.8	2.8	1.2	1.1
American Indian or Alaska Native	14.9	9.0	6.0	4.2	2.9	2.4
Native Hawaiian or Other Pacific Islander	*	*	1.5	*	0.8	*
Asian	8.5	7.1	2.6	2.2	0.3	0.3
Two or More Races	11.1	10.5	4.0	4.7	0.4	1.2
Hispanic or Latino	9.4	8.6	4.4	4.3	1.4	1.2
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	7.6	6.8	3.1	2.8	0.9	0.6
Female, White, Not Hispanic	8.1	7.0	4.2 <sup>a</sup>	3.1	1.1	0.8
Male, Black, Not Hispanic	7.6	7.3	2.4	2.6	0.9	0.7
Female, Black, Not Hispanic	7.9	7.7	3.1	2.9	1.6	1.5
Male, Hispanic	8.4	7.8	3.4	4.2	1.1	1.4
Female, Hispanic	10.5	9.4	5.6	4.4	1.7	1.1

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	3,396 <sup>a</sup>	3,106	597	500	135	144
<b>GENDER</b>						
Male	2,065 <sup>b</sup>	1,798	372	302	85	97
Female	1,332	1,308	224	198	50	47
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	2,879 <sup>b</sup>	2,557	504	409	109	116
White	2,520 <sup>b</sup>	2,184	438 <sup>a</sup>	324	77	79
Black or African American	191	173	30	34	23	11
American Indian or Alaska Native	27	28	*	*	2	*
Native Hawaiian or Other Pacific Islander	*	*	1	*	*	*
Asian	73	97	15	33	5	17
Two or More Races	59	60	10	8	1	1
Hispanic or Latino	517	549	93	91	26	29
<b>EDUCATION</b>						
< High School	603	565	142 <sup>a</sup>	83	30	23
High School Graduate	1,192	1,057	215	161	54	34
Some College	1,145	1,053	187	218	37	72
College Graduate	457	431	54	38	14	16
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,319	1,185	217 <sup>a</sup>	133	53 <sup>a</sup>	19
Part-Time	958	898	183	140	41	33
Unemployed	510	463	81	98	18	30
Other <sup>1</sup>	610	560	117	129	22	63

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.46B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	10.0 <sup>a</sup>	9.1	1.8	1.5	0.4	0.4
<b>GENDER</b>						
Male	11.9 <sup>b</sup>	10.5	2.2	1.8	0.5	0.6
Female	7.9	7.6	1.3	1.2	0.3	0.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	10.5 <sup>b</sup>	9.4	1.8	1.5	0.4	0.4
White	12.4 <sup>a</sup>	11.1	2.2 <sup>a</sup>	1.7	0.4	0.4
Black or African American	3.9	3.7	0.6	0.7	0.5	0.2
American Indian or Alaska Native	14.9	13.0	*	*	1.3	*
Native Hawaiian or Other Pacific Islander	*	*	0.6	*	*	*
Asian	5.1	5.2	1.0	1.8	0.3	0.9
Two or More Races	10.8	8.5	1.8	1.1	0.2	0.1
Hispanic or Latino	7.9	7.8	1.4	1.3	0.4	0.4
<b>EDUCATION</b>						
< High School	10.2	9.8	2.4 <sup>a</sup>	1.4	0.5	0.4
High School Graduate	10.2	9.0	1.8	1.4	0.5	0.3
Some College	9.8	8.8	1.6	1.8	0.3	0.6
College Graduate	9.5	8.8	1.1	0.8	0.3	0.3
<b>CURRENT EMPLOYMENT</b>						
Full-Time	10.6	9.5	1.7 <sup>a</sup>	1.1	0.4 <sup>a</sup>	0.2
Part-Time	10.1	9.6	1.9	1.5	0.4	0.3
Unemployed	11.2	10.3	1.8	2.2	0.4	0.7
Other <sup>1</sup>	8.0	7.0	1.5	1.6	0.3	0.8

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	16,367	15,540	566	541	293	257
<b>GENDER</b>						
Male	11,206	10,507	445	448	250	223
Female	5,161	5,033	122	93	43	35
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	15,011	14,186	493	518	239	251
White	13,601	13,030	455	412	230	203
Black or African American	687	527	25	28	3	27
American Indian or Alaska Native	173 <sup>a</sup>	74	1	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	259	172	1	31	*	10
Two or More Races	271	330	12	20	5	7
Hispanic or Latino	1,355	1,354	73	23	54 <sup>a</sup>	6
<b>EDUCATION</b>						
< High School	1,891	1,649	44	79	10	69
High School Graduate	3,662	3,635	59	94	34	41
Some College	4,515	4,272	279	131	132	74
College Graduate	6,300	5,985	183	237	117	74
<b>CURRENT EMPLOYMENT</b>						
Full-Time	10,700	9,831	388	285	222	142
Part-Time	2,123	1,987	80 <sup>a</sup>	6	38	*
Unemployed	933	1,060	29	82	29	20
Other <sup>1</sup>	2,612	2,662	68	167	4 <sup>a</sup>	95

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.47B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	8.4	7.8	0.3	0.3	0.2	0.1
<b>GENDER</b>						
Male	12.0	11.1	0.5	0.5	0.3	0.2
Female	5.1	4.9	0.1	0.1	0.0	0.0
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8.8	8.3	0.3	0.3	0.1	0.1
White	10.0	9.6	0.3	0.3	0.2	0.1
Black or African American	3.2	2.4	0.1	0.1	0.0	0.1
American Indian or Alaska Native	19.4 <sup>b</sup>	6.8	0.1	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.9	1.8	0.0	0.3	*	0.1
Two or More Races	12.9	12.8	0.6	0.8	0.3	0.3
Hispanic or Latino	5.4	5.0	0.3	0.1	0.2 <sup>a</sup>	0.0
<b>EDUCATION</b>						
< High School	6.5	6.0	0.2	0.3	0.0	0.3
High School Graduate	6.4	6.3	0.1	0.2	0.1	0.1
Some College	9.5	8.6	0.6	0.3	0.3	0.1
College Graduate	10.3	9.5	0.3	0.4	0.2	0.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	10.5 <sup>a</sup>	9.5	0.4	0.3	0.2	0.1
Part-Time	9.0	8.6	0.3 <sup>a</sup>	0.0	0.2	*
Unemployed	9.1	11.6	0.3	0.9	0.3	0.2
Other <sup>1</sup>	4.4	4.2	0.1	0.3	0.0 <sup>a</sup>	0.2

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	19,763	18,646	1,163	1,041	428	402
<b>GENDER</b>						
Male	13,270	12,305	817	750	335	320
Female	6,493	6,341	346	291	93	82
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	17,891	16,743	997	927	348	367
White	16,121	15,214	892	736	307	282
Black or African American	878	700	55	63	27	38
American Indian or Alaska Native	201 <sup>a</sup>	102	12	*	2	*
Native Hawaiian or Other Pacific Islander	28	68	1	12	1	12
Asian	332	269	15 <sup>a</sup>	65	5	27
Two or More Races	330	390	21	28	7	7
Hispanic or Latino	1,873	1,903	166	113	80	35
<b>EDUCATION</b>						
< High School	2,493	2,214	186	162	40	91
High School Graduate	4,854	4,692	274	255	89	75
Some College	5,659	5,325	466	349	169	146
College Graduate	6,757	6,416	237	275	131	90
<b>CURRENT EMPLOYMENT</b>						
Full-Time	12,018	11,015	605	418	276	161
Part-Time	3,080	2,886	263 <sup>b</sup>	146	79	33
Unemployed	1,443	1,523	110	180	47	50
Other <sup>1</sup>	3,222	3,222	184	297	26 <sup>b</sup>	158

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.48B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	8.6 <sup>a</sup>	8.0	0.5	0.4	0.2	0.2
<b>GENDER</b>						
Male	12.0 <sup>a</sup>	11.0	0.7	0.7	0.3	0.3
Female	5.5	5.3	0.3	0.2	0.1	0.1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	9.1 <sup>a</sup>	8.4	0.5	0.5	0.2	0.2
White	10.3	9.8	0.6	0.5	0.2	0.2
Black or African American	3.3	2.6	0.2	0.2	0.1	0.1
American Indian or Alaska Native	18.7 <sup>b</sup>	7.9	1.1	*	0.2	*
Native Hawaiian or Other Pacific Islander	4.3	7.9	0.1	1.4	0.1	1.4
Asian	3.2	2.4	0.1 <sup>a</sup>	0.6	0.0	0.2
Two or More Races	12.4	11.9	0.8	0.9	0.3	0.2
Hispanic or Latino	5.9	5.6	0.5	0.3	0.3	0.1
<b>EDUCATION</b>						
< High School	7.1	6.7	0.5	0.5	0.1	0.3
High School Graduate	7.0	6.7	0.4	0.4	0.1	0.1
Some College	9.6	8.6	0.8	0.6	0.3	0.2
College Graduate	10.3	9.4	0.4	0.4	0.2	0.1
<b>CURRENT EMPLOYMENT</b>						
Full-Time	10.5 <sup>a</sup>	9.5	0.5	0.4	0.2	0.1
Part-Time	9.3	8.9	0.8 <sup>b</sup>	0.5	0.2	0.1
Unemployed	9.7	11.2	0.7	1.3	0.3	0.4
Other <sup>1</sup>	4.8	4.5	0.3	0.4	0.0 <sup>b</sup>	0.2

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.