

**Table 1.34C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	379	327	92	69	60	42
<b>AGE</b>						
12-17	11	16	5	7	2	2
18-25	47	42	22	16	16	6
26 or Older	371	324	89	67	58	41
<b>GENDER</b>						
Male	299	281	65	61	44	34
Female	192	166	64	36	42	24
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	363	314	89	66	59	42
White	318	250	69	49	45	27
Black or African American	158	169	49	43	38	30
American Indian or Alaska Native	26	42	6	2	*	1
Native Hawaiian or Other Pacific Islander	6	13	1	*	*	*
Asian	16	59	4	*	*	*
Two or More Races	30	40	1	14	1	13
Hispanic or Latino	115	90	27	16	13	4

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.34D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.15	0.13	0.04	0.03	0.02	0.02
<b>AGE</b>						
12-17	0.04	0.06	0.02	0.03	0.01	0.01
18-25	0.14	0.12	0.06	0.05	0.05	0.02
26 or Older	0.19	0.16	0.05	0.03	0.03	0.02
<b>GENDER</b>						
Male	0.24	0.23	0.05	0.05	0.04	0.03
Female	0.15	0.12	0.05	0.03	0.03	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.17	0.14	0.04	0.03	0.03	0.02
White	0.19	0.15	0.04	0.03	0.03	0.02
Black or African American	0.52	0.56	0.16	0.14	0.13	0.10
American Indian or Alaska Native	2.12	2.78	0.51	0.15	*	0.09
Native Hawaiian or Other Pacific Islander	0.86	1.47	0.17	*	*	*
Asian	0.14	0.47	0.03	*	*	*
Two or More Races	0.92	0.98	0.03	0.36	0.04	0.31
Hispanic or Latino	0.31	0.23	0.07	0.04	0.03	0.01

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.34P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.0213		0.0208		0.0388	
<b>AGE</b>						
12-17	0.7463		0.2407		0.8757	
18-25	0.0041		0.0062		0.0026	
26 or Older	0.0481		0.0709		0.1588	
<b>GENDER</b>						
Male	0.3834		0.3809		0.2035	
Female	0.0027		0.0112		0.0973	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0803		0.0407		0.0816	
White	0.0302		0.0072		0.0282	
Black or African American	0.6522		0.7835		0.7163	
American Indian or Alaska Native	0.7447		0.2712		*	
Native Hawaiian or Other Pacific Islander	0.2823		*		*	
Asian	0.1659		*		*	
Two or More Races	0.7388		0.1441		0.4014	
Hispanic or Latino	0.0602		0.2307		0.0737	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.35C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	11	16	5	7	2	2
<b>GENDER</b>						
Male	9	13	3	5	*	2
Female	6	9	4	4	2	1
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7	7	4	5	2	2
White	7	6	4	4	2	2
Black or African American	*	1	*	1	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	0	3	0	3	0	*
Hispanic or Latino	8	14	2	4	*	1
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	5	5	2	4	*	2
Female, White, Not Hispanic	5	3	4	2	2	*
Male, Black, Not Hispanic	*	1	*	1	*	*
Female, Black, Not Hispanic	*	*	*	*	*	*
Male, Hispanic	8	12	2	3	*	0
Female, Hispanic	3	8	*	3	*	1

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.35D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.04	0.06	0.02	0.03	0.01	0.01
<b>GENDER</b>						
Male	0.07	0.10	0.02	0.04	*	0.01
Female	0.05	0.07	0.03	0.04	0.02	0.01
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.04	0.03	0.02	0.03	0.01	0.01
White	0.05	0.04	0.03	0.03	0.01	0.01
Black or African American	*	0.03	*	0.03	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	0.08	0.38	0.08	0.36	0.05	*
Hispanic or Latino	0.17	0.26	0.04	0.08	*	0.02
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.07	0.07	0.03	0.06	*	0.02
Female, White, Not Hispanic	0.08	0.05	0.05	0.03	0.03	*
Male, Black, Not Hispanic	*	0.06	*	0.06	*	*
Female, Black, Not Hispanic	*	*	*	*	*	*
Male, Hispanic	0.30	0.41	0.07	0.11	*	0.01
Female, Hispanic	0.12	0.31	*	0.12	*	0.04

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.35P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.7463		0.2407		0.8757	
<b>GENDER</b>						
Male	0.9258		0.1770		*	
Female	0.6636		0.7724		0.3211	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5040		0.8689		0.4725	
White	0.3067		0.7658		0.5664	
Black or African American	*		*		*	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	*		*		*	
Two or More Races	0.2550		0.4596		*	
Hispanic or Latino	0.4922		0.0650		*	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.7948		0.4552		*	
Female, White, Not Hispanic	0.0667		0.1783		*	
Male, Black, Not Hispanic	*		*		*	
Female, Black, Not Hispanic	*		*		*	
Male, Hispanic	0.9346		0.3237		*	
Female, Hispanic	0.1355		*		*	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.36C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	47	42	22	16	16	6
<b>GENDER</b>						
Male	34	31	17	11	12	5
Female	32	29	13	11	11	4
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	42	37	18	14	12	6
White	40	35	16	14	10	6
Black or African American	5	7	3	1	2	*
American Indian or Alaska Native	6	5	*	0	*	*
Native Hawaiian or Other Pacific Islander	1	*	*	*	*	*
Asian	6	4	4	*	*	*
Two or More Races	3	5	1	1	1	1
Hispanic or Latino	23	20	12	7	11	2
<b>EDUCATION</b>						
< High School	24	22	11	8	7	2
High School Graduate	31	28	16	10	13	5
Some College	22	21	9	8	5	1
College Graduate	12	6	4	4	2	2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	30	25	11	8	7	4
Part-Time	21	18	11	8	7	2
Unemployed	22	18	13	6	12	3
Other <sup>1</sup>	18	22	6	9	3	3

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.36D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.14	0.12	0.06	0.05	0.05	0.02
<b>GENDER</b>						
Male	0.20	0.18	0.10	0.06	0.07	0.03
Female	0.19	0.17	0.08	0.07	0.06	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.15	0.14	0.07	0.05	0.04	0.02
White	0.20	0.18	0.08	0.07	0.05	0.03
Black or African American	0.10	0.14	0.06	0.03	0.05	*
American Indian or Alaska Native	3.25	2.09	*	0.05	*	*
Native Hawaiian or Other Pacific Islander	0.57	*	*	*	*	*
Asian	0.39	0.20	0.25	*	*	*
Two or More Races	0.57	0.69	0.13	0.17	0.10	0.07
Hispanic or Latino	0.35	0.29	0.19	0.09	0.16	0.03
<b>EDUCATION</b>						
< High School	0.39	0.37	0.18	0.14	0.11	0.04
High School Graduate	0.26	0.24	0.13	0.09	0.11	0.04
Some College	0.19	0.17	0.08	0.06	0.04	0.01
College Graduate	0.24	0.13	0.08	0.07	0.04	0.04
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.24	0.20	0.09	0.06	0.06	0.03
Part-Time	0.22	0.19	0.12	0.08	0.07	0.02
Unemployed	0.46	0.40	0.29	0.13	0.26	0.06
Other <sup>1</sup>	0.24	0.28	0.08	0.12	0.04	0.04

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.36P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.0041		0.0062		0.0026	
<b>GENDER</b>						
Male	0.1042		0.0069		0.0057	
Female	0.0183		0.2839		0.1545	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0230		0.0388		0.0206	
White	0.0468		0.1666		0.0719	
Black or African American	0.8877		0.1539		*	
American Indian or Alaska Native	0.4518		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3258		*		*	
Two or More Races	0.6463		0.8034		0.7127	
Hispanic or Latino	0.1095		0.0670		0.0499	
<b>EDUCATION</b>						
< High School	0.7855		0.0721		0.0425	
High School Graduate	0.0223		0.0792		0.0761	
Some College	0.1554		0.2611		0.0232	
College Graduate	0.0829		0.6753		0.8469	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0141		0.0304		0.0526	
Part-Time	0.0845		0.3306		0.2424	
Unemployed	0.1220		0.0261		0.0408	
Other <sup>1</sup>	0.7168		0.9126		0.6006	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.37C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	371	324	89	67	58	41
<b>GENDER</b>						
Male	295	276	62	59	42	34
Female	187	164	62	33	41	24
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	357	312	86	65	58	41
White	320	251	67	46	44	26
Black or African American	164	177	49	44	39	30
American Indian or Alaska Native	25	42	3	2	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	15	58	*	*	*	*
Two or More Races	30	39	1	14	1	*
Hispanic or Latino	112	87	25	14	7	3
<b>EDUCATION</b>						
< High School	162	138	51	41	42	23
High School Graduate	224	193	45	32	33	22
Some College	181	202	48	40	23	25
College Graduate	138	124	17	13	*	9
<b>CURRENT EMPLOYMENT</b>						
Full-Time	258	237	49	38	30	19
Part-Time	149	95	40	30	33	5
Unemployed	98	90	31	26	19	18
Other <sup>1</sup>	183	188	49	38	32	32

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.37D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.19	0.16	0.05	0.03	0.03	0.02
<b>GENDER</b>						
Male	0.31	0.29	0.07	0.06	0.04	0.04
Female	0.18	0.16	0.06	0.03	0.04	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.21	0.18	0.05	0.04	0.03	0.02
White	0.23	0.18	0.05	0.03	0.03	0.02
Black or African American	0.73	0.76	0.22	0.19	0.18	0.13
American Indian or Alaska Native	2.78	3.63	0.31	0.20	*	0.12
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.16	0.62	*	*	*	*
Two or More Races	1.40	1.50	0.05	0.55	0.05	*
Hispanic or Latino	0.44	0.32	0.10	0.05	0.03	0.01
<b>EDUCATION</b>						
< High School	0.55	0.49	0.17	0.15	0.14	0.08
High School Graduate	0.37	0.33	0.08	0.05	0.06	0.04
Some College	0.38	0.39	0.10	0.08	0.05	0.05
College Graduate	0.22	0.19	0.03	0.02	*	0.01
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.25	0.22	0.05	0.04	0.03	0.02
Part-Time	0.61	0.41	0.17	0.13	0.14	0.02
Unemployed	0.93	0.96	0.30	0.29	0.19	0.19
Other <sup>1</sup>	0.30	0.30	0.08	0.06	0.05	0.05

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.37P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.0481		0.0709		0.1588	
<b>GENDER</b>						
Male	0.4839		0.7185		0.4994	
Female	0.0078		0.0160		0.1824	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1320		0.0961		0.1809	
White	0.0530		0.0159		0.0678	
Black or African American	0.6104		0.8036		0.7471	
American Indian or Alaska Native	0.6601		0.6818		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1299		*		*	
Two or More Races	0.7624		0.1875		*	
Hispanic or Latino	0.0973		0.4708		0.6064	
<b>EDUCATION</b>						
< High School	0.9933		0.2631		0.0632	
High School Graduate	0.2589		0.2125		0.5637	
Some College	0.1600		0.3691		0.9870	
College Graduate	0.2567		0.8459		*	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0600		0.4991		0.4988	
Part-Time	0.1382		0.3713		0.1379	
Unemployed	0.7958		0.6276		0.9852	
Other <sup>1</sup>	0.8289		0.1476		0.5844	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.38C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	378	328	92	68	60	42
<b>GENDER</b>						
Male	299	280	65	61	44	34
Female	192	167	63	35	42	24
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	362	315	88	65	59	42
White	327	256	69	49	45	27
Black or African American	164	177	49	44	39	30
American Indian or Alaska Native	26	42	6	2	*	1
Native Hawaiian or Other Pacific Islander	6	13	1	*	*	*
Asian	16	59	4	*	*	*
Two or More Races	30	40	1	14	1	13
Hispanic or Latino	115	89	27	15	13	4
<b>EDUCATION</b>						
< High School	163	138	52	41	43	23
High School Graduate	227	197	49	33	36	23
Some College	182	203	49	41	23	25
College Graduate	139	124	17	14	*	10
<b>CURRENT EMPLOYMENT</b>						
Full-Time	261	238	51	39	31	20
Part-Time	151	97	41	31	34	5
Unemployed	101	92	34	27	23	18
Other <sup>1</sup>	185	189	49	40	33	32

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.38D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.16	0.14	0.04	0.03	0.03	0.02
<b>GENDER</b>						
Male	0.27	0.25	0.06	0.05	0.04	0.03
Female	0.16	0.14	0.05	0.03	0.04	0.02
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.18	0.16	0.04	0.03	0.03	0.02
White	0.20	0.16	0.04	0.03	0.03	0.02
Black or African American	0.59	0.63	0.18	0.16	0.14	0.11
American Indian or Alaska Native	2.39	3.07	0.58	0.17	*	0.10
Native Hawaiian or Other Pacific Islander	0.95	1.60	0.18	*	*	*
Asian	0.15	0.52	0.04	*	*	*
Two or More Races	1.12	1.19	0.03	0.43	0.04	0.38
Hispanic or Latino	0.36	0.26	0.09	0.05	0.04	0.01
<b>EDUCATION</b>						
< High School	0.46	0.41	0.15	0.13	0.12	0.07
High School Graduate	0.31	0.28	0.07	0.05	0.05	0.03
Some College	0.30	0.32	0.08	0.07	0.04	0.04
College Graduate	0.21	0.18	0.03	0.02	*	0.01
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.22	0.20	0.04	0.03	0.03	0.02
Part-Time	0.44	0.30	0.12	0.09	0.10	0.02
Unemployed	0.66	0.66	0.23	0.20	0.15	0.13
Other <sup>1</sup>	0.27	0.27	0.07	0.06	0.05	0.05

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 1.38P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
<b>TOTAL</b>	0.0214		0.0169		0.0395	
<b>GENDER</b>						
Male	0.3923		0.3376		0.1940	
Female	0.0026		0.0103		0.1062	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0828		0.0399		0.0857	
White	0.0314		0.0077		0.0299	
Black or African American	0.6425		0.7683		0.7138	
American Indian or Alaska Native	0.7576		0.2689		*	
Native Hawaiian or Other Pacific Islander	0.2951		*		*	
Asian	0.1645		*		*	
Two or More Races	0.7439		0.1780		0.3815	
Hispanic or Latino	0.0510		0.1412		0.0584	
<b>EDUCATION</b>						
< High School	0.9486		0.1465		0.0326	
High School Graduate	0.1483		0.0842		0.2530	
Some College	0.1249		0.2765		0.7591	
College Graduate	0.2127		0.9293		*	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0325		0.2507		0.2678	
Part-Time	0.0835		0.2628		0.0903	
Unemployed	0.4842		0.2205		0.3730	
Other <sup>1</sup>	0.7989		0.1637		0.5536	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.