

Table 2.62C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	929	920	510	504	363	373
GEOGRAPHIC DIVISION						
Northeast	365	393	213	213	151	147
New England	176	210	112	110	89	86
Middle Atlantic	315	327	180	182	121	119
Midwest	352	346	220	184	159	138
East North Central	287	286	173	161	124	113
West North Central	203	193	133	90	97	75
South	602	590	316	322	235	235
South Atlantic	450	461	237	257	171	185
East South Central	223	199	123	112	94	92
West South Central	301	298	166	154	135	108
West	508	503	256	276	161	211
Mountain	237	225	117	150	76	131
Pacific	447	447	229	229	143	163
COUNTY TYPE						
Large Metro	1,046	985	449	414	298	292
Small Metro	800	779	322	298	197	215
250K – 1 Mil. Pop.	646	637	253	235	151	175
< 250K Pop.	481	448	202	180	133	119
Nonmetro	499	464	213	196	147	133
Urbanized	363	283	126	115	71	94
Less Urbanized	382	398	173	144	126	81
Completely Rural	163	141	49	56	38	34

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.62D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.37	0.36	0.20	0.20	0.14	0.14
GEOGRAPHIC DIVISION						
Northeast	0.78	0.84	0.46	0.46	0.32	0.31
New England	1.44	1.70	0.91	0.90	0.73	0.70
Middle Atlantic	0.92	0.95	0.53	0.53	0.35	0.34
Midwest	0.64	0.62	0.40	0.33	0.29	0.25
East North Central	0.74	0.74	0.45	0.42	0.32	0.29
West North Central	1.21	1.13	0.79	0.53	0.58	0.44
South	0.65	0.62	0.34	0.34	0.25	0.25
South Atlantic	0.92	0.92	0.48	0.51	0.35	0.37
East South Central	1.48	1.30	0.81	0.73	0.63	0.60
West South Central	1.04	1.00	0.57	0.52	0.47	0.36
West	0.86	0.84	0.44	0.46	0.27	0.35
Mountain	1.31	1.24	0.65	0.82	0.42	0.72
Pacific	1.10	1.07	0.56	0.55	0.35	0.39
COUNTY TYPE						
Large Metro	0.55	0.52	0.29	0.27	0.21	0.21
Small Metro	0.61	0.63	0.36	0.33	0.24	0.24
250K – 1 Mil. Pop.	0.78	0.77	0.43	0.38	0.28	0.29
< 250K Pop.	1.03	1.12	0.65	0.64	0.47	0.42
Nonmetro	0.77	0.75	0.45	0.46	0.34	0.32
Urbanized	1.17	1.08	0.63	0.69	0.39	0.58
Less Urbanized	1.18	1.24	0.70	0.66	0.55	0.39
Completely Rural	2.51	2.05	1.18	1.11	0.93	0.79

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.62P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.1910		0.0386		0.2401	
GEOGRAPHIC DIVISION						
Northeast	0.0167		0.2596		0.0469	
New England	0.7198		0.7314		0.7827	
Middle Atlantic	0.0086		0.2624		0.0249	
Midwest	0.0815		0.0154		0.0658	
East North Central	0.1558		0.0649		0.1094	
West North Central	0.2905		0.1125		0.3480	
South	0.6547		0.8784		0.9807	
South Atlantic	0.9451		0.7948		0.3578	
East South Central	0.1570		0.9719		0.9506	
West South Central	0.9639		0.4583		0.1690	
West	0.8348		0.3059		0.4177	
Mountain	0.8571		0.7550		0.1754	
Pacific	0.8801		0.3153		0.9839	
COUNTY TYPE						
Large Metro	0.3448		0.1562		0.3662	
Small Metro	0.3391		0.1121		0.6646	
250K – 1 Mil. Pop.	0.7060		0.4193		0.8926	
< 250K Pop.	0.2612		0.1201		0.3497	
Nonmetro	0.8397		0.5760		0.4158	
Urbanized	0.0277		0.3802		0.4400	
Less Urbanized	0.1389		0.6110		0.0509	
Completely Rural	0.7236		0.1625		0.6697	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.63C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	65	71	55	59	36	41
GEOGRAPHIC DIVISION						
Northeast	26	30	23	26	14	19
New England	14	13	11	13	7	9
Middle Atlantic	22	27	20	22	13	16
Midwest	24	27	21	22	14	15
East North Central	20	23	18	18	12	14
West North Central	14	15	11	13	8	7
South	41	46	35	39	25	25
South Atlantic	29	31	24	29	19	19
East South Central	16	15	13	12	10	9
West South Central	25	28	22	23	12	13
West	36	36	30	28	17	19
Mountain	16	16	14	14	8	11
Pacific	33	33	27	25	15	16
COUNTY TYPE						
Large Metro	55	57	46	46	27	30
Small Metro	39	44	31	37	21	26
250K – 1 Mil. Pop.	33	36	27	30	18	22
< 250K Pop.	22	28	17	23	10	14
Nonmetro	29	27	23	22	14	14
Urbanized	16	17	13	15	7	8
Less Urbanized	24	20	18	16	11	11
Completely Rural	7	11	6	7	5	4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.63D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.27	0.29	0.22	0.24	0.15	0.16
GEOGRAPHIC DIVISION						
Northeast	0.62	0.70	0.55	0.60	0.34	0.45
New England	1.27	1.18	1.04	1.18	0.63	0.85
Middle Atlantic	0.70	0.84	0.64	0.68	0.40	0.52
Midwest	0.45	0.49	0.39	0.41	0.26	0.28
East North Central	0.53	0.60	0.47	0.47	0.31	0.36
West North Central	0.87	0.90	0.68	0.82	0.49	0.44
South	0.46	0.49	0.39	0.43	0.28	0.27
South Atlantic	0.65	0.67	0.53	0.63	0.42	0.41
East South Central	1.10	1.00	0.93	0.82	0.70	0.63
West South Central	0.82	0.87	0.74	0.72	0.40	0.41
West	0.63	0.61	0.52	0.47	0.30	0.32
Mountain	0.87	0.88	0.79	0.76	0.46	0.58
Pacific	0.82	0.79	0.66	0.60	0.38	0.39
COUNTY TYPE						
Large Metro	0.38	0.38	0.33	0.32	0.20	0.22
Small Metro	0.45	0.52	0.38	0.44	0.26	0.31
250K – 1 Mil. Pop.	0.57	0.59	0.49	0.50	0.35	0.38
< 250K Pop.	0.75	1.07	0.63	0.91	0.41	0.55
Nonmetro	0.69	0.63	0.55	0.52	0.35	0.35
Urbanized	0.87	0.87	0.74	0.75	0.44	0.45
Less Urbanized	1.13	0.98	0.81	0.82	0.52	0.57
Completely Rural	2.00	2.31	1.88	1.70	1.58	1.08

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.63P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.3554		0.9084		0.3516	
GEOGRAPHIC DIVISION						
Northeast	0.9883		0.4467		0.0609	
New England	0.7156		0.2550		0.1355	
Middle Atlantic	0.8292		0.8526		0.1922	
Midwest	0.4392		0.9510		0.8452	
East North Central	0.8109		0.6777		0.4748	
West North Central	0.3038		0.4689		0.1250	
South	0.8615		0.4148		0.6216	
South Atlantic	0.8745		0.2514		0.5919	
East South Central	0.9065		0.9736		0.8188	
West South Central	0.8611		0.9789		0.1154	
West	0.3534		0.1606		0.8106	
Mountain	0.4032		0.3830		0.7060	
Pacific	0.5426		0.2734		0.9652	
COUNTY TYPE						
Large Metro	0.5209		0.6000		1.0000	
Small Metro	0.1650		0.4667		0.0993	
250K – 1 Mil. Pop.	0.0483		0.6916		0.7936	
< 250K Pop.	0.6886		0.0890		0.0093	
Nonmetro	0.4324		0.8093		0.9922	
Urbanized	0.3896		0.5698		0.3386	
Less Urbanized	0.9667		0.8733		0.9919	
Completely Rural	0.1595		0.8151		0.3028	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.64C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	159	170	134	139	101	100
GEOGRAPHIC DIVISION						
Northeast	66	62	54	50	38	34
New England	33	32	27	24	20	16
Middle Atlantic	57	51	46	43	32	30
Midwest	60	59	51	54	41	39
East North Central	50	48	43	45	34	33
West North Central	35	33	29	29	26	21
South	103	114	89	96	73	66
South Atlantic	87	85	72	74	60	52
East South Central	35	38	31	33	26	24
West South Central	50	60	47	47	35	28
West	89	89	71	68	44	54
Mountain	42	45	29	33	22	29
Pacific	77	75	65	59	38	45
COUNTY TYPE						
Large Metro	189	195	121	133	78	91
Small Metro	183	193	124	125	73	72
250K – 1 Mil. Pop.	127	110	88	68	50	47
< 250K Pop.	133	157	88	103	56	54
Nonmetro	97	86	69	62	48	37
Urbanized	70	62	48	45	31	26
Less Urbanized	70	58	52	38	34	25
Completely Rural	24	30	14	23	12	12

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.64D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.47	0.50	0.39	0.41	0.30	0.29
GEOGRAPHIC DIVISION						
Northeast	1.09	1.01	0.89	0.82	0.63	0.55
New England	2.06	2.01	1.65	1.52	1.26	0.97
Middle Atlantic	1.28	1.14	1.05	0.95	0.72	0.66
Midwest	0.81	0.80	0.69	0.74	0.55	0.54
East North Central	0.97	0.95	0.85	0.90	0.65	0.65
West North Central	1.47	1.45	1.24	1.26	1.09	0.93
South	0.83	0.90	0.72	0.76	0.59	0.52
South Atlantic	1.38	1.32	1.13	1.15	0.94	0.80
East South Central	1.75	1.89	1.54	1.65	1.30	1.19
West South Central	1.22	1.45	1.13	1.12	0.86	0.68
West	1.10	1.08	0.88	0.83	0.55	0.66
Mountain	1.70	1.82	1.15	1.34	0.87	1.17
Pacific	1.37	1.31	1.16	1.02	0.69	0.78
COUNTY TYPE						
Large Metro	0.66	0.66	0.53	0.55	0.40	0.41
Small Metro	0.81	0.92	0.68	0.74	0.52	0.49
250K – 1 Mil. Pop.	0.95	1.03	0.82	0.83	0.60	0.61
< 250K Pop.	1.53	1.61	1.26	1.31	1.04	0.80
Nonmetro	1.05	1.07	1.00	0.95	0.81	0.66
Urbanized	1.50	1.54	1.44	1.43	1.15	1.02
Less Urbanized	1.62	1.52	1.51	1.28	1.17	0.98
Completely Rural	4.12	4.00	2.90	4.00	2.80	2.26

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.64P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0156		0.2458		0.2458	
GEOGRAPHIC DIVISION						
Northeast	0.0006		0.0200		0.0211	
New England	0.7050		0.5741		0.3845	
Middle Atlantic	0.0001		0.0162		0.0293	
Midwest	0.0401		0.5759		0.2213	
East North Central	0.1949		0.8302		0.4183	
West North Central	0.0698		0.4955		0.3335	
South	0.5927		0.2900		0.9923	
South Atlantic	0.1431		0.0783		0.3047	
East South Central	0.3734		0.8897		0.7605	
West South Central	0.0628		0.4937		0.1104	
West	0.2138		0.1724		0.6973	
Mountain	0.3656		0.4545		0.7215	
Pacific	0.3659		0.2617		0.7893	
COUNTY TYPE						
Large Metro	0.5442		0.5001		0.5279	
Small Metro	0.0212		0.1152		0.1493	
250K – 1 Mil. Pop.	0.0192		0.0870		0.2283	
< 250K Pop.	0.3946		0.6108		0.4279	
Nonmetro	0.0506		0.0494		0.0235	
Urbanized	0.0027		0.0834		0.1339	
Less Urbanized	0.7793		0.1140		0.0659	
Completely Rural	0.8138		0.4522		0.9570	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.65C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	896	889	482	465	340	352
GEOGRAPHIC DIVISION						
Northeast	352	389	201	201	143	139
New England	172	206	103	102	83	83
Middle Atlantic	302	326	172	173	116	112
Midwest	339	340	202	171	146	127
East North Central	276	280	158	149	115	104
West North Central	197	188	123	84	89	71
South	578	561	296	285	221	223
South Atlantic	432	436	221	220	159	171
East South Central	217	190	112	108	86	89
West South Central	294	281	162	141	131	104
West	494	480	239	260	156	199
Mountain	238	211	110	132	70	114
Pacific	432	430	213	223	139	162
COUNTY TYPE						
Large Metro	987	931	412	379	277	270
Small Metro	736	711	284	254	181	199
250K – 1 Mil. Pop.	606	601	228	217	144	170
< 250K Pop.	431	397	172	133	114	101
Nonmetro	460	433	187	181	129	124
Urbanized	327	263	108	101	61	87
Less Urbanized	346	369	147	135	110	76
Completely Rural	152	115	44	44	35	29

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.65D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.46	0.45	0.25	0.23	0.17	0.18
GEOGRAPHIC DIVISION						
Northeast	0.97	1.07	0.55	0.55	0.39	0.38
New England	1.80	2.14	1.08	1.06	0.87	0.86
Middle Atlantic	1.13	1.21	0.64	0.64	0.44	0.41
Midwest	0.80	0.79	0.47	0.40	0.34	0.30
East North Central	0.93	0.94	0.53	0.50	0.39	0.35
West North Central	1.53	1.44	0.95	0.64	0.69	0.54
South	0.81	0.77	0.41	0.39	0.31	0.30
South Atlantic	1.13	1.11	0.58	0.56	0.42	0.44
East South Central	1.86	1.61	0.96	0.91	0.74	0.75
West South Central	1.35	1.25	0.74	0.63	0.60	0.46
West	1.10	1.05	0.53	0.57	0.35	0.44
Mountain	1.73	1.52	0.80	0.95	0.51	0.82
Pacific	1.39	1.35	0.69	0.70	0.45	0.51
COUNTY TYPE						
Large Metro	0.70	0.66	0.35	0.34	0.26	0.25
Small Metro	0.76	0.76	0.43	0.38	0.29	0.30
250K – 1 Mil. Pop.	0.97	0.93	0.52	0.47	0.35	0.37
< 250K Pop.	1.29	1.40	0.79	0.67	0.55	0.50
Nonmetro	0.95	0.93	0.53	0.55	0.39	0.39
Urbanized	1.46	1.33	0.75	0.78	0.45	0.68
Less Urbanized	1.44	1.52	0.82	0.83	0.65	0.47
Completely Rural	2.93	2.37	1.35	1.23	1.07	0.89

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.65P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.4407		0.0659		0.3313	
GEOGRAPHIC DIVISION						
Northeast	0.0619		0.4718		0.0773	
New England	0.7945		0.7309		0.8231	
Middle Atlantic	0.0410		0.5261		0.0438	
Midwest	0.1871		0.0190		0.1220	
East North Central	0.2474		0.0669		0.1272	
West North Central	0.4911		0.1357		0.5900	
South	0.6809		0.5765		0.9606	
South Atlantic	0.7345		0.7157		0.4702	
East South Central	0.1896		0.9923		1.0000	
West South Central	0.6559		0.5820		0.2533	
West	0.5969		0.6116		0.4384	
Mountain	0.6549		1.0000		0.1449	
Pacific	0.7113		0.5570		0.9584	
COUNTY TYPE						
Large Metro	0.4309		0.1007		0.2604	
Small Metro	0.7032		0.2614		0.9265	
250K – 1 Mil. Pop.	0.8212		0.8844		0.5925	
< 250K Pop.	0.3102		0.0816		0.3381	
Nonmetro	0.9250		0.9411		0.8271	
Urbanized	0.0950		0.5099		0.2749	
Less Urbanized	0.1352		0.9721		0.1500	
Completely Rural	0.8644		0.2458		0.6024	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.66C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	921	913	504	498	358	369
GEOGRAPHIC DIVISION						
Northeast	362	395	210	212	149	145
New England	173	211	110	108	88	85
Middle Atlantic	314	329	178	182	120	117
Midwest	349	345	217	183	157	137
East North Central	284	286	170	160	122	112
West North Central	204	190	133	90	97	74
South	597	581	315	317	232	233
South Atlantic	445	456	235	254	167	182
East South Central	221	195	122	110	94	91
West South Central	300	289	165	150	134	108
West	507	496	252	271	163	208
Mountain	239	221	113	147	76	129
Pacific	446	441	226	225	145	162
COUNTY TYPE						
Large Metro	1,036	970	439	406	293	288
Small Metro	791	770	316	291	195	211
250K – 1 Mil. Pop.	639	629	247	229	150	171
< 250K Pop.	473	443	198	176	131	117
Nonmetro	493	456	207	195	145	133
Urbanized	356	278	121	115	70	93
Less Urbanized	377	391	168	141	123	80
Completely Rural	160	135	47	53	37	33

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.66D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.40	0.39	0.22	0.21	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.86	0.93	0.50	0.50	0.35	0.34
New England	1.55	1.88	0.98	0.96	0.79	0.76
Middle Atlantic	1.01	1.05	0.57	0.58	0.39	0.37
Midwest	0.70	0.69	0.43	0.36	0.31	0.27
East North Central	0.82	0.82	0.49	0.46	0.35	0.32
West North Central	1.34	1.24	0.88	0.58	0.64	0.48
South	0.71	0.68	0.37	0.37	0.28	0.27
South Atlantic	1.00	1.00	0.53	0.56	0.38	0.40
East South Central	1.62	1.41	0.90	0.80	0.69	0.66
West South Central	1.16	1.09	0.64	0.56	0.52	0.41
West	0.96	0.92	0.48	0.50	0.31	0.39
Mountain	1.47	1.35	0.70	0.90	0.47	0.79
Pacific	1.22	1.18	0.62	0.60	0.39	0.43
COUNTY TYPE						
Large Metro	0.61	0.58	0.31	0.30	0.23	0.23
Small Metro	0.66	0.68	0.39	0.35	0.26	0.26
250K – 1 Mil. Pop.	0.85	0.83	0.47	0.41	0.31	0.32
< 250K Pop.	1.12	1.22	0.71	0.68	0.51	0.45
Nonmetro	0.85	0.83	0.49	0.51	0.37	0.36
Urbanized	1.30	1.18	0.69	0.78	0.43	0.63
Less Urbanized	1.29	1.36	0.76	0.73	0.60	0.43
Completely Rural	2.67	2.24	1.25	1.21	1.00	0.86

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.66P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.2316		0.0355		0.2026	
GEOGRAPHIC DIVISION						
Northeast	0.0166		0.2193		0.0254	
New England	0.7471		0.6318		0.6741	
Middle Atlantic	0.0081		0.2499		0.0143	
Midwest	0.0992		0.0142		0.0648	
East North Central	0.1731		0.0684		0.0908	
West North Central	0.3347		0.0953		0.4126	
South	0.6226		0.8098		0.9449	
South Atlantic	0.9601		0.8822		0.3206	
East South Central	0.1491		0.9677		0.9344	
West South Central	0.9283		0.4509		0.1258	
West	0.7602		0.3820		0.4017	
Mountain	0.7810		0.8295		0.1592	
Pacific	0.8334		0.3771		0.9787	
COUNTY TYPE						
Large Metro	0.3878		0.1712		0.3663	
Small Metro	0.3930		0.0888		0.5370	
250K – 1 Mil. Pop.	0.8330		0.4372		0.9131	
< 250K Pop.	0.2380		0.0778		0.2292	
Nonmetro	0.8180		0.5586		0.4183	
Urbanized	0.0397		0.3608		0.4641	
Less Urbanized	0.1660		0.6157		0.0492	
Completely Rural	0.8102		0.1600		0.5658	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.