

Table 6.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	298	295	52	52	106	112	264	262
12-49	236	207	42	38	78	82	215	181
50-99	157	171	26	30	51	57	146	155
100-299	253	235	37	41	92	98	233	211
300 or More	221	219	26	22	76	77	201	202
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	190	186	37	36	66	73	176	170
3-5	143	160	31	28	55	62	131	143
6-19	178	178	30	35	63	65	160	157
20 or More	281	267	29	29	93	95	253	247

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.80	0.80	1.12	1.15	0.75	0.77	1.39	1.38
12-49	0.68	0.60	1.03	0.92	0.62	0.61	1.18	1.04
50-99	0.51	0.53	0.71	0.78	0.46	0.49	0.88	0.93
100-299	0.75	0.66	0.96	0.98	0.74	0.75	1.31	1.16
300 or More	0.65	0.65	0.69	0.59	0.66	0.66	1.12	1.13
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.91	0.90	1.63	1.56	0.90	0.91	1.61	1.56
3-5	0.76	0.81	1.52	1.27	0.77	0.79	1.32	1.39
6-19	0.92	0.85	1.42	1.46	0.83	0.87	1.56	1.41
20 or More	1.17	1.08	1.41	1.27	1.09	1.05	2.00	1.86

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.4990	0.7916			0.9813		0.4458	
12-49	0.1334	0.6210			0.5063		0.1804	
50-99	0.0844	0.2354			0.0302		0.3704	
100-299	0.0876	0.3523			0.9724		0.0443	
300 or More	0.2562	0.1144			0.3121		0.0620	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.4418	0.5714			0.5014		0.5142	
3-5	0.6931	0.6802			0.2570		0.9834	
6-19	0.5614	0.1903			0.3711		0.5521	
20 or More	0.6625	0.7343			0.4684		0.9273	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	143	124	19	16	57	62	124	107
12-49	102	87	10	9	29	33	95	79
50-99	73	48	4	6	19	18	70	44
100-299	62	54	4	5	21	13	59	53
300 or More	29	18	1	*	3	5	28	17
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	81	78	*	*	32	31	70	69
3-5	55	58	*	*	16	22	52	*
6-19	27	33	*	*	16	10	22	32
20 or More	47	25	*	*	7	5	47	25

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.24	2.19	4.10	4.27	1.99	2.04	3.42	3.64
12-49	1.93	1.92	3.72	3.60	1.59	1.82	2.99	3.24
50-99	1.49	1.20	1.53	2.44	1.15	1.10	2.41	2.04
100-299	1.29	1.35	1.73	1.96	1.25	0.80	2.04	2.41
300 or More	0.63	0.47	0.55	*	0.20	0.35	1.04	0.82
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.82	3.78	*	*	3.75	3.88	5.66	5.76
3-5	3.26	3.58	*	*	3.05	3.67	4.89	*
6-19	1.83	2.35	*	*	2.84	2.17	2.42	3.58
20 or More	2.96	1.80	*	*	1.32	1.00	4.64	2.88

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.1430	0.3369			0.1855		0.4106	
12-49	0.6188	0.8320			0.7321		0.5739	
50-99	0.1843	0.2619			0.7099		0.2161	
100-299	0.8842	0.6415			0.0056		0.3428	
300 or More	0.6257	*			0.7492		0.6409	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.3038	*			0.3934		0.3644	
3-5	0.9130	*			0.6023		*	
6-19	0.4846	*			0.0815		0.1559	
20 or More	0.0401	*			0.5399		0.0507	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	156	131	35	30	83	79	116	98
12-49	60	50	18	16	36	33	41	37
50-99	33	34	10	8	16	17	28	28
100-299	28	22	9	8	15	16	*	12
300 or More	8	5	*	2	5	4	*	3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	71	55	16	19	44	38	*	*
3-5	34	19	9	9	18	14	*	*
6-19	14	15	8	7	10	8	*	*
20 or More	9	5	3	1	6	2	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.44	1.46	2.47	2.49	1.52	1.58	3.62	3.99
12-49	1.21	1.16	2.16	2.18	1.31	1.29	2.85	3.15
50-99	0.72	0.82	1.23	1.15	0.66	0.73	2.02	2.50
100-299	0.61	0.53	1.15	1.21	0.60	0.68	*	1.09
300 or More	0.17	0.13	*	0.29	0.22	0.16	*	0.26
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	2.71	2.40	4.51	4.50	2.90	2.74	*	*
3-5	2.51	1.93	3.84	3.73	2.52	2.35	*	*
6-19	1.15	1.51	3.26	3.02	1.50	1.42	*	*
20 or More	0.71	0.56	1.18	0.58	0.93	0.34	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.8102	0.7427			0.9203		0.9240	
12-49	0.6388	0.7165			0.9378		0.4248	
50-99	0.2954	0.4726			0.6993		0.1859	
100-299	0.8527	0.6426			0.8707		*	
300 or More	0.8053	*			0.5112		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.6295	0.8736			0.5663		*	
3-5	0.3854	0.7749			0.9297		*	
6-19	0.3923	0.7739			0.6705		*	
20 or More	0.4831	0.5798			0.2440		*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	81	78	32	33	37	40	*	*
12-49	46	48	21	17	17	15	*	*
50-99	25	33	13	13	13	9	*	*
100-299	63	35	9	9	9	8	*	*
300 or More	3	7	2	5	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	49	20	15	*	*	*	*
3-5	33	26	9	7	*	*	*	*
6-19	*	26	10	10	*	*	*	*
20 or More	13	*	4	7	*	*	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.91	2.64	2.30	2.23	3.17	3.11	*	*
12-49	2.04	2.24	2.00	1.82	2.36	2.50	*	*
50-99	1.24	1.72	1.43	1.54	2.03	1.84	*	*
100-299	2.87	1.81	1.00	1.08	1.52	1.55	*	*
300 or More	0.14	0.39	0.18	0.59	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	5.01	4.26	4.68	*	*	*	*
3-5	4.43	3.72	3.21	3.15	*	*	*	*
6-19	*	3.95	3.58	3.89	*	*	*	*
20 or More	1.88	*	1.41	2.95	*	*	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.9068	0.1360		0.2643			*	
12-49	0.5427	0.0222		0.5607			*	
50-99	0.6896	0.8177		0.4025			*	
100-299	0.9943	0.4245		0.9330			*	
300 or More	0.1752	0.2208		*			*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	0.4218		*			*	
3-5	0.6060	0.9435		*			*	
6-19	*	0.8972		*			*	
20 or More	*	0.1617		*			*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	259	249	33	33	78	87	238	235
3-5	206	206	27	26	74	63	194	197
6-19	257	247	27	26	75	73	245	233
20-29	291	271	27	21	63	68	284	260
30	737	709	30	28	120	134	709	681
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	295	275	20	19	61	68	284	265
6-15 (1/2 Pack)	380	390	18	17	78	81	363	375
16-25 (1 Pack)	422	364	10	9	56	56	416	357
26 or More (More Than 1 Pack)	222	224	4	4	19	26	221	223
Not Reported	28	3	1	1	3	1	28	3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.42	0.41	1.37	1.42	0.58	0.63	0.51	0.51
3-5	0.35	0.35	1.19	1.23	0.56	0.51	0.43	0.44
6-19	0.41	0.41	1.16	1.19	0.57	0.57	0.52	0.51
20-29	0.48	0.45	1.18	1.01	0.50	0.53	0.61	0.57
30	0.71	0.71	1.29	1.28	0.80	0.86	0.86	0.88
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.75	0.69	3.14	3.02	0.94	1.07	0.88	0.80
6-15 (1/2 Pack)	0.87	0.86	2.91	3.05	1.07	1.08	1.01	1.01
16-25 (1 Pack)	0.90	0.82	2.11	1.88	0.91	0.90	1.06	0.97
26 or More (More Than 1 Pack)	0.60	0.60	0.83	0.80	0.35	0.48	0.71	0.71
Not Reported	0.08	0.01	0.32	0.23	0.05	0.02	0.10	0.01

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.8215	0.7679			0.5846		0.6671	
3-5	0.2816	0.5408			0.2381		0.4146	
6-19	0.6379	0.2966			0.6569		0.6356	
20-29	0.6966	0.0215			0.0933		0.5475	
30	0.2246	0.9183			0.6841		0.1764	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.9062	0.2870			0.1849		0.6899	
6-15 (1/2 Pack)	0.2214	0.4944			0.6749		0.1643	
16-25 (1 Pack)	0.1289	0.6769			0.1353		0.1895	
26 or More (More Than 1 Pack)	0.5210	0.5609			0.1745		0.6417	
Not Reported	0.1053	0.9408			0.2237		0.1347	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	720	768	86	93	144	147	689	731
12-49	825	860	61	60	175	170	783	827
50-99	647	607	43	45	138	152	626	575
100-299	1,006	899	38	32	199	211	970	860
300 or More	419	457	10	10	43	42	416	456
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	756	760	58	63	151	147	733	721
3-5	739	732	48	39	141	158	723	708
6-19	844	770	33	35	181	223	811	726
20 or More	607	623	13	11	79	74	600	615

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.36	0.37	0.84	0.82	0.46	0.44	0.44	0.45
12-49	0.39	0.41	0.72	0.71	0.47	0.46	0.47	0.50
50-99	0.33	0.32	0.56	0.58	0.40	0.42	0.41	0.38
100-299	0.44	0.39	0.48	0.44	0.53	0.51	0.54	0.48
300 or More	0.24	0.25	0.14	0.15	0.16	0.15	0.30	0.31
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.46	0.45	1.18	1.18	0.53	0.55	0.55	0.53
3-5	0.48	0.44	1.16	1.02	0.51	0.54	0.58	0.53
6-19	0.49	0.44	0.85	0.95	0.58	0.65	0.59	0.52
20 or More	0.40	0.41	0.39	0.32	0.34	0.33	0.49	0.49

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.7410	0.2988		0.2685		0.6195		
12-49	0.4087	0.5932		0.8065		0.3396		
50-99	0.6733	0.8884		0.1417		0.8870		
100-299	0.0345	0.1429		0.9065		0.0322		
300 or More	0.2957	0.4574		0.6059		0.3076		
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.8751	0.4501		0.5606		0.8084		
3-5	0.5908	0.1548		0.6429		0.5747		
6-19	0.5134	0.3112		0.3535		0.3713		
20 or More	0.9622	0.5510		0.1407		0.9205		

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.