

Table 7.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	963	909	969	940	899	974	927	966	1,023	1,036
Marijuana and Hashish	912	868	912	925	909	964	917	949	1,019	1,013
Cocaine	583	565	636	595	655	660	672	655	682	701
Crack	306	264	280	292	329	339	323	316	379	327
Heroin	223	205	193	226	238	240	224	217	249	227
Hallucinogens	602	589	618	608	644	640	647	666	687	628
LSD	514	494	506	521	520	550	548	564	560	530
PCP	284	271	298	289	294	298	339	298	321	307
Ecstasy	297	285	329	335	355	346	344	371	430	367
Inhalants	474	441	480	460	471	503	490	473	473	491
Nonmedical Use of Psychotherapeutics ^{2,3}	743	653	736	719	701	698	757	740	784	752
Pain Relievers	569	517	564	562	540	563	597	584	610	598
OxyContin [®]	116	140	134	142	168	181	187	222	246	211
Tranquilizers	497	435	490	480	477	469	506	494	494	494
Stimulants ³	515	475	498	491	508	472	546	509	557	500
Methamphetamine ³	417	403	401	375	413	368	400	404	452	410
Sedatives	370	325	403	347	353	360	401	354	355	353
ILLICIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835	809	858	855	877	900	889

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.41	0.38	0.40	0.39	0.37	0.39	0.37	0.38	0.40	0.40
Marijuana and Hashish	0.39	0.37	0.38	0.38	0.37	0.39	0.37	0.38	0.40	0.39
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27	0.27	0.26	0.27	0.27
Crack	0.13	0.11	0.12	0.12	0.13	0.14	0.13	0.13	0.15	0.13
Heroin	0.10	0.09	0.08	0.09	0.10	0.10	0.09	0.09	0.10	0.09
Hallucinogens	0.26	0.25	0.26	0.25	0.26	0.26	0.26	0.26	0.27	0.24
LSD	0.22	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.21
PCP	0.12	0.11	0.12	0.12	0.12	0.12	0.14	0.12	0.13	0.12
Ecstasy	0.13	0.12	0.14	0.14	0.14	0.14	0.14	0.15	0.17	0.14
Inhalants	0.20	0.19	0.20	0.19	0.19	0.20	0.20	0.19	0.19	0.19
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.27	0.31	0.30	0.28	0.28	0.30	0.29	0.31	0.29
Pain Relievers	0.24	0.22	0.23	0.23	0.22	0.23	0.24	0.23	0.24	0.23
OxyContin [®]	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.09	0.10	0.08
Tranquilizers	0.21	0.18	0.20	0.20	0.19	0.19	0.20	0.20	0.19	0.19
Stimulants ³	0.22	0.20	0.21	0.20	0.21	0.19	0.22	0.20	0.22	0.19
Methamphetamine ³	0.18	0.17	0.17	0.15	0.17	0.15	0.16	0.16	0.18	0.16
Sedatives	0.16	0.14	0.17	0.14	0.14	0.15	0.16	0.14	0.14	0.14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34	0.33	0.35	0.34	0.35	0.35	0.35

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0932	0.2521	0.0291	0.0925	0.0033	0.1467	0.7689	0.5142	0.6146	
Marijuana and Hashish	0.0072	0.0236	0.0030	0.0011	0.0001	0.0265	0.1978	0.7264	0.7538	
Cocaine	0.8113	0.3373	0.7262	0.1693	0.9640	0.6478	0.2429	0.4794	0.2758	
Crack	0.0347	0.3567	0.6801	0.6884	0.1083	0.1174	0.2722	0.4086	0.0213	
Heroin	0.6658	0.7417	0.0098	0.2140	0.5642	0.5380	0.4320	0.1930	0.8940	
Hallucinogens	0.1773	0.3257	0.6535	0.4683	0.5248	0.4130	0.3668	0.0371	0.0495	
LSD	0.0000	0.0000	0.0067	0.3262	0.0524	0.4339	0.0862	0.1038	0.3138	
PCP	0.0000	0.0002	0.0103	0.0433	0.0481	0.4665	0.0973	0.4713	0.5683	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0013	0.0012	0.0171	0.9422	0.0042	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001	0.0001	0.0190	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2427	0.0713	0.1974	0.2250	0.0414	0.2074	0.0157	0.0658	0.2064	
Pain Relievers	0.0368	0.6048	0.7943	0.6620	0.3332	0.8246	0.0292	0.0387	0.1653	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.7915	0.2809	
Tranquilizers	0.4557	0.7046	0.5854	0.3585	0.3582	0.3700	0.4193	0.3183	0.1904	
Stimulants ³	0.0000	0.0000	0.0000	0.0095	0.0000	0.0017	0.0347	0.0022	0.0218	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0087	0.0000	0.0027	0.0574	0.0230	0.0239	
Sedatives	0.0000	0.0000	0.0000	0.0002	0.0005	0.0183	0.0014	0.0085	0.6020	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2143	0.1750	0.8554	0.6164	0.4487	0.3740	0.0238	0.0570	0.0783	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	588	558	535	550	566	596	553	598	646	603
Marijuana and Hashish	471	455	451	473	478	493	474	541	559	514
Cocaine	222	229	205	205	230	242	207	209	205	168
Crack	124	124	117	114	134	123	94	105	92	69
Heroin	55	48	56	43	86	54	59	79	75	72
Hallucinogens	151	147	153	146	149	140	130	158	178	143
LSD	63	44	47	48	56	55	50	55	72	60
PCP	25	24	28	21	38	19	14	22	24	20
Ecstasy	126	105	112	114	106	108	96	126	128	107
Inhalants	95	83	90	95	107	106	115	111	115	107
Nonmedical Use of Psychotherapeutics ^{2,3}	379	358	352	346	360	381	352	366	397	363
Pain Relievers	300	299	300	304	306	316	294	322	336	302
OxyContin [®]	--	--	74	81	93	96	88	105	116	104
Tranquilizers	225	195	208	207	197	222	200	222	207	211
Stimulants ³	154	136	157	134	180	152	123	149	158	151
Methamphetamine ³	116	100	128	99	137	115	75	100	105	118
Sedatives	116	85	72	74	99	94	61	80	103	64
ILLICIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398	418	449	407	420	446	404

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.25	0.23	0.22	0.23	0.23	0.24	0.22	0.24	0.25	0.23
Marijuana and Hashish	0.20	0.19	0.19	0.19	0.19	0.20	0.19	0.21	0.22	0.20
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10	0.08	0.08	0.08	0.07
Crack	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03
Hallucinogens	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.07	0.06
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01
Ecstasy	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.16	0.15	0.15	0.14	0.15	0.15	0.14	0.15	0.16	0.14
Pain Relievers	0.13	0.13	0.12	0.12	0.12	0.13	0.12	0.13	0.13	0.12
OxyContin [®]	--	--	0.03	0.03	0.04	0.04	0.04	0.04	0.05	0.04
Tranquilizers	0.10	0.08	0.09	0.08	0.08	0.09	0.08	0.09	0.08	0.08
Stimulants ³	0.07	0.06	0.07	0.06	0.07	0.06	0.05	0.06	0.06	0.06
Methamphetamine ³	0.05	0.04	0.05	0.04	0.06	0.05	0.03	0.04	0.04	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.04	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16	0.17	0.18	0.16	0.17	0.18	0.16

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.8201	0.6720	0.2263	0.1511	0.3425	0.2148	0.0660	0.4053	0.1638	
Marijuana and Hashish	0.0366	0.0008	0.0005	0.0001	0.0000	0.0000	0.0000	0.5976	0.9765	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0060	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	0.0208	
Heroin	0.0598	0.0018	0.0393	0.0100	0.7766	0.0117	0.0921	0.8154	0.9195	
Hallucinogens	0.0000	0.3576	0.6967	0.8669	0.6719	0.4296	0.1478	0.0090	0.0205	
LSD	0.0202	0.0004	0.0018	0.0004	0.0274	0.0056	0.5606	0.3882	0.8704	
PCP	0.0000	0.0003	0.0035	0.0879	0.0874	0.3760	0.4783	0.7826	0.5027	
Ecstasy	0.0000	0.4236	0.0210	0.0299	0.2415	0.1769	0.1028	0.0088	0.1184	
Inhalants	0.0047	0.0055	0.0001	0.0024	0.0023	0.0406	0.0914	0.0583	0.1784	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0050	0.0009	0.0176	0.0019	0.0000	0.0000	0.0509	0.0009	0.0026	
Pain Relievers	0.0445	0.0007	0.0386	0.0020	0.0000	0.0000	0.0073	0.0006	0.0051	
OxyContin [®]	--	--	0.0131	0.0175	0.0975	0.3356	0.4076	0.5025	0.0647	
Tranquilizers	0.5325	0.2219	0.3001	0.1294	0.5134	0.2093	0.6221	0.1073	0.0634	
Stimulants ³	0.0000	0.0057	0.0005	0.0056	0.0000	0.0659	0.8792	0.0381	0.2586	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0321	0.2837	0.3085	0.7112	
Sedatives	0.0001	0.0008	0.0082	0.0067	0.0003	0.0013	0.1696	0.0031	0.0012	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0005	0.0001	0.0000	0.0000	0.0043	0.0000	0.0013	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	388	404	415	432	427	445	427	457	488	460
Marijuana and Hashish	320	327	360	360	357	359	377	395	407	409
Cocaine	128	147	119	142	153	149	131	136	108	106
Crack	68	91	66	87	101	80	55	77	60	42
Heroin	42	28	37	19	77	38	39	37	43	48
Hallucinogens	80	72	58	83	70	75	68	92	84	60
LSD	18	18	26	16	24	33	19	22	20	23
PCP	15	13	17	13	9	13	8	18	21	10
Ecstasy	64	55	47	44	51	56	51	69	61	45
Inhalants	64	45	64	57	73	67	71	58	83	68
Nonmedical Use of Psychotherapeutics ^{2,3}	230	256	212	232	244	251	225	250	268	231
Pain Relievers	186	207	170	194	217	214	196	214	215	189
OxyContin [®]	--	--	36	38	35	53	58	59	67	54
Tranquilizers	136	118	103	118	115	129	118	137	138	133
Stimulants ³	94	102	99	81	105	94	75	99	86	89
Methamphetamine ³	78	81	76	62	79	80	53	67	53	72
Sedatives	64	55	48	47	69	68	37	55	72	49
ILLICIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279	284	306	261	292	300	256

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.17	0.17	0.17	0.18	0.17	0.18	0.17	0.18	0.19	0.18
Marijuana and Hashish	0.14	0.14	0.15	0.15	0.15	0.14	0.15	0.16	0.16	0.16
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.05	0.04	0.04
Crack	0.03	0.04	0.03	0.04	0.04	0.03	0.02	0.03	0.02	0.02
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.02
Hallucinogens	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.04	0.03	0.02
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.00
Ecstasy	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.10	0.11	0.09	0.10	0.10	0.10	0.09	0.10	0.11	0.09
Pain Relievers	0.08	0.09	0.07	0.08	0.09	0.09	0.08	0.09	0.08	0.07
OxyContin [®]	--	--	0.02	0.02	0.01	0.02	0.02	0.02	0.03	0.02
Tranquilizers	0.06	0.05	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Stimulants ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.03
Methamphetamine ³	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.03	0.02	0.03
Sedatives	0.03	0.02	0.02	0.02	0.03	0.03	0.01	0.02	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11	0.12	0.12	0.10	0.12	0.12	0.10

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0888	0.0334	0.0016	0.0140	0.0805	0.0073	0.0070	0.9760	0.4074	
Marijuana and Hashish	0.0001	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.1427	0.4881	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0746	0.4122	
Crack	0.0000	0.0001	0.0010	0.0000	0.0000	0.0000	0.0383	0.0018	0.0388	
Heroin	0.1360	0.0075	0.0989	0.0090	0.4333	0.0690	0.3316	0.1375	0.5623	
Hallucinogens	0.0015	0.1105	0.7907	0.0820	0.3877	0.5222	0.2040	0.0046	0.0171	
LSD	0.3372	0.8126	0.9814	0.1581	0.6565	0.9641	0.7237	0.7419	0.8597	
PCP	0.0568	0.0418	0.2063	0.1475	0.6576	0.2846	0.9863	0.1661	0.6568	
Ecstasy	0.0188	0.6412	0.3607	0.8484	0.8861	0.7813	0.7866	0.0057	0.0420	
Inhalants	0.4672	0.9384	0.5428	0.8095	0.0889	0.8613	0.6903	0.5759	0.4747	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0251	0.0160	0.1910	0.0252	0.0001	0.0024	0.3840	0.0036	0.0078	
Pain Relievers	0.2436	0.0363	0.3489	0.0968	0.0010	0.0015	0.1375	0.0014	0.0151	
OxyContin [®]	--	--	0.1996	0.2437	0.0290	0.5417	0.8485	0.2708	0.1071	
Tranquilizers	0.4956	0.4403	0.5278	0.6299	0.9848	0.7122	0.9466	0.2268	0.0651	
Stimulants ³	0.0008	0.0016	0.0017	0.0218	0.0004	0.3654	0.7741	0.0086	0.3150	
Methamphetamine ³	0.0057	0.0021	0.0035	0.0217	0.0026	0.3179	0.1934	0.4402	0.3941	
Sedatives	0.0038	0.2481	0.4514	0.4096	0.0488	0.1400	0.8156	0.0499	0.0892	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0001	0.0001	0.0303	0.0002	0.0000	0.0001	0.0317	0.0006	0.0048	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	104	107	96	100	104	103	98	103	102	103
Marijuana and Hashish	88	91	87	85	87	88	82	86	91	89
Cocaine	36	36	33	34	32	32	32	28	26	26
Crack	17	17	14	14	15	13	12	10	11	16
Heroin	14	11	12	10	11	10	13	9	9	12
Hallucinogens	49	48	45	44	42	41	41	43	44	43
LSD	34	26	24	23	21	18	21	20	21	19
PCP	20	20	18	19	16	14	12	13	11	10
Ecstasy	40	32	31	26	28	30	33	34	35	37
Inhalants	67	68	67	67	66	68	65	66	61	58
Nonmedical Use of Psychotherapeutics ^{2,3}	75	76	70	72	75	74	69	70	68	64
Pain Relievers	69	70	67	65	68	69	66	64	64	59
OxyContin [®]	21	20	24	21	24	25	23	27	28	25
Tranquilizers	38	40	36	38	36	37	35	33	36	37
Stimulants ³	46	41	38	41	43	34	39	31	31	31
Methamphetamine ³	29	24	25	26	28	19	22	20	18	21
Sedatives	22	22	23	22	19	20	18	21	17	16
ILLICIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87	87	92	83	88	87	82

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39	0.41	0.41	0.39	0.42	0.42	0.41
Marijuana and Hashish	0.36	0.37	0.34	0.33	0.34	0.35	0.33	0.35	0.37	0.35
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13	0.13	0.11	0.11	0.11
Crack	0.07	0.07	0.06	0.05	0.06	0.05	0.05	0.04	0.04	0.06
Heroin	0.05	0.04	0.05	0.04	0.04	0.04	0.05	0.04	0.04	0.05
Hallucinogens	0.20	0.19	0.18	0.17	0.17	0.16	0.16	0.18	0.18	0.17
LSD	0.14	0.10	0.09	0.09	0.08	0.07	0.08	0.08	0.09	0.08
PCP	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.05	0.05	0.04
Ecstasy	0.16	0.13	0.12	0.10	0.11	0.12	0.13	0.14	0.14	0.15
Inhalants	0.27	0.27	0.27	0.26	0.26	0.27	0.26	0.27	0.25	0.23
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.30	0.28	0.28	0.30	0.29	0.28	0.28	0.28	0.26
Pain Relievers	0.28	0.28	0.27	0.26	0.27	0.27	0.26	0.26	0.26	0.23
OxyContin [®]	0.09	0.08	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.10
Tranquilizers	0.16	0.16	0.14	0.15	0.14	0.15	0.14	0.13	0.15	0.15
Stimulants ³	0.19	0.16	0.15	0.16	0.17	0.13	0.16	0.12	0.13	0.12
Methamphetamine ³	0.12	0.10	0.10	0.10	0.11	0.07	0.09	0.08	0.08	0.08
Sedatives	0.09	0.09	0.09	0.09	0.08	0.08	0.07	0.09	0.07	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34	0.34	0.36	0.33	0.36	0.36	0.33

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0002	0.0003	0.1951	0.1347	0.0175	0.6491	
Marijuana and Hashish	0.0000	0.0001	0.0032	0.7316	0.6859	0.0113	0.0575	0.3683	0.3619	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0529	0.3456	
Crack	0.0000	0.0001	0.0071	0.0635	0.0063	0.0596	0.5312	0.6435	0.7463	
Heroin	0.1764	0.5444	0.6639	0.4732	0.5109	0.3147	0.8761	0.4142	0.1330	
Hallucinogens	0.0000	0.0000	0.0004	0.3790	0.4715	0.4709	0.4321	0.1058	0.1293	
LSD	0.0000	0.0000	0.0083	0.0668	0.6279	0.2646	0.1370	0.3999	0.7854	
PCP	0.0000	0.0000	0.0000	0.0000	0.0065	0.0919	0.1014	0.1609	0.9254	
Ecstasy	0.0000	0.9491	0.0689	0.0000	0.0026	0.0004	0.0887	0.6203	0.5969	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0271	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0049	0.0005	0.1482	
Pain Relievers	0.0000	0.0000	0.0000	0.0002	0.0000	0.0024	0.0154	0.0017	0.0770	
OxyContin [®]	0.0000	0.0003	0.0501	0.0031	0.3558	0.7048	0.4838	0.6456	0.8017	
Tranquilizers	0.0079	0.0014	0.0337	0.2887	0.5368	0.4371	0.6470	0.8922	0.4053	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0543	0.4221	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0001	0.0000	0.2166	0.7089	0.8483	0.4221	
Sedatives	0.0004	0.0001	0.0001	0.0018	0.0014	0.0066	0.0113	0.0019	0.1002	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0332	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	95	91	87	88	95	88	87	90	94	93
Marijuana and Hashish	79	79	77	75	78	75	73	78	84	83
Cocaine	32	28	27	28	28	27	24	22	22	20
Crack	14	13	10	10	12	11	8	7	5	7
Heroin	11	8	10	8	8	6	11	7	8	11
Hallucinogens	40	37	36	36	34	34	35	38	40	35
LSD	25	15	17	17	14	15	18	14	17	18
PCP	13	12	12	14	11	9	10	10	8	7
Ecstasy	32	23	23	21	23	26	27	29	32	29
Inhalants	44	48	45	47	45	43	44	42	42	40
Nonmedical Use of Psychotherapeutics ^{2,3}	64	64	59	61	62	63	58	59	58	53
Pain Relievers	59	59	56	56	56	59	54	54	54	48
OxyContin [®]	--	--	18	18	18	19	17	20	24	18
Tranquilizers	34	33	29	29	30	31	29	26	30	31
Stimulants ³	35	30	28	31	33	27	28	23	24	23
Methamphetamine ³	22	17	17	20	21	14	14	13	15	16
Sedatives	16	16	15	16	13	15	14	16	14	12
ILLICIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71	73	73	69	72	74	65

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.38	0.36	0.34	0.35	0.37	0.35	0.35	0.36	0.38	0.37
Marijuana and Hashish	0.32	0.31	0.31	0.30	0.31	0.30	0.29	0.32	0.34	0.33
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11	0.10	0.09	0.09	0.08
Crack	0.06	0.05	0.04	0.04	0.05	0.04	0.03	0.03	0.02	0.03
Heroin	0.04	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.05
Hallucinogens	0.16	0.15	0.14	0.14	0.13	0.14	0.14	0.16	0.16	0.14
LSD	0.10	0.06	0.07	0.07	0.05	0.06	0.07	0.06	0.07	0.07
PCP	0.05	0.05	0.05	0.06	0.04	0.04	0.04	0.04	0.03	0.03
Ecstasy	0.13	0.09	0.09	0.08	0.09	0.10	0.11	0.12	0.13	0.12
Inhalants	0.18	0.19	0.18	0.19	0.18	0.17	0.18	0.17	0.17	0.16
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.26	0.23	0.24	0.24	0.25	0.23	0.24	0.24	0.21
Pain Relievers	0.24	0.24	0.22	0.22	0.22	0.23	0.22	0.22	0.22	0.19
OxyContin [®]	--	--	0.07	0.07	0.07	0.07	0.07	0.08	0.10	0.07
Tranquilizers	0.14	0.13	0.12	0.11	0.12	0.12	0.12	0.11	0.12	0.12
Stimulants ³	0.14	0.12	0.11	0.12	0.13	0.11	0.11	0.09	0.10	0.09
Methamphetamine ³	0.09	0.07	0.07	0.08	0.08	0.06	0.06	0.05	0.06	0.06
Sedatives	0.07	0.06	0.06	0.06	0.05	0.06	0.06	0.06	0.06	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28	0.29	0.29	0.28	0.29	0.30	0.26

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0000	0.0000	0.0001	0.0724	0.2176	0.7186	0.8046	0.1881	0.3277	
Marijuana and Hashish	0.0008	0.0994	0.5482	0.0499	0.0265	0.0002	0.0088	0.2199	0.6664	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0124	0.5712	0.5837	
Crack	0.0000	0.0000	0.0058	0.0410	0.0012	0.0055	0.5768	0.9621	0.2407	
Heroin	0.8929	0.2148	0.6778	0.1993	0.2188	0.0185	0.4263	0.1715	0.0731	
Hallucinogens	0.0000	0.0113	0.0489	0.8838	0.9046	0.6014	0.3787	0.0558	0.0301	
LSD	0.0000	0.6641	0.8939	0.6405	0.0141	0.1472	0.2882	0.5247	0.4254	
PCP	0.0000	0.0004	0.0236	0.0061	0.1653	0.1857	0.0710	0.4876	0.7631	
Ecstasy	0.0024	0.0156	0.0025	0.0000	0.0015	0.0141	0.0639	0.9409	0.1975	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0056	0.0052	0.0093	0.1489	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0001	0.0000	0.0012	0.0267	0.0282	0.1571	
Pain Relievers	0.0000	0.0000	0.0000	0.0018	0.0000	0.0168	0.0661	0.0206	0.2855	
OxyContin [®]	--	--	0.2909	0.1652	0.3731	0.6760	0.7572	0.7166	0.4648	
Tranquilizers	0.0344	0.0143	0.2159	0.7279	0.9664	0.5659	0.8090	0.8851	0.9260	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0330	0.2238	0.3223	
Methamphetamine ³	0.0000	0.0007	0.0029	0.0047	0.0033	0.6524	0.5929	0.3829	0.8063	
Sedatives	0.0067	0.0190	0.0125	0.0971	0.1744	0.1767	0.1052	0.0289	0.1090	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	0.0015	0.0011	0.0100	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	71	67	67	64	67	68	61	66	70	68
Marijuana and Hashish	58	60	57	56	55	56	54	59	62	61
Cocaine	18	16	15	16	13	13	13	13	11	12
Crack	9	8	5	7	4	5	3	4	2	2
Heroin	5	6	5	5	5	2	6	5	3	8
Hallucinogens	20	20	19	19	18	17	21	20	21	22
LSD	12	10	8	8	7	8	10	7	10	8
PCP	6	6	5	6	5	5	4	5	3	2
Ecstasy	16	12	13	11	11	11	15	16	15	15
Inhalants	22	25	26	23	26	26	24	22	23	20
Nonmedical Use of Psychotherapeutics ^{2,3}	43	42	40	37	40	40	33	36	38	35
Pain Relievers	39	39	36	33	36	36	29	34	35	31
OxyContin [®]	--	--	10	7	6	8	8	11	10	10
Tranquilizers	18	22	15	17	14	19	16	15	15	17
Stimulants ³	22	19	19	18	17	14	14	14	15	12
Methamphetamine ³	14	11	12	13	10	8	6	8	8	8
Sedatives	9	10	6	6	8	9	8	9	8	6
ILLICIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44	48	49	42	45	47	42

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.29	0.27	0.27	0.25	0.27	0.27	0.25	0.27	0.29	0.27
Marijuana and Hashish	0.24	0.24	0.23	0.22	0.21	0.22	0.22	0.24	0.25	0.24
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05
Crack	0.03	0.03	0.02	0.03	0.02	0.02	0.01	0.02	0.01	0.01
Heroin	0.02	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.01	0.03
Hallucinogens	0.08	0.08	0.07	0.07	0.07	0.07	0.08	0.08	0.09	0.09
LSD	0.05	0.04	0.03	0.03	0.03	0.03	0.04	0.03	0.04	0.03
PCP	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.04	0.04	0.04	0.06	0.06	0.06	0.06
Inhalants	0.09	0.10	0.10	0.09	0.10	0.10	0.10	0.09	0.10	0.08
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.14	0.16	0.16	0.13	0.15	0.16	0.14
Pain Relievers	0.16	0.15	0.14	0.13	0.14	0.14	0.12	0.14	0.14	0.12
OxyContin [®]	--	--	0.04	0.03	0.03	0.03	0.03	0.04	0.04	0.04
Tranquilizers	0.07	0.09	0.06	0.07	0.06	0.07	0.07	0.06	0.06	0.07
Stimulants ³	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.06	0.06	0.05
Methamphetamine ³	0.06	0.04	0.05	0.05	0.04	0.03	0.02	0.03	0.03	0.03
Sedatives	0.03	0.04	0.02	0.03	0.03	0.04	0.03	0.04	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17	0.19	0.19	0.17	0.18	0.19	0.17

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0001	0.0027	0.1858	0.5955	0.4352	0.1648	0.0262	0.9874	0.9273	
Marijuana and Hashish	0.3816	0.9798	0.3536	0.0017	0.0003	0.0003	0.0002	0.1314	0.1647	
Cocaine	0.0003	0.0000	0.0027	0.0003	0.0217	0.0390	0.0776	0.8220	0.7503	
Crack	0.0096	0.0002	0.0218	0.0038	0.0489	0.0160	0.2247	0.2550	0.8757	
Heroin	0.7266	0.7321	0.9616	0.9843	0.8865	0.1460	0.9200	0.8854	0.4621	
Hallucinogens	0.1572	0.1380	0.8133	0.6226	0.2064	0.1145	0.3088	0.8822	0.8697	
LSD	0.0627	0.1801	0.7106	0.8787	0.8124	0.7169	0.1566	0.8830	0.2896	
PCP	0.0025	0.0099	0.1972	0.0346	0.1385	0.3185	0.0237	0.1103	0.4886	
Ecstasy	0.4636	0.3770	0.1070	0.0553	0.1568	0.0189	0.8698	0.6959	0.4081	
Inhalants	0.0064	0.0024	0.0083	0.0048	0.0005	0.0328	0.1153	0.4224	0.1453	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0063	0.0055	0.0116	0.6079	0.0579	0.3216	
Pain Relievers	0.0000	0.0000	0.0002	0.0129	0.0121	0.0340	0.8995	0.0253	0.1993	
OxyContin [®]	--	--	0.3145	0.1520	0.0437	0.7330	0.9138	0.1867	0.8602	
Tranquilizers	0.2722	0.0203	0.9243	0.8812	0.0876	0.4923	0.6330	0.4756	0.2733	
Stimulants ³	0.0000	0.0000	0.0004	0.0010	0.0011	0.1434	0.4201	0.1075	0.5409	
Methamphetamine ³	0.0375	0.0152	0.1430	0.0243	0.2463	0.7771	0.4686	1.0000	0.3321	
Sedatives	0.0262	0.0460	0.8189	0.8076	0.0534	0.3695	0.2790	0.1397	0.2442	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0006	0.0009	0.0270	0.2350	0.0775	0.1468	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	156	155	165	161	166	162	155	163	167	174
Marijuana and Hashish	157	157	176	168	175	166	160	169	167	177
Cocaine	114	107	109	115	116	117	112	113	112	108
Crack	51	54	50	54	55	49	48	45	47	42
Heroin	35	37	36	36	38	34	32	37	41	43
Hallucinogens	140	134	130	132	140	130	118	135	134	121
LSD	115	108	98	96	89	78	74	80	79	74
PCP	45	49	42	41	38	35	36	37	34	32
Ecstasy	112	109	108	113	112	111	100	104	115	102
Inhalants	111	104	111	102	101	96	92	95	91	95
Nonmedical Use of Psychotherapeutics ^{2,3}	135	136	143	143	154	145	142	153	143	145
Pain Relievers	119	130	129	131	145	136	138	139	134	130
OxyContin [®]	40	56	54	64	65	62	68	71	75	74
Tranquilizers	94	98	98	107	112	104	103	104	106	104
Stimulants ³	93	101	104	97	104	97	91	97	97	93
Methamphetamine ³	71	76	72	77	79	71	63	62	62	56
Sedatives	39	37	40	40	38	40	37	40	34	36
ILLICIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154	166	158	156	163	158	157

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.50	0.49	0.51	0.49	0.51	0.49	0.47	0.49	0.49	0.51
Marijuana and Hashish	0.51	0.50	0.55	0.52	0.53	0.51	0.49	0.50	0.49	0.51
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36	0.34	0.34	0.33	0.32
Crack	0.16	0.17	0.16	0.17	0.17	0.15	0.15	0.13	0.14	0.12
Heroin	0.11	0.12	0.11	0.11	0.12	0.11	0.10	0.11	0.12	0.13
Hallucinogens	0.45	0.42	0.40	0.41	0.43	0.40	0.36	0.40	0.39	0.35
LSD	0.37	0.34	0.31	0.30	0.27	0.24	0.22	0.24	0.23	0.22
PCP	0.15	0.16	0.13	0.13	0.12	0.11	0.11	0.11	0.10	0.09
Ecstasy	0.36	0.34	0.34	0.35	0.34	0.34	0.30	0.31	0.34	0.30
Inhalants	0.36	0.33	0.34	0.31	0.31	0.29	0.28	0.28	0.27	0.28
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.43	0.44	0.44	0.47	0.44	0.43	0.46	0.42	0.42
Pain Relievers	0.39	0.41	0.40	0.40	0.44	0.42	0.42	0.42	0.39	0.38
OxyContin [®]	0.13	0.18	0.17	0.20	0.20	0.19	0.21	0.21	0.22	0.22
Tranquilizers	0.30	0.31	0.31	0.33	0.34	0.32	0.31	0.31	0.31	0.30
Stimulants ³	0.30	0.32	0.32	0.30	0.32	0.30	0.28	0.29	0.28	0.27
Methamphetamine ³	0.23	0.24	0.23	0.24	0.24	0.22	0.19	0.18	0.18	0.16
Sedatives	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.12	0.10	0.11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48	0.51	0.48	0.47	0.49	0.47	0.46

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0001	0.0000	0.0024	0.0016	0.0035	0.3992	0.9501	0.0212	0.5548	
Marijuana and Hashish	0.0093	0.0047	0.2462	0.4533	0.4096	0.1551	0.1141	0.2807	0.5234	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0172	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0000	0.0041	
Heroin	0.3453	0.5434	0.6108	0.2303	0.3519	0.2053	0.0511	0.9180	0.6669	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0020	0.6001	0.0033	0.0786	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0575	0.0039	0.1425	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0037	0.0316	
Ecstasy	0.0000	0.0000	0.0010	0.0020	0.0149	0.2974	0.7417	0.6724	0.8063	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0000	0.0139	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1116	0.0003	0.0001	0.0000	0.0000	0.0000	0.0005	0.0005	0.0066	
Pain Relievers	0.9054	0.0063	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	
OxyContin [®]	0.0000	0.0000	0.0000	0.0002	0.0017	0.0054	0.0193	0.4397	0.4093	
Tranquilizers	0.0079	0.9083	0.7020	0.0151	0.1021	0.4294	0.9674	0.1995	0.0390	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0006	0.0003	0.0027	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0059	
Sedatives	0.0000	0.0104	0.0004	0.0001	0.0028	0.0100	0.2433	0.2101	1.0000	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0000	0.0029	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	143	153	154	152	157	156	154	160	167	172
Marijuana and Hashish	135	146	152	145	150	150	150	156	166	167
Cocaine	74	72	80	74	80	78	70	69	69	72
Crack	23	23	24	29	27	24	23	20	22	16
Heroin	17	14	15	21	18	20	19	20	25	26
Hallucinogens	81	77	72	74	79	77	75	82	90	81
LSD	44	30	27	30	32	30	36	40	45	43
PCP	14	19	17	11	14	11	8	8	10	16
Ecstasy	67	50	48	52	61	57	60	65	70	65
Inhalants	41	39	41	42	40	38	36	45	45	47
Nonmedical Use of Psychotherapeutics ^{2,3}	97	104	110	109	118	110	112	119	114	110
Pain Relievers	86	97	94	98	103	97	101	103	100	94
OxyContin [®]	--	--	35	37	39	36	37	43	44	43
Tranquilizers	57	66	66	68	75	69	70	70	72	63
Stimulants ³	57	56	66	58	61	61	54	61	59	55
Methamphetamine ³	41	39	41	41	38	35	26	29	28	25
Sedatives	18	18	18	22	22	21	23	22	21	18
ILLICIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121	130	126	123	131	132	129

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.46	0.48	0.48	0.47	0.48	0.48	0.47	0.48	0.49	0.50
Marijuana and Hashish	0.43	0.46	0.47	0.45	0.46	0.46	0.46	0.46	0.49	0.49
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24	0.21	0.20	0.20	0.21
Crack	0.08	0.07	0.07	0.09	0.08	0.07	0.07	0.06	0.06	0.05
Heroin	0.05	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.07	0.07
Hallucinogens	0.26	0.24	0.22	0.23	0.24	0.24	0.23	0.24	0.27	0.23
LSD	0.14	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.13	0.13
PCP	0.04	0.06	0.05	0.03	0.04	0.03	0.02	0.02	0.03	0.05
Ecstasy	0.22	0.16	0.15	0.16	0.19	0.18	0.18	0.19	0.20	0.19
Inhalants	0.13	0.12	0.13	0.13	0.12	0.12	0.11	0.14	0.13	0.14
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.33	0.34	0.33	0.36	0.34	0.34	0.35	0.33	0.32
Pain Relievers	0.28	0.30	0.29	0.30	0.31	0.30	0.31	0.31	0.29	0.27
OxyContin [®]	--	--	0.11	0.11	0.12	0.11	0.11	0.13	0.13	0.13
Tranquilizers	0.18	0.21	0.20	0.21	0.23	0.21	0.21	0.21	0.21	0.18
Stimulants ³	0.18	0.18	0.20	0.18	0.19	0.18	0.16	0.18	0.17	0.16
Methamphetamine ³	0.13	0.12	0.13	0.13	0.12	0.11	0.08	0.09	0.08	0.07
Sedatives	0.06	0.06	0.06	0.07	0.07	0.06	0.07	0.06	0.06	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37	0.40	0.38	0.37	0.39	0.39	0.38

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.6850	0.3992	0.0643	0.1580	0.2703	0.0064	0.0306	0.0973	0.9887	
Marijuana and Hashish	0.1288	0.0007	0.0000	0.0000	0.0001	0.0000	0.0000	0.9625	0.2252	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0078	0.6873	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0085	0.0062	
Heroin	0.0025	0.0000	0.0006	0.0654	0.0170	0.0139	0.0185	0.1890	0.6104	
Hallucinogens	0.0000	0.7299	0.0240	0.1504	0.5408	0.1161	0.2340	0.1727	0.2647	
LSD	0.6955	0.0000	0.0000	0.0000	0.0003	0.0005	0.3282	0.3826	0.5789	
PCP	0.0609	0.0156	0.0705	0.9129	0.4327	0.8762	0.0840	0.1409	0.1839	
Ecstasy	0.0000	0.0710	0.0000	0.0000	0.1930	0.0210	0.3306	0.4312	0.3136	
Inhalants	0.0001	0.0007	0.0007	0.0007	0.0939	0.3820	0.3185	0.0252	0.1207	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	
OxyContin [®]	--	--	0.6077	0.5029	0.6956	0.5799	0.9785	0.0069	0.0338	
Tranquilizers	0.2031	0.0059	0.0252	0.0004	0.0020	0.0176	0.0040	0.0023	0.0051	
Stimulants ³	0.0004	0.0053	0.0009	0.0026	0.0000	0.1558	0.1938	0.0174	0.0217	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1215	0.0294	0.2372	
Sedatives	0.0519	0.1207	0.0820	0.0092	0.0275	0.0646	0.0420	0.2051	0.1485	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0007	0.0000	0.0000	0.0002	0.0036	0.0000	0.0111	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	116	128	130	130	122	127	129	135	136	142
Marijuana and Hashish	110	116	119	121	115	120	123	126	130	135
Cocaine	37	42	43	47	41	38	39	36	39	41
Crack	9	13	13	16	13	11	11	11	16	6
Heroin	10	7	9	10	12	11	14	12	17	20
Hallucinogens	38	37	33	36	43	35	39	46	48	40
LSD	8	13	14	12	12	12	15	16	17	14
PCP	6	10	5	5	7	6	3	3	3	6
Ecstasy	31	23	23	26	34	24	31	33	37	30
Inhalants	18	19	18	21	17	19	18	21	21	36
Nonmedical Use of Psychotherapeutics ^{2,3}	60	71	69	72	77	69	71	74	72	69
Pain Relievers	51	61	60	61	66	60	61	62	64	58
OxyContin [®]	--	--	19	19	17	18	16	19	24	21
Tranquilizers	35	36	38	40	43	39	40	40	39	40
Stimulants ³	31	30	34	37	34	31	29	34	35	33
Methamphetamine ³	21	21	24	27	21	18	14	15	17	16
Sedatives	9	11	10	15	13	13	15	17	12	10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87	89	81	82	88	84	87

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.37	0.40	0.40	0.40	0.37	0.39	0.39	0.40	0.40	0.42
Marijuana and Hashish	0.36	0.37	0.37	0.37	0.35	0.37	0.37	0.38	0.38	0.39
Cocaine	0.12	0.13	0.13	0.15	0.13	0.12	0.12	0.11	0.11	0.12
Crack	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.03	0.05	0.02
Heroin	0.03	0.02	0.03	0.03	0.04	0.03	0.04	0.04	0.05	0.06
Hallucinogens	0.12	0.12	0.10	0.11	0.13	0.11	0.12	0.14	0.14	0.12
LSD	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.04
PCP	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.02
Ecstasy	0.10	0.07	0.07	0.08	0.10	0.07	0.09	0.10	0.11	0.09
Inhalants	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.06	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.22	0.21	0.22	0.23	0.21	0.22	0.22	0.21	0.20
Pain Relievers	0.16	0.19	0.19	0.19	0.20	0.18	0.19	0.19	0.19	0.17
OxyContin [®]	--	--	0.06	0.06	0.05	0.06	0.05	0.06	0.07	0.06
Tranquilizers	0.11	0.11	0.12	0.12	0.13	0.12	0.12	0.12	0.11	0.12
Stimulants ³	0.10	0.10	0.11	0.11	0.10	0.09	0.09	0.10	0.10	0.10
Methamphetamine ³	0.07	0.07	0.07	0.08	0.06	0.06	0.04	0.05	0.05	0.05
Sedatives	0.03	0.04	0.03	0.05	0.04	0.04	0.05	0.05	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27	0.27	0.25	0.25	0.26	0.25	0.25

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0266	0.0466	0.0004	0.0218	0.0049	0.0036	0.0031	0.9119	0.8206	
Marijuana and Hashish	0.0014	0.0002	0.0000	0.0000	0.0000	0.0000	0.0000	0.1444	0.3379	
Cocaine	0.0001	0.0000	0.0000	0.0000	0.0000	0.0282	0.2274	0.8386	0.4502	
Crack	0.0018	0.0128	0.0000	0.0000	0.0001	0.0026	0.0071	0.1137	0.0026	
Heroin	0.0047	0.0002	0.0051	0.0455	0.0347	0.0153	0.2454	0.0961	0.5241	
Hallucinogens	0.1056	0.5751	0.3607	0.6354	0.5627	0.2779	0.8496	0.2024	0.0556	
LSD	0.0014	0.3279	0.8391	0.1276	0.0975	0.3014	0.6233	0.7535	0.5309	
PCP	0.6139	0.1056	0.4922	0.9603	0.7296	0.7086	0.2650	0.3075	0.3567	
Ecstasy	0.0888	0.0866	0.0804	0.4206	0.5690	0.0543	0.8576	0.1148	0.0596	
Inhalants	0.5967	0.9962	0.8258	0.8109	0.8354	0.8644	0.3705	0.8642	0.8383	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0815	0.0004	0.0001	0.0000	0.0000	0.0007	0.0026	0.0000	0.0024	
Pain Relievers	0.0305	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0004	
OxyContin [®]	--	--	0.8101	0.8966	0.6798	0.8290	0.4105	0.3919	0.0108	
Tranquilizers	0.8987	0.6946	0.3158	0.1066	0.0274	0.3449	0.4060	0.1112	0.6100	
Stimulants ³	0.0224	0.0294	0.0007	0.0037	0.0037	0.6115	0.6377	0.0697	0.1379	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0850	0.9237	0.7793	0.8514	
Sedatives	0.4145	0.1907	0.5071	0.0537	0.3934	0.0629	0.1451	0.0313	0.2705	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0053	0.0001	0.0010	0.0000	0.0000	0.0016	0.0145	0.0001	0.0042	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	935	874	928	903	854	935	898	932	988	1,011
Marijuana and Hashish	888	831	875	887	863	921	887	907	986	993
Cocaine	574	552	621	580	635	655	660	646	663	704
Crack	303	257	274	283	322	337	317	314	371	324
Heroin	220	201	188	223	235	236	221	214	243	223
Hallucinogens	572	549	583	573	613	615	631	646	651	618
LSD	496	469	494	499	508	540	542	557	549	526
PCP	282	262	292	284	290	294	337	292	317	303
Ecstasy	247	255	286	294	322	317	319	352	396	344
Inhalants	457	407	448	436	445	488	468	463	458	479
Nonmedical Use of Psychotherapeutics ^{2,3}	715	629	706	693	663	662	730	705	752	740
Pain Relievers	539	477	529	527	497	526	567	544	579	589
OxyContin [®]	103	125	120	120	152	165	171	203	224	196
Tranquilizers	481	414	471	460	451	453	484	472	479	483
Stimulants ³	495	456	480	474	482	459	536	496	538	486
Methamphetamine ³	402	392	394	361	398	359	397	395	439	404
Sedatives	366	316	396	344	347	357	395	351	353	349
ILLICIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797	772	830	828	845	863	879

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.52	0.48	0.51	0.49	0.45	0.49	0.47	0.48	0.51	0.51
Marijuana and Hashish	0.50	0.46	0.48	0.48	0.46	0.48	0.46	0.47	0.50	0.50
Cocaine	0.32	0.30	0.34	0.31	0.34	0.35	0.34	0.33	0.34	0.35
Crack	0.17	0.14	0.15	0.15	0.17	0.18	0.17	0.16	0.19	0.16
Heroin	0.12	0.11	0.10	0.12	0.12	0.12	0.12	0.11	0.12	0.11
Hallucinogens	0.32	0.30	0.32	0.31	0.33	0.32	0.33	0.33	0.33	0.31
LSD	0.28	0.26	0.27	0.27	0.27	0.28	0.28	0.29	0.28	0.27
PCP	0.16	0.14	0.16	0.15	0.15	0.15	0.18	0.15	0.16	0.15
Ecstasy	0.14	0.14	0.16	0.16	0.17	0.17	0.17	0.18	0.20	0.17
Inhalants	0.25	0.22	0.24	0.24	0.24	0.26	0.24	0.24	0.23	0.24
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.35	0.39	0.37	0.35	0.35	0.38	0.36	0.39	0.37
Pain Relievers	0.30	0.26	0.29	0.28	0.26	0.28	0.30	0.28	0.30	0.30
OxyContin [®]	0.06	0.07	0.07	0.06	0.08	0.09	0.09	0.11	0.11	0.10
Tranquilizers	0.27	0.23	0.26	0.25	0.24	0.24	0.25	0.24	0.25	0.24
Stimulants ³	0.28	0.25	0.26	0.26	0.26	0.24	0.28	0.26	0.28	0.24
Methamphetamine ³	0.22	0.22	0.22	0.19	0.21	0.19	0.21	0.20	0.22	0.20
Sedatives	0.20	0.17	0.22	0.19	0.18	0.19	0.21	0.18	0.18	0.18
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43	0.41	0.44	0.43	0.44	0.44	0.44

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0022	0.0066	0.0008	0.0145	0.0002	0.1219	0.7911	0.9664	0.7507	
Marijuana and Hashish	0.0007	0.0040	0.0013	0.0016	0.0001	0.1270	0.4777	0.6643	0.6555	
Cocaine	0.3580	0.9875	0.1814	0.0171	0.2405	0.6036	0.6924	0.8048	0.5092	
Crack	0.4269	0.6405	0.4868	0.5159	0.6261	0.3640	0.5493	0.7969	0.0481	
Heroin	0.7946	0.8767	0.0132	0.3494	0.7515	0.7590	0.6779	0.1997	0.9064	
Hallucinogens	0.1294	0.1656	0.3100	0.0482	0.8320	0.2033	0.3837	0.1463	0.1247	
LSD	0.7921	0.3145	0.9327	0.3672	0.4055	0.6823	0.1380	0.2227	0.4341	
PCP	0.0020	0.0416	0.1312	0.3264	0.2223	0.8096	0.2241	0.7180	0.7335	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0001	0.0007	0.0280	1.0000	0.0035	
Inhalants	0.0333	0.0179	0.0629	0.0483	0.0199	0.0223	0.0116	0.0172	0.0989	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8443	0.6912	0.8880	0.8179	0.6306	0.9083	0.1098	0.3839	0.5191	
Pain Relievers	0.0042	0.0429	0.0425	0.1950	0.3363	0.2442	0.2952	0.4014	0.6238	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0156	0.9608	0.4277	
Tranquilizers	0.7978	0.7569	0.6175	0.6455	0.5006	0.2889	0.3887	0.4476	0.4398	
Stimulants ³	0.0000	0.0000	0.0016	0.4408	0.0069	0.0279	0.1729	0.0207	0.0797	
Methamphetamine ³	0.0000	0.0000	0.0001	0.6234	0.0018	0.0941	0.2490	0.1112	0.0501	
Sedatives	0.0000	0.0000	0.0000	0.0007	0.0018	0.0421	0.0026	0.0185	0.6563	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2437	0.2220	0.0392	0.1508	0.2054	0.6048	0.1887	0.4932	0.2995	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	514	489	473	493	494	529	497	526	572	550
Marijuana and Hashish	407	387	395	418	410	418	422	470	488	462
Cocaine	200	207	180	180	210	223	192	189	183	154
Crack	121	120	112	109	132	120	90	103	89	67
Heroin	52	45	52	36	83	50	53	76	70	66
Hallucinogens	109	109	132	112	113	105	95	122	129	106
LSD	35	28	29	31	43	42	28	32	47	35
PCP	16	6	18	10	34	12	*	18	20	9
Ecstasy	93	86	97	98	81	85	69	103	90	78
Inhalants	66	54	69	65	86	88	102	89	100	87
Nonmedical Use of Psychotherapeutics ^{2,3}	345	335	313	315	323	346	310	329	363	338
Pain Relievers	275	275	265	274	272	290	259	290	305	280
OxyContin [®]	--	--	61	69	82	85	79	90	103	91
Tranquilizers	210	175	189	189	180	208	184	203	194	197
Stimulants ³	129	115	136	114	163	129	103	132	132	135
Methamphetamine ³	99	91	116	89	131	102	69	96	93	115
Sedatives	113	81	69	69	94	88	54	73	101	59
ILLICIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354	367	407	364	375	397	370

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.29	0.27	0.26	0.27	0.26	0.28	0.26	0.27	0.29	0.28
Marijuana and Hashish	0.23	0.21	0.22	0.23	0.22	0.22	0.22	0.24	0.25	0.23
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12	0.10	0.10	0.09	0.08
Crack	0.07	0.07	0.06	0.06	0.07	0.06	0.05	0.05	0.05	0.03
Heroin	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.03
Hallucinogens	0.06	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.07	0.05
LSD	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02
PCP	0.01	0.00	0.01	0.01	0.02	0.01	*	0.01	0.01	0.00
Ecstasy	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04
Inhalants	0.04	0.03	0.04	0.03	0.05	0.05	0.05	0.05	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.18	0.17	0.17	0.17	0.18	0.16	0.17	0.19	0.17
Pain Relievers	0.15	0.15	0.14	0.15	0.14	0.15	0.13	0.15	0.16	0.14
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05
Tranquilizers	0.12	0.10	0.10	0.10	0.10	0.11	0.10	0.11	0.10	0.10
Stimulants ³	0.07	0.06	0.07	0.06	0.09	0.07	0.05	0.07	0.07	0.07
Methamphetamine ³	0.06	0.05	0.06	0.05	0.07	0.05	0.04	0.05	0.05	0.06
Sedatives	0.06	0.04	0.04	0.04	0.05	0.05	0.03	0.04	0.05	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19	0.20	0.21	0.19	0.19	0.20	0.19

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.2683	0.1374	0.0737	0.0824	0.2706	0.5963	0.1678	0.8677	0.1916	
Marijuana and Hashish	0.0090	0.0015	0.0061	0.0040	0.0012	0.0012	0.0074	0.6578	0.6599	
Cocaine	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0000	0.0021	0.0057	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0066	0.0709	
Heroin	0.3598	0.0994	0.3332	0.0695	0.5769	0.1606	0.4430	0.7088	0.5954	
Hallucinogens	0.1675	0.7610	0.3061	0.6412	0.3987	0.7958	0.1981	0.0700	0.0978	
LSD	0.8414	0.2403	0.8687	0.4162	0.3245	0.8708	0.7322	0.8754	0.2776	
PCP	0.3769	0.7969	0.2654	0.6730	0.3050	0.5113	*	0.2036	0.7427	
Ecstasy	0.0097	0.4351	0.6137	0.1989	0.7465	0.4682	0.4890	0.0061	0.3751	
Inhalants	0.1014	0.0390	0.4159	0.1608	0.8700	0.7108	0.8988	0.9107	0.7990	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4721	0.3371	0.8695	0.4351	0.0178	0.0133	0.8038	0.1096	0.0522	
Pain Relievers	0.7465	0.6005	0.4734	0.6933	0.0403	0.0425	0.5073	0.1181	0.0793	
OxyContin [®]	--	--	0.0127	0.0295	0.1104	0.3484	0.3204	0.5747	0.3410	
Tranquilizers	0.9607	0.9143	0.8966	0.7680	0.6204	0.6259	0.6310	0.4378	0.3113	
Stimulants ³	0.1248	0.8292	0.2056	0.5959	0.0038	0.3697	0.3975	0.2606	0.9149	
Methamphetamine ³	0.0761	0.1918	0.0211	0.1624	0.0044	0.3238	0.1422	0.5405	0.4983	
Sedatives	0.0016	0.0085	0.0855	0.0914	0.0025	0.0070	0.6943	0.0179	0.0059	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0068	0.0196	0.2569	0.1164	0.0018	0.0005	0.1047	0.0118	0.0263	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	353	363	366	395	376	395	393	401	441	420
Marijuana and Hashish	279	284	312	323	311	309	342	340	362	374
Cocaine	119	137	110	129	147	143	122	127	99	96
Crack	66	90	64	85	101	78	55	76	58	41
Heroin	40	26	35	15	76	37	36	35	40	43
Hallucinogens	67	54	44	73	51	63	53	77	61	38
LSD	11	8	13	7	20	30	*	13	*	16
PCP	13	*	15	10	*	11	*	17	20	*
Ecstasy	53	46	37	34	36	49	38	61	44	30
Inhalants	56	32	55	48	64	59	65	48	77	54
Nonmedical Use of Psychotherapeutics ^{2,3}	216	243	190	218	222	237	204	228	252	215
Pain Relievers	172	193	152	179	199	200	177	198	196	178
OxyContin [®]	--	--	28	31	29	50	56	54	62	49
Tranquilizers	127	112	91	109	105	124	108	128	130	123
Stimulants ³	85	93	87	69	97	86	66	92	76	81
Methamphetamine ³	71	77	67	56	77	76	49	65	49	69
Sedatives	63	53	47	44	67	67	33	51	71	47
ILLICIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257	257	288	242	264	278	232

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.20	0.20	0.20	0.21	0.20	0.21	0.20	0.21	0.23	0.21
Marijuana and Hashish	0.16	0.16	0.17	0.17	0.17	0.16	0.18	0.18	0.19	0.19
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08	0.06	0.07	0.05	0.05
Crack	0.04	0.05	0.03	0.05	0.05	0.04	0.03	0.04	0.03	0.02
Heroin	0.02	0.01	0.02	0.01	0.04	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.02	0.04	0.03	0.03	0.03	0.04	0.03	0.02
LSD	0.01	0.00	0.01	0.00	0.01	0.02	*	0.01	*	0.01
PCP	0.01	*	0.01	0.01	*	0.01	*	0.01	0.01	*
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.03	0.02	0.03	0.02	0.01
Inhalants	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.04	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.12	0.13	0.10	0.12	0.12	0.12	0.11	0.12	0.13	0.11
Pain Relievers	0.10	0.11	0.08	0.10	0.11	0.11	0.09	0.10	0.10	0.09
OxyContin [®]	--	--	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.02
Tranquilizers	0.07	0.06	0.05	0.06	0.06	0.07	0.06	0.07	0.07	0.06
Stimulants ³	0.05	0.05	0.05	0.04	0.05	0.05	0.03	0.05	0.04	0.04
Methamphetamine ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.03	0.04
Sedatives	0.04	0.03	0.03	0.02	0.04	0.04	0.02	0.03	0.04	0.02
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14	0.14	0.15	0.13	0.14	0.14	0.12

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0544	0.0176	0.0064	0.0460	0.3395	0.0668	0.1180	0.9833	0.4496	
Marijuana and Hashish	0.0008	0.0009	0.0033	0.0025	0.0078	0.0002	0.0210	0.3542	0.7935	
Cocaine	0.0010	0.0000	0.0024	0.0001	0.0000	0.0004	0.0022	0.0638	0.5421	
Crack	0.0001	0.0008	0.0149	0.0001	0.0002	0.0001	0.1201	0.0039	0.1588	
Heroin	0.6131	0.1436	0.4646	0.0446	0.1750	0.4286	0.5853	0.3886	0.7864	
Hallucinogens	0.0226	0.3872	0.3146	0.0166	0.2479	0.0300	0.2433	0.0077	0.0889	
LSD	0.6401	0.6068	0.8459	0.4704	0.5134	0.5473	*	0.9322	*	
PCP	*	*	*	*	*	*	*	*	*	
Ecstasy	0.1350	0.4650	0.4999	0.2718	0.8901	0.0939	0.5283	0.0267	0.3773	
Inhalants	0.5077	0.0457	0.4524	0.2243	0.5597	0.4833	0.8004	0.2379	0.6733	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4143	0.6603	0.4310	0.6617	0.0447	0.0710	0.8949	0.1648	0.0776	
Pain Relievers	0.6401	0.8532	0.1371	0.7548	0.1723	0.1058	0.7614	0.1388	0.2108	
OxyContin [®]	--	--	0.0924	0.3055	0.0592	0.4871	0.6021	0.5606	0.4542	
Tranquilizers	0.5341	0.7762	0.2854	0.9582	0.5802	0.9969	0.8971	0.3777	0.0536	
Stimulants ³	0.0651	0.1021	0.1488	0.5968	0.0312	0.5630	0.5066	0.0509	0.7104	
Methamphetamine ³	0.1523	0.0991	0.1645	0.7354	0.0594	0.4986	0.2112	0.4609	0.3935	
Sedatives	0.0121	0.5631	0.5476	0.7803	0.1079	0.3044	0.6756	0.2228	0.1632	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0294	0.1057	0.8861	0.1016	0.0013	0.0042	0.1900	0.0305	0.0613	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	963	902	965	937	896	966	924	961	1,018	1,035
Marijuana and Hashish	915	865	918	924	903	952	915	940	1,016	1,019
Cocaine	584	564	635	597	657	660	674	654	680	704
Crack	307	263	280	293	329	339	323	316	378	328
Heroin	222	204	193	227	238	240	223	217	248	226
Hallucinogens	599	584	613	608	642	638	644	665	681	628
LSD	513	494	504	521	520	549	548	565	558	532
PCP	281	270	297	288	295	298	339	297	320	306
Ecstasy	296	281	326	334	355	344	342	371	427	363
Inhalants	472	435	471	456	466	496	483	470	468	487
Nonmedical Use of Psychotherapeutics ^{2,3}	737	648	731	721	696	692	753	733	777	752
Pain Relievers	565	510	559	560	533	558	593	577	606	597
OxyContin [®]	114	140	133	139	165	178	186	219	242	209
Tranquilizers	493	433	484	478	476	467	503	490	491	493
Stimulants ³	508	472	497	492	504	471	545	508	554	500
Methamphetamine ³	414	403	400	375	413	366	401	405	449	412
Sedatives	370	322	399	346	352	360	400	354	355	353
ILLICIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831	805	857	853	869	890	887

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43	0.41	0.43	0.41	0.42	0.44	0.44
Marijuana and Hashish	0.44	0.41	0.43	0.42	0.41	0.43	0.41	0.41	0.44	0.44
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30	0.30	0.29	0.30	0.30
Crack	0.15	0.12	0.13	0.13	0.15	0.15	0.14	0.14	0.16	0.14
Heroin	0.11	0.10	0.09	0.10	0.11	0.11	0.10	0.10	0.11	0.10
Hallucinogens	0.28	0.27	0.28	0.28	0.29	0.29	0.29	0.29	0.30	0.27
LSD	0.24	0.23	0.23	0.24	0.24	0.25	0.24	0.25	0.24	0.23
PCP	0.13	0.13	0.14	0.13	0.13	0.13	0.15	0.13	0.14	0.13
Ecstasy	0.14	0.13	0.15	0.15	0.16	0.15	0.15	0.16	0.19	0.16
Inhalants	0.22	0.20	0.22	0.21	0.21	0.22	0.21	0.21	0.20	0.21
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.30	0.34	0.33	0.32	0.31	0.33	0.32	0.34	0.32
Pain Relievers	0.27	0.24	0.26	0.26	0.24	0.25	0.26	0.25	0.26	0.26
OxyContin [®]	0.05	0.07	0.06	0.06	0.07	0.08	0.08	0.10	0.11	0.09
Tranquilizers	0.23	0.20	0.22	0.22	0.22	0.21	0.22	0.22	0.21	0.21
Stimulants ³	0.24	0.22	0.23	0.23	0.23	0.21	0.24	0.22	0.24	0.22
Methamphetamine ³	0.20	0.19	0.19	0.17	0.19	0.16	0.18	0.18	0.20	0.18
Sedatives	0.18	0.15	0.19	0.16	0.16	0.16	0.18	0.16	0.15	0.15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38	0.37	0.38	0.38	0.38	0.39	0.38

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0201	0.0790	0.0071	0.0722	0.0020	0.1662	0.7984	0.6631	0.6752	
Marijuana and Hashish	0.0042	0.0241	0.0042	0.0039	0.0003	0.0810	0.3253	0.8196	0.7312	
Cocaine	0.8606	0.3539	0.7269	0.1725	0.9700	0.6715	0.2635	0.5132	0.3121	
Crack	0.0413	0.3886	0.6715	0.6551	0.1124	0.1157	0.2643	0.3905	0.0214	
Heroin	0.6731	0.7892	0.0113	0.2579	0.6343	0.6068	0.4551	0.2102	0.8517	
Hallucinogens	0.3037	0.3808	0.6529	0.5846	0.4289	0.5408	0.3457	0.0467	0.0667	
LSD	0.0000	0.0000	0.0044	0.2601	0.0310	0.3335	0.0823	0.1073	0.3348	
PCP	0.0000	0.0004	0.0142	0.0594	0.0517	0.4657	0.1017	0.4987	0.5797	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0042	0.0044	0.0279	0.8933	0.0048	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0001	0.0010	0.0015	0.0012	0.0361	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6232	0.2515	0.5122	0.3451	0.1073	0.3220	0.0259	0.1210	0.2604	
Pain Relievers	0.0052	0.2104	0.2990	0.8873	0.6234	0.9628	0.0484	0.0782	0.2286	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0018	0.8284	0.2949	
Tranquilizers	0.4337	0.7664	0.5889	0.3138	0.3065	0.3952	0.4012	0.3115	0.2209	
Stimulants ³	0.0000	0.0000	0.0000	0.0240	0.0001	0.0032	0.0515	0.0032	0.0259	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0112	0.0000	0.0023	0.0534	0.0232	0.0225	
Sedatives	0.0000	0.0000	0.0000	0.0002	0.0006	0.0218	0.0019	0.0135	0.6673	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7245	0.6554	0.4811	0.9803	0.8434	0.5901	0.0557	0.1390	0.1249	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	565	540	519	541	548	592	545	583	631	589
Marijuana and Hashish	459	437	437	463	466	484	466	527	548	503
Cocaine	217	225	202	202	227	239	207	208	202	167
Crack	124	122	115	114	133	123	94	105	92	68
Heroin	54	47	55	42	85	54	58	78	75	71
Hallucinogens	144	140	147	140	143	134	124	151	170	138
LSD	58	41	41	45	55	53	47	53	69	57
PCP	21	20	25	15	37	17	10	19	23	19
Ecstasy	122	101	108	111	102	104	92	123	121	103
Inhalants	80	66	78	79	94	96	108	101	109	99
Nonmedical Use of Psychotherapeutics ^{2,3}	368	356	341	345	354	377	345	360	389	357
Pain Relievers	293	298	289	300	298	312	288	318	329	297
OxyContin [®]	--	--	72	80	90	94	87	102	114	102
Tranquilizers	219	192	203	206	193	219	199	220	205	207
Stimulants ³	147	133	153	130	177	150	120	146	155	149
Methamphetamine ³	110	99	125	97	136	113	75	100	103	118
Sedatives	115	83	70	73	98	92	59	78	103	63
ILLICIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393	405	444	400	410	433	397

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.27	0.25	0.24	0.25	0.25	0.27	0.24	0.26	0.28	0.25
Marijuana and Hashish	0.22	0.21	0.20	0.21	0.21	0.22	0.21	0.23	0.24	0.22
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11	0.09	0.09	0.09	0.07
Crack	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.04	0.03
Heroin	0.03	0.02	0.03	0.02	0.04	0.02	0.03	0.03	0.03	0.03
Hallucinogens	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.07	0.07	0.06
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.16	0.16	0.17	0.15	0.16	0.17	0.15
Pain Relievers	0.14	0.14	0.13	0.14	0.14	0.14	0.13	0.14	0.14	0.13
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04
Tranquilizers	0.10	0.09	0.09	0.09	0.09	0.10	0.09	0.10	0.09	0.09
Stimulants ³	0.07	0.06	0.07	0.06	0.08	0.07	0.05	0.06	0.07	0.06
Methamphetamine ³	0.05	0.05	0.06	0.04	0.06	0.05	0.03	0.04	0.04	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.03	0.03	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18	0.18	0.20	0.18	0.18	0.19	0.17

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.3632	0.1360	0.0402	0.0587	0.2024	0.2052	0.0508	0.5304	0.1999	
Marijuana and Hashish	0.0047	0.0001	0.0001	0.0001	0.0000	0.0000	0.0001	0.7246	0.9121	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0068	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	0.0169	
Heroin	0.0586	0.0031	0.0433	0.0173	0.9022	0.0279	0.1169	0.9554	0.7385	
Hallucinogens	0.0002	0.8728	0.8338	0.7451	0.7001	0.4469	0.0775	0.0273	0.0543	
LSD	0.6756	0.0002	0.0005	0.0002	0.1023	0.0113	0.3170	0.4667	0.6840	
PCP	0.0478	0.0326	0.0341	0.8558	0.1970	0.7825	0.0534	0.9698	0.5534	
Ecstasy	0.0000	0.7658	0.0851	0.2320	0.6276	0.4077	0.2247	0.0083	0.1922	
Inhalants	0.5948	0.9673	0.3056	0.5782	0.3567	0.4775	0.6191	0.3411	0.3631	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0884	0.0275	0.1560	0.0152	0.0000	0.0002	0.1071	0.0024	0.0039	
Pain Relievers	0.3314	0.0224	0.2588	0.0121	0.0001	0.0002	0.0177	0.0019	0.0071	
OxyContin [®]	--	--	0.0179	0.0286	0.1168	0.2782	0.3621	0.5393	0.0830	
Tranquilizers	0.7564	0.3991	0.3781	0.1363	0.5013	0.2329	0.6408	0.0985	0.0611	
Stimulants ³	0.0064	0.1771	0.0109	0.0789	0.0000	0.1849	0.8012	0.0543	0.3191	
Methamphetamine ³	0.0000	0.0001	0.0000	0.0001	0.0000	0.0350	0.3136	0.2577	0.7343	
Sedatives	0.0006	0.0034	0.0334	0.0188	0.0006	0.0026	0.3042	0.0101	0.0025	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0003	0.0252	0.0023	0.0000	0.0000	0.0199	0.0001	0.0038	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	379	396	404	430	416	440	422	447	482	453
Marijuana and Hashish	313	317	349	357	350	353	374	384	401	403
Cocaine	126	146	119	141	152	149	130	135	106	106
Crack	67	91	66	87	101	80	55	77	60	42
Heroin	41	27	36	18	77	38	39	37	43	48
Hallucinogens	78	68	55	82	68	72	65	89	80	56
LSD	13	15	22	14	23	32	16	21	17	21
PCP	14	11	16	11	7	13	*	17	21	10
Ecstasy	62	53	45	43	50	54	50	67	58	43
Inhalants	59	37	58	52	66	62	67	52	80	65
Nonmedical Use of Psychotherapeutics ^{2,3}	227	255	206	232	236	248	221	246	265	228
Pain Relievers	182	205	164	191	211	211	192	212	212	187
OxyContin [®]	--	--	35	38	34	53	57	58	67	54
Tranquilizers	133	116	102	116	114	129	117	135	137	132
Stimulants ³	92	100	96	79	103	93	74	98	84	88
Methamphetamine ³	75	80	75	60	79	79	52	67	53	71
Sedatives	64	54	48	46	68	68	36	54	72	48
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278	275	303	258	287	296	251

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.18	0.19	0.19	0.20	0.19	0.20	0.19	0.20	0.21	0.19
Marijuana and Hashish	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.18	0.17
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07	0.06	0.06	0.05	0.05
Crack	0.03	0.04	0.03	0.04	0.05	0.04	0.02	0.03	0.03	0.02
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.04	0.03	0.02
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	*	0.01	0.01	0.00
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.04	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.11	0.12	0.10	0.11	0.11	0.11	0.10	0.11	0.12	0.10
Pain Relievers	0.09	0.10	0.08	0.09	0.10	0.09	0.09	0.09	0.09	0.08
OxyContin [®]	--	--	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.02
Tranquilizers	0.06	0.05	0.05	0.05	0.05	0.06	0.05	0.06	0.06	0.06
Stimulants ³	0.04	0.05	0.04	0.04	0.05	0.04	0.03	0.04	0.04	0.04
Methamphetamine ³	0.04	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.02	0.03
Sedatives	0.03	0.03	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13	0.12	0.14	0.11	0.13	0.13	0.11

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0134	0.0064	0.0004	0.0140	0.0900	0.0110	0.0158	0.9738	0.4075	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.2021	0.6285	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0013	0.0778	0.3918	
Crack	0.0000	0.0002	0.0015	0.0000	0.0000	0.0000	0.0429	0.0021	0.0395	
Heroin	0.1495	0.0054	0.0947	0.0080	0.4331	0.1019	0.3364	0.1393	0.6211	
Hallucinogens	0.0061	0.2894	0.8123	0.0651	0.2075	0.2739	0.3402	0.0035	0.0126	
LSD	0.0176	0.3020	0.8242	0.1194	0.6702	0.9702	0.7356	0.7702	0.7755	
PCP	0.3702	0.2800	0.3501	0.4895	0.8648	0.4215	*	0.3106	0.7284	
Ecstasy	0.0299	0.7690	0.6195	0.7316	0.6020	0.7514	0.7580	0.0055	0.0584	
Inhalants	0.7220	0.0977	0.5812	0.3474	0.6554	0.4803	0.8742	0.3538	0.7544	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2059	0.1392	0.5653	0.0709	0.0006	0.0082	0.4264	0.0079	0.0105	
Pain Relievers	0.8451	0.2330	0.8793	0.2255	0.0032	0.0050	0.1420	0.0044	0.0236	
OxyContin [®]	--	--	0.1164	0.3514	0.0605	0.5701	0.8366	0.3933	0.0967	
Tranquilizers	0.5801	0.6800	0.5359	0.6015	0.7987	0.7768	0.8933	0.1919	0.0464	
Stimulants ³	0.0125	0.0242	0.0099	0.0845	0.0025	0.4804	0.6737	0.0138	0.3530	
Methamphetamine ³	0.0127	0.0053	0.0058	0.0501	0.0039	0.2993	0.2223	0.4359	0.4579	
Sedatives	0.0090	0.3985	0.4655	0.4239	0.0813	0.1676	0.9596	0.0769	0.1138	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0036	0.0047	0.1883	0.0014	0.0000	0.0003	0.0491	0.0013	0.0080	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	75	71	67	75	74	74	68	73	73	77
Marijuana and Hashish	64	63	61	64	63	65	59	64	67	64
Cocaine	26	24	24	24	21	23	19	21	21	20
Crack	11	13	10	9	10	8	7	7	9	13
Heroin	7	8	9	7	7	8	10	6	7	8
Hallucinogens	35	33	32	31	30	31	30	32	32	32
LSD	25	19	17	18	16	13	15	16	15	15
PCP	13	13	13	14	11	10	10	9	7	7
Ecstasy	27	21	20	17	19	21	20	25	24	27
Inhalants	46	49	47	48	47	46	44	47	42	42
Nonmedical Use of Psychotherapeutics ^{2,3}	51	49	48	51	52	52	45	50	48	46
Pain Relievers	47	47	46	47	48	47	41	48	46	41
OxyContin [®]	14	16	17	14	16	17	16	21	19	16
Tranquilizers	27	26	22	25	23	23	24	22	25	25
Stimulants ³	30	27	25	27	29	23	20	21	21	21
Methamphetamine ³	18	17	16	18	17	12	10	11	13	13
Sedatives	13	16	15	16	13	13	12	14	11	11
ILLICIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63	62	66	57	63	60	62

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.59	0.56	0.52	0.58	0.57	0.57	0.54	0.58	0.59	0.60
Marijuana and Hashish	0.50	0.49	0.47	0.49	0.48	0.50	0.46	0.51	0.53	0.50
Cocaine	0.21	0.18	0.18	0.18	0.16	0.18	0.15	0.17	0.17	0.16
Crack	0.09	0.10	0.08	0.07	0.08	0.06	0.06	0.06	0.07	0.10
Heroin	0.05	0.06	0.07	0.06	0.05	0.06	0.08	0.05	0.06	0.07
Hallucinogens	0.27	0.26	0.25	0.24	0.23	0.24	0.23	0.26	0.25	0.25
LSD	0.20	0.15	0.13	0.14	0.12	0.10	0.12	0.13	0.12	0.12
PCP	0.10	0.10	0.10	0.11	0.08	0.08	0.08	0.07	0.05	0.06
Ecstasy	0.21	0.16	0.16	0.13	0.15	0.16	0.16	0.20	0.19	0.21
Inhalants	0.37	0.39	0.37	0.37	0.37	0.36	0.34	0.37	0.33	0.33
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.38	0.37	0.39	0.40	0.40	0.36	0.40	0.39	0.36
Pain Relievers	0.37	0.37	0.36	0.36	0.37	0.36	0.33	0.38	0.37	0.32
OxyContin [®]	0.11	0.12	0.13	0.11	0.12	0.13	0.12	0.16	0.16	0.12
Tranquilizers	0.21	0.20	0.17	0.19	0.18	0.18	0.19	0.17	0.20	0.20
Stimulants ³	0.24	0.21	0.19	0.21	0.22	0.18	0.16	0.16	0.17	0.17
Methamphetamine ³	0.14	0.13	0.13	0.14	0.13	0.09	0.08	0.09	0.10	0.10
Sedatives	0.10	0.13	0.12	0.12	0.10	0.10	0.10	0.11	0.09	0.09
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49	0.47	0.51	0.45	0.50	0.48	0.49

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0000	0.0000	0.0000	0.0057	0.0137	0.2205	0.8907	0.0223	0.9947	
Marijuana and Hashish	0.0001	0.0437	0.1026	0.4205	0.2366	0.0626	0.0442	0.9786	0.4868	
Cocaine	0.0000	0.0000	0.0000	0.0008	0.0083	0.0076	0.0986	0.0935	0.5016	
Crack	0.1307	0.0043	0.1490	0.4853	0.3781	0.6770	0.7516	0.5698	0.9258	
Heroin	0.8947	0.8927	0.4216	0.8966	0.4583	0.6554	0.7344	0.4637	0.3871	
Hallucinogens	0.0000	0.0082	0.0104	0.7398	0.8450	0.6454	0.8524	0.2799	0.4587	
LSD	0.0000	0.0047	0.1267	0.1105	0.5019	0.1769	0.5646	0.8105	0.4964	
PCP	0.0000	0.0001	0.0001	0.0008	0.3428	0.2983	0.1494	0.6813	0.2220	
Ecstasy	0.0337	0.2198	0.0873	0.0001	0.0024	0.0129	0.0199	0.6416	0.6956	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0037	0.0005	0.0989	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0021	0.0000	0.0027	0.4021	0.0208	0.8553	
Pain Relievers	0.0000	0.0000	0.0000	0.0074	0.0000	0.0109	0.4350	0.0077	0.4140	
OxyContin [®]	0.0136	0.3957	0.8457	0.1430	0.7339	0.7923	0.8317	0.2687	0.3570	
Tranquilizers	0.0450	0.0205	0.2957	0.5098	0.9211	0.8768	0.9023	0.8466	0.6113	
Stimulants ³	0.0000	0.0000	0.0000	0.0002	0.0000	0.0326	0.5558	0.8482	0.9066	
Methamphetamine ³	0.0017	0.0002	0.0057	0.0213	0.0533	0.9507	0.3512	0.3015	0.8633	
Sedatives	0.2773	0.0026	0.0013	0.0287	0.0831	0.1835	0.1451	0.0440	0.4440	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0314	0.0018	0.4245	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	66	73	66	67	68	67	71	70	69	69
Marijuana and Hashish	59	62	59	55	57	56	60	57	56	60
Cocaine	24	26	24	23	24	23	25	18	18	18
Crack	13	10	12	10	12	10	10	6	6	9
Heroin	12	8	8	6	9	7	8	6	6	9
Hallucinogens	34	35	31	29	29	28	29	30	31	30
LSD	22	18	16	14	13	12	14	12	15	12
PCP	14	14	12	12	12	9	7	10	9	7
Ecstasy	28	24	22	20	22	21	25	23	28	26
Inhalants	45	45	50	49	45	47	48	45	44	43
Nonmedical Use of Psychotherapeutics ^{2,3}	52	54	49	50	50	51	51	48	48	46
Pain Relievers	48	50	47	46	45	49	47	44	45	42
OxyContin [®]	16	13	16	16	18	17	17	17	19	20
Tranquilizers	27	28	29	27	28	27	26	25	26	27
Stimulants ³	35	31	29	31	30	26	31	23	25	22
Methamphetamine ³	22	19	20	18	21	15	20	16	13	15
Sedatives	17	15	15	15	14	15	14	16	13	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61	57	60	61	59	61	58

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.54	0.60	0.54	0.54	0.55	0.54	0.58	0.58	0.58	0.57
Marijuana and Hashish	0.49	0.51	0.48	0.45	0.46	0.45	0.49	0.47	0.47	0.49
Cocaine	0.20	0.21	0.19	0.18	0.19	0.18	0.21	0.15	0.15	0.15
Crack	0.11	0.08	0.09	0.08	0.10	0.08	0.08	0.05	0.05	0.07
Heroin	0.10	0.07	0.06	0.05	0.07	0.06	0.06	0.05	0.05	0.07
Hallucinogens	0.28	0.28	0.25	0.23	0.23	0.22	0.24	0.25	0.26	0.24
LSD	0.18	0.15	0.13	0.11	0.10	0.10	0.12	0.10	0.12	0.10
PCP	0.12	0.12	0.10	0.10	0.09	0.08	0.06	0.08	0.08	0.06
Ecstasy	0.23	0.20	0.18	0.16	0.18	0.17	0.21	0.19	0.23	0.21
Inhalants	0.37	0.36	0.41	0.39	0.36	0.38	0.39	0.38	0.37	0.35
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.40	0.40	0.40	0.41	0.42	0.40	0.40	0.37
Pain Relievers	0.40	0.41	0.38	0.37	0.36	0.39	0.39	0.36	0.38	0.35
OxyContin [®]	0.13	0.10	0.13	0.13	0.14	0.14	0.14	0.14	0.16	0.16
Tranquilizers	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.21	0.22	0.22
Stimulants ³	0.29	0.25	0.24	0.25	0.24	0.21	0.26	0.19	0.21	0.18
Methamphetamine ³	0.18	0.16	0.16	0.15	0.17	0.12	0.16	0.14	0.11	0.13
Sedatives	0.14	0.12	0.12	0.12	0.11	0.12	0.11	0.13	0.11	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49	0.46	0.48	0.50	0.49	0.51	0.47

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0000	0.0000	0.0000	0.0087	0.0051	0.5146	0.0504	0.2632	0.4897	
Marijuana and Hashish	0.0000	0.0002	0.0087	0.7026	0.4751	0.0711	0.5557	0.1788	0.5266	
Cocaine	0.0000	0.0000	0.0003	0.0000	0.0000	0.0000	0.0030	0.3033	0.5268	
Crack	0.0000	0.0059	0.0218	0.0372	0.0024	0.0180	0.2183	0.9807	0.6636	
Heroin	0.1233	0.4791	0.8348	0.3695	0.8245	0.3167	0.5370	0.6698	0.1990	
Hallucinogens	0.0000	0.0000	0.0162	0.3525	0.3968	0.5925	0.3828	0.2362	0.1595	
LSD	0.0000	0.0000	0.0219	0.3365	0.9463	0.9123	0.1089	0.3002	0.2603	
PCP	0.0000	0.0000	0.0032	0.0005	0.0037	0.1895	0.4053	0.1275	0.2360	
Ecstasy	0.0003	0.2786	0.3802	0.0041	0.2653	0.0182	0.8855	0.8375	0.2879	
Inhalants	0.0005	0.0000	0.0000	0.0000	0.0000	0.0006	0.0000	0.0005	0.1455	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0003	0.0000	0.0061	0.0023	0.0078	0.0651	
Pain Relievers	0.0000	0.0000	0.0000	0.0091	0.0017	0.0619	0.0108	0.0733	0.1033	
OxyContin [®]	0.0004	0.0000	0.0145	0.0080	0.3596	0.4714	0.4731	0.7024	0.6111	
Tranquilizers	0.0757	0.0214	0.0601	0.3821	0.3685	0.3680	0.6209	0.7274	0.5182	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0191	0.3502	
Methamphetamine ³	0.0000	0.0000	0.0001	0.0008	0.0000	0.1009	0.3037	0.2985	0.3478	
Sedatives	0.0001	0.0128	0.0148	0.0223	0.0064	0.0166	0.0353	0.0177	0.1339	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0036	0.0001	0.0006	0.0223	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	65	64	62	66	66	67	58	65	66	67
Marijuana and Hashish	55	53	53	56	54	57	52	59	60	59
Cocaine	23	19	20	19	18	18	17	17	16	14
Crack	8	9	7	7	8	7	6	5	3	5
Heroin	5	6	8	6	6	5	9	6	6	8
Hallucinogens	29	25	26	25	22	26	26	28	28	25
LSD	18	11	13	14	10	11	14	12	12	14
PCP	8	9	9	11	8	7	8	7	4	5
Ecstasy	22	15	16	14	14	19	18	21	22	20
Inhalants	31	33	34	33	32	31	31	29	27	29
Nonmedical Use of Psychotherapeutics ^{2,3}	42	43	39	41	43	45	38	41	41	37
Pain Relievers	38	40	37	38	40	40	35	38	40	34
OxyContin [®]	--	--	13	13	12	13	14	15	16	12
Tranquilizers	22	22	19	21	18	19	20	18	21	21
Stimulants ³	24	20	18	19	21	18	15	16	16	16
Methamphetamine ³	16	12	12	13	14	8	6	7	10	10
Sedatives	10	13	10	11	11	9	9	12	8	7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52	51	55	46	48	50	47

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.52	0.50	0.48	0.51	0.51	0.52	0.46	0.51	0.53	0.53
Marijuana and Hashish	0.43	0.42	0.41	0.43	0.42	0.44	0.41	0.47	0.49	0.46
Cocaine	0.18	0.15	0.15	0.15	0.14	0.14	0.13	0.14	0.13	0.11
Crack	0.06	0.07	0.05	0.05	0.06	0.05	0.05	0.04	0.02	0.04
Heroin	0.04	0.05	0.06	0.04	0.04	0.04	0.07	0.04	0.05	0.06
Hallucinogens	0.23	0.20	0.20	0.19	0.17	0.20	0.20	0.22	0.22	0.20
LSD	0.15	0.09	0.10	0.10	0.07	0.09	0.11	0.09	0.10	0.11
PCP	0.06	0.07	0.07	0.09	0.06	0.06	0.06	0.06	0.03	0.04
Ecstasy	0.18	0.12	0.12	0.11	0.11	0.14	0.14	0.17	0.18	0.16
Inhalants	0.25	0.26	0.26	0.26	0.25	0.24	0.24	0.23	0.22	0.23
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.30	0.32	0.33	0.35	0.30	0.33	0.33	0.29
Pain Relievers	0.30	0.31	0.29	0.30	0.31	0.31	0.27	0.30	0.32	0.26
OxyContin [®]	--	--	0.10	0.10	0.09	0.10	0.11	0.12	0.13	0.09
Tranquilizers	0.17	0.17	0.14	0.16	0.14	0.15	0.16	0.14	0.17	0.17
Stimulants ³	0.19	0.15	0.14	0.14	0.16	0.14	0.12	0.13	0.13	0.12
Methamphetamine ³	0.12	0.09	0.09	0.10	0.11	0.06	0.05	0.06	0.08	0.08
Sedatives	0.08	0.10	0.08	0.08	0.08	0.07	0.07	0.10	0.06	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40	0.39	0.42	0.36	0.38	0.40	0.37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0000	0.0003	0.0350	0.3735	0.5751	0.6484	0.9479	0.0916	0.6499	
Marijuana and Hashish	0.0628	0.7944	0.6870	0.0416	0.0100	0.0186	0.0168	0.9530	0.7482	
Cocaine	0.0000	0.0000	0.0000	0.0001	0.0082	0.0112	0.0345	0.1439	0.8944	
Crack	0.0300	0.0031	0.0803	0.4654	0.1064	0.3016	0.7675	0.9852	0.1770	
Heroin	0.8267	0.6246	0.3893	0.5529	0.3941	0.4638	0.6767	0.6515	0.3742	
Hallucinogens	0.0004	0.6296	0.6446	0.5332	0.1228	0.4115	0.7894	0.2358	0.5479	
LSD	0.0002	0.1483	0.7924	0.6686	0.0048	0.2100	0.2940	0.6872	0.2108	
PCP	0.0055	0.0146	0.0623	0.0499	0.5096	0.1647	0.0690	0.4609	0.3222	
Ecstasy	0.1271	0.0025	0.0021	0.0001	0.0003	0.0523	0.0315	0.9425	0.8372	
Inhalants	0.0000	0.0004	0.0000	0.0019	0.0078	0.0214	0.0783	0.0982	0.8786	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0109	0.0303	0.0002	0.0219	0.4403	0.2632	0.9580	
Pain Relievers	0.0000	0.0000	0.0062	0.0250	0.0006	0.0265	0.4095	0.1475	0.8084	
OxyContin [®]	--	--	0.7950	0.8515	0.6078	0.8310	0.2507	0.6116	0.4954	
Tranquilizers	0.2490	0.1649	0.7849	0.7566	0.3916	0.8959	0.7116	0.9340	0.7151	
Stimulants ³	0.0000	0.0000	0.0018	0.0188	0.0008	0.1122	0.7518	0.7887	0.9130	
Methamphetamine ³	0.0035	0.0117	0.1123	0.0440	0.0961	0.6908	0.3430	0.2376	0.9387	
Sedatives	0.2593	0.0180	0.0330	0.1261	0.0636	0.3545	0.1794	0.0062	0.3253	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0001	0.0050	0.0003	0.0188	0.0599	0.0507	0.6443	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	63	64	63	60	61	58	63	61	64	61
Marijuana and Hashish	53	55	54	50	51	48	52	48	53	55
Cocaine	23	19	19	19	20	20	17	14	16	15
Crack	11	9	8	7	8	9	5	4	4	4
Heroin	10	5	6	5	6	4	6	5	5	9
Hallucinogens	27	26	26	24	25	23	25	26	29	23
LSD	16	11	10	10	10	9	11	8	12	11
PCP	10	8	7	9	8	6	5	7	7	5
Ecstasy	22	17	17	15	18	18	22	20	26	21
Inhalants	30	31	34	33	32	30	31	30	32	29
Nonmedical Use of Psychotherapeutics ^{2,3}	43	46	45	44	43	42	42	42	42	38
Pain Relievers	40	42	43	39	39	40	39	40	40	36
OxyContin [®]	--	--	13	12	13	14	12	13	17	14
Tranquilizers	24	24	24	21	24	24	21	20	21	23
Stimulants ³	25	23	21	24	25	20	23	18	20	17
Methamphetamine ³	17	13	14	14	15	12	13	11	11	12
Sedatives	13	11	11	12	8	12	11	10	12	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50	49	48	52	51	55	45

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.52	0.52	0.51	0.48	0.49	0.47	0.52	0.51	0.54	0.50
Marijuana and Hashish	0.44	0.45	0.44	0.40	0.41	0.39	0.43	0.40	0.45	0.45
Cocaine	0.19	0.16	0.15	0.15	0.16	0.16	0.14	0.11	0.14	0.12
Crack	0.09	0.07	0.06	0.06	0.07	0.07	0.04	0.03	0.03	0.04
Heroin	0.08	0.04	0.05	0.04	0.05	0.03	0.05	0.04	0.04	0.07
Hallucinogens	0.23	0.22	0.21	0.19	0.20	0.18	0.21	0.21	0.24	0.19
LSD	0.13	0.09	0.08	0.08	0.08	0.07	0.09	0.07	0.10	0.09
PCP	0.08	0.06	0.06	0.07	0.06	0.05	0.04	0.06	0.06	0.04
Ecstasy	0.18	0.14	0.14	0.12	0.14	0.14	0.18	0.16	0.22	0.17
Inhalants	0.25	0.25	0.27	0.27	0.26	0.24	0.26	0.25	0.27	0.23
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.38	0.36	0.35	0.35	0.34	0.34	0.35	0.35	0.31
Pain Relievers	0.33	0.34	0.35	0.32	0.31	0.33	0.32	0.33	0.33	0.29
OxyContin [®]	--	--	0.10	0.09	0.11	0.12	0.10	0.11	0.14	0.11
Tranquilizers	0.20	0.19	0.19	0.17	0.19	0.19	0.17	0.16	0.18	0.18
Stimulants ³	0.21	0.19	0.17	0.20	0.20	0.16	0.19	0.15	0.17	0.14
Methamphetamine ³	0.14	0.10	0.11	0.11	0.12	0.09	0.10	0.09	0.09	0.10
Sedatives	0.10	0.09	0.09	0.10	0.06	0.10	0.09	0.08	0.10	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40	0.39	0.39	0.42	0.42	0.46	0.37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.0000	0.0000	0.0002	0.0851	0.2058	0.2823	0.7758	0.8497	0.3270	
Marijuana and Hashish	0.0023	0.0327	0.1950	0.4341	0.5474	0.0018	0.2138	0.0629	0.7495	
Cocaine	0.0000	0.0000	0.0024	0.0000	0.0000	0.0001	0.1614	0.4268	0.5281	
Crack	0.0000	0.0002	0.0328	0.0298	0.0023	0.0061	0.6026	0.9567	0.7724	
Heroin	0.9913	0.2114	0.1260	0.2366	0.3788	0.0106	0.0916	0.1459	0.1004	
Hallucinogens	0.0000	0.0014	0.0197	0.3665	0.1509	0.8917	0.3240	0.1108	0.0118	
LSD	0.0003	0.3202	0.9083	0.8307	0.6399	0.4156	0.7095	0.5987	0.8477	
PCP	0.0001	0.0099	0.1632	0.0520	0.1850	0.6761	0.5461	0.8238	0.7057	
Ecstasy	0.0046	0.6041	0.2050	0.0040	0.3117	0.1356	0.6206	0.8570	0.0639	
Inhalants	0.0834	0.0009	0.0006	0.0001	0.0003	0.1118	0.0289	0.0414	0.0336	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0005	0.0005	0.0194	0.0215	0.0439	0.0505	
Pain Relievers	0.0013	0.0004	0.0000	0.0281	0.0126	0.2282	0.0855	0.0732	0.2299	
OxyContin [®]	--	--	0.2363	0.0814	0.4766	0.7273	0.4925	0.9973	0.7118	
Tranquilizers	0.0586	0.0361	0.1654	0.8579	0.4423	0.3780	0.9866	0.9050	0.6421	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0049	0.0136	0.1740	0.2558	
Methamphetamine ³	0.0000	0.0173	0.0150	0.0399	0.0107	0.3824	1.0000	0.8392	0.7082	
Sedatives	0.0088	0.4123	0.1429	0.3726	0.9826	0.3215	0.3157	0.7613	0.2222	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0212	0.0116	0.0048	0.0018	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	52	47	44	49	46	54	43	48	52	50
Marijuana and Hashish	44	43	39	43	39	44	38	45	47	46
Cocaine	12	10	12	13	9	9	10	10	9	5
Crack	4	7	4	6	2	2	2	4	*	2
Heroin	3	5	4	4	2	2	4	4	1	6
Hallucinogens	14	15	15	13	11	13	16	16	16	16
LSD	8	7	7	7	4	7	8	5	8	7
PCP	4	5	4	4	3	5	4	4	2	2
Ecstasy	10	8	10	7	8	8	10	12	10	10
Inhalants	16	16	16	18	18	19	17	16	15	13
Nonmedical Use of Psychotherapeutics ^{2,3}	30	28	26	26	27	29	22	24	24	24
Pain Relievers	26	26	24	24	25	26	20	22	23	21
OxyContin [®]	--	--	7	6	5	6	7	9	8	8
Tranquilizers	11	14	12	13	9	12	10	9	11	12
Stimulants ³	17	13	13	14	12	9	9	10	9	8
Methamphetamine ³	13	8	8	10	7	4	5	5	4	4
Sedatives	3	8	2	4	7	6	3	8	5	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33	33	37	30	30	30	30

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.41	0.37	0.34	0.38	0.36	0.42	0.34	0.38	0.42	0.39
Marijuana and Hashish	0.35	0.34	0.30	0.33	0.30	0.34	0.30	0.36	0.37	0.36
Cocaine	0.10	0.08	0.09	0.10	0.07	0.07	0.08	0.08	0.07	0.04
Crack	0.03	0.05	0.03	0.04	0.02	0.02	0.02	0.03	*	0.01
Heroin	0.02	0.04	0.03	0.03	0.01	0.01	0.03	0.03	0.01	0.05
Hallucinogens	0.11	0.11	0.11	0.10	0.09	0.10	0.13	0.12	0.12	0.13
LSD	0.07	0.06	0.05	0.06	0.03	0.06	0.06	0.04	0.07	0.05
PCP	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.01	0.01
Ecstasy	0.08	0.06	0.08	0.05	0.06	0.06	0.08	0.09	0.08	0.08
Inhalants	0.13	0.13	0.12	0.14	0.14	0.15	0.14	0.13	0.12	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.23	0.22	0.20	0.20	0.21	0.22	0.17	0.19	0.19	0.18
Pain Relievers	0.21	0.20	0.18	0.18	0.20	0.20	0.15	0.18	0.19	0.17
OxyContin [®]	--	--	0.05	0.04	0.04	0.05	0.05	0.07	0.06	0.06
Tranquilizers	0.08	0.11	0.09	0.10	0.07	0.09	0.08	0.07	0.09	0.09
Stimulants ³	0.13	0.11	0.10	0.10	0.09	0.07	0.07	0.08	0.08	0.06
Methamphetamine ³	0.10	0.06	0.06	0.08	0.06	0.03	0.04	0.04	0.03	0.03
Sedatives	0.02	0.06	0.01	0.03	0.05	0.04	0.02	0.06	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26	0.25	0.28	0.23	0.24	0.24	0.23

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0084	0.2834	0.6134	0.1952	0.0741	0.1846	0.0093	0.8052	0.4680	
Marijuana and Hashish	0.8574	0.3508	0.0392	0.0012	0.0000	0.0034	0.0002	0.2237	0.1889	
Cocaine	0.0001	0.0000	0.0001	0.0001	0.0175	0.0165	0.0009	0.0754	0.1698	
Crack	0.0654	0.0045	0.0763	0.0496	0.3077	0.4177	0.1813	0.4023	*	
Heroin	0.7615	0.9201	0.7205	0.7831	0.3678	0.4315	0.9969	0.9679	0.3233	
Hallucinogens	0.8888	0.8493	0.4927	0.0654	0.0195	0.1207	0.5284	0.8718	0.5042	
LSD	0.2798	0.8837	0.7751	0.8349	0.0481	0.8046	0.3435	0.5956	0.6875	
PCP	0.0599	0.0428	0.2874	0.2572	0.3549	0.1947	0.0994	0.2242	0.7414	
Ecstasy	0.9061	0.1123	0.3939	0.0362	0.1098	0.0578	0.9159	0.5585	0.6899	
Inhalants	0.0031	0.0522	0.0450	0.0086	0.0120	0.0106	0.0752	0.2735	0.3570	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0023	0.0103	0.0071	0.0191	0.7713	0.1080	0.6934	
Pain Relievers	0.0001	0.0000	0.0047	0.0177	0.0117	0.0172	0.8654	0.0417	0.8136	
OxyContin [®]	--	--	0.9374	0.1833	0.2411	0.6458	0.7300	0.3201	0.9080	
Tranquilizers	0.8593	0.0418	0.9352	0.6071	0.0561	0.5728	0.4896	0.3300	0.4995	
Stimulants ³	0.0006	0.0000	0.0018	0.0243	0.0081	0.6702	0.3271	0.3585	0.5245	
Methamphetamine ³	0.0454	0.0316	0.2349	0.0196	0.2206	0.5822	0.6490	0.5050	0.4078	
Sedatives	0.4253	0.0577	0.2274	0.8727	0.1736	0.4982	0.6666	0.1066	0.5198	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0018	0.0060	0.0119	0.0496	0.2051	0.1456	0.8701	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	44	45	50	43	45	44	44	45	49	44
Marijuana and Hashish	35	39	38	35	37	35	39	36	40	38
Cocaine	13	12	9	10	10	10	7	7	7	10
Crack	7	3	3	5	3	4	1	2	2	1
Heroin	5	4	2	2	5	*	5	2	3	4
Hallucinogens	15	13	12	14	14	11	14	12	14	14
LSD	9	7	4	3	6	3	7	5	5	4
PCP	4	3	3	4	3	*	2	3	2	1
Ecstasy	12	10	7	9	9	8	11	10	12	12
Inhalants	16	19	20	16	18	17	16	15	17	15
Nonmedical Use of Psychotherapeutics ^{2,3}	30	31	31	26	28	28	26	28	30	24
Pain Relievers	28	28	28	24	25	25	22	26	26	22
OxyContin [®]	--	--	8	5	3	5	5	6	6	6
Tranquilizers	14	16	12	10	11	15	13	12	11	13
Stimulants ³	13	14	14	12	12	11	9	11	12	10
Methamphetamine ³	7	8	9	8	8	7	4	6	7	7
Sedatives	8	6	6	5	5	7	8	5	6	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31	33	33	31	34	37	29

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2011

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLCIT DRUGS¹	0.37	0.37	0.40	0.35	0.36	0.35	0.36	0.38	0.41	0.36
Marijuana and Hashish	0.29	0.32	0.31	0.29	0.29	0.29	0.32	0.30	0.34	0.31
Cocaine	0.11	0.10	0.07	0.08	0.08	0.08	0.06	0.06	0.05	0.08
Crack	0.06	0.03	0.03	0.04	0.03	0.03	0.01	0.01	0.02	0.01
Heroin	0.04	0.03	0.02	0.01	0.04	*	0.04	0.02	0.02	0.03
Hallucinogens	0.12	0.11	0.10	0.11	0.11	0.09	0.11	0.10	0.12	0.11
LSD	0.07	0.06	0.04	0.03	0.05	0.02	0.05	0.04	0.04	0.03
PCP	0.03	0.02	0.02	0.03	0.03	*	0.02	0.02	0.02	0.01
Ecstasy	0.10	0.08	0.06	0.07	0.07	0.06	0.09	0.08	0.10	0.10
Inhalants	0.13	0.15	0.16	0.13	0.15	0.14	0.13	0.13	0.15	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.25	0.25	0.25	0.21	0.22	0.23	0.21	0.23	0.25	0.20
Pain Relievers	0.23	0.23	0.23	0.19	0.20	0.20	0.18	0.21	0.22	0.18
OxyContin [®]	--	--	0.07	0.04	0.03	0.04	0.04	0.05	0.05	0.05
Tranquilizers	0.11	0.13	0.09	0.08	0.09	0.12	0.10	0.10	0.10	0.10
Stimulants ³	0.10	0.11	0.11	0.10	0.10	0.09	0.07	0.09	0.10	0.08
Methamphetamine ³	0.05	0.06	0.07	0.06	0.06	0.05	0.03	0.05	0.06	0.06
Sedatives	0.07	0.05	0.04	0.04	0.04	0.06	0.06	0.04	0.05	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25	0.27	0.26	0.25	0.28	0.31	0.24

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ILLICIT DRUGS¹	0.0025	0.0008	0.0154	0.5290	0.4263	0.5736	0.6243	0.8094	0.3765	
Marijuana and Hashish	0.2308	0.2614	0.3806	0.2227	0.6039	0.0381	0.1840	0.3595	0.5339	
Cocaine	0.1426	0.0148	0.6530	0.2032	0.2662	0.4068	0.5315	0.1969	0.1036	
Crack	0.0557	0.0087	0.1468	0.0297	0.0811	0.0183	0.8950	0.3865	0.3211	
Heroin	0.8516	0.4897	0.6483	0.6777	0.2769	*	0.8852	0.8413	0.9643	
Hallucinogens	0.0264	0.0387	0.6515	0.2082	0.5097	0.5152	0.4225	0.6602	0.3069	
LSD	0.1148	0.0462	0.2439	0.9415	0.0645	0.7350	0.2737	0.3122	0.1732	
PCP	0.0156	0.0855	0.4643	0.0676	0.2425	*	0.0946	0.2888	0.5142	
Ecstasy	0.3944	0.8931	0.1428	0.4419	0.6011	0.1329	0.7616	0.9744	0.1703	
Inhalants	0.3710	0.0181	0.0686	0.2242	0.0139	0.6672	0.6463	0.9560	0.2378	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0002	0.0008	0.0053	0.1932	0.1812	0.2072	0.6632	0.2497	0.0959	
Pain Relievers	0.0045	0.0066	0.0112	0.2540	0.2786	0.4862	0.9869	0.2230	0.1245	
OxyContin [®]	--	--	0.1285	0.5463	0.0677	0.9530	0.5104	0.3531	0.8890	
Tranquilizers	0.1138	0.2021	0.8373	0.4014	0.5370	0.6884	0.9801	0.9378	0.4213	
Stimulants ³	0.0029	0.0005	0.0394	0.0166	0.0344	0.1367	0.8162	0.1929	0.7848	
Methamphetamine ³	0.4284	0.1608	0.3565	0.4209	0.6212	0.9970	0.2046	0.6016	0.5151	
Sedatives	0.0031	0.4106	0.2844	0.6209	0.1497	0.5430	0.1220	0.8097	0.3237	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0001	0.0000	0.0013	0.0374	0.0238	0.2605	0.7047	0.2802	0.0376	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.