

Table 7.34C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: Standard Errors of Numbers in Thousands, 2002-2011

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL										
Lifetime	286	286	272	286	282	312	288	302	291	332
Past Year	250	253	246	268	259	293	264	273	266	307
Past Month	188	196	191	208	208	231	201	212	204	239
Binge Alcohol Use ¹	150	158	160	170	163	182	158	174	161	181
Heavy Alcohol Use ¹	76	79	98	86	93	93	85	91	84	95
MALE										
Lifetime	179	183	177	184	185	192	184	203	197	188
Past Year	158	166	162	171	170	179	165	187	180	173
Past Month	124	134	130	137	137	142	131	151	141	131
Binge Alcohol Use ¹	107	114	115	123	117	122	109	128	118	107
Heavy Alcohol Use ¹	59	59	70	67	73	72	66	76	66	59
FEMALE										
Lifetime	180	170	170	180	169	190	179	175	170	213
Past Year	160	159	155	171	156	181	169	157	156	199
Past Month	118	123	119	128	125	141	124	124	118	159
Binge Alcohol Use ¹	85	89	93	92	92	103	96	93	91	117
Heavy Alcohol Use ¹	41	43	50	44	46	49	47	39	45	60

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.34D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: Standard Errors of Percentages, 2002-2011

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL										
Lifetime	0.40	0.43	0.41	0.41	0.42	0.45	0.43	0.45	0.44	0.49
Past Year	0.41	0.44	0.41	0.43	0.43	0.47	0.43	0.44	0.44	0.50
Past Month	0.39	0.41	0.39	0.41	0.42	0.46	0.40	0.43	0.41	0.47
Binge Alcohol Use ¹	0.34	0.36	0.36	0.37	0.36	0.39	0.34	0.38	0.35	0.39
Heavy Alcohol Use ¹	0.19	0.20	0.24	0.21	0.23	0.22	0.21	0.22	0.21	0.23
MALE										
Lifetime	0.55	0.53	0.56	0.55	0.54	0.59	0.55	0.57	0.60	0.61
Past Year	0.56	0.57	0.56	0.56	0.57	0.60	0.54	0.58	0.60	0.60
Past Month	0.52	0.53	0.55	0.53	0.54	0.57	0.53	0.58	0.55	0.54
Binge Alcohol Use ¹	0.48	0.49	0.52	0.51	0.49	0.51	0.47	0.53	0.50	0.47
Heavy Alcohol Use ¹	0.29	0.29	0.34	0.32	0.35	0.34	0.31	0.36	0.32	0.29
FEMALE										
Lifetime	0.51	0.59	0.55	0.56	0.58	0.61	0.58	0.60	0.59	0.67
Past Year	0.53	0.62	0.55	0.58	0.58	0.64	0.61	0.59	0.58	0.68
Past Month	0.50	0.57	0.51	0.54	0.56	0.59	0.53	0.55	0.53	0.65
Binge Alcohol Use ¹	0.43	0.44	0.44	0.43	0.45	0.48	0.45	0.45	0.44	0.53
Heavy Alcohol Use ¹	0.22	0.23	0.26	0.22	0.24	0.25	0.24	0.21	0.23	0.30

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

Table 7.34P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Gender: P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010

Gender/Alcohol Use	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
TOTAL										
Lifetime	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0010	
Past Year	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0033	
Past Month	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0232	0.0010	0.0628	
Binge Alcohol Use ¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0009	0.0000	0.0229	
Heavy Alcohol Use ¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0038	0.0153	
MALE										
Lifetime	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0011	
Past Year	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.0000	0.0002	
Past Month	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0481	0.0002	0.0005	
Binge Alcohol Use ¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0076	0.0000	0.0008	
Heavy Alcohol Use ¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0021	0.0068	
FEMALE										
Lifetime	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0010	0.1319	
Past Year	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0003	0.0411	0.5442	
Past Month	0.0000	0.0001	0.0001	0.0003	0.0005	0.0013	0.1301	0.1443	0.4911	
Binge Alcohol Use ¹	0.0001	0.0004	0.0000	0.0019	0.0003	0.0031	0.0179	0.0267	0.9002	
Heavy Alcohol Use ¹	0.0133	0.0042	0.0067	0.0050	0.0034	0.0159	0.0204	0.1995	0.5358	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.