

**Table 6.79C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	155	137	122	98	97	97
Marijuana and Hashish	146	130	113	93	93	90
Cocaine	28	26	17	18	22	20
Crack	7	5	*	1	7	5
Heroin	18	11	4	9	18	6
Hallucinogens	40	40	30	26	27	30
LSD	14	17	7	13	12	11
PCP	4	1	2	*	4	1
Ecstasy	35	25	28	16	22	20
Inhalants	22	17	16	12	15	11
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	61	57	40	36	46	44
Pain Relievers	51	46	31	24	42	38
OxyContin®	12	17	4	13	12	11
Tranquilizers	30	26	16	15	25	21
Stimulants <sup>5</sup>	27	30	21	23	17	18
Methamphetamine <sup>5</sup>	12	13	4	6	11	12
Sedatives	8	7	6	3	6	6
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	76	68	51	45	54	53

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.79D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLCIT DRUGS<sup>3</sup></b>	0.51	0.51	0.88	0.84	0.64	0.63
Marijuana and Hashish	0.50	0.49	0.85	0.82	0.63	0.60
Cocaine	0.13	0.12	0.19	0.20	0.17	0.15
Crack	0.03	0.02	*	0.01	0.06	0.04
Heroin	0.08	0.05	0.05	0.10	0.13	0.04
Hallucinogens	0.18	0.18	0.32	0.29	0.21	0.22
LSD	0.06	0.08	0.08	0.15	0.10	0.09
PCP	0.02	0.01	0.02	*	0.03	0.01
Ecstasy	0.16	0.11	0.30	0.18	0.17	0.15
Inhalants	0.10	0.08	0.17	0.14	0.12	0.08
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.26	0.25	0.40	0.39	0.34	0.32
Pain Relievers	0.23	0.20	0.33	0.28	0.31	0.28
OxyContin®	0.06	0.08	0.05	0.15	0.09	0.08
Tranquilizers	0.13	0.12	0.17	0.18	0.19	0.16
Stimulants <sup>5</sup>	0.12	0.13	0.21	0.26	0.13	0.14
Methamphetamine <sup>5</sup>	0.05	0.06	0.05	0.07	0.09	0.09
Sedatives	0.04	0.03	0.06	0.04	0.04	0.05
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.32	0.29	0.50	0.47	0.40	0.38

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.79P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Drug	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	0.5613	0.7904		0.2931	
Marijuana and Hashish	0.8724	0.8521		0.6680	
Cocaine	0.7662	0.8115		0.5307	
Crack	0.3173	*		0.2474	
Heroin	0.0225	0.6175		0.0044	
Hallucinogens	0.6437	0.8954		0.6101	
LSD	0.9937	0.2810		0.3239	
PCP	0.0290	*		0.0498	
Ecstasy	0.1269	0.2757		0.2774	
Inhalants	0.4082	0.8893		0.3023	
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.0845	0.4463		0.0943	
Pain Relievers	0.0159	0.1187		0.0523	
OxyContin®	0.8991	0.0300		0.1017	
Tranquilizers	0.4050	0.6562		0.1781	
Stimulants <sup>5</sup>	0.4558	0.6391		0.4772	
Methamphetamine <sup>5</sup>	0.2103	0.7156		0.2533	
Sedatives	0.4634	0.2558		0.9455	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.2864	0.8164		0.2124	

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.80C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	113	103	82	69	77	79
Marijuana and Hashish	111	98	80	66	74	74
Cocaine	23	19	14	9	19	17
Crack	6	3	*	*	6	3
Heroin	16	10	4	9	15	4
Hallucinogens	25	36	15	24	20	27
LSD	12	15	7	11	10	10
PCP	4	1	*	*	4	1
Ecstasy	19	21	10	13	16	16
Inhalants	15	15	7	11	14	10
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	42	42	26	26	33	34
Pain Relievers	36	35	22	18	28	30
OxyContin®	11	13	4	11	11	7
Tranquilizers	22	19	13	12	18	15
Stimulants <sup>5</sup>	19	21	14	16	13	13
Methamphetamine <sup>5</sup>	9	10	1	5	9	9
Sedatives	3	5	2	2	3	5
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	52	54	33	34	41	44

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.80D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	0.75	0.74	1.30	1.27	0.92	0.93
Marijuana and Hashish	0.74	0.72	1.28	1.24	0.90	0.89
Cocaine	0.21	0.17	0.31	0.22	0.27	0.24
Crack	0.06	0.03	*	*	0.09	0.05
Heroin	0.14	0.09	0.08	0.22	0.22	0.06
Hallucinogens	0.22	0.32	0.36	0.58	0.29	0.37
LSD	0.11	0.13	0.15	0.28	0.15	0.14
PCP	0.04	0.01	*	*	0.06	0.02
Ecstasy	0.17	0.19	0.24	0.33	0.23	0.23
Inhalants	0.14	0.13	0.17	0.26	0.20	0.14
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.36	0.36	0.57	0.60	0.46	0.46
Pain Relievers	0.32	0.31	0.50	0.45	0.40	0.41
OxyContin®	0.10	0.11	0.09	0.26	0.15	0.09
Tranquilizers	0.19	0.17	0.29	0.29	0.26	0.21
Stimulants <sup>5</sup>	0.16	0.19	0.30	0.39	0.18	0.19
Methamphetamine <sup>5</sup>	0.08	0.09	0.03	0.13	0.13	0.12
Sedatives	0.03	0.05	0.05	0.06	0.04	0.07
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.44	0.45	0.70	0.77	0.57	0.58

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.80P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Drug	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	0.6426	0.5701		0.2503	
Marijuana and Hashish	0.4834	0.9653		0.3177	
Cocaine	0.8133	0.9454		0.7660	
Crack	0.1917	*		0.1766	
Heroin	0.0291	0.5517		0.0036	
Hallucinogens	0.1529	0.1595		0.4907	
LSD	0.9892	0.4728		0.4884	
PCP	0.0448	*		0.0427	
Ecstasy	0.8531	0.5590		0.8314	
Inhalants	0.9806	0.5166		0.6370	
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.9377	0.4325		0.4556	
Pain Relievers	0.2389	0.6949		0.2126	
OxyContin®	0.4002	0.1153		0.0084	
Tranquilizers	0.9521	0.7376		0.7043	
Stimulants <sup>5</sup>	0.1268	0.0959		0.5724	
Methamphetamine <sup>5</sup>	0.2976	0.3147		0.5301	
Sedatives	0.5231	0.9950		0.4563	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.4663	0.1168		0.7336	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.81C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	87	83	67	58	55	55
Marijuana and Hashish	77	78	58	54	50	52
Cocaine	18	17	14	15	10	10
Crack	4	3	*	1	4	3
Heroin	7	5	2	2	7	4
Hallucinogens	33	17	27	11	18	13
LSD	8	8	3	6	7	5
PCP	2	*	2	*	*	0
Ecstasy	30	14	26	8	15	11
Inhalants	15	7	14	6	7	4
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	43	36	29	23	32	28
Pain Relievers	36	29	23	15	30	24
OxyContin®	5	11	1	7	5	8
Tranquilizers	21	18	10	10	18	15
Stimulants <sup>5</sup>	20	19	15	14	11	13
Methamphetamine <sup>5</sup>	7	9	4	3	5	8
Sedatives	8	4	6	2	5	4
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	56	41	41	27	36	30

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.81D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	0.65	0.67	1.07	1.04	0.80	0.83
Marijuana and Hashish	0.59	0.65	0.98	1.00	0.75	0.79
Cocaine	0.16	0.16	0.29	0.32	0.17	0.16
Crack	0.03	0.03	*	0.02	0.06	0.06
Heroin	0.07	0.04	0.05	0.04	0.11	0.07
Hallucinogens	0.29	0.16	0.55	0.24	0.30	0.21
LSD	0.07	0.08	0.06	0.14	0.11	0.08
PCP	0.02	*	0.04	*	*	0.01
Ecstasy	0.27	0.13	0.53	0.17	0.25	0.18
Inhalants	0.14	0.06	0.28	0.12	0.11	0.06
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.38	0.33	0.57	0.48	0.51	0.45
Pain Relievers	0.32	0.27	0.46	0.33	0.47	0.39
OxyContin®	0.04	0.10	0.02	0.15	0.08	0.14
Tranquilizers	0.19	0.17	0.21	0.22	0.30	0.25
Stimulants <sup>5</sup>	0.17	0.17	0.30	0.30	0.18	0.21
Methamphetamine <sup>5</sup>	0.06	0.08	0.09	0.05	0.09	0.14
Sedatives	0.07	0.04	0.11	0.04	0.09	0.06
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.48	0.37	0.77	0.56	0.56	0.48

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.81P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Drug	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>ILLICIT DRUGS<sup>3</sup></b>	0.7054	0.8675		0.7172	
Marijuana and Hashish	0.5517	0.7457		0.5973	
Cocaine	0.8549	0.7241		0.4098	
Crack	0.9094	*		0.9312	
Heroin	0.2935	0.8262		0.2880	
Hallucinogens	0.0151	0.1221		0.0476	
LSD	1.0000	0.3267		0.4065	
PCP	*	*		*	
Ecstasy	0.0274	0.0932		0.1456	
Inhalants	0.1660	0.4460		0.1328	
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.0144	0.0668		0.1017	
Pain Relievers	0.0246	0.0803		0.1346	
OxyContin®	0.1718	0.1086		0.6079	
Tranquilizers	0.2623	0.7735		0.1357	
Stimulants <sup>5</sup>	0.6352	0.3405		0.6567	
Methamphetamine <sup>5</sup>	0.4438	0.5757		0.2692	
Sedatives	0.1605	0.1885		0.4681	
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	0.0185	0.0669		0.1051	

\*Low precision; no estimate reported.

<sup>1</sup>Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup>Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup>Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup>Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup>Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.82C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	155	137	122	98	97	97
<b>AGE</b>						
18	65	56	54	33	42	45
19	67	55	49	40	41	37
20	64	61	49	41	39	43
21	58	57	40	42	40	37
22	58	55	30	32	48	45
<b>GENDER</b>						
Male	113	103	82	69	77	79
Female	87	83	67	58	55	55
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	133	125	102	89	85	84
White	112	108	83	81	72	70
Black or African American	50	44	31	27	45	35
American Indian or Alaska Native	5	6	*	*	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	31	22	27	14	14	18
Two or More Races	25	18	*	*	15	14
Hispanic or Latino	62	58	44	36	45	49
<b>CURRENT EMPLOYMENT</b>						
Full-Time	68	64	37	31	60	56
Part-Time	82	79	68	61	43	48
Unemployed	52	52	24	28	47	44
Other <sup>3</sup>	71	63	61	49	37	37

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.82D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.51	0.51	0.88	0.84	0.64	0.63
<b>AGE</b>						
18	0.98	1.00	1.81	1.63	1.24	1.28
19	1.23	1.14	1.69	1.65	1.68	1.54
20	1.15	1.17	1.84	1.72	1.48	1.57
21	1.14	1.12	1.83	1.86	1.43	1.34
22	1.08	1.07	1.92	2.03	1.31	1.26
<b>GENDER</b>						
Male	0.75	0.74	1.30	1.27	0.92	0.93
Female	0.65	0.67	1.07	1.04	0.80	0.83
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.57	0.58	0.96	0.90	0.72	0.74
White	0.68	0.70	1.11	1.06	0.86	0.89
Black or African American	1.22	1.18	2.32	2.05	1.76	1.45
American Indian or Alaska Native	3.57	3.75	*	*	4.15	4.66
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.44	1.83	3.04	1.85	3.92	3.78
Two or More Races	3.46	3.11	*	*	3.46	3.97
Hispanic or Latino	1.13	1.07	2.09	2.14	1.30	1.28
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.87	0.87	2.17	1.93	1.02	0.98
Part-Time	0.93	0.90	1.35	1.29	1.19	1.22
Unemployed	1.48	1.42	2.92	3.20	1.68	1.60
Other <sup>3</sup>	0.92	0.99	1.33	1.39	1.29	1.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.82P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.5613		0.7904		0.2931
<b>AGE</b>					
18	0.2715		0.1157		0.8295
19	0.3509		0.9513		0.1497
20	0.5546		0.1753		0.6152
21	0.0800		0.0011		0.4226
22	0.6565		1.0000		0.5822
<b>GENDER</b>					
Male	0.6426		0.5701		0.2503
Female	0.7054		0.8675		0.7172
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.3644		0.8886		0.1686
White	0.3514		0.1471		0.8793
Black or African American	0.0006		0.0590		0.0113
American Indian or Alaska Native	0.7752		*		0.8407
Native Hawaiian or Other Pacific Islander	*		*		*
Asian	0.6436		0.2850		0.7427
Two or More Races	0.2688		*		0.8678
Hispanic or Latino	0.6086		0.7655		0.6495
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.2992		0.4008		0.4915
Part-Time	0.6407		0.9126		0.5590
Unemployed	0.4490		0.3363		0.1458
Other <sup>3</sup>	0.7348		0.7599		0.4297

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.83C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	146	130	113	93	93	90
<b>AGE</b>						
18	61	52	48	32	40	41
19	62	53	45	38	38	36
20	61	56	46	39	38	40
21	53	54	37	39	37	35
22	54	52	28	31	46	41
<b>GENDER</b>						
Male	111	98	80	66	74	74
Female	77	78	58	54	50	52
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	125	118	96	84	80	78
White	103	103	77	76	66	67
Black or African American	47	42	30	25	42	34
American Indian or Alaska Native	7	4	*	*	*	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	29	15	26	12	13	11
Two or More Races	23	17	*	*	13	13
Hispanic or Latino	59	55	40	35	44	47
<b>CURRENT EMPLOYMENT</b>						
Full-Time	63	60	35	30	57	53
Part-Time	78	76	64	59	42	46
Unemployed	48	50	20	25	44	43
Other <sup>3</sup>	64	59	55	46	33	33

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.83D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.50	0.49	0.85	0.82	0.63	0.60
<b>AGE</b>						
18	0.97	0.95	1.72	1.56	1.20	1.21
19	1.15	1.11	1.56	1.60	1.60	1.51
20	1.11	1.11	1.80	1.66	1.43	1.49
21	1.06	1.08	1.70	1.78	1.34	1.27
22	1.05	1.02	1.84	2.01	1.28	1.17
<b>GENDER</b>						
Male	0.74	0.72	1.28	1.24	0.90	0.89
Female	0.59	0.65	0.98	1.00	0.75	0.79
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.55	0.56	0.93	0.89	0.70	0.70
White	0.66	0.69	1.06	1.06	0.82	0.87
Black or African American	1.18	1.15	2.33	1.96	1.69	1.41
American Indian or Alaska Native	4.32	2.91	*	*	*	3.57
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.36	1.34	2.95	1.68	3.79	2.53
Two or More Races	3.33	3.01	*	*	3.03	3.76
Hispanic or Latino	1.10	1.02	1.97	2.09	1.27	1.22
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.83	0.85	2.12	1.89	0.98	0.95
Part-Time	0.90	0.88	1.29	1.26	1.17	1.18
Unemployed	1.39	1.41	2.46	3.00	1.64	1.58
Other <sup>3</sup>	0.87	0.93	1.27	1.32	1.16	1.20

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.83P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.8724	0.8521		0.6680	
<b>AGE</b>					
18	0.4517	0.1235		0.8893	
19	0.4706	0.8429		0.3930	
20	0.4427	0.1343		0.6704	
21	0.0509	0.0015		0.6277	
22	0.9801	0.7349		0.7788	
<b>GENDER</b>					
Male	0.4834	0.9653		0.3177	
Female	0.5517	0.7457		0.5973	
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.6789	0.9713		0.5340	
White	0.1337	0.2109		0.4003	
Black or African American	0.0023	0.0792		0.0289	
American Indian or Alaska Native	0.4924	*		*	
Native Hawaiian or Other Pacific Islander	*	*		*	
Asian	0.2349	0.2617		0.5250	
Two or More Races	0.2872	*		0.8766	
Hispanic or Latino	0.6291	0.7396		0.6956	
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.5002	0.5982		0.6475	
Part-Time	0.8490	0.9285		0.7077	
Unemployed	0.9841	0.4555		0.6544	
Other <sup>3</sup>	0.9144	0.7219		0.6448	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.84C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOBACCO PRODUCTS<sup>3</sup></b>	206	174	144	111	133	136
Cigarettes	179	154	121	90	121	127
Smokeless Tobacco	58	59	38	37	43	47
Cigars	98	88	69	52	67	68
Pipe Tobacco	36	43	22	31	28	30
<b>ALCOHOL</b>	310	256	260	199	147	156
Binge Alcohol Use <sup>4</sup>	243	200	200	147	118	125
Heavy Alcohol Use <sup>4</sup>	125	95	101	70	62	63

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.84D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.60	0.58	0.94	0.91	0.76
Cigarettes	0.58	0.57	0.88	0.83	0.75
Smokeless Tobacco	0.25	0.26	0.40	0.40	0.32
Cigars	0.36	0.36	0.57	0.51	0.46
Pipe Tobacco	0.15	0.19	0.22	0.33	0.21
<b>ALCOHOL</b>	0.67	0.64	1.09	1.06	0.78
Binge Alcohol Use <sup>4</sup>	0.67	0.64	1.14	1.02	0.74
Heavy Alcohol Use <sup>4</sup>	0.47	0.37	0.85	0.65	0.45
					0.43

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.84P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.0429	0.9797			0.0023
Cigarettes	0.0472	0.7802			0.0063
Smokeless Tobacco	0.1111	0.9050			0.0758
Cigars	0.0513	0.5263			0.0356
Pipe Tobacco	0.0547	0.0101			0.8198
<b>ALCOHOL</b>	0.1633	0.5383			0.2334
Binge Alcohol Use <sup>4</sup>	0.0908	0.4134			0.1248
Heavy Alcohol Use <sup>4</sup>	0.0064	0.0969			0.0282

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.85C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOBACCO PRODUCTS<sup>3</sup></b>	150	137	99	83	106	110
Cigarettes	125	119	80	66	93	99
Smokeless Tobacco	57	58	38	35	41	47
Cigars	86	79	58	44	61	62
Pipe Tobacco	31	36	18	25	26	25
<b>ALCOHOL</b>	200	161	159	113	110	113
Binge Alcohol Use <sup>4</sup>	162	132	128	93	87	92
Heavy Alcohol Use <sup>4</sup>	100	74	81	53	52	51

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.85D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.82	0.84	1.31	1.38	1.03
Cigarettes	0.80	0.83	1.26	1.29	0.99
Smokeless Tobacco	0.46	0.48	0.81	0.78	0.56
Cigars	0.61	0.62	0.99	0.94	0.76
Pipe Tobacco	0.26	0.31	0.36	0.58	0.36
<b>ALCOHOL</b>	0.92	0.86	1.51	1.37	1.10
Binge Alcohol Use <sup>4</sup>	0.90	0.84	1.61	1.41	0.99
Heavy Alcohol Use <sup>4</sup>	0.72	0.58	1.45	1.08	0.69
					0.65

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.85P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Male College Students		Other Males Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.2166	0.6808		0.0284	
Cigarettes	0.4728	0.6601		0.0996	
Smokeless Tobacco	0.2412	0.8115		0.1201	
Cigars	0.0395	0.6122		0.0224	
Pipe Tobacco	0.1952	0.0146		0.7236	
<b>ALCOHOL</b>	0.2162	0.3906		0.4113	
Binge Alcohol Use <sup>4</sup>	0.3569	0.7536		0.3766	
Heavy Alcohol Use <sup>4</sup>	0.0109	0.1873		0.0229	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.86C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

Substance	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOBACCO PRODUCTS<sup>3</sup></b>	108	94	74	60	70	72
Cigarettes	103	85	69	52	69	68
Smokeless Tobacco	10	16	6	10	8	13
Cigars	42	38	31	23	29	29
Pipe Tobacco	17	21	12	15	12	15
<b>ALCOHOL</b>	175	155	140	122	90	93
Binge Alcohol Use <sup>4</sup>	133	116	106	84	72	74
Heavy Alcohol Use <sup>4</sup>	59	53	47	40	33	34

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.86D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2012 and 2013**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.76	0.71	1.18	1.06	0.94
Cigarettes	0.76	0.69	1.13	1.02	0.96
Smokeless Tobacco	0.09	0.15	0.13	0.21	0.13
Cigars	0.36	0.33	0.59	0.45	0.45
Pipe Tobacco	0.15	0.19	0.24	0.32	0.19
<b>ALCOHOL</b>	0.89	0.85	1.43	1.39	1.04
Binge Alcohol Use <sup>4</sup>	0.83	0.82	1.38	1.30	0.97
Heavy Alcohol Use <sup>4</sup>	0.49	0.45	0.85	0.77	0.52
					0.53

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.86P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Substance	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time Female College Students		Other Females Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOBACCO PRODUCTS<sup>3</sup></b>	0.0700	0.8105		0.0114	
Cigarettes	0.0227	0.4470		0.0080	
Smokeless Tobacco	0.0682	0.0449		0.4513	
Cigars	0.6896	0.8395		0.6967	
Pipe Tobacco	0.1101	0.2070		0.2962	
<b>ALCOHOL</b>	0.4311	0.9640		0.3296	
Binge Alcohol Use <sup>4</sup>	0.0894	0.4148		0.1298	
Heavy Alcohol Use <sup>4</sup>	0.2391	0.3683		0.4740	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.87C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	179	154	121	90	121	127
<b>AGE</b>						
18	70	54	46	26	52	46
19	66	62	49	38	44	47
20	69	69	43	41	52	56
21	66	60	41	37	52	47
22	69	67	30	30	60	59
<b>GENDER</b>						
Male	125	119	80	66	93	99
Female	103	85	69	52	69	68
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	148	135	95	83	105	106
White	130	118	85	77	91	90
Black or African American	51	49	26	21	45	44
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	31	20	23	14	20	14
Two or More Races	26	20	*	10	19	17
Hispanic or Latino	73	66	49	32	54	62
<b>CURRENT EMPLOYMENT</b>						
Full-Time	82	85	34	28	74	81
Part-Time	86	78	66	53	50	58
Unemployed	58	55	21	26	54	49
Other <sup>3</sup>	77	61	61	46	46	39

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.87D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.58	0.57	0.88	0.83	0.75	0.73
<b>AGE</b>						
18	1.12	1.05	1.85	1.58	1.46	1.29
19	1.23	1.25	1.78	1.63	1.79	1.80
20	1.26	1.24	1.68	1.73	1.73	1.75
21	1.23	1.15	1.78	1.83	1.66	1.52
22	1.24	1.25	1.87	1.98	1.47	1.51
<b>GENDER</b>						
Male	0.80	0.83	1.26	1.29	0.99	1.01
Female	0.76	0.69	1.13	1.02	0.96	0.92
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.62	0.61	0.89	0.90	0.82	0.80
White	0.76	0.73	1.10	1.08	0.96	0.96
Black or African American	1.25	1.27	2.19	1.74	1.65	1.71
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.33	1.77	2.58	2.04	4.84	3.03
Two or More Races	3.60	3.30	*	4.21	3.92	4.55
Hispanic or Latino	1.24	1.15	2.16	2.00	1.48	1.49
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.99	1.01	2.06	1.74	1.14	1.18
Part-Time	0.98	0.89	1.39	1.17	1.33	1.34
Unemployed	1.53	1.49	2.63	2.92	1.76	1.75
Other <sup>3</sup>	0.95	1.02	1.24	1.46	1.49	1.38

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.87P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.0472		0.7802		0.0063
<b>AGE</b>					
18	0.0050		0.0116		0.0622
19	0.6498		0.5856		0.9435
20	0.8649		0.5759		0.6202
21	0.2430		0.4871		0.0222
22	0.1934		0.4745		0.1862
<b>GENDER</b>					
Male	0.4728		0.6601		0.0996
Female	0.0227		0.4470		0.0080
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0377		0.7550		0.0015
White	0.4243		0.3189		0.0285
Black or African American	0.0545		0.4399		0.0931
American Indian or Alaska Native	*		*		*
Native Hawaiian or Other Pacific Islander	*		*		*
Asian	0.1774		0.4087		0.1286
Two or More Races	0.3492		*		0.7412
Hispanic or Latino	0.7533		0.1953		0.7197
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.6223		0.2640		0.9970
Part-Time	0.2067		0.3865		0.1808
Unemployed	0.0045		0.4920		0.0003
Other <sup>3</sup>	1.0000		0.4042		0.2709

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.88C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	310	256	260	199	147	156
<b>AGE</b>						
18	115	87	101	64	56	57
19	94	85	83	66	44	51
20	104	92	84	73	54	56
21	108	105	83	78	67	69
22	106	106	57	56	82	84
<b>GENDER</b>						
Male	200	161	159	113	110	113
Female	175	155	140	122	90	93
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	254	230	209	182	124	130
White	216	200	172	160	110	109
Black or African American	68	72	38	47	54	50
American Indian or Alaska Native	*	10	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	54	42	48	34	24	23
Two or More Races	34	26	*	16	19	20
Hispanic or Latino	118	98	90	57	74	83
<b>CURRENT EMPLOYMENT</b>						
Full-Time	113	113	53	48	100	103
Part-Time	146	140	126	110	68	78
Unemployed	59	70	28	39	52	59
Other <sup>3</sup>	163	118	151	105	47	47

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.88D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.67	0.64	1.09	1.06	0.78	0.76
<b>AGE</b>						
18	1.44	1.22	2.61	2.07	1.48	1.48
19	1.36	1.38	1.98	1.98	1.72	1.82
20	1.41	1.41	2.15	2.06	1.70	1.75
21	1.23	1.22	1.80	1.85	1.59	1.60
22	1.23	1.20	2.20	2.18	1.36	1.45
<b>GENDER</b>						
Male	0.92	0.86	1.51	1.37	1.10	1.06
Female	0.89	0.85	1.43	1.39	1.04	1.00
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.70	0.70	1.12	1.18	0.84	0.83
White	0.81	0.80	1.15	1.20	1.02	0.97
Black or African American	1.41	1.48	2.50	2.84	1.70	1.71
American Indian or Alaska Native	*	5.90	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.87	2.70	3.70	3.46	4.57	4.27
Two or More Races	3.55	3.73	*	6.07	3.79	4.49
Hispanic or Latino	1.56	1.37	2.64	2.46	1.73	1.69
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1.05	1.04	2.14	2.19	1.25	1.16
Part-Time	1.08	1.09	1.46	1.49	1.50	1.46
Unemployed	1.50	1.57	3.09	3.18	1.68	1.82
Other <sup>3</sup>	1.49	1.33	1.90	1.91	1.55	1.53

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.88P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.1633	0.5383		0.2334	
<b>AGE</b>					
18	0.0081	0.0061		0.2581	
19	0.6803	0.9948		0.4721	
20	0.4146	0.6779		0.1143	
21	0.8718	0.7369		0.8334	
22	0.8020	0.0900		0.4513	
<b>GENDER</b>					
Male	0.2162	0.3906		0.4113	
Female	0.4311	0.9640		0.3296	
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0740	0.4655		0.0795	
White	0.1487	0.5388		0.1635	
Black or African American	0.7721	0.2014		0.1814	
American Indian or Alaska Native	*	*		*	
Native Hawaiian or Other Pacific Islander	*	*		*	
Asian	0.0890	0.2042		0.2420	
Two or More Races	0.5811	*		0.3991	
Hispanic or Latino	0.8072	0.9317		0.5567	
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.3289	0.1188		0.7494	
Part-Time	0.4500	0.5695		0.8744	
Unemployed	0.5726	0.0096		0.3714	
Other <sup>3</sup>	0.1315	0.4135		0.3696	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.89C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	243	200	200	147	118	125
<b>AGE</b>						
18	81	63	67	41	46	47
19	75	71	63	53	39	44
20	89	71	73	54	45	45
21	87	81	67	59	53	53
22	84	83	47	46	64	64
<b>GENDER</b>						
Male	162	132	128	93	87	92
Female	133	116	106	84	72	74
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	206	177	168	138	103	102
White	181	156	142	125	93	87
Black or African American	47	50	30	30	38	37
American Indian or Alaska Native	*	7	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38	29	33	20	17	21
Two or More Races	23	20	*	13	14	15
Hispanic or Latino	90	80	66	45	57	66
<b>CURRENT EMPLOYMENT</b>						
Full-Time	95	91	44	40	83	82
Part-Time	121	110	105	87	54	61
Unemployed	47	58	20	28	43	51
Other <sup>3</sup>	115	87	104	76	39	37

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.89D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.67	0.64	1.14	1.02	0.74	0.74
<b>AGE</b>						
18	1.17	1.05	2.01	1.85	1.33	1.32
19	1.25	1.28	1.85	1.86	1.61	1.70
20	1.46	1.28	2.31	1.90	1.65	1.62
21	1.37	1.31	2.25	2.14	1.64	1.58
22	1.34	1.29	2.39	2.24	1.51	1.50
<b>GENDER</b>						
Male	0.90	0.84	1.61	1.41	0.99	1.00
Female	0.83	0.82	1.38	1.30	0.97	1.00
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.72	0.69	1.23	1.13	0.81	0.81
White	0.84	0.81	1.31	1.20	0.98	0.99
Black or African American	1.18	1.21	2.33	2.23	1.51	1.48
American Indian or Alaska Native	*	4.92	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.63	2.32	3.17	2.75	4.32	4.02
Two or More Races	3.56	3.39	*	5.51	3.49	4.20
Hispanic or Latino	1.43	1.38	2.47	2.39	1.59	1.64
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1.06	1.09	2.19	2.17	1.23	1.21
Part-Time	1.16	1.07	1.60	1.47	1.42	1.41
Unemployed	1.40	1.57	2.66	3.09	1.61	1.78
Other <sup>3</sup>	1.30	1.18	1.77	1.87	1.43	1.28

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.89P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.0908	0.4134		0.1248	
<b>AGE</b>					
18	0.0164	0.0173		0.2521	
19	0.6463	0.7209		0.7222	
20	0.6471	0.8959		0.6172	
21	0.2279	0.6443		0.2442	
22	0.7012	0.5617		0.4161	
<b>GENDER</b>					
Male	0.3569	0.7536		0.3766	
Female	0.0894	0.4148		0.1298	
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0214	0.2973		0.0226	
White	0.0113	0.3064		0.0082	
Black or African American	0.7721	0.3927		0.7822	
American Indian or Alaska Native	*	*		*	
Native Hawaiian or Other Pacific Islander	*	*		*	
Asian	0.6040	0.1992		0.4779	
Two or More Races	0.5268	*		0.9179	
Hispanic or Latino	0.5294	0.8562		0.4239	
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.0878	0.1866		0.2113	
Part-Time	0.3449	0.2374		0.8311	
Unemployed	0.4866	0.0686		0.7971	
Other <sup>3</sup>	0.2413	0.9059		0.1785	

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.90C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	125	95	101	70	62	63
<b>AGE</b>						
18	30	30	24	20	18	22
19	44	33	37	27	24	18
20	48	40	40	32	26	24
21	47	42	36	30	30	27
22	48	44	27	24	39	36
<b>GENDER</b>						
Male	100	74	81	53	52	51
Female	59	53	47	40	33	34
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	115	85	94	66	56	51
White	100	79	82	62	49	48
Black or African American	24	20	16	12	19	15
American Indian or Alaska Native	5	2	*	*	5	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20	12	15	10	12	5
Two or More Races	13	7	8	3	10	7
Hispanic or Latino	40	40	29	24	28	32
<b>CURRENT EMPLOYMENT</b>						
Full-Time	53	52	25	23	46	45
Part-Time	66	54	57	43	29	32
Unemployed	25	29	12	17	22	24
Other <sup>3</sup>	59	38	53	35	18	16

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.90D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.47	0.37	0.85	0.65	0.45	0.43
<b>AGE</b>						
18	0.59	0.57	1.30	1.01	0.59	0.69
19	0.89	0.71	1.37	1.18	1.07	0.83
20	0.96	0.85	1.60	1.40	1.07	0.98
21	0.97	0.86	1.68	1.47	1.10	1.01
22	0.94	0.88	1.68	1.69	1.12	1.03
<b>GENDER</b>						
Male	0.72	0.58	1.45	1.08	0.69	0.65
Female	0.49	0.45	0.85	0.77	0.52	0.53
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.55	0.42	0.99	0.72	0.51	0.47
White	0.65	0.54	1.12	0.89	0.64	0.63
Black or African American	0.75	0.59	1.42	1.12	0.86	0.71
American Indian or Alaska Native	2.80	1.57	*	*	3.18	1.91
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.64	1.04	1.83	1.53	3.39	1.09
Two or More Races	2.20	1.38	3.91	1.38	2.61	2.17
Hispanic or Latino	0.76	0.78	1.39	1.58	0.88	0.91
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.75	0.76	1.60	1.56	0.83	0.82
Part-Time	0.80	0.67	1.17	0.98	0.87	0.85
Unemployed	0.80	0.94	1.62	2.25	0.92	1.00
Other <sup>3</sup>	0.89	0.64	1.38	1.06	0.68	0.59

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.90P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.0064		0.0969		0.0282
<b>AGE</b>					
18	0.4733		0.3803		0.9667
19	0.0255		0.4211		0.0105
20	0.2729		0.5054		0.3780
21	0.0606		0.2622		0.1386
22	0.5048		0.5062		0.7455
<b>GENDER</b>					
Male	0.0109		0.1873		0.0229
Female	0.2391		0.3683		0.4740
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0056		0.0889		0.0164
White	0.0163		0.1124		0.0534
Black or African American	0.4437		0.5370		0.6213
American Indian or Alaska Native	0.0562	*	*		0.1167
Native Hawaiian or Other Pacific Islander	*	*	*		*
Asian	0.3303		0.8447		0.0521
Two or More Races	0.0978		0.0499		0.6041
Hispanic or Latino	0.6740		0.7153		0.9098
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.1242		0.8087		0.0991
Part-Time	0.0556		0.0932		0.4439
Unemployed	0.7119		0.4502		0.3387
Other <sup>3</sup>	0.1308		0.2165		0.6691

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.91C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	93	73	65	45	65	58
<b>AGE</b>						
18	43	35	31	15	31	31
19	38	33	27	22	25	23
20	38	31	25	22	29	22
21	33	35	24	24	23	25
22	33	31	14	13	30	27
<b>GENDER</b>						
Male	72	58	47	34	51	48
Female	50	41	33	27	36	31
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	79	68	56	41	54	53
White	68	58	49	38	45	42
Black or African American	30	24	14	11	27	21
American Indian or Alaska Native	4	5	*	*	4	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9	19	6	6	7	17
Two or More Races	20	14	*	5	9	13
Hispanic or Latino	41	26	23	17	33	25
<b>CURRENT EMPLOYMENT</b>						
Full-Time	44	37	21	15	38	34
Part-Time	47	39	37	29	28	26
Unemployed	31	36	11	17	30	31
Other <sup>3</sup>	49	33	41	23	24	24

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.91D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.36	0.32	0.58	0.48	0.46	0.43
<b>AGE</b>						
18	0.78	0.70	1.35	0.88	0.96	0.95
19	0.78	0.77	1.10	1.05	1.13	1.08
20	0.81	0.70	1.18	1.03	1.19	0.91
21	0.71	0.76	1.22	1.31	0.86	0.95
22	0.70	0.67	1.00	1.01	0.91	0.84
<b>GENDER</b>						
Male	0.56	0.49	0.91	0.78	0.71	0.65
Female	0.42	0.37	0.62	0.56	0.56	0.51
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.40	0.37	0.64	0.52	0.51	0.52
White	0.49	0.44	0.80	0.66	0.60	0.60
Black or African American	0.90	0.73	1.32	1.00	1.19	0.97
American Indian or Alaska Native	2.36	3.55	*	*	2.73	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.79	1.60	0.68	0.87	2.22	3.67
Two or More Races	3.39	2.56	*	2.37	2.38	3.83
Hispanic or Latino	0.81	0.55	1.29	1.16	1.04	0.74
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.64	0.55	1.37	1.05	0.72	0.65
Part-Time	0.63	0.51	0.91	0.72	0.85	0.75
Unemployed	0.97	1.12	1.48	2.24	1.20	1.24
Other <sup>3</sup>	0.74	0.59	1.09	0.79	0.91	0.87

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.91P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.0681		0.2493		0.1347	
<b>AGE</b>						
18	0.0203		0.0028		0.3687	
19	0.1874		0.3488		0.3201	
20	0.1628		0.5589		0.1502	
21	0.1747		0.0800		0.9296	
22	0.6500		0.5827		0.7721	
<b>GENDER</b>						
Male	0.3094		0.5063		0.3895	
Female	0.0666		0.2701		0.1210	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.2276		0.4254		0.3374	
White	0.2785		0.8712		0.1620	
Black or African American	0.1405		0.1790		0.3460	
American Indian or Alaska Native	0.6697		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0738		0.8142		0.0849	
Two or More Races	0.7790		*		0.3378	
Hispanic or Latino	0.0846		0.2459		0.2176	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2976		0.6558		0.3453	
Part-Time	0.2739		0.2496		0.6374	
Unemployed	0.8382		0.3252		0.4697	
Other <sup>3</sup>	0.1797		0.3066		0.3094	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.92C Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	124	99	95	70	72	68
<b>AGE</b>						
18	43	38	33	26	30	29
19	44	37	38	26	23	26
20	48	42	40	33	25	27
21	50	42	35	32	34	29
22	50	45	26	26	42	34
<b>GENDER</b>						
Male	87	69	63	47	56	53
Female	72	65	55	45	43	44
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	103	85	78	61	62	57
White	93	77	70	57	54	52
Black or African American	31	23	17	11	25	20
American Indian or Alaska Native	6	4	*	*	6	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	18	16	14	9	11
Two or More Races	11	12	7	9	9	8
Hispanic or Latino	56	48	41	31	37	35
<b>CURRENT EMPLOYMENT</b>						
Full-Time	60	49	30	23	52	44
Part-Time	63	53	55	44	31	32
Unemployed	33	32	17	15	28	29
Other <sup>3</sup>	55	46	48	39	23	23

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.92D Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.43	0.40	0.71	0.65	0.50	0.48
<b>AGE</b>						
18	0.78	0.71	1.41	1.21	0.92	0.88
19	0.90	0.81	1.43	1.11	1.04	1.17
20	0.96	0.90	1.65	1.52	1.04	1.08
21	0.98	0.92	1.56	1.60	1.21	1.10
22	0.97	0.91	1.57	1.78	1.22	1.02
<b>GENDER</b>						
Male	0.62	0.57	1.07	1.01	0.74	0.69
Female	0.55	0.55	0.89	0.83	0.65	0.68
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.47	0.44	0.76	0.69	0.57	0.54
White	0.57	0.55	0.91	0.86	0.70	0.70
Black or African American	0.91	0.70	1.46	0.99	1.12	0.92
American Indian or Alaska Native	3.88	3.17	*	*	4.36	3.84
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.59	1.49	1.88	1.92	2.56	2.34
Two or More Races	2.01	2.34	3.42	4.10	2.44	2.53
Hispanic or Latino	1.00	0.96	1.92	1.91	1.10	1.01
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.81	0.73	1.82	1.53	0.92	0.83
Part-Time	0.75	0.66	1.14	1.00	0.93	0.87
Unemployed	1.01	1.01	2.20	1.98	1.14	1.18
Other <sup>3</sup>	0.79	0.72	1.16	1.04	0.87	0.87

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.92P Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>	COLLEGE ENROLLMENT STATUS			
		Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
		2012	2013	2012	2013
<b>TOTAL</b>	0.0013		0.0383		0.0154
<b>AGE</b>					
18	0.1283		0.0277		0.8458
19	0.2325		0.1870		0.8177
20	0.2974		0.7254		0.2308
21	0.0321		0.3139		0.0523
22	0.1520		0.9712		0.0801
<b>GENDER</b>					
Male	0.0302		0.3142		0.0528
Female	0.0171		0.0557		0.1176
<b>HISPANIC ORIGIN AND RACE</b>					
Not Hispanic or Latino	0.0024		0.0298		0.0298
White	0.0120		0.0570		0.0948
Black or African American	0.0308		0.0249		0.2428
American Indian or Alaska Native	0.2179		*		0.4171
Native Hawaiian or Other Pacific Islander	*		*		*
Asian	0.8796		0.9106		0.8886
Two or More Races	0.9913		0.5555		0.5485
Hispanic or Latino	0.2802		0.7354		0.2931
<b>CURRENT EMPLOYMENT</b>					
Full-Time	0.0308		0.2293		0.0722
Part-Time	0.1844		0.2427		0.6322
Unemployed	0.0254		0.0914		0.1183
Other <sup>3</sup>	0.2642		0.4613		0.5040

\*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.93C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	151	117	114	82	90	81
<b>AGE</b>						
18	57	48	45	30	40	38
19	56	46	46	32	31	32
20	56	48	43	36	36	32
21	57	51	40	39	39	34
22	56	51	28	27	47	39
<b>GENDER</b>						
Male	110	85	77	57	70	65
Female	81	71	59	50	50	49
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	126	103	93	71	77	71
White	113	93	83	67	66	61
Black or African American	38	30	20	14	33	27
American Indian or Alaska Native	7	5	*	*	6	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	24	16	15	10	19
Two or More Races	22	16	*	9	11	13
Hispanic or Latino	65	54	44	34	46	40
<b>CURRENT EMPLOYMENT</b>						
Full-Time	70	55	34	25	60	50
Part-Time	75	63	63	50	39	38
Unemployed	40	44	19	21	36	38
Other <sup>3</sup>	68	55	59	44	29	31

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.93D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.50	0.46	0.80	0.71	0.62	0.56
<b>AGE</b>						
18	0.97	0.86	1.73	1.34	1.18	1.13
19	1.07	0.98	1.65	1.35	1.34	1.38
20	1.08	1.00	1.74	1.60	1.39	1.25
21	1.11	1.06	1.76	1.82	1.36	1.24
22	1.03	1.02	1.69	1.88	1.30	1.16
<b>GENDER</b>						
Male	0.75	0.67	1.23	1.14	0.91	0.83
Female	0.59	0.60	0.91	0.91	0.74	0.75
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.54	0.51	0.84	0.75	0.68	0.66
White	0.67	0.63	1.03	0.93	0.82	0.81
Black or African American	1.09	0.90	1.66	1.25	1.41	1.18
American Indian or Alaska Native	4.12	3.95	*	*	4.71	4.72
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.59	2.02	1.87	2.05	3.01	3.87
Two or More Races	3.40	3.01	*	4.21	2.89	3.94
Hispanic or Latino	1.13	1.05	2.07	2.08	1.34	1.13
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.92	0.80	2.00	1.66	1.04	0.91
Part-Time	0.86	0.75	1.28	1.09	1.12	1.02
Unemployed	1.19	1.33	2.37	2.66	1.40	1.48
Other <sup>3</sup>	0.93	0.85	1.32	1.16	1.09	1.11

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.93P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 <sup>2</sup>	
	2012	2013	2012	2013	2012	2013
<b>TOTAL</b>	0.0004		0.0594		0.0020	
<b>AGE</b>						
18	0.0122		0.0025		0.3659	
19	0.0497		0.1179		0.2406	
20	0.1926		0.8330		0.0841	
21	0.3281		0.4778		0.0377	
22	0.1374		0.5879		0.1480	
<b>GENDER</b>						
Male	0.0118		0.2415		0.0213	
Female	0.0075		0.1205		0.0217	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0009		0.0466		0.0065	
White	0.0030		0.1232		0.0065	
Black or African American	0.0227		0.0405		0.1525	
American Indian or Alaska Native	0.5283		*		0.7508	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1903		0.6315		0.2120	
Two or More Races	0.6409		*		0.8256	
Hispanic or Latino	0.1930		0.7317		0.1810	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0072		0.2717		0.0134	
Part-Time	0.0600		0.0932		0.3793	
Unemployed	0.2331		0.9426		0.1597	
Other <sup>3</sup>	0.1771		0.4662		0.2193	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.