

**Table 2.17C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	891	874	863	920	825	852
<b>AGE</b>						
12-17	102	101	92	89	70	68
18-25	152	159	167	171	168	165
26 or Older	836	818	802	871	778	813
<b>GENDER</b>						
Male	523	506	627	667	598	627
Female	652	649	520	572	501	535
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	789	799	795	861	759	808
White	617	640	707	750	675	706
Black or African American	322	333	314	311	293	300
American Indian or Alaska Native	131	89	72	55	70	52
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	302	357	137	188	122	149
Two or More Races	132	167	102	106	91	95
Hispanic or Latino	371	364	296	328	287	306

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.17D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.35	0.34	0.34	0.36	0.33	0.34
<b>AGE</b>						
12-17	0.41	0.41	0.37	0.37	0.28	0.28
18-25	0.45	0.47	0.50	0.50	0.50	0.48
26 or Older	0.43	0.42	0.41	0.45	0.40	0.42
<b>GENDER</b>						
Male	0.43	0.41	0.51	0.54	0.49	0.51
Female	0.50	0.50	0.40	0.44	0.39	0.41
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.37	0.37	0.37	0.40	0.35	0.37
White	0.36	0.38	0.42	0.44	0.40	0.42
Black or African American	1.07	1.10	1.04	1.03	0.97	0.99
American Indian or Alaska Native	2.95	3.03	4.00	4.30	3.98	4.02
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.96	2.20	1.19	1.55	1.09	1.28
Two or More Races	2.11	2.53	2.71	2.83	2.59	2.66
Hispanic or Latino	1.03	0.99	0.82	0.89	0.80	0.83

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.17P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.3371		0.5467		0.5678	
<b>AGE</b>						
12-17	0.0005		0.0111		0.0116	
18-25	0.1243		0.0752		0.2218	
26 or Older	0.6311		0.9215		0.8236	
<b>GENDER</b>						
Male	0.7080		0.7523		0.7282	
Female	0.2882		0.1582		0.1724	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3691		0.7564		0.8890	
White	0.0921		0.4738		0.8220	
Black or African American	0.7105		0.4873		0.5855	
American Indian or Alaska Native	0.0908		0.5791		0.3315	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0890		0.2589		0.6926	
Two or More Races	0.8059		0.3342		0.2326	
Hispanic or Latino	0.8823		0.3950		0.2398	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.18C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	102	101	92	89	70	68
<b>GENDER</b>						
Male	72	72	67	65	52	52
Female	64	67	55	60	45	42
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	88	87	77	78	61	61
White	100	97	84	82	63	61
Black or African American	41	42	32	32	24	22
American Indian or Alaska Native	9	8	5	6	4	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	16	19	11	16	9	12
Two or More Races	18	17	14	12	12	9
Hispanic or Latino	49	47	46	41	31	30
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	70	64	62	57	47	43
Female, White, Not Hispanic	59	63	48	54	38	39
Male, Black, Not Hispanic	32	32	25	24	20	18
Female, Black, Not Hispanic	27	26	19	19	14	12
Male, Hispanic	46	39	44	32	27	26
Female, Hispanic	35	36	29	31	20	19

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.18D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.41	0.41	0.37	0.37	0.28	0.28
<b>GENDER</b>						
Male	0.58	0.58	0.54	0.52	0.41	0.42
Female	0.53	0.56	0.46	0.50	0.38	0.36
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.45	0.45	0.39	0.40	0.31	0.32
White	0.53	0.53	0.48	0.49	0.39	0.39
Black or African American	0.92	0.98	0.79	0.79	0.60	0.57
American Indian or Alaska Native	4.62	4.19	3.65	3.64	2.76	3.15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.55	1.61	1.09	1.40	0.87	1.08
Two or More Races	2.82	2.51	2.44	2.03	2.08	1.56
Hispanic or Latino	1.03	0.95	0.97	0.83	0.65	0.61
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.70	0.73	0.67	0.68	0.55	0.56
Female, White, Not Hispanic	0.72	0.75	0.63	0.69	0.52	0.52
Male, Black, Not Hispanic	1.39	1.50	1.17	1.19	0.97	0.93
Female, Black, Not Hispanic	1.25	1.27	0.98	1.00	0.74	0.63
Male, Hispanic	1.52	1.24	1.51	1.13	1.03	0.98
Female, Hispanic	1.26	1.35	1.08	1.24	0.79	0.76

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.18P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.0005		0.0111		0.0116	
<b>GENDER</b>						
Male	0.0006		0.0007		0.0117	
Female	0.0921		0.8806		0.3555	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0080		0.1076		0.0210	
White	0.0037		0.0942		0.0453	
Black or African American	0.5543		0.6762		0.3284	
American Indian or Alaska Native	0.9701		0.5388		0.4535	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8720		0.3472		0.5702	
Two or More Races	0.5199		0.5446		0.1534	
Hispanic or Latino	0.0107		0.0186		0.3908	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.0115		0.0162		0.0154	
Female, White, Not Hispanic	0.0852		0.9312		0.7293	
Male, Black, Not Hispanic	0.6194		0.9392		0.6364	
Female, Black, Not Hispanic	0.7615		0.5741		0.3285	
Male, Hispanic	0.0042		0.0013		0.5843	
Female, Hispanic	0.4661		0.9286		0.4567	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.19C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	152	159	167	171	168	165
<b>GENDER</b>						
Male	99	105	112	119	122	121
Female	102	105	106	105	98	96
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	137	139	152	149	150	147
White	310	286	259	237	225	198
Black or African American	109	105	88	83	73	72
American Indian or Alaska Native	23	15	18	14	16	13
Native Hawaiian or Other Pacific Islander	*	*	*	12	*	11
Asian	52	62	41	49	33	40
Two or More Races	25	28	24	25	21	22
Hispanic or Latino	70	72	71	72	69	69
<b>EDUCATION</b>						
< High School	112	113	103	103	94	94
High School Graduate	173	177	152	149	135	129
Some College	218	214	171	177	142	140
College Graduate	120	117	92	88	72	72
<b>CURRENT EMPLOYMENT</b>						
Full-Time	179	188	149	157	132	141
Part-Time	160	157	132	135	108	110
Unemployed	103	100	91	88	84	81
Other <sup>1</sup>	164	150	132	124	112	101

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.19D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.45	0.47	0.50	0.50	0.50	0.48
<b>GENDER</b>						
Male	0.59	0.61	0.66	0.69	0.72	0.70
Female	0.61	0.62	0.63	0.62	0.59	0.57
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.50	0.51	0.55	0.54	0.55	0.54
White	0.53	0.52	0.60	0.60	0.62	0.61
Black or African American	1.20	1.22	1.24	1.18	1.14	1.13
American Indian or Alaska Native	3.66	3.59	4.65	4.10	4.93	4.64
Native Hawaiian or Other Pacific Islander	*	*	*	5.84	*	5.60
Asian	2.18	2.54	2.24	2.41	1.85	2.33
Two or More Races	2.80	3.58	3.09	3.39	3.32	3.32
Hispanic or Latino	1.14	1.10	1.15	1.10	1.12	1.06
<b>EDUCATION</b>						
< High School	1.03	1.10	1.06	1.19	1.09	1.18
High School Graduate	0.70	0.77	0.74	0.77	0.77	0.78
Some College	0.77	0.80	0.87	0.88	0.82	0.83
College Graduate	1.18	1.22	1.25	1.23	1.13	1.15
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.65	0.72	0.74	0.79	0.75	0.77
Part-Time	0.84	0.83	0.89	0.93	0.85	0.86
Unemployed	1.07	1.10	1.21	1.24	1.22	1.28
Other <sup>1</sup>	1.02	0.99	0.98	0.99	1.00	0.94

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.19P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.1243		0.0752		0.2218	
<b>GENDER</b>						
Male	0.4427		0.3648		0.3131	
Female	0.1025		0.0518		0.3260	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.2319		0.2505		0.4348	
White	0.4593		0.1858		0.3903	
Black or African American	0.2263		0.9182		0.8226	
American Indian or Alaska Native	0.8178		0.2264		0.4425	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5560		0.7742		0.8264	
Two or More Races	0.1333		0.3171		0.1224	
Hispanic or Latino	0.4288		0.1677		0.4069	
<b>EDUCATION</b>						
< High School	0.8196		0.4191		0.4121	
High School Graduate	0.0769		0.1135		0.1763	
Some College	0.5470		0.9107		0.4368	
College Graduate	0.7939		0.1462		0.2453	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2202		0.1828		0.4187	
Part-Time	0.8955		0.4854		0.8272	
Unemployed	0.3803		0.8262		0.3784	
Other <sup>1</sup>	0.4903		0.3369		0.6328	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.20C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	836	818	802	871	778	813
<b>GENDER</b>						
Male	485	470	591	632	570	600
Female	632	629	488	547	481	516
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	740	752	738	824	715	775
White	1,605	1,681	835	915	776	829
Black or African American	590	611	377	390	353	366
American Indian or Alaska Native	121	84	66	50	66	47
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	291	347	125	176	113	141
Two or More Races	129	164	97	102	87	92
Hispanic or Latino	350	338	280	308	275	294
<b>EDUCATION</b>						
< High School	600	622	404	425	387	410
High School Graduate	908	890	562	581	541	544
Some College	826	849	482	515	440	469
College Graduate	1,065	1,101	473	491	411	404
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,208	1,311	714	781	675	689
Part-Time	510	504	256	295	231	270
Unemployed	336	360	259	261	249	244
Other <sup>1</sup>	1,035	1,013	512	531	475	505

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.20D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.43	0.42	0.41	0.45	0.40	0.42
<b>GENDER</b>						
Male	0.52	0.50	0.64	0.67	0.61	0.64
Female	0.63	0.62	0.48	0.54	0.48	0.51
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.44	0.44	0.44	0.48	0.42	0.46
White	0.43	0.45	0.49	0.53	0.47	0.50
Black or African American	1.42	1.42	1.40	1.39	1.33	1.35
American Indian or Alaska Native	3.66	3.97	5.40	5.44	5.37	5.20
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.49	2.75	1.43	1.89	1.32	1.55
Two or More Races	2.76	3.60	3.80	4.16	3.65	3.93
Hispanic or Latino	1.40	1.34	1.12	1.22	1.10	1.16
<b>EDUCATION</b>						
< High School	1.20	1.24	1.18	1.30	1.16	1.25
High School Graduate	0.72	0.74	0.80	0.79	0.77	0.76
Some College	0.81	0.82	0.82	0.86	0.78	0.82
College Graduate	0.81	0.76	0.65	0.65	0.59	0.58
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.55	0.51	0.58	0.59	0.56	0.55
Part-Time	1.17	1.20	1.10	1.12	1.02	1.04
Unemployed	1.61	1.62	1.90	1.94	1.91	1.89
Other <sup>1</sup>	0.90	0.88	0.75	0.79	0.72	0.77

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.20P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.6311		0.9215		0.8236	
<b>GENDER</b>						
Male	0.8935		0.4533		0.4989	
Female	0.4525		0.2801		0.2440	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5112		0.9906		0.8886	
White	0.1341		0.7153		0.9505	
Black or African American	0.5923		0.4851		0.6132	
American Indian or Alaska Native	0.0650		0.4778		0.2579	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0961		0.2407		0.6682	
Two or More Races	0.8460		0.3695		0.3702	
Hispanic or Latino	0.7456		0.7554		0.3227	
<b>EDUCATION</b>						
< High School	0.9601		0.7055		0.7573	
High School Graduate	0.1664		1.0000		0.7773	
Some College	0.6341		0.9108		0.6947	
College Graduate	0.9836		0.5567		0.4443	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.8566		0.5545		0.4076	
Part-Time	0.2130		0.2285		0.3320	
Unemployed	0.9764		0.3844		0.2875	
Other <sup>1</sup>	0.8648		0.5872		0.3823	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.21C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	859	844	849	906	816	840
<b>GENDER</b>						
Male	494	489	619	655	594	617
Female	649	643	514	570	497	533
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	759	776	779	852	749	799
White	1,659	1,739	897	965	832	870
Black or African American	618	631	397	406	368	380
American Indian or Alaska Native	129	87	72	54	70	51
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	300	356	136	188	121	149
Two or More Races	131	167	101	105	90	94
Hispanic or Latino	362	352	293	320	287	300
<b>EDUCATION</b>						
< High School	620	637	427	440	408	424
High School Graduate	938	923	592	606	568	565
Some College	866	889	514	553	465	495
College Graduate	1,090	1,120	494	506	426	415
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,247	1,344	743	811	700	715
Part-Time	543	526	294	323	259	291
Unemployed	355	377	278	279	267	257
Other <sup>1</sup>	1,044	1,023	532	545	491	515

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.21D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.38	0.37	0.37	0.40	0.36	0.37
<b>GENDER</b>						
Male	0.45	0.44	0.56	0.59	0.54	0.56
Female	0.55	0.54	0.44	0.48	0.42	0.45
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.39	0.39	0.40	0.43	0.38	0.40
White	0.38	0.40	0.45	0.47	0.43	0.45
Black or African American	1.19	1.20	1.17	1.16	1.11	1.12
American Indian or Alaska Native	3.16	3.42	4.52	4.91	4.50	4.64
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.13	2.39	1.32	1.72	1.21	1.41
Two or More Races	2.33	2.95	3.20	3.43	3.08	3.22
Hispanic or Latino	1.16	1.11	0.94	1.00	0.92	0.94
<b>EDUCATION</b>						
< High School	1.01	1.05	1.01	1.12	1.00	1.07
High School Graduate	0.62	0.64	0.69	0.67	0.67	0.65
Some College	0.67	0.68	0.69	0.72	0.66	0.68
College Graduate	0.76	0.71	0.62	0.62	0.56	0.55
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.49	0.46	0.53	0.54	0.51	0.51
Part-Time	0.87	0.88	0.87	0.86	0.78	0.79
Unemployed	1.17	1.18	1.39	1.42	1.39	1.36
Other <sup>1</sup>	0.81	0.80	0.70	0.72	0.66	0.70

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.21P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
<b>TOTAL</b>	0.4519		0.6900		0.6601	
<b>GENDER</b>						
Male	0.9527		0.5395		0.6166	
Female	0.3196		0.1524		0.1830	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4011		0.8243		0.9723	
White	0.1111		0.5418		0.9026	
Black or African American	0.7574		0.5016		0.5896	
American Indian or Alaska Native	0.0913		0.5498		0.3122	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0849		0.2900		0.7164	
Two or More Races	0.5458		0.3332		0.2640	
Hispanic or Latino	0.8557		0.6061		0.2722	
<b>EDUCATION</b>						
< High School	0.9969		0.9053		0.9484	
High School Graduate	0.0875		0.7911		0.6057	
Some College	0.7768		0.8266		0.5448	
College Graduate	0.9933		0.4277		0.3529	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.7094		0.4430		0.3587	
Part-Time	0.2373		0.4319		0.4511	
Unemployed	0.8281		0.3744		0.2058	
Other <sup>1</sup>	0.9548		0.6704		0.4181	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.