

Table 5.27C Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010

| Age Category | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 127 | 115 | 128 | 125 | 89 | 79 | 169 | 154 |
| 12 | 1 | 0 | 1 | 2 | 1 | * | 1 | 2 |
| 13 | 4 | 2 | 4 | 1 | 4 | 1 | 4 | 3 |
| 14 | 2 | 5 | 2 | 0 | 1 | 0 | 3 | 5 |
| 15 | 5 | 4 | 5 | 5 | 5 | 4 | 6 | 6 |
| 16 | 6 | 8 | 5 | 6 | 4 | 4 | 7 | 9 |
| 17 | 10 | 8 | 10 | 8 | 8 | 5 | 12 | 10 |
| 18 | 14 | 12 | 9 | 10 | 7 | 9 | 16 | 12 |
| 19 | 8 | 9 | 8 | 6 | 6 | 5 | 10 | 10 |
| 20 | 10 | 9 | 6 | 8 | 4 | 6 | 12 | 10 |
| 21 | 13 | 13 | 9 | 11 | 7 | 7 | 13 | 16 |
| 22 | 10 | 9 | 12 | 10 | 4 | 7 | 16 | 12 |
| 23 | 12 | 12 | 12 | 9 | 9 | 6 | 15 | 14 |
| 24 | 10 | 9 | 12 | 14 | 8 | 6 | 13 | 15 |
| 25 | 10 | 7 | 11 | 10 | 7 | 5 | 13 | 11 |
| 26-29 | 43 | 42 | 38 | 29 | 33 | 21 | 48 | 47 |
| 30-34 | 37 | 34 | 49 | 39 | 31 | 20 | 53 | 50 |
| 35-39 | 39 | 41 | 49 | 30 | 31 | 22 | 54 | 48 |
| 40-44 | 51 | 34 | 59 | 39 | 46 | 26 | 71 | 45 |
| 45-49 | 32 | 41 | 51 | 60 | 21 | 33 | 61 | 66 |
| 50-54 | 60 | 36 | 40 | 57 | 25 | 27 | 67 | 64 |
| 55-59 | 14 | 38 | 36 | 38 | 13 | 36 | 51 | 40 |
| 60-64 | 32 | 30 | 32 | 33 | 32 | 22 | 37 | 39 |
| 65 or Older | 5 | 10 | 22 | 26 | * | * | 25 | 28 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.27D Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2009 and 2010

| Age Category | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.05 | 0.05 | 0.05 | 0.04 | 0.03 | 0.07 | 0.06 |
| 12 | 0.03 | 0.01 | 0.04 | 0.04 | 0.03 | * | 0.04 | 0.05 |
| 13 | 0.10 | 0.04 | 0.10 | 0.03 | 0.10 | 0.02 | 0.10 | 0.08 |
| 14 | 0.06 | 0.13 | 0.06 | 0.01 | 0.02 | 0.01 | 0.08 | 0.13 |
| 15 | 0.12 | 0.11 | 0.12 | 0.12 | 0.10 | 0.09 | 0.13 | 0.13 |
| 16 | 0.14 | 0.18 | 0.12 | 0.14 | 0.10 | 0.10 | 0.16 | 0.21 |
| 17 | 0.23 | 0.18 | 0.23 | 0.19 | 0.18 | 0.12 | 0.27 | 0.23 |
| 18 | 0.27 | 0.24 | 0.19 | 0.21 | 0.14 | 0.19 | 0.31 | 0.26 |
| 19 | 0.16 | 0.21 | 0.17 | 0.14 | 0.12 | 0.12 | 0.21 | 0.24 |
| 20 | 0.25 | 0.19 | 0.15 | 0.18 | 0.10 | 0.13 | 0.28 | 0.23 |
| 21 | 0.30 | 0.30 | 0.22 | 0.25 | 0.18 | 0.16 | 0.32 | 0.37 |
| 22 | 0.25 | 0.22 | 0.29 | 0.25 | 0.10 | 0.17 | 0.38 | 0.28 |
| 23 | 0.31 | 0.29 | 0.30 | 0.22 | 0.22 | 0.14 | 0.37 | 0.34 |
| 24 | 0.23 | 0.22 | 0.28 | 0.33 | 0.18 | 0.15 | 0.31 | 0.37 |
| 25 | 0.29 | 0.19 | 0.30 | 0.24 | 0.21 | 0.12 | 0.37 | 0.28 |
| 26-29 | 0.26 | 0.25 | 0.23 | 0.17 | 0.20 | 0.13 | 0.28 | 0.28 |
| 30-34 | 0.19 | 0.17 | 0.25 | 0.20 | 0.16 | 0.10 | 0.27 | 0.25 |
| 35-39 | 0.19 | 0.21 | 0.24 | 0.16 | 0.16 | 0.12 | 0.27 | 0.25 |
| 40-44 | 0.24 | 0.17 | 0.28 | 0.19 | 0.22 | 0.13 | 0.34 | 0.22 |
| 45-49 | 0.14 | 0.19 | 0.23 | 0.27 | 0.10 | 0.15 | 0.27 | 0.29 |
| 50-54 | 0.27 | 0.16 | 0.18 | 0.26 | 0.11 | 0.12 | 0.30 | 0.29 |
| 55-59 | 0.07 | 0.19 | 0.19 | 0.20 | 0.07 | 0.19 | 0.28 | 0.21 |
| 60-64 | 0.20 | 0.18 | 0.20 | 0.20 | 0.20 | 0.13 | 0.24 | 0.24 |
| 65 or Older | 0.01 | 0.03 | 0.06 | 0.07 | * | * | 0.07 | 0.07 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.27P Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Age Category | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|--------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.9970 | 0.4423 | 0.2557 | 0.7660 | | | | |
| 12 | 0.1804 | 0.8877 | * | 0.7764 | | | | |
| 13 | 0.2495 | 0.0963 | 0.0920 | 0.5827 | | | | |
| 14 | 0.3101 | 0.1598 | 0.4159 | 0.6142 | | | | |
| 15 | 0.5506 | 0.8160 | 0.8092 | 0.8362 | | | | |
| 16 | 0.3827 | 0.7077 | 0.8856 | 0.4684 | | | | |
| 17 | 0.1428 | 0.3291 | 0.0548 | 0.3426 | | | | |
| 18 | 0.8877 | 0.9157 | 0.6159 | 0.5719 | | | | |
| 19 | 0.3279 | 0.2162 | 0.9903 | 0.9017 | | | | |
| 20 | 0.2548 | 0.7136 | 0.7625 | 0.4552 | | | | |
| 21 | 0.6947 | 0.6592 | 0.8099 | 0.5557 | | | | |
| 22 | 0.5260 | 0.9196 | 0.1195 | 0.6607 | | | | |
| 23 | 0.4391 | 0.0617 | 0.0364 | 0.3872 | | | | |
| 24 | 0.3734 | 0.8210 | 0.2983 | 0.8529 | | | | |
| 25 | 0.4441 | 0.3999 | 0.2317 | 0.4296 | | | | |
| 26-29 | 0.5567 | 0.6916 | 0.5614 | 0.4429 | | | | |
| 30-34 | 0.6286 | 0.5566 | 0.3663 | 0.9529 | | | | |
| 35-39 | 0.5603 | 0.2246 | 0.5458 | 0.9266 | | | | |
| 40-44 | 0.6361 | 0.1305 | 0.2042 | 0.1496 | | | | |
| 45-49 | 0.0715 | 0.3811 | 0.1809 | 0.2689 | | | | |
| 50-54 | 0.2273 | 0.1987 | 0.6020 | 0.9643 | | | | |
| 55-59 | 0.5276 | 0.7792 | 0.6222 | 0.4860 | | | | |
| 60-64 | 0.9692 | 0.6961 | 0.5803 | 0.7356 | | | | |
| 65 or Older | 0.6279 | 0.6180 | * | 0.7722 | | | | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.28C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 127 | 115 | 128 | 125 | 89 | 79 | 169 | 154 |
| AGE | | | | | | | | |
| 12-17 | 13 | 13 | 13 | 11 | 11 | 8 | 16 | 16 |
| 18-25 | 32 | 28 | 29 | 29 | 19 | 18 | 39 | 37 |
| 26 or Older | 122 | 111 | 125 | 121 | 88 | 77 | 163 | 147 |
| GENDER | | | | | | | | |
| Male | 108 | 91 | 112 | 103 | 78 | 64 | 146 | 123 |
| Female | 62 | 71 | 67 | 69 | 42 | 44 | 82 | 92 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 111 | 103 | 117 | 114 | 79 | 67 | 151 | 141 |
| White | 87 | 91 | 100 | 102 | 57 | 57 | 129 | 126 |
| Black or African American | 58 | 43 | 65 | 46 | 53 | 34 | 73 | 57 |
| American Indian or Alaska Native | 4 | 16 | 5 | 7 | 2 | 4 | 8 | 17 |
| Native Hawaiian or Other Pacific Islander | 2 | 1 | * | 1 | * | 1 | 2 | 1 |
| Asian | 5 | 5 | 4 | 11 | 4 | 2 | 5 | 12 |
| Two or More Races | 32 | 6 | 9 | 11 | 7 | 2 | 32 | 12 |
| Hispanic or Latino | 45 | 51 | 48 | 51 | 40 | 42 | 61 | 61 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.28D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.05 | 0.05 | 0.05 | 0.04 | 0.03 | 0.07 | 0.06 |
| AGE | | | | | | | | |
| 12-17 | 0.05 | 0.06 | 0.05 | 0.05 | 0.04 | 0.03 | 0.06 | 0.07 |
| 18-25 | 0.09 | 0.08 | 0.09 | 0.08 | 0.06 | 0.05 | 0.12 | 0.11 |
| 26 or Older | 0.06 | 0.06 | 0.06 | 0.06 | 0.05 | 0.04 | 0.08 | 0.08 |
| GENDER | | | | | | | | |
| Male | 0.09 | 0.07 | 0.09 | 0.08 | 0.06 | 0.05 | 0.12 | 0.10 |
| Female | 0.05 | 0.05 | 0.05 | 0.05 | 0.03 | 0.03 | 0.06 | 0.07 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.05 | 0.05 | 0.05 | 0.05 | 0.04 | 0.03 | 0.07 | 0.07 |
| White | 0.05 | 0.05 | 0.06 | 0.06 | 0.03 | 0.03 | 0.08 | 0.07 |
| Black or African American | 0.19 | 0.14 | 0.22 | 0.15 | 0.18 | 0.11 | 0.24 | 0.19 |
| American Indian or Alaska Native | 0.34 | 1.34 | 0.44 | 0.57 | 0.20 | 0.30 | 0.64 | 1.42 |
| Native Hawaiian or Other Pacific Islander | 0.25 | 0.19 | * | 0.19 | * | 0.19 | 0.25 | 0.19 |
| Asian | 0.04 | 0.04 | 0.04 | 0.10 | 0.04 | 0.01 | 0.04 | 0.11 |
| Two or More Races | 1.05 | 0.18 | 0.29 | 0.34 | 0.23 | 0.08 | 1.06 | 0.37 |
| Hispanic or Latino | 0.13 | 0.14 | 0.13 | 0.14 | 0.11 | 0.11 | 0.17 | 0.16 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.28P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.9970 | | 0.4423 | | 0.2557 | | 0.7660 | |
| AGE | | | | | | | | |
| 12-17 | 0.3941 | | 0.1462 | | 0.0353 | | 0.6327 | |
| 18-25 | 0.5455 | | 0.2824 | | 0.3428 | | 0.3022 | |
| 26 or Older | 0.8049 | | 0.6935 | | 0.4763 | | 0.9827 | |
| GENDER | | | | | | | | |
| Male | 0.5216 | | 0.3486 | | 0.1986 | | 0.2941 | |
| Female | 0.3420 | | 0.9728 | | 0.9303 | | 0.2919 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.8580 | | 0.4550 | | 0.3181 | | 0.8223 | |
| White | 0.2592 | | 0.8626 | | 0.9095 | | 0.7267 | |
| Black or African American | 0.2679 | | 0.2041 | | 0.1251 | | 0.2953 | |
| American Indian or Alaska Native | 0.2385 | | 0.7312 | | 0.7234 | | 0.2585 | |
| Native Hawaiian or Other Pacific Islander | 0.8717 | | * | | * | | 0.8717 | |
| Asian | 0.3853 | | 0.4417 | | 0.2676 | | 0.3948 | |
| Two or More Races | 0.1470 | | 0.5779 | | 0.0792 | | 0.2350 | |
| Hispanic or Latino | 0.7055 | | 0.8552 | | 0.5786 | | 0.8208 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.29C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 13 | 13 | 13 | 11 | 11 | 8 | 16 | 16 |
| GENDER | | | | | | | | |
| Male | 10 | 11 | 10 | 9 | 9 | 6 | 12 | 13 |
| Female | 9 | 8 | 7 | 7 | 6 | 5 | 10 | 9 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 11 | 12 | 11 | 9 | 8 | 6 | 13 | 14 |
| White | 9 | 10 | 9 | 7 | 7 | 6 | 11 | 11 |
| Black or African American | 3 | 2 | 4 | 5 | 2 | 1 | 5 | 6 |
| American Indian or Alaska Native | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | 2 | * | 0 | 1 | 0 | * | 2 | 4 |
| Two or More Races | 4 | * | 4 | 0 | 4 | * | 4 | 4 |
| Hispanic or Latino | 8 | 6 | 8 | 7 | 7 | 5 | 9 | 8 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 6 | 8 | 7 | 5 | 6 | 5 | 8 | 9 |
| Female, White, Not Hispanic | 7 | 5 | 5 | 5 | 4 | 3 | 8 | 7 |
| Male, Black, Not Hispanic | 3 | 2 | 2 | 5 | 2 | 1 | 4 | 6 |
| Female, Black, Not Hispanic | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 2 |
| Male, Hispanic | 7 | 5 | 7 | 6 | 6 | 4 | 8 | 6 |
| Female, Hispanic | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 5 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.29D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.06 | 0.05 | 0.05 | 0.04 | 0.03 | 0.06 | 0.07 |
| GENDER | | | | | | | | |
| Male | 0.08 | 0.09 | 0.08 | 0.07 | 0.07 | 0.05 | 0.10 | 0.10 |
| Female | 0.07 | 0.06 | 0.06 | 0.06 | 0.05 | 0.04 | 0.08 | 0.08 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.05 | 0.06 | 0.05 | 0.05 | 0.04 | 0.03 | 0.07 | 0.07 |
| White | 0.06 | 0.07 | 0.06 | 0.05 | 0.05 | 0.04 | 0.08 | 0.08 |
| Black or African American | 0.09 | 0.06 | 0.10 | 0.14 | 0.06 | 0.03 | 0.12 | 0.17 |
| American Indian or Alaska Native | 0.55 | 0.59 | 0.22 | 0.33 | 0.22 | 0.24 | 0.55 | 0.63 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | 0.24 | * | 0.01 | 0.10 | 0.01 | * | 0.24 | 0.41 |
| Two or More Races | 0.70 | * | 0.72 | 0.02 | 0.69 | * | 0.73 | 0.78 |
| Hispanic or Latino | 0.17 | 0.12 | 0.16 | 0.14 | 0.15 | 0.10 | 0.18 | 0.16 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 0.09 | 0.12 | 0.09 | 0.07 | 0.08 | 0.06 | 0.11 | 0.12 |
| Female, White, Not Hispanic | 0.10 | 0.08 | 0.07 | 0.08 | 0.05 | 0.05 | 0.11 | 0.10 |
| Male, Black, Not Hispanic | 0.17 | 0.11 | 0.12 | 0.26 | 0.11 | 0.05 | 0.19 | 0.32 |
| Female, Black, Not Hispanic | 0.07 | 0.03 | 0.15 | 0.11 | 0.06 | 0.03 | 0.15 | 0.11 |
| Male, Hispanic | 0.29 | 0.19 | 0.27 | 0.22 | 0.25 | 0.16 | 0.31 | 0.26 |
| Female, Hispanic | 0.18 | 0.15 | 0.18 | 0.17 | 0.17 | 0.13 | 0.19 | 0.19 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.29P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.3941 | | 0.1462 | | 0.0353 | | 0.6327 | |
| GENDER | | | | | | | | |
| Male | 0.4170 | | 0.0437 | | 0.0406 | | 0.3694 | |
| Female | 0.7474 | | 0.8262 | | 0.4583 | | 0.6706 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.9421 | | 0.3474 | | 0.1796 | | 0.9484 | |
| White | 0.4726 | | 0.4687 | | 0.6652 | | 0.9271 | |
| Black or African American | 0.1489 | | 0.8521 | | 0.1954 | | 0.8888 | |
| American Indian or Alaska Native | 0.5804 | | 0.5128 | | 0.9807 | | 0.3399 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | * | | 0.3446 | | * | | 0.6742 | |
| Two or More Races | * | | 0.0702 | | * | | 0.6992 | |
| Hispanic or Latino | 0.0909 | | 0.2325 | | 0.0950 | | 0.3087 | |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | | | |
| Male, White, Not Hispanic | 0.5769 | | 0.0972 | | 0.4111 | | 0.6311 | |
| Female, White, Not Hispanic | 0.6749 | | 0.4337 | | 0.6670 | | 0.4766 | |
| Male, Black, Not Hispanic | 0.2184 | | 0.7450 | | 0.2422 | | 0.7615 | |
| Female, Black, Not Hispanic | 0.4020 | | 0.8714 | | 0.5785 | | 0.7706 | |
| Male, Hispanic | 0.0793 | | 0.1824 | | 0.1426 | | 0.1793 | |
| Female, Hispanic | 0.6649 | | 0.8664 | | 0.4040 | | 0.8300 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.30C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|--|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 32 | 28 | 29 | 29 | 19 | 18 | 39 | 37 |
| GENDER | | | | | | | | |
| Male | 26 | 23 | 23 | 24 | 15 | 15 | 32 | 30 |
| Female | 17 | 17 | 17 | 14 | 12 | 10 | 21 | 20 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 28 | 26 | 25 | 27 | 18 | 17 | 34 | 34 |
| White | 26 | 24 | 21 | 22 | 15 | 14 | 30 | 30 |
| Black or African American | 11 | 9 | 12 | 10 | 10 | 8 | 14 | 11 |
| American Indian or Alaska Native | 1 | 2 | 3 | 1 | 1 | 0 | 3 | 2 |
| Native Hawaiian or Other Pacific Islander | * | 0 | * | * | * | * | * | 0 |
| Asian | 3 | 2 | 3 | 11 | 3 | 2 | 3 | 11 |
| Two or More Races | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 3 |
| Hispanic or Latino | 14 | 12 | 14 | 9 | 7 | 8 | 19 | 13 |
| EDUCATION | | | | | | | | |
| < High School | 20 | 16 | 19 | 15 | 12 | 12 | 25 | 18 |
| High School Graduate | 21 | 18 | 16 | 17 | 11 | 11 | 24 | 22 |
| Some College | 10 | 15 | 12 | 18 | 7 | 9 | 14 | 22 |
| College Graduate | 5 | 3 | 10 | 3 | 5 | 2 | 10 | 5 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 16 | 12 | 16 | 19 | 12 | 10 | 20 | 21 |
| Part-Time | 17 | 14 | 11 | 11 | 7 | 8 | 18 | 17 |
| Unemployed | 17 | 15 | 17 | 12 | 11 | 10 | 22 | 17 |
| Other ³ | 12 | 14 | 12 | 12 | 7 | 9 | 15 | 17 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.30D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.09 | 0.08 | 0.09 | 0.08 | 0.06 | 0.05 | 0.12 | 0.11 |
| GENDER | | | | | | | | |
| Male | 0.16 | 0.13 | 0.14 | 0.14 | 0.09 | 0.09 | 0.19 | 0.18 |
| Female | 0.10 | 0.10 | 0.10 | 0.08 | 0.07 | 0.06 | 0.13 | 0.12 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.10 | 0.09 | 0.09 | 0.10 | 0.07 | 0.06 | 0.12 | 0.12 |
| White | 0.13 | 0.12 | 0.10 | 0.11 | 0.07 | 0.07 | 0.15 | 0.15 |
| Black or African American | 0.22 | 0.19 | 0.24 | 0.21 | 0.20 | 0.16 | 0.29 | 0.23 |
| American Indian or Alaska Native | 0.59 | 0.88 | 1.31 | 0.72 | 0.35 | 0.24 | 1.39 | 1.10 |
| Native Hawaiian or Other Pacific Islander | * | 0.05 | * | * | * | * | * | 0.05 |
| Asian | 0.17 | 0.12 | 0.17 | 0.75 | 0.17 | 0.12 | 0.17 | 0.77 |
| Two or More Races | 0.58 | 0.49 | 0.44 | 0.57 | 0.42 | 0.39 | 0.59 | 0.64 |
| Hispanic or Latino | 0.22 | 0.18 | 0.23 | 0.14 | 0.11 | 0.12 | 0.31 | 0.20 |
| EDUCATION | | | | | | | | |
| < High School | 0.32 | 0.26 | 0.30 | 0.26 | 0.20 | 0.20 | 0.40 | 0.31 |
| High School Graduate | 0.18 | 0.15 | 0.14 | 0.14 | 0.10 | 0.10 | 0.21 | 0.18 |
| Some College | 0.09 | 0.13 | 0.11 | 0.15 | 0.06 | 0.07 | 0.13 | 0.19 |
| College Graduate | 0.11 | 0.07 | 0.21 | 0.06 | 0.11 | 0.05 | 0.21 | 0.10 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.13 | 0.10 | 0.13 | 0.15 | 0.09 | 0.08 | 0.16 | 0.17 |
| Part-Time | 0.18 | 0.15 | 0.12 | 0.12 | 0.08 | 0.08 | 0.19 | 0.18 |
| Unemployed | 0.36 | 0.33 | 0.37 | 0.27 | 0.24 | 0.22 | 0.47 | 0.37 |
| Other ³ | 0.16 | 0.18 | 0.16 | 0.16 | 0.10 | 0.11 | 0.21 | 0.22 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.30P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.5455 | | 0.2824 | | 0.3428 | | 0.3022 | |
| GENDER | | | | | | | | |
| Male | 0.3443 | | 0.5182 | | 0.5467 | | 0.2171 | |
| Female | 0.7802 | | 0.2924 | | 0.3901 | | 0.9652 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.4079 | | 0.5843 | | 0.2585 | | 0.5091 | |
| White | 0.5865 | | 0.6142 | | 0.4517 | | 0.5144 | |
| Black or African American | 0.5748 | | 0.4068 | | 0.5392 | | 0.3974 | |
| American Indian or Alaska Native | 0.9586 | | 0.2566 | | 0.4290 | | 0.5109 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.7472 | | 0.2843 | | 0.6403 | | 0.1847 | |
| Two or More Races | 0.2973 | | 0.8941 | | 0.3128 | | 0.7228 | |
| Hispanic or Latino | 0.7092 | | 0.1882 | | 0.7546 | | 0.3484 | |
| EDUCATION | | | | | | | | |
| < High School | 0.4021 | | 0.1280 | | 0.4852 | | 0.0848 | |
| High School Graduate | 0.3400 | | 0.8641 | | 0.7459 | | 0.5784 | |
| Some College | 0.1010 | | 0.3878 | | 0.8956 | | 0.1183 | |
| College Graduate | 0.4612 | | 0.0129 | | 0.1765 | | 0.0706 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.2238 | | 0.6684 | | 0.5305 | | 0.6690 | |
| Part-Time | 0.8208 | | 0.5697 | | 0.9234 | | 0.5392 | |
| Unemployed | 0.4976 | | 0.0359 | | 0.2697 | | 0.0726 | |
| Other ³ | 0.2786 | | 0.9647 | | 0.9691 | | 0.3236 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.31C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 122 | 111 | 125 | 121 | 88 | 77 | 163 | 147 |
| GENDER | | | | | | | | |
| Male | 105 | 87 | 110 | 100 | 78 | 62 | 142 | 117 |
| Female | 58 | 69 | 64 | 67 | 39 | 43 | 78 | 90 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 108 | 99 | 115 | 110 | 78 | 65 | 147 | 135 |
| White | 82 | 87 | 99 | 100 | 56 | 56 | 125 | 121 |
| Black or African American | 58 | 42 | 65 | 46 | 53 | 34 | 72 | 56 |
| American Indian or Alaska Native | 4 | * | 4 | 7 | 2 | 4 | 7 | 17 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | 3 | * | 3 | * | 3 | * | 3 | * |
| Two or More Races | * | 3 | 8 | 10 | 5 | 1 | 32 | 10 |
| Hispanic or Latino | 42 | 50 | 45 | 50 | 39 | 41 | 57 | 58 |
| EDUCATION | | | | | | | | |
| < High School | 54 | 66 | 58 | 65 | 45 | 51 | 74 | 80 |
| High School Graduate | 72 | 54 | 86 | 65 | 61 | 40 | 97 | 74 |
| Some College | 63 | 65 | 61 | 74 | 34 | 40 | 89 | 92 |
| College Graduate | 26 | 26 | 44 | 24 | 14 | 8 | 49 | 36 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 78 | 56 | 72 | 64 | 54 | 43 | 92 | 73 |
| Part-Time | 22 | 42 | 45 | 44 | 17 | 20 | 48 | 61 |
| Unemployed | 38 | 33 | 54 | 32 | 24 | 17 | 61 | 45 |
| Other ³ | 79 | 75 | 70 | 90 | 58 | 56 | 103 | 103 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.31D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.06 | 0.06 | 0.06 | 0.06 | 0.05 | 0.04 | 0.08 | 0.08 |
| GENDER | | | | | | | | |
| Male | 0.11 | 0.09 | 0.12 | 0.11 | 0.08 | 0.07 | 0.15 | 0.13 |
| Female | 0.06 | 0.07 | 0.06 | 0.07 | 0.04 | 0.04 | 0.08 | 0.09 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.06 | 0.06 | 0.07 | 0.06 | 0.05 | 0.04 | 0.09 | 0.08 |
| White | 0.06 | 0.06 | 0.07 | 0.07 | 0.04 | 0.04 | 0.09 | 0.09 |
| Black or African American | 0.27 | 0.19 | 0.30 | 0.21 | 0.25 | 0.15 | 0.33 | 0.26 |
| American Indian or Alaska Native | 0.44 | * | 0.52 | 0.79 | 0.26 | 0.40 | 0.81 | 1.93 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * | * | * |
| Asian | 0.04 | * | 0.04 | * | 0.04 | * | 0.04 | * |
| Two or More Races | * | 0.13 | 0.37 | 0.48 | 0.26 | 0.05 | 1.55 | 0.50 |
| Hispanic or Latino | 0.17 | 0.20 | 0.18 | 0.20 | 0.15 | 0.16 | 0.23 | 0.23 |
| EDUCATION | | | | | | | | |
| < High School | 0.19 | 0.23 | 0.20 | 0.22 | 0.16 | 0.17 | 0.26 | 0.28 |
| High School Graduate | 0.12 | 0.09 | 0.15 | 0.11 | 0.11 | 0.07 | 0.17 | 0.13 |
| Some College | 0.14 | 0.14 | 0.13 | 0.16 | 0.07 | 0.08 | 0.19 | 0.19 |
| College Graduate | 0.04 | 0.04 | 0.07 | 0.04 | 0.02 | 0.01 | 0.08 | 0.06 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.08 | 0.05 | 0.07 | 0.06 | 0.05 | 0.04 | 0.09 | 0.07 |
| Part-Time | 0.10 | 0.18 | 0.20 | 0.19 | 0.08 | 0.08 | 0.21 | 0.26 |
| Unemployed | 0.37 | 0.32 | 0.52 | 0.32 | 0.23 | 0.17 | 0.59 | 0.44 |
| Other ³ | 0.13 | 0.13 | 0.12 | 0.15 | 0.10 | 0.09 | 0.18 | 0.17 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.31P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.8049 | | 0.6935 | | 0.4763 | | 0.9827 | |
| GENDER | | | | | | | | |
| Male | 0.7361 | | 0.5275 | | 0.3343 | | 0.4785 | |
| Female | 0.3459 | | 0.7939 | | 0.8191 | | 0.2954 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.6970 | | 0.5717 | | 0.5368 | | 0.9294 | |
| White | 0.2097 | | 0.9955 | | 0.7120 | | 0.6145 | |
| Black or African American | 0.3422 | | 0.2491 | | 0.1640 | | 0.3515 | |
| American Indian or Alaska Native | * | | 0.4745 | | 0.5901 | | 0.2054 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | * | | * | | * | | * | |
| Two or More Races | * | | 0.9563 | | 0.4210 | | 0.2600 | |
| Hispanic or Latino | 0.8003 | | 0.7470 | | 0.7178 | | 0.8738 | |
| EDUCATION | | | | | | | | |
| < High School | 0.8677 | | 0.6102 | | 0.8732 | | 0.6585 | |
| High School Graduate | 0.4175 | | 0.6387 | | 0.3091 | | 0.5775 | |
| Some College | 0.3173 | | 0.6154 | | 0.8588 | | 0.4516 | |
| College Graduate | 0.8635 | | 0.0290 | | 0.6300 | | 0.1680 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.3452 | | 0.3861 | | 0.2785 | | 0.3550 | |
| Part-Time | 0.0235 | | 0.9050 | | 0.5378 | | 0.1052 | |
| Unemployed | 0.4258 | | 0.1482 | | 0.3244 | | 0.3418 | |
| Other ³ | 0.5956 | | 0.3942 | | 0.9700 | | 0.7962 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.32C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 125 | 114 | 128 | 124 | 89 | 78 | 168 | 152 |
| GENDER | | | | | | | | |
| Male | 108 | 91 | 112 | 102 | 78 | 64 | 146 | 122 |
| Female | 61 | 70 | 66 | 69 | 41 | 44 | 81 | 91 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 110 | 102 | 118 | 113 | 79 | 66 | 151 | 140 |
| White | 85 | 90 | 100 | 102 | 57 | 57 | 128 | 124 |
| Black or African American | 59 | 43 | 66 | 46 | 54 | 34 | 74 | 57 |
| American Indian or Alaska Native | 4 | 16 | 5 | 7 | 2 | 4 | 8 | 17 |
| Native Hawaiian or Other Pacific Islander | * | 1 | * | 1 | * | 1 | * | 1 |
| Asian | 4 | 2 | 4 | 11 | 4 | 2 | 4 | 11 |
| Two or More Races | 31 | 4 | 8 | 11 | 6 | 2 | 32 | 11 |
| Hispanic or Latino | 44 | 51 | 47 | 51 | 39 | 42 | 60 | 60 |
| EDUCATION | | | | | | | | |
| < High School | 57 | 68 | 61 | 66 | 46 | 52 | 78 | 81 |
| High School Graduate | 74 | 56 | 86 | 66 | 61 | 41 | 99 | 77 |
| Some College | 64 | 67 | 62 | 77 | 34 | 41 | 91 | 94 |
| College Graduate | 26 | 26 | 45 | 24 | 15 | 8 | 50 | 36 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 79 | 57 | 74 | 66 | 55 | 43 | 95 | 76 |
| Part-Time | 27 | 44 | 47 | 46 | 19 | 21 | 51 | 64 |
| Unemployed | 41 | 37 | 56 | 34 | 26 | 20 | 65 | 48 |
| Other ³ | 80 | 77 | 71 | 91 | 58 | 57 | 105 | 105 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.32D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.06 | 0.05 | 0.06 | 0.05 | 0.04 | 0.03 | 0.07 | 0.07 |
| GENDER | | | | | | | | |
| Male | 0.10 | 0.08 | 0.10 | 0.09 | 0.07 | 0.06 | 0.13 | 0.11 |
| Female | 0.05 | 0.06 | 0.06 | 0.06 | 0.03 | 0.04 | 0.07 | 0.08 |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.06 | 0.05 | 0.06 | 0.06 | 0.04 | 0.03 | 0.08 | 0.07 |
| White | 0.06 | 0.06 | 0.06 | 0.07 | 0.04 | 0.04 | 0.08 | 0.08 |
| Black or African American | 0.22 | 0.16 | 0.25 | 0.17 | 0.20 | 0.13 | 0.28 | 0.21 |
| American Indian or Alaska Native | 0.37 | 1.50 | 0.50 | 0.64 | 0.22 | 0.33 | 0.70 | 1.60 |
| Native Hawaiian or Other Pacific Islander | * | 0.21 | * | 0.21 | * | 0.21 | * | 0.21 |
| Asian | 0.04 | 0.02 | 0.04 | 0.10 | 0.04 | 0.02 | 0.04 | 0.11 |
| Two or More Races | 1.27 | 0.15 | 0.32 | 0.40 | 0.23 | 0.09 | 1.28 | 0.42 |
| Hispanic or Latino | 0.14 | 0.16 | 0.15 | 0.16 | 0.13 | 0.13 | 0.19 | 0.19 |
| EDUCATION | | | | | | | | |
| < High School | 0.17 | 0.19 | 0.18 | 0.19 | 0.13 | 0.15 | 0.23 | 0.23 |
| High School Graduate | 0.11 | 0.08 | 0.12 | 0.09 | 0.09 | 0.06 | 0.14 | 0.11 |
| Some College | 0.11 | 0.11 | 0.11 | 0.13 | 0.06 | 0.07 | 0.16 | 0.16 |
| College Graduate | 0.04 | 0.04 | 0.07 | 0.04 | 0.02 | 0.01 | 0.08 | 0.05 |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.07 | 0.05 | 0.06 | 0.06 | 0.05 | 0.04 | 0.08 | 0.07 |
| Part-Time | 0.09 | 0.13 | 0.15 | 0.14 | 0.06 | 0.06 | 0.16 | 0.19 |
| Unemployed | 0.28 | 0.25 | 0.37 | 0.23 | 0.18 | 0.13 | 0.43 | 0.33 |
| Other ³ | 0.12 | 0.11 | 0.11 | 0.14 | 0.09 | 0.08 | 0.16 | 0.16 |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.32P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|---|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.9255 | | 0.5240 | | 0.3620 | | 0.7929 | |
| GENDER | | | | | | | | |
| Male | 0.5769 | | 0.4431 | | 0.2833 | | 0.3260 | |
| Female | 0.3208 | | 0.9933 | | 0.9963 | | 0.3099 | |
| HISPANIC ORIGIN AND RACE | | | | | | | | |
| Not Hispanic or Latino | 0.8685 | | 0.4951 | | 0.3785 | | 0.8064 | |
| White | 0.2911 | | 0.9035 | | 0.8726 | | 0.7389 | |
| Black or African American | 0.2985 | | 0.1948 | | 0.1377 | | 0.2821 | |
| American Indian or Alaska Native | 0.2481 | | 0.7555 | | 0.7199 | | 0.2745 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | | * | |
| Asian | 0.1406 | | 0.4893 | | 0.2735 | | 0.4575 | |
| Two or More Races | 0.1639 | | 0.9519 | | 0.2740 | | 0.2543 | |
| Hispanic or Latino | 0.8986 | | 0.9972 | | 0.7634 | | 0.9290 | |
| EDUCATION | | | | | | | | |
| < High School | 0.9208 | | 0.9545 | | 0.7350 | | 0.9484 | |
| High School Graduate | 0.2969 | | 0.6731 | | 0.2804 | | 0.5015 | |
| Some College | 0.1875 | | 0.5016 | | 0.8417 | | 0.2935 | |
| College Graduate | 0.9659 | | 0.0080 | | 0.3596 | | 0.0916 | |
| CURRENT EMPLOYMENT | | | | | | | | |
| Full-Time | 0.2395 | | 0.4655 | | 0.2312 | | 0.3219 | |
| Part-Time | 0.0521 | | 0.9858 | | 0.5519 | | 0.1778 | |
| Unemployed | 0.3141 | | 0.0408 | | 0.1650 | | 0.1303 | |
| Other ³ | 0.4795 | | 0.4026 | | 0.9730 | | 0.6802 | |

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.33C (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Geographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|----------------------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 124 | 116 | 127 | 126 | 87 | 79 | 168 | 155 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 73 | 65 | 57 | 59 | 49 | 46 | 81 | 76 |
| New England | 18 | 32 | 14 | 32 | 5 | 22 | 28 | 41 |
| Middle Atlantic | 71 | 56 | 55 | 50 | 49 | 41 | 76 | 65 |
| Midwest | 35 | 42 | 48 | 60 | 30 | 30 | 52 | 70 |
| East North Central | 33 | 35 | 45 | 48 | 29 | 21 | 50 | 55 |
| West North Central | 11 | 21 | 13 | 33 | 7 | 17 | 16 | 41 |
| South | 69 | 77 | 74 | 78 | 48 | 46 | 93 | 101 |
| South Atlantic | 62 | 59 | 69 | 69 | 43 | 36 | 85 | 85 |
| East South Central | 12 | 28 | 7 | 18 | 5 | 15 | 23 | 30 |
| West South Central | 27 | 32 | 25 | 31 | 21 | 24 | 31 | 38 |
| West | 59 | 44 | 73 | 60 | 45 | 32 | 97 | 69 |
| Mountain | 19 | 29 | 23 | 42 | 14 | 26 | 28 | 45 |
| Pacific | 56 | 34 | 69 | 43 | 42 | 20 | 93 | 52 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 83 | 92 | 102 | 101 | 68 | 66 | 127 | 123 |
| Small Metro | 54 | 58 | 64 | 61 | 30 | 34 | 80 | 77 |
| 250K – 1 Mil. Pop. | 40 | 50 | 46 | 42 | 17 | 19 | 60 | 62 |
| < 250K Pop. | 33 | 30 | 45 | 46 | 24 | 28 | 51 | 47 |
| Nonmetro | 72 | 43 | 47 | 43 | 46 | 28 | 74 | 55 |
| Urbanized | 53 | 33 | 39 | 32 | 33 | 22 | 58 | 41 |
| Less Urbanized | 46 | 29 | 25 | 39 | 31 | 17 | 43 | 46 |
| Completely Rural | 10 | 8 | 6 | 7 | 5 | 2 | 10 | 10 |

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.33D (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Geographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|----------------------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.05 | 0.05 | 0.05 | 0.05 | 0.03 | 0.03 | 0.07 | 0.06 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 0.16 | 0.14 | 0.12 | 0.13 | 0.11 | 0.10 | 0.17 | 0.16 |
| New England | 0.15 | 0.26 | 0.12 | 0.26 | 0.04 | 0.18 | 0.23 | 0.33 |
| Middle Atlantic | 0.21 | 0.16 | 0.16 | 0.15 | 0.14 | 0.12 | 0.22 | 0.19 |
| Midwest | 0.06 | 0.08 | 0.09 | 0.11 | 0.06 | 0.05 | 0.09 | 0.13 |
| East North Central | 0.08 | 0.09 | 0.12 | 0.12 | 0.08 | 0.05 | 0.13 | 0.14 |
| West North Central | 0.07 | 0.12 | 0.08 | 0.20 | 0.04 | 0.10 | 0.09 | 0.24 |
| South | 0.07 | 0.08 | 0.08 | 0.08 | 0.05 | 0.05 | 0.10 | 0.11 |
| South Atlantic | 0.13 | 0.12 | 0.14 | 0.14 | 0.09 | 0.07 | 0.17 | 0.17 |
| East South Central | 0.08 | 0.18 | 0.05 | 0.12 | 0.03 | 0.10 | 0.16 | 0.20 |
| West South Central | 0.10 | 0.11 | 0.09 | 0.11 | 0.07 | 0.08 | 0.11 | 0.13 |
| West | 0.10 | 0.08 | 0.12 | 0.10 | 0.08 | 0.06 | 0.17 | 0.12 |
| Mountain | 0.11 | 0.16 | 0.13 | 0.23 | 0.08 | 0.14 | 0.16 | 0.25 |
| Pacific | 0.14 | 0.08 | 0.17 | 0.10 | 0.10 | 0.05 | 0.23 | 0.13 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.06 | 0.07 | 0.08 | 0.07 | 0.05 | 0.05 | 0.10 | 0.09 |
| Small Metro | 0.07 | 0.08 | 0.08 | 0.08 | 0.04 | 0.04 | 0.10 | 0.10 |
| 250K – 1 Mil. Pop. | 0.08 | 0.10 | 0.09 | 0.08 | 0.03 | 0.04 | 0.12 | 0.12 |
| < 250K Pop. | 0.13 | 0.12 | 0.17 | 0.18 | 0.09 | 0.11 | 0.20 | 0.18 |
| Nonmetro | 0.18 | 0.10 | 0.11 | 0.11 | 0.11 | 0.07 | 0.18 | 0.14 |
| Urbanized | 0.29 | 0.19 | 0.22 | 0.19 | 0.18 | 0.13 | 0.32 | 0.24 |
| Less Urbanized | 0.24 | 0.14 | 0.13 | 0.19 | 0.16 | 0.09 | 0.22 | 0.23 |
| Completely Rural | 0.23 | 0.20 | 0.15 | 0.20 | 0.12 | 0.04 | 0.25 | 0.28 |

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.33P (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Geographic Characteristic | Illicit Drugs ¹ (2009) | Illicit Drugs ¹ (2010) | Alcohol (2009) | Alcohol (2010) | Both Illicit Drugs and Alcohol ¹ (2009) | Both Illicit Drugs and Alcohol ¹ (2010) | Illicit Drugs or Alcohol ^{1,2} (2009) | Illicit Drugs or Alcohol ^{1,2} (2010) |
|----------------------------|--------------------------------------|--------------------------------------|-------------------|-------------------|---|---|--|--|
| TOTAL | 0.8885 | | 0.4534 | | 0.2866 | | 0.8182 | |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 0.6318 | | 0.5552 | | 0.6517 | | 0.7409 | |
| New England | 0.1766 | | 0.0486 | | 0.1218 | | 0.1462 | |
| Middle Atlantic | 0.2805 | | 0.7954 | | 0.3046 | | 0.7310 | |
| Midwest | 0.0747 | | 0.5024 | | 0.9374 | | 0.0498 | |
| East North Central | 0.4171 | | 0.6418 | | 0.2218 | | 0.4699 | |
| West North Central | 0.0123 | | 0.0219 | | 0.0298 | | 0.0065 | |
| South | 0.6148 | | 0.2620 | | 0.5539 | | 0.6262 | |
| South Atlantic | 0.8284 | | 0.1211 | | 0.3609 | | 0.4737 | |
| East South Central | 0.0485 | | 0.1433 | | 0.1469 | | 0.3302 | |
| West South Central | 0.5179 | | 0.9551 | | 0.7242 | | 0.6979 | |
| West | 0.2923 | | 0.2055 | | 0.3515 | | 0.0934 | |
| Mountain | 0.9926 | | 0.3309 | | 0.5286 | | 0.5153 | |
| Pacific | 0.2297 | | 0.0384 | | 0.1350 | | 0.0275 | |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 0.9224 | | 0.3404 | | 0.3671 | | 0.3908 | |
| Small Metro | 0.2537 | | 0.8512 | | 0.7618 | | 0.3642 | |
| 250K – 1 Mil. Pop. | 0.0906 | | 0.5995 | | 0.6447 | | 0.0871 | |
| < 250K Pop. | 0.6604 | | 0.8057 | | 0.9577 | | 0.4695 | |
| Nonmetro | 0.5284 | | 0.8227 | | 0.3187 | | 0.9925 | |
| Urbanized | 0.7850 | | 0.7386 | | 0.5345 | | 0.9862 | |
| Less Urbanized | 0.6231 | | 0.9056 | | 0.5190 | | 0.9411 | |
| Completely Rural | 0.3929 | | 0.7428 | | 0.2813 | | 0.5698 | |

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.