

Table 1 *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	7.77	(7.54 - 8.00)	6.69	(6.38 - 7.01)	18.12	(17.59 - 18.67)	6.11	(5.84 - 6.40)	7.88	(7.64 - 8.14)
Northeast	8.13	(7.66 - 8.63)	6.88	(6.36 - 7.45)	18.87	(17.92 - 19.85)	6.47	(5.92 - 7.07)	8.26	(7.75 - 8.80)
Midwest	7.83	(7.46 - 8.22)	6.33	(5.93 - 6.76)	18.25	(17.52 - 19.01)	6.24	(5.81 - 6.70)	7.99	(7.59 - 8.42)
South	6.95	(6.62 - 7.30)	6.11	(5.70 - 6.55)	16.45	(15.76 - 17.15)	5.42	(5.03 - 5.84)	7.04	(6.68 - 7.42)
West	8.72	(8.21 - 9.26)	7.76	(7.12 - 8.46)	20.02	(18.96 - 21.13)	6.80	(6.20 - 7.46)	8.83	(8.27 - 9.41)
Alabama	5.93	(4.91 - 7.14)	5.60	(4.41 - 7.09)	14.19	(11.99 - 16.71)	4.51	(3.42 - 5.94)	5.96	(4.88 - 7.26)
Alaska	8.56	(7.18 - 10.16)	7.29	(5.77 - 9.16)	18.67	(15.96 - 21.73)	6.89	(5.38 - 8.79)	8.71	(7.24 - 10.44)
Arizona	9.59	(7.95 - 11.52)	8.16	(6.43 - 10.30)	20.14	(17.43 - 23.16)	7.95	(6.11 - 10.30)	9.75	(8.01 - 11.83)
Arkansas	6.19	(5.08 - 7.53)	5.62	(4.37 - 7.19)	14.41	(12.16 - 17.00)	4.86	(3.67 - 6.42)	6.26	(5.08 - 7.68)
California	8.77	(7.99 - 9.61)	8.18	(7.20 - 9.28)	20.32	(18.68 - 22.06)	6.68	(5.77 - 7.72)	8.84	(8.00 - 9.76)
Colorado	9.01	(7.61 - 10.65)	7.47	(5.94 - 9.35)	21.72	(18.88 - 24.86)	7.03	(5.46 - 9.02)	9.18	(7.68 - 10.93)
Connecticut	7.83	(6.49 - 9.41)	6.57	(5.15 - 8.35)	19.38	(16.59 - 22.51)	6.19	(4.74 - 8.05)	7.96	(6.54 - 9.67)
Delaware	6.93	(5.78 - 8.29)	5.47	(4.25 - 7.02)	18.01	(15.54 - 20.77)	5.20	(3.95 - 6.81)	7.07	(5.86 - 8.53)
District of Columbia	11.77	(9.95 - 13.88)	6.47	(5.03 - 8.29)	20.51	(17.78 - 23.54)	10.03	(7.89 - 12.66)	12.11	(10.19 - 14.33)
Florida	6.81	(6.12 - 7.57)	6.34	(5.51 - 7.29)	16.89	(15.43 - 18.45)	5.32	(4.53 - 6.24)	6.85	(6.12 - 7.67)
Georgia	6.05	(4.99 - 7.32)	5.69	(4.46 - 7.24)	15.03	(12.84 - 17.52)	4.50	(3.35 - 6.02)	6.09	(4.96 - 7.46)
Hawaii	8.11	(6.70 - 9.77)	7.60	(5.99 - 9.60)	20.44	(17.72 - 23.45)	6.29	(4.74 - 8.31)	8.15	(6.67 - 9.94)
Idaho	8.65	(7.27 - 10.25)	6.72	(5.34 - 8.42)	18.14	(15.59 - 21.00)	7.20	(5.61 - 9.21)	8.88	(7.40 - 10.63)
Illinois	7.83	(7.09 - 8.63)	6.07	(5.25 - 7.01)	20.06	(18.50 - 21.72)	5.97	(5.11 - 6.95)	8.02	(7.23 - 8.90)
Indiana	7.65	(6.35 - 9.18)	5.37	(4.19 - 6.85)	17.60	(15.11 - 20.41)	6.18	(4.74 - 8.02)	7.91	(6.51 - 9.57)
Iowa	8.34	(7.02 - 9.88)	6.62	(5.28 - 8.26)	19.60	(16.90 - 22.63)	6.58	(5.13 - 8.39)	8.52	(7.12 - 10.16)
Kansas	7.62	(6.35 - 9.11)	6.57	(5.20 - 8.27)	17.76	(15.32 - 20.50)	5.91	(4.52 - 7.70)	7.74	(6.39 - 9.33)
Kentucky	5.77	(4.70 - 7.06)	5.67	(4.41 - 7.26)	14.16	(11.90 - 16.76)	4.41	(3.27 - 5.93)	5.78	(4.66 - 7.15)
Louisiana	6.86	(5.76 - 8.14)	5.47	(4.37 - 6.83)	15.34	(13.23 - 17.72)	5.45	(4.22 - 7.01)	7.01	(5.84 - 8.39)
Maine	6.20	(5.07 - 7.56)	5.67	(4.39 - 7.29)	17.66	(15.20 - 20.42)	4.63	(3.43 - 6.22)	6.25	(5.06 - 7.69)
Maryland	6.21	(5.09 - 7.55)	5.37	(4.14 - 6.94)	16.67	(14.18 - 19.49)	4.57	(3.39 - 6.13)	6.30	(5.12 - 7.72)
Massachusetts	9.65	(8.14 - 11.42)	8.46	(6.84 - 10.43)	22.14	(19.29 - 25.28)	7.58	(5.90 - 9.69)	9.77	(8.16 - 11.66)
Michigan	7.76	(7.03 - 8.56)	6.68	(5.85 - 7.62)	16.94	(15.55 - 18.43)	6.33	(5.46 - 7.33)	7.88	(7.09 - 8.76)
Minnesota	8.07	(6.80 - 9.56)	6.91	(5.52 - 8.61)	19.31	(16.65 - 22.29)	6.36	(4.96 - 8.11)	8.20	(6.84 - 9.79)
Mississippi	6.46	(5.41 - 7.70)	5.50	(4.35 - 6.93)	14.58	(12.43 - 17.04)	5.10	(3.93 - 6.60)	6.57	(5.45 - 7.91)
Missouri	6.78	(5.60 - 8.18)	6.45	(5.16 - 8.04)	16.73	(14.33 - 19.44)	5.12	(3.84 - 6.80)	6.81	(5.56 - 8.33)
Montana	9.77	(8.35 - 11.40)	9.38	(7.58 - 11.56)	22.40	(19.62 - 25.45)	7.75	(6.16 - 9.71)	9.81	(8.30 - 11.55)

(continued)

Table 1 *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs (continued)*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	7.30	(6.09 - 8.73)	5.71	(4.49 - 7.24)	17.93	(15.40 - 20.77)	5.61	(4.29 - 7.31)	7.47	(6.18 - 9.02)
Nevada	9.85	(8.13 - 11.89)	7.57	(5.82 - 9.79)	19.48	(16.67 - 22.64)	8.58	(6.63 - 11.04)	10.10	(8.26 - 12.28)
New Hampshire	8.34	(6.98 - 9.94)	8.73	(7.07 - 10.73)	19.56	(17.03 - 22.38)	6.56	(5.05 - 8.48)	8.30	(6.86 - 10.01)
New Jersey	7.58	(6.31 - 9.08)	6.91	(5.51 - 8.64)	18.46	(15.75 - 21.52)	6.03	(4.64 - 7.80)	7.65	(6.30 - 9.27)
New Mexico	8.53	(7.20 - 10.07)	8.66	(6.94 - 10.75)	19.63	(17.01 - 22.56)	6.57	(5.09 - 8.45)	8.51	(7.10 - 10.17)
New York	7.89	(7.10 - 8.76)	6.44	(5.58 - 7.42)	18.08	(16.59 - 19.68)	6.26	(5.35 - 7.31)	8.04	(7.19 - 8.97)
North Carolina	6.30	(5.22 - 7.58)	6.10	(4.82 - 7.68)	15.68	(13.36 - 18.33)	4.78	(3.64 - 6.27)	6.32	(5.18 - 7.69)
North Dakota	8.75	(7.43 - 10.28)	6.28	(4.99 - 7.87)	22.02	(19.38 - 24.91)	6.25	(4.80 - 8.10)	8.99	(7.58 - 10.62)
Ohio	7.94	(7.21 - 8.75)	6.28	(5.49 - 7.19)	18.12	(16.68 - 19.65)	6.47	(5.61 - 7.46)	8.12	(7.32 - 9.00)
Oklahoma	8.36	(6.96 - 10.01)	6.15	(4.76 - 7.91)	17.63	(14.95 - 20.66)	6.97	(5.40 - 8.96)	8.60	(7.10 - 10.38)
Oregon	8.97	(7.54 - 10.64)	7.49	(6.00 - 9.31)	20.46	(17.78 - 23.43)	7.29	(5.71 - 9.27)	9.12	(7.60 - 10.90)
Pennsylvania	8.13	(7.34 - 8.99)	6.66	(5.79 - 7.66)	17.98	(16.40 - 19.66)	6.65	(5.74 - 7.69)	8.28	(7.43 - 9.21)
Rhode Island	10.29	(8.61 - 12.24)	7.28	(5.79 - 9.11)	22.23	(19.38 - 25.36)	8.33	(6.43 - 10.72)	10.58	(8.79 - 12.68)
South Carolina	7.67	(6.38 - 9.20)	6.82	(5.41 - 8.55)	16.16	(13.80 - 18.83)	6.32	(4.90 - 8.12)	7.76	(6.39 - 9.39)
South Dakota	9.12	(7.70 - 10.77)	7.60	(6.08 - 9.45)	18.19	(15.46 - 21.28)	7.73	(6.14 - 9.69)	9.28	(7.76 - 11.06)
Tennessee	7.63	(6.35 - 9.15)	6.47	(5.19 - 8.04)	17.50	(15.00 - 20.32)	6.17	(4.77 - 7.94)	7.75	(6.39 - 9.37)
Texas	7.64	(6.94 - 8.40)	6.36	(5.50 - 7.35)	16.82	(15.45 - 18.29)	6.09	(5.26 - 7.04)	7.80	(7.04 - 8.64)
Utah	5.85	(4.78 - 7.13)	5.33	(3.99 - 7.08)	12.94	(10.66 - 15.62)	4.26	(3.11 - 5.82)	5.92	(4.78 - 7.32)
Vermont	8.89	(7.48 - 10.54)	8.23	(6.59 - 10.22)	23.14	(20.10 - 26.49)	6.53	(5.01 - 8.49)	8.95	(7.46 - 10.71)
Virginia	7.50	(6.32 - 8.88)	6.67	(5.35 - 8.28)	19.24	(16.68 - 22.07)	5.59	(4.31 - 7.23)	7.59	(6.33 - 9.07)
Washington	8.06	(6.78 - 9.55)	6.44	(5.13 - 8.05)	20.85	(18.08 - 23.93)	6.13	(4.73 - 7.91)	8.23	(6.87 - 9.84)
West Virginia	6.37	(5.29 - 7.66)	5.61	(4.30 - 7.30)	17.84	(15.36 - 20.64)	4.72	(3.56 - 6.24)	6.44	(5.30 - 7.80)
Wisconsin	8.50	(7.02 - 10.27)	6.66	(5.25 - 8.41)	17.25	(14.71 - 20.12)	7.27	(5.59 - 9.40)	8.70	(7.11 - 10.61)
Wyoming	7.64	(6.38 - 9.13)	6.49	(5.17 - 8.13)	17.43	(15.03 - 20.13)	6.07	(4.68 - 7.84)	7.76	(6.42 - 9.35)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for a substance use problem, but not receiving treatment for an illicit drug use or alcohol use problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2 *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	13.70	(13.33 - 14.08)	11.17	(10.78 - 11.57)	14.14	(13.71 - 14.58)
Northeast	14.36	(13.66 - 15.10)	11.96	(11.24 - 12.72)	14.77	(13.96 - 15.62)
Midwest	15.13	(14.54 - 15.73)	12.56	(11.96 - 13.19)	15.56	(14.89 - 16.26)
South	13.10	(12.57 - 13.65)	10.41	(9.89 - 10.96)	13.56	(12.96 - 14.19)
West	12.81	(12.11 - 13.54)	10.51	(9.81 - 11.26)	13.22	(12.42 - 14.07)
Alabama	13.93	(12.03 - 16.08)	10.68	(8.85 - 12.84)	14.50	(12.35 - 16.95)
Alaska	13.62	(11.63 - 15.89)	12.76	(10.35 - 15.63)	13.78	(11.49 - 16.44)
Arizona	13.14	(11.09 - 15.50)	11.15	(9.22 - 13.43)	13.48	(11.18 - 16.17)
Arkansas	16.36	(14.04 - 18.97)	11.64	(9.71 - 13.91)	17.16	(14.52 - 20.17)
California	10.57	(9.48 - 11.76)	8.93	(7.89 - 10.09)	10.88	(9.63 - 12.26)
Colorado	16.25	(14.11 - 18.64)	11.96	(9.95 - 14.32)	16.98	(14.54 - 19.73)
Connecticut	13.82	(11.79 - 16.13)	13.91	(11.59 - 16.61)	13.80	(11.52 - 16.45)
Delaware	15.02	(13.03 - 17.26)	12.44	(10.43 - 14.77)	15.46	(13.22 - 18.01)
District of Columbia	13.19	(11.32 - 15.32)	12.56	(10.33 - 15.19)	13.35	(11.15 - 15.90)
Florida	11.68	(10.53 - 12.94)	8.76	(7.68 - 9.98)	12.13	(10.83 - 13.56)
Georgia	13.00	(11.14 - 15.12)	10.65	(8.84 - 12.78)	13.42	(11.31 - 15.85)
Hawaii	9.74	(8.12 - 11.64)	8.04	(6.48 - 9.94)	10.00	(8.19 - 12.14)
Idaho	16.28	(13.99 - 18.87)	13.02	(10.96 - 15.39)	16.87	(14.25 - 19.87)
Illinois	13.38	(12.21 - 14.64)	11.30	(10.17 - 12.54)	13.73	(12.40 - 15.19)
Indiana	15.39	(13.25 - 17.80)	12.87	(10.81 - 15.25)	15.84	(13.41 - 18.61)
Iowa	15.11	(13.15 - 17.30)	13.11	(10.97 - 15.58)	15.46	(13.25 - 17.95)
Kansas	14.52	(12.54 - 16.75)	11.77	(9.82 - 14.05)	15.02	(12.78 - 17.57)
Kentucky	15.91	(13.66 - 18.46)	10.62	(8.75 - 12.83)	16.77	(14.23 - 19.67)
Louisiana	11.84	(10.19 - 13.73)	10.67	(8.97 - 12.63)	12.06	(10.17 - 14.25)
Maine	17.11	(14.75 - 19.77)	15.16	(12.91 - 17.73)	17.39	(14.76 - 20.37)
Maryland	13.37	(11.42 - 15.58)	11.56	(9.60 - 13.85)	13.67	(11.49 - 16.18)
Massachusetts	15.82	(13.71 - 18.18)	13.09	(11.08 - 15.39)	16.30	(13.89 - 19.03)
Michigan	15.05	(13.87 - 16.31)	13.88	(12.62 - 15.24)	15.25	(13.90 - 16.71)
Minnesota	15.37	(13.33 - 17.66)	15.04	(12.76 - 17.65)	15.42	(13.13 - 18.02)
Mississippi	12.97	(11.14 - 15.04)	10.29	(8.52 - 12.38)	13.45	(11.38 - 15.84)
Missouri	15.95	(13.86 - 18.28)	12.23	(10.32 - 14.44)	16.58	(14.23 - 19.24)
Montana	17.14	(15.05 - 19.45)	12.88	(10.88 - 15.18)	17.84	(15.47 - 20.47)

(continued)

Table 2 *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2010 and 2011 NSDUHs (continued)*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	16.32	(14.13 - 18.78)	12.10	(10.18 - 14.33)	17.07	(14.56 - 19.92)
Nevada	10.98	(9.12 - 13.15)	9.09	(7.34 - 11.20)	11.28	(9.19 - 13.77)
New Hampshire	18.67	(16.16 - 21.47)	15.16	(12.89 - 17.76)	19.21	(16.39 - 22.38)
New Jersey	11.87	(9.96 - 14.09)	10.79	(8.92 - 12.99)	12.03	(9.90 - 14.54)
New Mexico	14.06	(12.00 - 16.40)	9.91	(8.20 - 11.94)	14.78	(12.42 - 17.49)
New York	13.44	(12.26 - 14.72)	10.91	(9.73 - 12.22)	13.89	(12.53 - 15.38)
North Carolina	14.76	(12.84 - 16.91)	12.09	(10.13 - 14.38)	15.20	(13.04 - 17.65)
North Dakota	16.00	(13.93 - 18.31)	12.39	(10.48 - 14.60)	16.75	(14.35 - 19.48)
Ohio	16.51	(15.23 - 17.88)	12.14	(11.03 - 13.35)	17.23	(15.76 - 18.81)
Oklahoma	15.28	(13.16 - 17.67)	11.10	(9.16 - 13.39)	16.03	(13.63 - 18.76)
Oregon	15.83	(13.73 - 18.18)	13.04	(10.94 - 15.47)	16.28	(13.93 - 18.93)
Pennsylvania	15.55	(14.30 - 16.88)	12.13	(10.79 - 13.60)	16.12	(14.70 - 17.65)
Rhode Island	18.04	(15.59 - 20.77)	14.83	(12.56 - 17.42)	18.66	(15.85 - 21.84)
South Carolina	14.51	(12.51 - 16.78)	11.30	(9.50 - 13.40)	15.06	(12.79 - 17.66)
South Dakota	15.81	(13.69 - 18.19)	12.98	(10.83 - 15.50)	16.30	(13.91 - 19.02)
Tennessee	15.03	(12.96 - 17.35)	11.23	(9.28 - 13.53)	15.64	(13.33 - 18.28)
Texas	10.53	(9.51 - 11.65)	8.98	(7.95 - 10.12)	10.82	(9.64 - 12.13)
Utah	17.74	(15.66 - 20.04)	15.15	(12.92 - 17.68)	18.35	(15.87 - 21.12)
Vermont	19.52	(17.11 - 22.18)	16.31	(13.84 - 19.12)	20.07	(17.32 - 23.12)
Virginia	15.11	(12.99 - 17.50)	12.67	(10.68 - 14.95)	15.52	(13.13 - 18.26)
Washington	17.76	(15.34 - 20.46)	14.22	(11.98 - 16.80)	18.34	(15.61 - 21.44)
West Virginia	17.39	(15.06 - 19.98)	11.55	(9.75 - 13.63)	18.27	(15.65 - 21.21)
Wisconsin	14.70	(12.63 - 17.04)	11.83	(9.79 - 14.24)	15.18	(12.83 - 17.86)
Wyoming	15.47	(13.34 - 17.86)	14.94	(12.31 - 18.02)	15.56	(13.13 - 18.35)

NOTE: Mental Health Services are defined as having received inpatient treatment/counseling or outpatient treatment/counseling or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.