

Table 1 *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2013 and 2014 NSDUHs*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Total U.S.	7.60	(7.39 - 7.82)	4.81	(4.53 - 5.10)	15.87	(15.35 - 16.40)	6.53	(6.27 - 6.79)	7.89	(7.66 - 8.13)
Northeast	7.67	(7.27 - 8.09)	4.62	(4.17 - 5.11)	16.34	(15.43 - 17.29)	6.58	(6.10 - 7.09)	7.96	(7.53 - 8.42)
Midwest	7.59	(7.25 - 7.94)	4.68	(4.30 - 5.09)	16.26	(15.50 - 17.06)	6.47	(6.08 - 6.89)	7.90	(7.53 - 8.28)
South	7.33	(7.01 - 7.66)	4.76	(4.41 - 5.14)	14.91	(14.24 - 15.60)	6.36	(5.98 - 6.76)	7.60	(7.25 - 7.96)
West	7.99	(7.53 - 8.47)	5.13	(4.60 - 5.72)	16.66	(15.69 - 17.68)	6.81	(6.27 - 7.39)	8.29	(7.80 - 8.81)
Alabama	7.05	(5.99 - 8.27)	4.96	(3.81 - 6.42)	13.74	(11.60 - 16.20)	6.16	(4.99 - 7.59)	7.27	(6.15 - 8.57)
Alaska	8.27	(7.14 - 9.56)	4.52	(3.47 - 5.88)	17.85	(15.32 - 20.69)	6.97	(5.68 - 8.52)	8.70	(7.49 - 10.10)
Arizona	8.72	(7.44 - 10.21)	5.30	(4.02 - 6.95)	17.16	(14.56 - 20.11)	7.70	(6.26 - 9.45)	9.10	(7.73 - 10.69)
Arkansas	6.69	(5.72 - 7.81)	5.22	(4.05 - 6.72)	13.79	(11.67 - 16.22)	5.67	(4.59 - 6.98)	6.84	(5.81 - 8.04)
California	7.89	(7.22 - 8.62)	5.14	(4.36 - 6.05)	16.70	(15.18 - 18.33)	6.62	(5.84 - 7.50)	8.18	(7.45 - 8.98)
Colorado	8.77	(7.55 - 10.16)	6.07	(4.65 - 7.88)	17.77	(15.35 - 20.48)	7.57	(6.19 - 9.22)	9.05	(7.76 - 10.52)
Connecticut	7.89	(6.73 - 9.24)	4.48	(3.39 - 5.90)	17.30	(14.60 - 20.37)	6.80	(5.51 - 8.35)	8.25	(7.00 - 9.69)
Delaware	7.25	(6.20 - 8.47)	4.35	(3.29 - 5.73)	17.33	(14.87 - 20.10)	5.90	(4.74 - 7.34)	7.53	(6.41 - 8.83)
District of Columbia	10.65	(9.15 - 12.36)	5.49	(4.10 - 7.30)	19.19	(16.36 - 22.38)	9.18	(7.51 - 11.18)	10.95	(9.39 - 12.73)
Florida	7.31	(6.57 - 8.12)	5.62	(4.77 - 6.60)	14.30	(12.86 - 15.89)	6.45	(5.60 - 7.41)	7.46	(6.67 - 8.33)
Georgia	7.32	(6.24 - 8.57)	4.39	(3.42 - 5.61)	14.53	(12.47 - 16.87)	6.44	(5.21 - 7.93)	7.66	(6.49 - 9.01)
Hawaii	7.91	(6.69 - 9.32)	4.51	(3.29 - 6.16)	16.79	(14.10 - 19.87)	6.88	(5.51 - 8.55)	8.22	(6.93 - 9.72)
Idaho	8.00	(6.89 - 9.26)	5.34	(4.19 - 6.79)	14.37	(12.18 - 16.87)	7.28	(5.98 - 8.83)	8.32	(7.13 - 9.69)
Illinois	7.22	(6.51 - 7.99)	4.58	(3.78 - 5.54)	15.92	(14.35 - 17.64)	6.08	(5.28 - 7.00)	7.50	(6.74 - 8.34)
Indiana	7.88	(6.73 - 9.21)	4.53	(3.48 - 5.86)	16.77	(14.33 - 19.52)	6.74	(5.44 - 8.31)	8.25	(7.01 - 9.68)
Iowa	7.02	(5.96 - 8.26)	4.31	(3.23 - 5.73)	15.87	(13.44 - 18.64)	5.78	(4.60 - 7.24)	7.30	(6.17 - 8.62)
Kansas	8.25	(7.12 - 9.53)	5.03	(3.87 - 6.50)	16.33	(13.99 - 18.98)	7.20	(5.92 - 8.75)	8.61	(7.41 - 9.99)
Kentucky	6.80	(5.77 - 8.00)	4.16	(3.16 - 5.46)	14.66	(12.49 - 17.14)	5.81	(4.67 - 7.21)	7.07	(5.98 - 8.35)
Louisiana	7.47	(6.40 - 8.70)	4.86	(3.76 - 6.25)	14.36	(12.26 - 16.76)	6.57	(5.36 - 8.02)	7.75	(6.61 - 9.07)
Maine	6.97	(5.92 - 8.20)	4.77	(3.64 - 6.24)	16.77	(14.37 - 19.46)	5.83	(4.68 - 7.25)	7.17	(6.05 - 8.47)
Maryland	7.83	(6.70 - 9.14)	5.18	(4.04 - 6.62)	16.89	(14.47 - 19.63)	6.67	(5.40 - 8.22)	8.10	(6.90 - 9.50)
Massachusetts	7.99	(6.89 - 9.25)	4.87	(3.78 - 6.25)	18.59	(16.03 - 21.45)	6.48	(5.25 - 7.97)	8.28	(7.11 - 9.63)
Michigan	7.20	(6.50 - 7.95)	4.54	(3.76 - 5.48)	15.71	(14.12 - 17.45)	6.05	(5.25 - 6.96)	7.48	(6.73 - 8.29)
Minnesota	7.16	(6.10 - 8.39)	3.87	(2.90 - 5.16)	16.43	(14.00 - 19.19)	6.06	(4.86 - 7.51)	7.50	(6.37 - 8.82)
Mississippi	7.18	(6.09 - 8.45)	4.64	(3.56 - 6.03)	13.11	(11.06 - 15.48)	6.43	(5.18 - 7.97)	7.47	(6.30 - 8.84)
Missouri	7.29	(6.22 - 8.52)	4.59	(3.57 - 5.90)	15.74	(13.37 - 18.43)	6.19	(5.00 - 7.65)	7.57	(6.43 - 8.89)
Montana	8.15	(7.05 - 9.41)	5.24	(4.10 - 6.67)	18.62	(16.14 - 21.38)	6.74	(5.51 - 8.22)	8.42	(7.25 - 9.77)

(continued)

Table 1 *Needing But Not Receiving Treatment at a Specialty Facility for a Substance Use Problem in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2013 and 2014 NSDUHs (continued)*

State	12+ (Estimate)	12+ (95% Confidence Interval)	12-17 (Estimate)	12-17 (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)	18+ (Estimate)	18+ (95% Confidence Interval)
Nebraska	8.56	(7.30 - 10.00)	5.08	(3.94 - 6.53)	17.46	(14.98 - 20.26)	7.41	(6.00 - 9.12)	8.93	(7.59 - 10.49)
Nevada	7.95	(6.83 - 9.23)	4.97	(3.80 - 6.47)	16.37	(13.96 - 19.10)	6.98	(5.72 - 8.49)	8.26	(7.06 - 9.64)
New Hampshire	8.82	(7.64 - 10.16)	5.92	(4.66 - 7.49)	19.63	(16.90 - 22.67)	7.45	(6.14 - 9.01)	9.10	(7.84 - 10.53)
New Jersey	7.31	(6.28 - 8.49)	4.76	(3.71 - 6.09)	15.37	(13.26 - 17.75)	6.40	(5.25 - 7.78)	7.57	(6.48 - 8.84)
New Mexico	7.99	(6.79 - 9.37)	4.87	(3.73 - 6.33)	15.77	(13.38 - 18.49)	7.03	(5.67 - 8.67)	8.32	(7.04 - 9.81)
New York	7.60	(6.89 - 8.37)	4.47	(3.73 - 5.34)	15.18	(13.60 - 16.91)	6.64	(5.81 - 7.56)	7.89	(7.13 - 8.72)
North Carolina	7.38	(6.36 - 8.55)	4.79	(3.74 - 6.12)	16.20	(13.98 - 18.70)	6.23	(5.07 - 7.63)	7.65	(6.56 - 8.91)
North Dakota	7.92	(6.88 - 9.12)	4.71	(3.60 - 6.13)	16.52	(14.12 - 19.25)	6.37	(5.20 - 7.77)	8.22	(7.11 - 9.48)
Ohio	7.76	(7.04 - 8.56)	4.68	(3.89 - 5.62)	15.92	(14.32 - 17.66)	6.80	(5.97 - 7.75)	8.09	(7.31 - 8.94)
Oklahoma	6.79	(5.70 - 8.07)	3.79	(2.83 - 5.08)	14.47	(12.18 - 17.11)	5.81	(4.59 - 7.32)	7.12	(5.95 - 8.49)
Oregon	8.42	(7.22 - 9.80)	5.83	(4.53 - 7.47)	17.70	(15.14 - 20.58)	7.26	(5.90 - 8.89)	8.66	(7.39 - 10.13)
Pennsylvania	7.63	(6.87 - 8.45)	4.41	(3.63 - 5.34)	16.56	(14.94 - 18.32)	6.53	(5.66 - 7.51)	7.93	(7.13 - 8.82)
Rhode Island	8.77	(7.57 - 10.14)	5.22	(4.01 - 6.77)	19.12	(16.36 - 22.22)	7.20	(5.90 - 8.76)	9.09	(7.82 - 10.55)
South Carolina	7.08	(6.07 - 8.25)	4.59	(3.54 - 5.94)	14.20	(12.02 - 16.70)	6.17	(5.03 - 7.55)	7.33	(6.26 - 8.58)
South Dakota	7.88	(6.81 - 9.11)	4.54	(3.50 - 5.88)	17.03	(14.55 - 19.84)	6.69	(5.48 - 8.14)	8.24	(7.08 - 9.56)
Tennessee	6.52	(5.54 - 7.66)	4.48	(3.43 - 5.84)	14.12	(11.95 - 16.60)	5.51	(4.43 - 6.82)	6.73	(5.69 - 7.94)
Texas	7.45	(6.78 - 8.18)	4.61	(3.87 - 5.48)	14.39	(12.96 - 15.95)	6.57	(5.79 - 7.44)	7.80	(7.07 - 8.59)
Utah	6.70	(5.67 - 7.89)	4.30	(3.24 - 5.68)	13.57	(11.30 - 16.22)	5.54	(4.39 - 6.97)	7.04	(5.92 - 8.34)
Vermont	8.34	(7.14 - 9.71)	5.57	(4.35 - 7.10)	18.07	(15.43 - 21.05)	6.93	(5.61 - 8.55)	8.58	(7.32 - 10.04)
Virginia	7.97	(6.92 - 9.16)	4.35	(3.40 - 5.55)	18.08	(15.68 - 20.76)	6.69	(5.51 - 8.10)	8.33	(7.21 - 9.61)
Washington	7.48	(6.45 - 8.66)	4.51	(3.47 - 5.83)	16.65	(14.16 - 19.48)	6.34	(5.21 - 7.70)	7.78	(6.68 - 9.04)
West Virginia	7.53	(6.48 - 8.74)	5.21	(4.09 - 6.61)	15.67	(13.24 - 18.44)	6.54	(5.38 - 7.93)	7.74	(6.63 - 9.03)
Wisconsin	8.72	(7.46 - 10.16)	6.08	(4.73 - 7.78)	18.10	(15.50 - 21.02)	7.48	(6.08 - 9.17)	8.99	(7.66 - 10.52)
Wyoming	7.96	(6.83 - 9.27)	5.20	(4.05 - 6.65)	15.29	(12.90 - 18.04)	7.03	(5.74 - 8.58)	8.24	(7.03 - 9.64)

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for a substance use problem, but not receiving treatment for an illicit drug use or alcohol use problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.

Table 2 *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2013 and 2014 NSDUHs*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Total U.S.	14.74	(14.39 - 15.10)	12.07	(11.62 - 12.54)	15.19	(14.79 - 15.60)
Northeast	15.57	(14.87 - 16.30)	13.84	(12.98 - 14.73)	15.85	(15.06 - 16.68)
Midwest	16.22	(15.60 - 16.87)	13.65	(12.94 - 14.38)	16.66	(15.94 - 17.40)
South	13.99	(13.46 - 14.54)	10.98	(10.39 - 11.60)	14.50	(13.89 - 15.13)
West	13.93	(13.25 - 14.65)	11.07	(10.29 - 11.90)	14.44	(13.65 - 15.26)
Alabama	15.05	(13.00 - 17.35)	12.19	(9.93 - 14.88)	15.53	(13.27 - 18.09)
Alaska	13.69	(11.85 - 15.77)	13.65	(10.95 - 16.88)	13.70	(11.61 - 16.10)
Arizona	14.23	(12.23 - 16.49)	9.96	(7.99 - 12.34)	14.97	(12.71 - 17.55)
Arkansas	15.23	(13.27 - 17.42)	13.74	(11.41 - 16.46)	15.48	(13.30 - 17.94)
California	12.44	(11.43 - 13.53)	9.80	(8.65 - 11.08)	12.92	(11.75 - 14.19)
Colorado	15.14	(13.20 - 17.32)	12.65	(10.46 - 15.22)	15.57	(13.39 - 18.02)
Connecticut	15.60	(13.59 - 17.84)	15.16	(12.24 - 18.61)	15.66	(13.44 - 18.18)
Delaware	16.50	(14.34 - 18.91)	14.42	(11.98 - 17.24)	16.84	(14.45 - 19.53)
District of Columbia	15.33	(13.42 - 17.47)	12.92	(10.48 - 15.82)	15.85	(13.69 - 18.28)
Florida	11.94	(10.81 - 13.17)	9.76	(8.57 - 11.09)	12.26	(10.98 - 13.65)
Georgia	14.06	(12.16 - 16.20)	10.61	(8.80 - 12.75)	14.67	(12.52 - 17.12)
Hawaii	11.39	(9.72 - 13.29)	9.08	(7.19 - 11.41)	11.74	(9.90 - 13.87)
Idaho	16.47	(14.32 - 18.87)	13.70	(11.38 - 16.42)	16.95	(14.55 - 19.65)
Illinois	14.07	(12.88 - 15.35)	11.69	(10.26 - 13.29)	14.47	(13.13 - 15.93)
Indiana	17.94	(15.79 - 20.31)	15.09	(12.63 - 17.94)	18.45	(16.04 - 21.13)
Iowa	16.40	(14.28 - 18.77)	14.36	(11.95 - 17.16)	16.76	(14.39 - 19.44)
Kansas	16.56	(14.48 - 18.87)	13.52	(11.24 - 16.18)	17.11	(14.76 - 19.74)
Kentucky	17.86	(15.63 - 20.33)	12.89	(10.59 - 15.60)	18.68	(16.17 - 21.48)
Louisiana	13.77	(11.85 - 15.95)	12.10	(9.93 - 14.66)	14.07	(11.93 - 16.53)
Maine	21.18	(18.73 - 23.84)	16.71	(14.05 - 19.76)	21.79	(19.06 - 24.79)
Maryland	14.21	(12.20 - 16.49)	12.75	(10.46 - 15.45)	14.45	(12.20 - 17.03)
Massachusetts	18.60	(16.33 - 21.10)	14.44	(12.00 - 17.29)	19.32	(16.75 - 22.20)
Michigan	16.07	(14.79 - 17.45)	14.28	(12.69 - 16.04)	16.38	(14.94 - 17.94)
Minnesota	17.57	(15.55 - 19.79)	15.85	(13.42 - 18.62)	17.85	(15.59 - 20.35)
Mississippi	14.23	(12.26 - 16.44)	10.20	(8.24 - 12.56)	14.96	(12.73 - 17.50)
Missouri	15.69	(13.72 - 17.88)	12.48	(10.27 - 15.08)	16.23	(14.02 - 18.71)
Montana	16.99	(14.82 - 19.41)	13.97	(11.67 - 16.63)	17.49	(15.06 - 20.22)

(continued)

Table 2 *Received Mental Health Services in the Past Year, by Age Group and State: Percentages, Annual Averages Based on 2013 and 2014 NSDUHs (continued)*

State	18+ (Estimate)	18+ (95% Confidence Interval)	18-25 (Estimate)	18-25 (95% Confidence Interval)	26+ (Estimate)	26+ (95% Confidence Interval)
Nebraska	14.31	(12.33 - 16.54)	11.58	(9.42 - 14.15)	14.80	(12.60 - 17.30)
Nevada	12.48	(10.64 - 14.60)	8.79	(6.96 - 11.04)	13.06	(11.01 - 15.43)
New Hampshire	19.28	(16.99 - 21.80)	18.27	(15.48 - 21.42)	19.44	(16.88 - 22.28)
New Jersey	14.15	(12.31 - 16.21)	12.64	(10.61 - 15.00)	14.37	(12.33 - 16.70)
New Mexico	14.37	(12.29 - 16.74)	11.46	(9.34 - 13.98)	14.87	(12.54 - 17.55)
New York	13.66	(12.58 - 14.83)	12.63	(11.17 - 14.24)	13.84	(12.61 - 15.17)
North Carolina	16.32	(14.33 - 18.53)	12.74	(10.61 - 15.22)	16.92	(14.69 - 19.41)
North Dakota	15.76	(13.74 - 18.02)	14.77	(12.35 - 17.57)	15.99	(13.68 - 18.60)
Ohio	17.20	(15.79 - 18.71)	13.41	(11.86 - 15.13)	17.82	(16.24 - 19.52)
Oklahoma	14.12	(12.17 - 16.31)	10.74	(8.60 - 13.32)	14.72	(12.52 - 17.22)
Oregon	18.54	(16.23 - 21.10)	13.28	(10.91 - 16.08)	19.36	(16.78 - 22.23)
Pennsylvania	16.40	(15.10 - 17.78)	14.94	(13.33 - 16.70)	16.63	(15.16 - 18.21)
Rhode Island	18.96	(16.69 - 21.45)	13.90	(11.25 - 17.05)	19.91	(17.33 - 22.78)
South Carolina	13.61	(11.79 - 15.67)	9.74	(7.82 - 12.06)	14.26	(12.22 - 16.58)
South Dakota	15.77	(13.74 - 18.03)	13.19	(10.91 - 15.85)	16.22	(13.94 - 18.79)
Tennessee	16.81	(14.73 - 19.13)	13.15	(10.69 - 16.08)	17.41	(15.10 - 20.00)
Texas	12.30	(11.26 - 13.42)	8.72	(7.56 - 10.04)	12.97	(11.78 - 14.25)
Utah	17.78	(15.69 - 20.09)	15.10	(12.54 - 18.08)	18.40	(16.02 - 21.05)
Vermont	19.32	(17.01 - 21.86)	17.37	(14.57 - 20.58)	19.65	(17.07 - 22.52)
Virginia	14.86	(13.03 - 16.89)	13.15	(10.94 - 15.71)	15.14	(13.11 - 17.44)
Washington	16.48	(14.47 - 18.72)	14.82	(12.35 - 17.68)	16.75	(14.53 - 19.24)
West Virginia	17.48	(15.31 - 19.89)	14.60	(12.06 - 17.56)	17.92	(15.51 - 20.61)
Wisconsin	17.09	(14.89 - 19.53)	15.09	(12.49 - 18.14)	17.42	(14.98 - 20.15)
Wyoming	16.71	(14.59 - 19.08)	14.83	(11.90 - 18.32)	17.04	(14.63 - 19.74)

NOTE: Mental Health Services are defined as having received inpatient treatment/counseling or outpatient treatment/counseling or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use.

NOTE: State and census region estimates, along with the 95 percent Bayesian confidence (credible) intervals, are based on a survey-weighted hierarchical Bayes estimation approach and generated by Markov Chain Monte Carlo techniques. For the "Total U.S." row, design-based (direct) estimates and corresponding 95 percent confidence intervals are given.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013 and 2014.