

Table 8.5C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Age Group and Racial/Ethnic Subgroups: Annual Averages Based on 2002-2003 and 2003-2004 NSDUHs

Racial/Ethnic Subgroup	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL¹	0	0	0	0	0	0	0	0
NOT HISPANIC OR LATINO¹	0	0	0	0	0	0	0	0
White	0	0	189	172	244	226	1,418	1,334
Black or African American	0	0	90	93	119	106	507	503
American Indian or Alaska Native	119	100	20	13	23	15	93	90
Native Hawaiian or Other Pacific Islander	70	63	10	10	16	15	62	57
Chinese	158	175	17	21	33	33	154	162
Filipino	178	201	16	19	22	26	171	182
Japanese	108	108	7	7	9	9	107	105
Asian Indian	169	156	23	23	27	29	155	144
Korean	93	80	13	13	27	20	79	76
Vietnamese	105	75	16	14	23	21	99	66
HISPANIC OR LATINO¹	0	0	0	0	0	0	0	0
Mexican	519	490	87	77	124	116	421	420
Puerto Rican	183	158	35	36	32	31	165	142
Central or South American	184	194	29	29	41	41	159	168
Cuban	153	128	15	14	16	16	141	114

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 8.6C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Racial/Ethnic Subgroups:
Annual Averages Based on 2002-2003 and 2003-2004 NSDUHs**

Racial/Ethnic Subgroup	Total		YOUTH AND ADULT AGE GROUPS			
			12-17		18 or Older	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL¹	0	0	0	0	0	0
NOT HISPANIC OR LATINO¹	0	0	0	0	0	0
White	0	0	189	172	1,463	1,367
Black or African American	0	0	90	93	565	546
American Indian or Alaska Native	119	100	20	13	105	96
Native Hawaiian or Other Pacific Islander	70	63	10	10	67	60
Chinese	158	175	17	21	155	168
Filipino	178	201	16	19	171	191
Japanese	108	108	7	7	106	106
Asian Indian	169	156	23	23	163	153
Korean	93	80	13	13	89	80
Vietnamese	105	75	16	14	103	70
HISPANIC OR LATINO¹	0	0	0	0	0	0
Mexican	519	490	87	77	483	460
Puerto Rican	183	158	35	36	173	149
Central or South American	184	194	29	29	176	182
Cuban	153	128	15	14	146	122

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 8.7C Standard Errors of Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Racial/Ethnic Subgroups: Annual Averages Based on 2002-2003 and 2003-2004 NSDUHs

Racial/Ethnic Subgroup	Total		UNDERAGE AND LEGAL DRINKING AGE GROUPS			
			12-20		21 or Older	
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL¹	0	0	340	300	1,692	1,622
NOT HISPANIC OR LATINO¹	0	0	304	265	1,617	1,518
White	0	0	249	223	1,446	1,354
Black or African American	0	0	128	126	540	528
American Indian or Alaska Native	119	100	29	18	99	94
Native Hawaiian or Other Pacific Islander	70	63	16	15	65	58
Chinese	158	175	25	31	155	165
Filipino	178	201	21	27	173	186
Japanese	108	108	11	9	107	106
Asian Indian	169	156	28	25	159	150
Korean	93	80	18	18	86	79
Vietnamese	105	75	24	22	102	69
HISPANIC OR LATINO¹	0	0	147	136	585	562
Mexican	519	490	124	112	455	449
Puerto Rican	183	158	43	42	170	148
Central or South American	184	194	40	40	172	176
Cuban	153	128	18	18	144	119

NOTE: To reflect more accurately the effects of the weighting process, standard errors (SEs) for assumed fixed population estimates (i.e., estimates forced to match U.S. Bureau of the Census population projections) are calculated differently from those that appear in prior NSDUH reports. Thus, the 2003 SEs presented here for these domains do not match those previously published.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.