

Table 1.83C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	909	969	558	535	404	415
GEOGRAPHIC DIVISION						
Northeast	384	447	211	240	167	163
New England	231	235	138	109	103	79
Middle Atlantic	312	388	161	215	133	143
Midwest	342	331	212	210	151	169
East North Central	278	284	182	169	130	139
West North Central	200	168	109	125	76	97
South	535	618	329	291	239	226
South Atlantic	396	485	279	221	200	176
East South Central	193	193	102	97	82	75
West South Central	305	330	143	161	103	120
West	523	495	335	320	234	259
Mountain	228	198	126	118	95	84
Pacific	469	454	310	297	214	245
COUNTY TYPE						
Large Metro	724	754	436	414	318	306
Small Metro	453	457	290	270	206	215
250K – 1 Mil. Pop.	350	377	250	218	172	173
< 250K Pop.	268	275	159	164	116	128
Nonmetro	351	362	191	195	135	145
Urbanized	242	250	112	146	84	113
Less Urbanized	209	235	147	127	107	91
Completely Rural	110	87	39	37	18	23

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.83D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.38	0.40	0.23	0.22	0.17	0.17
GEOGRAPHIC DIVISION						
Northeast	0.85	0.98	0.47	0.53	0.37	0.36
New England	1.94	1.97	1.16	0.91	0.87	0.66
Middle Atlantic	0.93	1.16	0.48	0.64	0.40	0.43
Midwest	0.64	0.61	0.40	0.39	0.28	0.31
East North Central	0.74	0.75	0.48	0.45	0.35	0.37
West North Central	1.24	1.04	0.68	0.77	0.47	0.59
South	0.63	0.72	0.39	0.34	0.28	0.26
South Atlantic	0.89	1.07	0.63	0.49	0.45	0.39
East South Central	1.35	1.34	0.72	0.67	0.58	0.52
West South Central	1.17	1.24	0.55	0.61	0.39	0.45
West	0.97	0.91	0.62	0.58	0.43	0.47
Mountain	1.46	1.24	0.81	0.74	0.61	0.52
Pacific	1.23	1.17	0.81	0.77	0.56	0.63
COUNTY TYPE						
Large Metro	0.57	0.59	0.35	0.32	0.25	0.24
Small Metro	0.63	0.64	0.41	0.38	0.29	0.30
250K – 1 Mil. Pop.	0.74	0.80	0.53	0.46	0.37	0.37
< 250K Pop.	1.10	1.12	0.65	0.67	0.47	0.52
Nonmetro	0.87	0.89	0.47	0.48	0.34	0.36
Urbanized	1.36	1.50	0.63	0.87	0.47	0.67
Less Urbanized	1.15	1.16	0.81	0.62	0.59	0.45
Completely Rural	2.69	2.43	0.96	1.05	0.44	0.66

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.83P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.2373		0.4285		0.2576	
GEOGRAPHIC DIVISION						
Northeast	0.5166		0.8011		0.5973	
New England	0.9547		0.1270		0.1777	
Middle Atlantic	0.4573		0.2340		0.7857	
Midwest	0.4173		0.1595		0.4003	
East North Central	0.9884		0.9966		0.9036	
West North Central	0.1555		0.0108		0.0658	
South	0.4879		0.8589		0.7395	
South Atlantic	0.1805		0.4958		0.4835	
East South Central	0.7552		0.0769		0.1539	
West South Central	0.6389		0.5786		0.5931	
West	0.0033		0.6334		0.5136	
Mountain	0.2263		0.3025		0.1932	
Pacific	0.0069		0.9051		0.8599	
COUNTY TYPE						
Large Metro	0.0713		0.7275		0.5042	
Small Metro	0.7606		0.4248		0.7887	
250K – 1 Mil. Pop.	0.8493		0.8145		0.6754	
< 250K Pop.	0.7901		0.2975		0.3374	
Nonmetro	0.8094		0.6779		0.1432	
Urbanized	0.8552		0.8444		0.7220	
Less Urbanized	0.8610		0.2804		0.0490	
Completely Rural	0.1735		0.1711		0.0503	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.84C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	107	96	91	87	67	67
GEOGRAPHIC DIVISION						
Northeast	39	40	38	36	29	34
New England	19	19	20	21	16	15
Middle Atlantic	34	35	32	29	24	30
Midwest	41	38	36	36	28	25
East North Central	35	28	32	26	23	18
West North Central	22	25	18	24	16	16
South	64	61	55	53	41	39
South Atlantic	49	46	42	41	33	31
East South Central	23	23	20	20	14	13
West South Central	35	33	29	27	19	19
West	63	49	49	46	34	35
Mountain	25	20	22	18	17	12
Pacific	58	45	44	43	29	32
COUNTY TYPE						
Large Metro	81	73	67	67	50	53
Small Metro	57	52	49	47	33	34
250K – 1 Mil. Pop.	47	42	40	39	28	27
< 250K Pop.	30	31	26	28	18	21
Nonmetro	37	42	32	39	25	27
Urbanized	23	24	19	21	17	16
Less Urbanized	26	32	24	31	16	21
Completely Rural	11	13	9	9	7	6

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.84D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.43	0.38	0.36	0.34	0.27	0.27
GEOGRAPHIC DIVISION						
Northeast	0.88	0.88	0.85	0.79	0.65	0.75
New England	1.63	1.64	1.70	1.75	1.35	1.30
Middle Atlantic	1.04	1.05	0.98	0.87	0.74	0.90
Midwest	0.72	0.66	0.64	0.62	0.49	0.43
East North Central	0.88	0.70	0.79	0.65	0.58	0.46
West North Central	1.27	1.50	1.05	1.44	0.92	0.98
South	0.72	0.68	0.62	0.59	0.46	0.43
South Atlantic	1.08	1.00	0.94	0.90	0.73	0.68
East South Central	1.61	1.62	1.38	1.36	0.99	0.91
West South Central	1.17	1.11	0.98	0.90	0.66	0.65
West	1.07	0.82	0.84	0.77	0.57	0.58
Mountain	1.46	1.15	1.29	1.02	0.98	0.71
Pacific	1.39	1.05	1.05	1.00	0.70	0.76
COUNTY TYPE						
Large Metro	0.61	0.55	0.50	0.50	0.38	0.39
Small Metro	0.77	0.68	0.66	0.61	0.44	0.44
250K – 1 Mil. Pop.	0.94	0.83	0.80	0.76	0.56	0.54
< 250K Pop.	1.24	1.21	1.05	1.10	0.73	0.84
Nonmetro	0.86	0.98	0.76	0.91	0.58	0.64
Urbanized	1.26	1.39	1.03	1.24	0.93	0.93
Less Urbanized	1.32	1.51	1.20	1.45	0.79	0.99
Completely Rural	2.41	3.43	2.08	2.48	1.55	1.59

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.84P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.3672		0.1100		0.0803	
GEOGRAPHIC DIVISION						
Northeast	0.6189		0.6072		0.8362	
New England	0.9808		0.8652		0.8303	
Middle Atlantic	0.5743		0.6017		0.9021	
Midwest	0.8984		0.9595		0.5287	
East North Central	0.8597		0.9568		0.4183	
West North Central	0.5736		0.8773		0.9924	
South	0.1300		0.0751		0.0325	
South Atlantic	0.9811		0.4474		0.2948	
East South Central	0.9449		0.8009		0.8195	
West South Central	0.0034		0.0072		0.0057	
West	0.7078		0.2017		0.5377	
Mountain	0.5786		0.1421		0.1692	
Pacific	0.8671		0.4798		0.9186	
COUNTY TYPE						
Large Metro	0.7777		0.3130		0.8757	
Small Metro	0.1013		0.1198		0.0055	
250K – 1 Mil. Pop.	0.3780		0.5551		0.0251	
< 250K Pop.	0.0920		0.0484		0.0940	
Nonmetro	0.6495		0.9302		0.6116	
Urbanized	0.6321		0.4379		0.5631	
Less Urbanized	0.5044		0.8550		0.8281	
Completely Rural	0.4942		0.4719		0.7446	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.85C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	155	165	153	154	128	130
GEOGRAPHIC DIVISION						
Northeast	61	62	58	64	51	65
New England	26	24	21	27	18	33
Middle Atlantic	56	57	54	57	47	55
Midwest	67	63	67	65	48	50
East North Central	55	52	53	54	39	43
West North Central	37	36	41	37	27	25
South	97	102	89	87	75	66
South Atlantic	73	72	67	63	60	46
East South Central	36	41	33	31	24	28
West South Central	51	57	47	51	39	39
West	79	96	86	87	75	75
Mountain	35	37	36	28	33	26
Pacific	71	88	78	82	67	71
COUNTY TYPE						
Large Metro	113	127	106	108	100	86
Small Metro	86	89	92	98	66	86
250K – 1 Mil. Pop.	72	73	82	77	58	76
< 250K Pop.	49	53	46	60	33	41
Nonmetro	53	56	51	50	40	42
Urbanized	35	43	36	38	29	34
Less Urbanized	37	33	33	30	27	24
Completely Rural	15	13	11	14	10	11

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.85D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.49	0.51	0.48	0.48	0.40	0.40
GEOGRAPHIC DIVISION						
Northeast	1.09	1.10	1.03	1.13	0.91	1.15
New England	1.78	1.62	1.41	1.84	1.21	2.24
Middle Atlantic	1.33	1.36	1.29	1.36	1.14	1.30
Midwest	0.91	0.85	0.91	0.88	0.65	0.67
East North Central	1.09	1.01	1.04	1.05	0.78	0.84
West North Central	1.62	1.55	1.82	1.61	1.20	1.07
South	0.86	0.88	0.78	0.76	0.66	0.57
South Atlantic	1.31	1.27	1.20	1.11	1.07	0.80
East South Central	1.89	2.08	1.72	1.61	1.22	1.44
West South Central	1.34	1.46	1.24	1.32	1.01	1.00
West	1.07	1.27	1.16	1.15	1.01	1.00
Mountain	1.55	1.60	1.60	1.23	1.49	1.14
Pacific	1.38	1.68	1.50	1.56	1.30	1.35
COUNTY TYPE						
Large Metro	0.68	0.76	0.64	0.65	0.60	0.52
Small Metro	0.84	0.84	0.90	0.92	0.65	0.81
250K – 1 Mil. Pop.	1.08	1.05	1.23	1.13	0.87	1.10
< 250K Pop.	1.37	1.43	1.29	1.62	0.93	1.10
Nonmetro	1.07	1.13	1.04	1.02	0.81	0.85
Urbanized	1.46	1.89	1.51	1.66	1.23	1.49
Less Urbanized	1.69	1.42	1.52	1.30	1.23	1.02
Completely Rural	4.13	3.94	3.09	4.38	2.75	3.40

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.85P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0586		0.3109		0.1142	
GEOGRAPHIC DIVISION						
Northeast	0.6250		0.8140		0.9672	
New England	0.1679		0.4240		0.9132	
Middle Atlantic	0.9528		0.5238		0.9931	
Midwest	0.3479		0.4228		0.5755	
East North Central	0.4858		0.7665		0.7848	
West North Central	0.5184		0.1155		0.1654	
South	0.8639		0.7870		0.3982	
South Atlantic	0.2714		0.7581		0.1508	
East South Central	0.2304		0.3621		0.2486	
West South Central	0.0398		0.7879		0.7243	
West	0.0111		0.0997		0.1227	
Mountain	0.9650		0.9751		0.4588	
Pacific	0.0052		0.0743		0.1745	
COUNTY TYPE						
Large Metro	0.1228		0.6464		0.1091	
Small Metro	0.1660		0.5866		0.9452	
250K – 1 Mil. Pop.	0.0287		0.6292		0.9023	
< 250K Pop.	0.4394		0.8042		0.9345	
Nonmetro	0.9742		0.2307		0.1968	
Urbanized	0.9102		0.5922		0.2992	
Less Urbanized	0.9355		0.0924		0.2327	
Completely Rural	0.4043		0.1220		0.1055	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.86C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	874	928	489	473	363	366
GEOGRAPHIC DIVISION						
Northeast	380	437	182	215	148	144
New England	223	231	123	99	96	78
Middle Atlantic	313	378	137	191	115	121
Midwest	331	316	184	185	138	151
East North Central	271	271	154	148	114	119
West North Central	192	161	100	112	77	93
South	509	584	283	252	213	208
South Atlantic	376	461	237	194	176	168
East South Central	179	191	92	88	80	68
West South Central	293	305	127	134	91	101
West	502	478	303	284	212	219
Mountain	219	183	115	107	84	72
Pacific	451	442	280	264	194	207
COUNTY TYPE						
Large Metro	688	719	397	370	291	273
Small Metro	445	427	245	225	183	184
250K – 1 Mil. Pop.	341	355	212	187	145	148
< 250K Pop.	258	254	129	138	107	120
Nonmetro	342	343	154	172	120	126
Urbanized	231	223	92	125	73	93
Less Urbanized	201	228	126	112	100	83
Completely Rural	116	82	36	35	13	19

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.86D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.48	0.51	0.27	0.26	0.20	0.20
GEOGRAPHIC DIVISION						
Northeast	1.08	1.24	0.52	0.61	0.42	0.41
New England	2.41	2.49	1.33	1.07	1.04	0.84
Middle Atlantic	1.21	1.46	0.53	0.73	0.44	0.47
Midwest	0.81	0.77	0.45	0.45	0.34	0.37
East North Central	0.95	0.94	0.54	0.51	0.40	0.41
West North Central	1.58	1.31	0.82	0.91	0.64	0.76
South	0.79	0.89	0.44	0.38	0.33	0.32
South Atlantic	1.10	1.32	0.69	0.56	0.51	0.48
East South Central	1.65	1.73	0.85	0.80	0.74	0.62
West South Central	1.52	1.55	0.66	0.68	0.47	0.51
West	1.24	1.16	0.75	0.69	0.52	0.53
Mountain	1.88	1.53	0.98	0.90	0.72	0.60
Pacific	1.56	1.51	0.97	0.90	0.67	0.71
COUNTY TYPE						
Large Metro	0.71	0.73	0.41	0.38	0.30	0.28
Small Metro	0.83	0.80	0.45	0.42	0.34	0.34
250K – 1 Mil. Pop.	0.97	1.01	0.60	0.53	0.41	0.42
< 250K Pop.	1.39	1.40	0.70	0.76	0.58	0.66
Nonmetro	1.10	1.09	0.50	0.55	0.39	0.40
Urbanized	1.70	1.76	0.67	0.98	0.53	0.73
Less Urbanized	1.43	1.44	0.90	0.71	0.71	0.52
Completely Rural	3.53	2.87	1.09	1.21	0.38	0.67

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.86P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.4402		0.7772		0.7090	
GEOGRAPHIC DIVISION						
Northeast	0.4927		0.9295		0.5479	
New England	0.8352		0.1071		0.1843	
Middle Atlantic	0.4975		0.3093		0.8127	
Midwest	0.5053		0.1840		0.5333	
East North Central	0.8726		0.9326		0.8520	
West North Central	0.1490		0.0220		0.1645	
South	0.3981		0.9405		0.7301	
South Atlantic	0.2322		0.5809		0.9529	
East South Central	0.5455		0.1117		0.2977	
West South Central	0.8319		0.8795		1.0000	
West	0.0108		0.8456		0.9124	
Mountain	0.2099		0.4434		0.3590	
Pacific	0.0255		0.6003		0.7760	
COUNTY TYPE						
Large Metro	0.1150		0.9524		0.9731	
Small Metro	0.4335		0.4700		0.9948	
250K – 1 Mil. Pop.	0.4578		0.8670		0.4417	
< 250K Pop.	0.7585		0.2844		0.3697	
Nonmetro	0.8560		0.9897		0.3062	
Urbanized	0.8507		0.7041		0.9945	
Less Urbanized	0.8425		0.5434		0.1020	
Completely Rural	0.2652		0.4704		0.1275	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.87C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	902	965	540	519	396	404
GEOGRAPHIC DIVISION						
Northeast	387	451	204	231	166	154
New England	231	242	135	106	101	76
Middle Atlantic	315	388	155	206	133	134
Midwest	341	332	207	203	149	166
East North Central	280	283	176	166	127	137
West North Central	194	171	110	118	77	94
South	527	613	323	281	235	221
South Atlantic	392	483	272	210	197	172
East South Central	185	194	103	97	83	75
West South Central	301	324	142	160	101	118
West	522	491	320	312	226	252
Mountain	227	196	124	117	95	79
Pacific	468	450	296	290	205	239
COUNTY TYPE						
Large Metro	717	748	427	400	311	297
Small Metro	451	455	276	260	200	208
250K – 1 Mil. Pop.	346	378	238	211	165	166
< 250K Pop.	265	271	151	158	115	128
Nonmetro	350	358	180	190	131	144
Urbanized	244	247	109	146	83	113
Less Urbanized	204	227	138	118	104	88
Completely Rural	112	81	37	37	15	22

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.87D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.42	0.45	0.25	0.24	0.19	0.19
GEOGRAPHIC DIVISION						
Northeast	0.95	1.10	0.50	0.56	0.41	0.38
New England	2.15	2.25	1.26	0.99	0.95	0.71
Middle Atlantic	1.05	1.29	0.51	0.68	0.44	0.44
Midwest	0.71	0.68	0.43	0.42	0.31	0.34
East North Central	0.83	0.83	0.52	0.49	0.38	0.40
West North Central	1.35	1.17	0.76	0.81	0.53	0.65
South	0.69	0.79	0.43	0.36	0.31	0.29
South Atlantic	0.98	1.19	0.68	0.52	0.49	0.42
East South Central	1.45	1.50	0.81	0.75	0.65	0.58
West South Central	1.30	1.38	0.61	0.68	0.44	0.50
West	1.09	1.01	0.67	0.64	0.47	0.52
Mountain	1.64	1.37	0.89	0.82	0.68	0.56
Pacific	1.38	1.31	0.87	0.84	0.60	0.70
COUNTY TYPE						
Large Metro	0.64	0.65	0.38	0.35	0.28	0.26
Small Metro	0.70	0.71	0.43	0.41	0.31	0.33
250K – 1 Mil. Pop.	0.82	0.90	0.57	0.50	0.39	0.40
< 250K Pop.	1.20	1.23	0.69	0.72	0.52	0.58
Nonmetro	0.97	0.98	0.50	0.52	0.36	0.40
Urbanized	1.52	1.64	0.68	0.97	0.52	0.76
Less Urbanized	1.26	1.25	0.85	0.65	0.64	0.48
Completely Rural	3.06	2.55	1.01	1.16	0.42	0.70

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.87P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.2754		0.5923		0.3915	
GEOGRAPHIC DIVISION						
Northeast	0.5449		0.8610		0.5589	
New England	0.9585		0.1037		0.1606	
Middle Atlantic	0.4898		0.2529		0.8015	
Midwest	0.3918		0.1485		0.4607	
East North Central	1.0000		0.9846		0.7982	
West North Central	0.1256		0.0082		0.0718	
South	0.3912		0.8706		0.9595	
South Atlantic	0.1789		0.5665		0.5982	
East South Central	0.7458		0.0853		0.1617	
West South Central	0.8625		0.9720		0.9116	
West	0.0039		0.7749		0.5628	
Mountain	0.2383		0.4563		0.2756	
Pacific	0.0078		0.9845		0.8638	
COUNTY TYPE						
Large Metro	0.0684		0.8606		0.5156	
Small Metro	0.5694		0.5670		0.8654	
250K – 1 Mil. Pop.	0.7419		0.8809		0.4178	
< 250K Pop.	0.5905		0.4271		0.4822	
Nonmetro	0.8658		0.7055		0.1689	
Urbanized	0.8307		0.7319		0.8123	
Less Urbanized	0.7683		0.2380		0.0478	
Completely Rural	0.2054		0.2267		0.0452	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.