

Table 3.58A How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Checked Whether Youths' Homework Was Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	17,466 ^a	18,131	4,902	4,657
AGE				
12-13	6,386	6,510	807	726
14-15	5,915 ^b	6,368	1,631	1,595
16-17	5,165	5,253	2,464	2,336
GENDER				
Male	9,246	9,517	2,194	2,120
Female	8,220	8,614	2,708	2,537
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	14,920	15,320	4,173	3,977
White	11,247	11,566	3,261	3,055
Black or African American	2,619	2,590	577	561
American Indian or Alaska Native	107	122	25	20
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	586	706	237	215
Two or More Races	318	296	57 ^b	111
Hispanic or Latino	2,545	2,811	729	680
COUNTY TYPE				
Large Metro	9,217	9,630	2,677 ^a	2,403
Small Metro	5,249	5,503	1,432	1,476
Nonmetro	3,000	2,999	793	779
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1,585	1,569	961	887
Marijuana	1,107	1,099	727	680
Illicit Drug Other Than Marijuana ²	752	766	486	438
Cigarettes	1,744	1,812	1,006	984
Alcohol	2,645	2,725	1,454	1,434
Binge Alcohol ³	1,545	1,658	909	940
PAST YEAR				
Illicit Drug ²	3,271	3,311	1,672	1,589
Marijuana	2,188	2,248	1,289	1,188
Illicit Drug Other Than Marijuana ²	1,946	2,001	1,038	999
Cigarettes	2,820	2,927	1,459	1,402
Alcohol	5,380	5,560	2,549	2,452
LIFETIME				
Illicit Drug ²	4,721	4,864	2,185	2,103
Marijuana	2,944	2,989	1,599	1,486
Illicit Drug Other Than Marijuana ²	3,186	3,405	1,547	1,498
Cigarettes	4,789	4,780	2,252	2,076
Alcohol	6,830	6,943	3,015	2,894

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.58B How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Checked Whether Youths' Homework Was Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	78.1 ^b	79.6	21.9 ^b	20.4
AGE				
12-13	88.8	90.0	11.2	10.0
14-15	78.4	80.0	21.6	20.0
16-17	67.7	69.2	32.3	30.8
GENDER				
Male	80.8	81.8	19.2	18.2
Female	75.2 ^b	77.2	24.8 ^b	22.8
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	78.1 ^a	79.4	21.9 ^a	20.6
White	77.5 ^a	79.1	22.5 ^a	20.9
Black or African American	81.9	82.2	18.1	17.8
American Indian or Alaska Native	80.8	85.8	19.2	14.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	71.2	76.7	28.8	23.3
Two or More Races	84.8 ^b	72.7	15.2 ^b	27.3
Hispanic or Latino	77.7	80.5	22.3	19.5
COUNTY TYPE				
Large Metro	77.5 ^b	80.0	22.5 ^b	20.0
Small Metro	78.6	78.9	21.4	21.1
Nonmetro	79.1	79.4	20.9	20.6
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	9.1	8.7	19.6	19.0
Marijuana	6.3	6.1	14.8	14.6
Illicit Drug Other Than Marijuana ²	4.3	4.2	9.9	9.4
Cigarettes	10.0	10.0	20.5	21.1
Alcohol	15.1	15.0	29.7	30.8
Binge Alcohol ³	8.8	9.1	18.5	20.2
PAST YEAR				
Illicit Drug ²	18.7	18.3	34.1	34.1
Marijuana	12.5	12.4	26.3	25.5
Illicit Drug Other Than Marijuana ²	11.1	11.0	21.2	21.4
Cigarettes	16.1	16.1	29.8	30.1
Alcohol	30.8	30.7	52.0	52.7
LIFETIME				
Illicit Drug ²	27.0	26.8	44.6	45.2
Marijuana	16.9	16.5	32.6	31.9
Illicit Drug Other Than Marijuana ²	18.2	18.8	31.5	32.2
Cigarettes	27.4	26.4	45.9	44.6
Alcohol	39.1	38.3	61.5	62.2

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.59A How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Provided Help with Youths' Homework ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	18,073	18,401	4,261	4,378
AGE				
12-13	6,521	6,531	676	704
14-15	6,071 ^a	6,452	1,456	1,512
16-17	5,481	5,418	2,129	2,162
GENDER				
Male	9,339	9,481	2,074	2,154
Female	8,734	8,920	2,187	2,224
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	15,653	15,786	3,411	3,502
White	12,072	12,141	2,411	2,469
Black or African American	2,547	2,530	648	618
American Indian or Alaska Native	101	120	31	22
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	601	645	220	274
Two or More Races	285	300	88	108
Hispanic or Latino	2,420	2,616	850	875
COUNTY TYPE				
Large Metro	9,472	9,690	2,408	2,335
Small Metro	5,451	5,590	1,215 ^a	1,385
Nonmetro	3,151	3,121	639	657
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1,674	1,624	866	831
Marijuana	1,189	1,134	640	644
Illicit Drug Other Than Marijuana ²	802	793	434	411
Cigarettes	1,873	1,865	870	931
Alcohol	2,862	2,853	1,231	1,306
Binge Alcohol ³	1,649	1,754	802	845
PAST YEAR				
Illicit Drug ²	3,419	3,349	1,519	1,550
Marijuana	2,311	2,291	1,163	1,142
Illicit Drug Other Than Marijuana ²	2,084	2,004	894	997
Cigarettes	2,970	2,957	1,298	1,374
Alcohol	5,717	5,752	2,199	2,257
LIFETIME				
Illicit Drug ²	4,902	4,875	1,996	2,098
Marijuana	3,068	3,035	1,469	1,444
Illicit Drug Other Than Marijuana ²	3,353	3,376	1,374	1,527
Cigarettes	5,001	4,828	2,023	2,035
Alcohol	7,183	7,107	2,646	2,732

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.59B How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Provided Help with Youths' Homework ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	80.9	80.8	19.1	19.2
AGE				
12-13	90.6	90.3	9.4	9.7
14-15	80.7	81.0	19.3	19.0
16-17	72.0	71.5	28.0	28.5
GENDER				
Male	81.8	81.5	18.2	18.5
Female	80.0	80.0	20.0	20.0
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	82.1	81.8	17.9	18.2
White	83.4	83.1	16.6	16.9
Black or African American	79.7	80.4	20.3	19.6
American Indian or Alaska Native	76.8	84.5	23.2	15.5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	73.2	70.2	26.8	29.8
Two or More Races	76.3	73.5	23.7	26.5
Hispanic or Latino	74.0	74.9	26.0	25.1
COUNTY TYPE				
Large Metro	79.7	80.6	20.3	19.4
Small Metro	81.8	80.1	18.2	19.9
Nonmetro	83.1	82.6	16.9	17.4
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	9.3	8.8	20.3	19.0
Marijuana	6.6	6.2	15.0	14.7
Illicit Drug Other Than Marijuana ²	4.4	4.3	10.2	9.4
Cigarettes	10.4	10.1	20.4	21.3
Alcohol	15.8	15.5	28.9	29.8
Binge Alcohol ³	9.1	9.5	18.8	19.3
PAST YEAR				
Illicit Drug ²	18.9	18.2	35.7	35.4
Marijuana	12.8	12.5	27.3	26.1
Illicit Drug Other Than Marijuana ²	11.5	10.9	21.0	22.8
Cigarettes	16.4	16.1	30.5	31.4
Alcohol	31.6	31.3	51.6	51.6
LIFETIME				
Illicit Drug ²	27.1	26.5	46.8	47.9
Marijuana	17.0	16.5	34.5	33.0
Illicit Drug Other Than Marijuana ²	18.6	18.3	32.3	34.9
Cigarettes	27.7 ^a	26.2	47.5	46.5
Alcohol	39.7	38.6	62.1	62.4

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.60A How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	15,652	15,734	6,519	6,859
AGE				
12-13	5,219	5,243	1,843	1,851
14-15	5,359	5,625	2,134	2,287
16-17	5,074	4,865	2,542	2,720
GENDER				
Male	7,837	7,917	3,484	3,619
Female	7,814	7,816	3,035	3,239
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	13,285	13,292	5,645	5,847
White	9,966	10,013	4,412	4,494
Black or African American	2,341	2,259	837	863
American Indian or Alaska Native	83	89	46	48
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	576	617	236	294
Two or More Races	273	271	100	132
Hispanic or Latino	2,367	2,442	873	1,012
COUNTY TYPE				
Large Metro	8,301	8,339	3,494	3,589
Small Metro	4,731	4,857	1,876 ^a	2,069
Nonmetro	2,619	2,539	1,149	1,200
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1,628	1,549	914	906
Marijuana	1,171	1,101	662	678
Illicit Drug Other Than Marijuana ²	768	757	465	446
Cigarettes	1,800	1,739	954	1,062
Alcohol	2,705	2,577	1,387 ^b	1,587
Binge Alcohol ³	1,591	1,591	856 ^b	1,013
PAST YEAR				
Illicit Drug ²	3,272	3,157	1,650	1,745
Marijuana	2,313	2,187	1,158	1,251
Illicit Drug Other Than Marijuana ²	1,950	1,910	1,019	1,095
Cigarettes	2,901	2,741	1,376 ^b	1,588
Alcohol	5,374	5,147	2,531 ^b	2,854
LIFETIME				
Illicit Drug ²	4,591	4,436	2,283 ^a	2,526
Marijuana	3,024	2,842	1,514	1,640
Illicit Drug Other Than Marijuana ²	3,106	3,069	1,603 ^b	1,825
Cigarettes	4,757 ^a	4,442	2,278	2,409
Alcohol	6,667	6,397	3,155 ^a	3,424

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.60B How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	70.6	69.6	29.4	30.4
AGE				
12-13	73.9	73.9	26.1	26.1
14-15	71.5	71.1	28.5	28.9
16-17	66.6 ^a	64.1	33.4 ^a	35.9
GENDER				
Male	69.2	68.6	30.8	31.4
Female	72.0	70.7	28.0	29.3
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	70.2	69.5	29.8	30.5
White	69.3	69.0	30.7	31.0
Black or African American	73.7	72.4	26.3	27.6
American Indian or Alaska Native	64.3	65.0	35.7	35.0
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	70.9	67.8	29.1	32.2
Two or More Races	73.1	67.2	26.9	32.8
Hispanic or Latino	73.0	70.7	27.0	29.3
COUNTY TYPE				
Large Metro	70.4	69.9	29.6	30.1
Small Metro	71.6	70.1	28.4	29.9
Nonmetro	69.5	67.9	30.5	32.1
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	10.4	9.8	14.0	13.2
Marijuana	7.5	7.0	10.2	9.9
Illicit Drug Other Than Marijuana ²	4.9	4.8	7.1	6.5
Cigarettes	11.5	11.1	14.6	15.5
Alcohol	17.3	16.4	21.3	23.1
Binge Alcohol ³	10.2	10.1	13.1 ^a	14.8
PAST YEAR				
Illicit Drug ²	20.9	20.1	25.3	25.4
Marijuana	14.8	13.9	17.8	18.2
Illicit Drug Other Than Marijuana ²	12.5	12.1	15.6	16.0
Cigarettes	18.5	17.4	21.1 ^a	23.2
Alcohol	34.3 ^a	32.7	38.8 ^a	41.6
LIFETIME				
Illicit Drug ²	29.3	28.2	35.0	36.8
Marijuana	19.3 ^a	18.1	23.2	23.9
Illicit Drug Other Than Marijuana ²	19.8	19.5	24.6	26.6
Cigarettes	30.4 ^b	28.2	34.9	35.1
Alcohol	42.6 ^b	40.7	48.4	49.9

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.61A How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Made Youths Do Chores Around the House ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	21,768	21,896	3,129	3,211
AGE				
12-13	7,397	7,249	1,022	1,076
14-15	7,351	7,648	873 ^a	990
16-17	7,020	6,999	1,233	1,144
GENDER				
Male	11,074	11,193	1,629	1,628
Female	10,694	10,704	1,500	1,583
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18,327	18,300	2,536	2,593
White	13,516	13,393	2,013	2,058
Black or African American	3,463	3,508	256	281
American Indian or Alaska Native	161	147	15	18
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	779	817	184	166
Two or More Races	339	372	61	68
Hispanic or Latino	3,441	3,596	593	617
COUNTY TYPE				
Large Metro	11,545	11,594	1,702	1,690
Small Metro	6,465	6,631	924	985
Nonmetro	3,758	3,671	503	536
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2,344	2,208	454	449
Marijuana	1,614	1,550	352	346
Illicit Drug Other Than Marijuana ²	1,198	1,073	210	241
Cigarettes	2,482	2,484	548	484
Alcohol	3,710	3,679	705	732
Binge Alcohol ³	2,200	2,270	451	507
PAST YEAR				
Illicit Drug ²	4,593	4,440	834	831
Marijuana	3,112	3,035	615	597
Illicit Drug Other Than Marijuana ²	2,832	2,723	503	525
Cigarettes	3,929	3,894	783	720
Alcohol	7,294	7,228	1,250	1,276
LIFETIME				
Illicit Drug ²	6,475	6,359	1,119	1,168
Marijuana	4,116	4,015	750	744
Illicit Drug Other Than Marijuana ²	4,478	4,449	817	874
Cigarettes	6,570	6,251	1,155	1,077
Alcohol	9,198	9,010	1,488	1,537

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.61B How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Made Youths Do Chores Around the House ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	87.4	87.2	12.6	12.8
AGE				
12-13	87.9	87.1	12.1	12.9
14-15	89.4	88.5	10.6	11.5
16-17	85.1	85.9	14.9	14.1
GENDER				
Male	87.2	87.3	12.8	12.7
Female	87.7	87.1	12.3	12.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	87.8	87.6	12.2	12.4
White	87.0	86.7	13.0	13.3
Black or African American	93.1	92.6	6.9	7.4
American Indian or Alaska Native	91.5	89.3	8.5	10.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	80.9	83.1	19.1	16.9
Two or More Races	84.7	84.6	15.3	15.4
Hispanic or Latino	85.3	85.3	14.7	14.7
COUNTY TYPE				
Large Metro	87.2	87.3	12.8	12.7
Small Metro	87.5	87.1	12.5	12.9
Nonmetro	88.2	87.3	11.8	12.7
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	10.8	10.1	14.5	14.0
Marijuana	7.4	7.1	11.2	10.8
Illicit Drug Other Than Marijuana ²	5.5 ^a	4.9	6.7	7.5
Cigarettes	11.4	11.3	17.5	15.1
Alcohol	17.0	16.8	22.5	22.8
Binge Alcohol ³	10.1	10.4	14.4	15.8
PAST YEAR				
Illicit Drug ²	21.1	20.3	26.6	25.9
Marijuana	14.3	13.9	19.6	18.6
Illicit Drug Other Than Marijuana ²	13.0	12.4	16.1	16.3
Cigarettes	18.1	17.8	25.0	22.4
Alcohol	33.5	33.0	39.9	39.8
LIFETIME				
Illicit Drug ²	29.7	29.0	35.7	36.4
Marijuana	18.9	18.3	24.0	23.2
Illicit Drug Other Than Marijuana ²	20.6	20.3	26.1	27.2
Cigarettes	30.2 ^a	28.5	36.9	33.5
Alcohol	42.3	41.2	47.5	47.9

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.62A How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Watched TV ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	9,307	9,544	15,558	15,517
AGE				
12-13	4,170	4,126	4,226	4,176
14-15	3,010 ^a	3,289	5,216	5,323
16-17	2,126	2,129	6,117	6,018
GENDER				
Male	4,841	4,953	7,852	7,850
Female	4,465	4,591	7,706	7,667
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	7,688	7,721	13,138	13,148
White	5,485	5,501	10,005	9,920
Black or African American	1,428	1,485	2,292	2,295
American Indian or Alaska Native	53	59	122	106
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	509	490	457	510
Two or More Races	179	150	221 ^a	288
Hispanic or Latino	1,618 ^a	1,823	2,420	2,369
COUNTY TYPE				
Large Metro	5,115	5,320	8,129	7,941
Small Metro	2,703	2,823	4,662	4,782
Nonmetro	1,489	1,401	2,767	2,794
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	608	623	2,188	2,034
Marijuana	403	402	1,560	1,496
Illicit Drug Other Than Marijuana ²	316	315	1,091	1,000
Cigarettes	644	629	2,385	2,341
Alcohol	992	949	3,417	3,458
Binge Alcohol ³	547	588	2,102	2,191
PAST YEAR				
Illicit Drug ²	1,296	1,295	4,132	3,972
Marijuana	775	782	2,949	2,851
Illicit Drug Other Than Marijuana ²	803	845	2,532	2,401
Cigarettes	1,081	1,062	3,630	3,550
Alcohol	2,116	2,092	6,412	6,402
LIFETIME				
Illicit Drug ²	1,942	1,967	5,652	5,553
Marijuana	1,032	1,037	3,830	3,723
Illicit Drug Other Than Marijuana ²	1,379	1,464	3,916	3,853
Cigarettes	1,847	1,780	5,871 ^a	5,538
Alcohol	2,772	2,712	7,897	7,824

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.62B How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Limited Amount of Time Youths Watched TV ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	37.4	38.1	62.6	61.9
AGE				
12-13	49.7	49.7	50.3	50.3
14-15	36.6	38.2	63.4	61.8
16-17	25.8	26.1	74.2	73.9
GENDER				
Male	38.1	38.7	61.9	61.3
Female	36.7	37.5	63.3	62.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	36.9	37.0	63.1	63.0
White	35.4	35.7	64.6	64.3
Black or African American	38.4	39.3	61.6	60.7
American Indian or Alaska Native	30.4	35.9	69.6	64.1
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	52.7	49.0	47.3	51.0
Two or More Races	44.7 ^a	34.2	55.3 ^a	65.8
Hispanic or Latino	40.1	43.5	59.9	56.5
COUNTY TYPE				
Large Metro	38.6	40.1	61.4	59.9
Small Metro	36.7	37.1	63.3	62.9
Nonmetro	35.0	33.4	65.0	66.6
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	6.5	6.5	14.1	13.1
Marijuana	4.3	4.2	10.0	9.6
Illicit Drug Other Than Marijuana ²	3.4	3.3	7.0	6.4
Cigarettes	6.9	6.6	15.3	15.1
Alcohol	10.7	9.9	22.0	22.3
Binge Alcohol ³	5.9	6.2	13.5	14.1
PAST YEAR				
Illicit Drug ²	13.9	13.6	26.6	25.6
Marijuana	8.3	8.2	19.0	18.4
Illicit Drug Other Than Marijuana ²	8.6	8.9	16.3	15.5
Cigarettes	11.6	11.1	23.3	22.9
Alcohol	22.7	21.9	41.2	41.3
LIFETIME				
Illicit Drug ²	20.9	20.6	36.3	35.8
Marijuana	11.1	10.9	24.6	24.0
Illicit Drug Other Than Marijuana ²	14.8	15.3	25.2	24.8
Cigarettes	19.8	18.7	37.7 ^b	35.7
Alcohol	29.8	28.4	50.8	50.4

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.63A How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Let Youths Know Youths Had Done a Good Job ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	21,370	21,541	3,543	3,565
AGE				
12-13	7,656	7,516	771	810
14-15	6,952 ^a	7,375	1,277	1,241
16-17	6,762	6,650	1,495	1,513
GENDER				
Male	11,085	11,144	1,631	1,666
Female	10,285	10,396	1,912	1,899
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	18,008	18,014	2,860	2,891
White	13,563	13,461	1,970	1,997
Black or African American	3,153	3,210	567	577
American Indian or Alaska Native	143	143	32	22
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	759	796	207	196
Two or More Races	328	349	71	90
Hispanic or Latino	3,362	3,527	683	674
COUNTY TYPE				
Large Metro	11,282	11,365	1,976	1,917
Small Metro	6,360	6,547	1,022	1,066
Nonmetro	3,729	3,629	545	581
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2,102	1,948	700	712
Marijuana	1,460	1,390	508	509
Illicit Drug Other Than Marijuana ²	1,052 ^a	925	359	392
Cigarettes	2,292	2,249	741	724
Alcohol	3,406	3,422	1,012	990
Binge Alcohol ³	2,049	2,136	605	647
PAST YEAR				
Illicit Drug ²	4,170	4,027	1,260	1,246
Marijuana	2,814	2,766	914	867
Illicit Drug Other Than Marijuana ²	2,550	2,414	786	838
Cigarettes	3,658	3,528	1,059	1,087
Alcohol	6,795	6,766	1,752	1,730
LIFETIME				
Illicit Drug ²	5,914	5,897	1,686	1,636
Marijuana	3,724	3,675	1,145	1,085
Illicit Drug Other Than Marijuana ²	4,091	4,104	1,209	1,227
Cigarettes	6,098 ^a	5,750	1,632	1,572
Alcohol	8,596	8,459	2,096	2,088

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.63B How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Let Youths Know Youths Had Done a Good Job ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	85.8	85.8	14.2	14.2
AGE				
12-13	90.8	90.3	9.2	9.7
14-15	84.5	85.6	15.5	14.4
16-17	81.9	81.5	18.1	18.5
GENDER				
Male	87.2	87.0	12.8	13.0
Female	84.3	84.6	15.7	15.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	86.3	86.2	13.7	13.8
White	87.3	87.1	12.7	12.9
Black or African American	84.8	84.8	15.2	15.2
American Indian or Alaska Native	81.7	86.6	18.3	13.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	78.6	80.2	21.4	19.8
Two or More Races	82.1	79.5	17.9	20.5
Hispanic or Latino	83.1	84.0	16.9	16.0
COUNTY TYPE				
Large Metro	85.1	85.6	14.9	14.4
Small Metro	86.2	86.0	13.8	14.0
Nonmetro	87.2	86.2	12.8	13.8
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	9.8 ^a	9.0	19.8	20.0
Marijuana	6.8	6.5	14.3	14.3
Illicit Drug Other Than Marijuana ²	4.9 ^a	4.3	10.1	11.0
Cigarettes	10.7	10.4	20.9	20.3
Alcohol	15.9	15.9	28.6	27.8
Binge Alcohol ³	9.6	9.9	17.1	18.1
PAST YEAR				
Illicit Drug ²	19.5	18.7	35.6	35.0
Marijuana	13.2	12.8	25.8	24.3
Illicit Drug Other Than Marijuana ²	11.9	11.2	22.2	23.5
Cigarettes	17.1	16.4	29.9	30.5
Alcohol	31.8	31.4	49.4	48.5
LIFETIME				
Illicit Drug ²	27.7	27.4	47.6	45.9
Marijuana	17.4	17.1	32.3	30.4
Illicit Drug Other Than Marijuana ²	19.1	19.1	34.1	34.4
Cigarettes	28.5 ^b	26.7	46.1	44.1
Alcohol	40.2	39.3	59.2	58.6

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.64A How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	21,293	21,383	3,610	3,755
AGE				
12-13	7,649	7,554	767	794
14-15	6,906	7,217	1,323	1,412
16-17	6,737	6,613	1,519	1,549
GENDER				
Male	11,101	11,085	1,605	1,741
Female	10,191	10,298	2,005	2,014
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	17,954	17,880	2,906	3,043
White	13,491	13,334	2,029	2,134
Black or African American	3,194	3,204	529	581
American Indian or Alaska Native	139	139	36	26
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	732	804	235	197
Two or More Races	338	350	62	90
Hispanic or Latino	3,338	3,503	704	713
COUNTY TYPE				
Large Metro	11,279	11,316	1,979	1,987
Small Metro	6,319	6,499	1,055	1,121
Nonmetro	3,695	3,567	576	647
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2,109 ^a	1,883	690	779
Marijuana	1,457	1,336	509	564
Illicit Drug Other Than Marijuana ²	1,053 ^a	903	355	416
Cigarettes	2,279	2,177	752	794
Alcohol	3,446	3,355	971	1,059
Binge Alcohol ³	2,061	2,091	591	693
PAST YEAR				
Illicit Drug ²	4,167	3,957	1,256	1,319
Marijuana	2,807	2,668	921	968
Illicit Drug Other Than Marijuana ²	2,548	2,389	782	862
Cigarettes	3,624	3,443	1,090	1,173
Alcohol	6,787	6,665	1,753	1,839
LIFETIME				
Illicit Drug ²	5,918	5,787	1,675	1,750
Marijuana	3,717	3,577	1,151	1,187
Illicit Drug Other Than Marijuana ²	4,090	4,019	1,203	1,311
Cigarettes	6,066 ^b	5,588	1,658	1,738
Alcohol	8,549	8,313	2,137	2,243

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.64B How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Substance Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Parents Told Youths They Were Proud of Something Youths Had Done ¹			
	Always/Sometimes		Seldom/Never	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	85.5	85.1	14.5	14.9
AGE				
12-13	90.9	90.5	9.1	9.5
14-15	83.9	83.6	16.1	16.4
16-17	81.6	81.0	18.4	19.0
GENDER				
Male	87.4	86.4	12.6	13.6
Female	83.6	83.6	16.4	16.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	86.1	85.5	13.9	14.5
White	86.9	86.2	13.1	13.8
Black or African American	85.8	84.6	14.2	15.4
American Indian or Alaska Native	79.6	84.2	20.4	15.8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	75.7	80.3	24.3	19.7
Two or More Races	84.6	79.6	15.4	20.4
Hispanic or Latino	82.6	83.1	17.4	16.9
COUNTY TYPE				
Large Metro	85.1	85.1	14.9	14.9
Small Metro	85.7	85.3	14.3	14.7
Nonmetro	86.5	84.7	13.5	15.3
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	9.9 ^b	8.8	19.1	20.7
Marijuana	6.8	6.2	14.1	15.0
Illicit Drug Other Than Marijuana ²	4.9 ^b	4.2	9.8	11.1
Cigarettes	10.7	10.2	20.8	21.1
Alcohol	16.2	15.7	26.9	28.2
Binge Alcohol ³	9.7	9.8	16.4	18.5
PAST YEAR				
Illicit Drug ²	19.6 ^a	18.5	34.8	35.1
Marijuana	13.2	12.5	25.5	25.8
Illicit Drug Other Than Marijuana ²	12.0	11.2	21.7	22.9
Cigarettes	17.0	16.1	30.2	31.2
Alcohol	31.9	31.2	48.6	49.0
LIFETIME				
Illicit Drug ²	27.8	27.1	46.4	46.6
Marijuana	17.5	16.7	31.9	31.6
Illicit Drug Other Than Marijuana ²	19.2	18.8	33.3	34.9
Cigarettes	28.5 ^b	26.1	45.9	46.3
Alcohol	40.2	38.9	59.2	59.7

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.65A Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Times Argued or Had a Fight with at Least One Parent ¹			
	9 or Fewer		10 or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	18,694	18,949	6,040	5,974
AGE				
12-13	6,818	6,814	1,494	1,410
14-15	6,019	6,307	2,170	2,273
16-17	5,858	5,829	2,376	2,291
GENDER				
Male	10,173	10,230	2,448	2,507
Female	8,521	8,719	3,592	3,468
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	15,466	15,551	5,246	5,177
White	11,022	11,007	4,387	4,312
Black or African American	3,193	3,276	505	476
American Indian or Alaska Native	149	141	25	23
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	750	764	207	227
Two or More Races	286	305	113	133
Hispanic or Latino	3,228	3,398	794	797
COUNTY TYPE				
Large Metro	9,880	10,043	3,289	3,130
Small Metro	5,520	5,755	1,814	1,812
Nonmetro	3,294	3,151	937	1,033
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1,676	1,606	1,121	1,049
Marijuana	1,153	1,125	812	769
Illicit Drug Other Than Marijuana ²	831	771	577	543
Cigarettes	1,824	1,808	1,205	1,158
Alcohol	2,702	2,773	1,711	1,633
Binge Alcohol ³	1,588	1,734	1,063	1,040
PAST YEAR				
Illicit Drug ²	3,359	3,261	2,063	1,986
Marijuana	2,253	2,219	1,472	1,400
Illicit Drug Other Than Marijuana ²	2,007	1,929	1,325	1,307
Cigarettes	2,959	2,872	1,755	1,725
Alcohol	5,500	5,541	3,029	2,953
LIFETIME				
Illicit Drug ²	4,884	4,895	2,703	2,602
Marijuana	3,059	3,026	1,806	1,719
Illicit Drug Other Than Marijuana ²	3,296	3,367	1,991	1,939
Cigarettes	5,034 ^a	4,729	2,677	2,568
Alcohol	7,071	7,019	3,601	3,510

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.65B Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Times Argued or Had a Fight with at Least One Parent ¹			
	9 or Fewer		10 or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	75.6	76.0	24.4	24.0
AGE				
12-13	82.0	82.9	18.0	17.1
14-15	73.5	73.5	26.5	26.5
16-17	71.1	71.8	28.9	28.2
GENDER				
Male	80.6	80.3	19.4	19.7
Female	70.3	71.5	29.7	28.5
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	74.7	75.0	25.3	25.0
White	71.5	71.8	28.5	28.2
Black or African American	86.3	87.3	13.7	12.7
American Indian or Alaska Native	85.8	86.1	14.2	13.9
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	78.4	77.1	21.6	22.9
Two or More Races	71.7	69.6	28.3	30.4
Hispanic or Latino	80.3	81.0	19.7	19.0
COUNTY TYPE				
Large Metro	75.0	76.2	25.0	23.8
Small Metro	75.3	76.1	24.7	23.9
Nonmetro	77.8 ^a	75.3	22.2 ^a	24.7
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	9.0	8.5	18.6	17.6
Marijuana	6.2	5.9	13.4	12.9
Illicit Drug Other Than Marijuana ²	4.4	4.1	9.5	9.1
Cigarettes	9.8	9.5	20.0	19.4
Alcohol	14.5	14.6	28.3	27.3
Binge Alcohol ³	8.5	9.1	17.6	17.4
PAST YEAR				
Illicit Drug ²	18.0	17.2	34.2	33.2
Marijuana	12.1	11.7	24.4	23.4
Illicit Drug Other Than Marijuana ²	10.7	10.2	21.9	21.9
Cigarettes	15.8	15.2	29.1	28.9
Alcohol	29.4	29.2	50.1	49.4
LIFETIME				
Illicit Drug ²	26.1	25.8	44.7	43.6
Marijuana	16.4	16.0	29.9	28.8
Illicit Drug Other Than Marijuana ²	17.6	17.8	33.0	32.5
Cigarettes	26.9 ^b	25.0	44.3	43.0
Alcohol	37.8	37.0	59.6	58.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.