

Table 1.123C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	756	827	420	410	289	255
GEOGRAPHIC DIVISION						
Northeast	338	383	144	161	91	105
New England	203	211	102	73	50	53
Middle Atlantic	273	324	102	144	76	91
Midwest	277	301	157	158	97	108
East North Central	214	257	139	125	86	90
West North Central	176	157	72	98	47	60
South	431	513	231	221	167	154
South Atlantic	314	394	182	175	127	125
East South Central	146	143	80	66	61	50
West South Central	255	297	118	119	90	75
West	430	430	277	262	194	137
Mountain	175	172	122	99	89	63
Pacific	393	393	249	242	172	121
COUNTY TYPE						
Large Metro	602	634	330	329	230	191
Small Metro	412	401	204	201	136	139
250K – 1 Mil. Pop.	340	325	172	166	108	116
< 250K Pop.	235	246	118	113	82	78
Nonmetro	279	303	152	139	103	82
Urbanized	181	203	94	102	56	60
Less Urbanized	182	206	116	91	89	55
Completely Rural	90	73	26	34	13	18

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.123D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.32	0.34	0.18	0.17	0.12	0.11
GEOGRAPHIC DIVISION						
Northeast	0.75	0.84	0.32	0.35	0.20	0.23
New England	1.71	1.76	0.86	0.61	0.42	0.44
Middle Atlantic	0.82	0.97	0.30	0.43	0.23	0.27
Midwest	0.52	0.55	0.29	0.29	0.18	0.20
East North Central	0.57	0.68	0.37	0.33	0.23	0.24
West North Central	1.09	0.97	0.44	0.60	0.29	0.37
South	0.51	0.60	0.27	0.26	0.20	0.18
South Atlantic	0.71	0.87	0.41	0.39	0.28	0.28
East South Central	1.02	1.00	0.56	0.46	0.43	0.35
West South Central	0.98	1.12	0.45	0.45	0.34	0.28
West	0.80	0.79	0.51	0.48	0.36	0.25
Mountain	1.12	1.08	0.78	0.62	0.57	0.39
Pacific	1.03	1.02	0.65	0.63	0.45	0.31
COUNTY TYPE						
Large Metro	0.48	0.49	0.26	0.26	0.18	0.15
Small Metro	0.58	0.56	0.29	0.28	0.19	0.19
250K – 1 Mil. Pop.	0.72	0.69	0.37	0.35	0.23	0.25
< 250K Pop.	0.96	1.01	0.48	0.46	0.34	0.32
Nonmetro	0.69	0.75	0.38	0.34	0.26	0.20
Urbanized	1.01	1.22	0.53	0.61	0.32	0.36
Less Urbanized	1.00	1.01	0.64	0.45	0.49	0.27
Completely Rural	2.20	2.05	0.63	0.96	0.32	0.51

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.123P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.2179		0.1310		0.0716	
GEOGRAPHIC DIVISION						
Northeast	0.7061		0.8099		0.6695	
New England	0.4621		0.0798		0.9611	
Middle Atlantic	0.3695		0.2840		0.6352	
Midwest	0.1946		0.8249		0.5993	
East North Central	0.7912		0.4791		0.9835	
West North Central	0.0720		0.1399		0.2518	
South	0.1145		0.3139		0.6716	
South Atlantic	0.0689		0.4905		0.9038	
East South Central	0.8596		0.3101		0.1890	
West South Central	0.8760		0.0945		0.1591	
West	0.0002		0.2163		0.0151	
Mountain	0.0410		0.3421		0.3127	
Pacific	0.0015		0.3558		0.0258	
COUNTY TYPE						
Large Metro	0.2045		0.1558		0.0318	
Small Metro	0.9885		0.5322		0.7605	
250K – 1 Mil. Pop.	0.7628		0.7954		0.3040	
< 250K Pop.	0.6273		0.1425		0.3934	
Nonmetro	0.5185		0.8410		0.3865	
Urbanized	0.9555		0.8265		0.6440	
Less Urbanized	0.2755		0.5597		0.3187	
Completely Rural	0.3709		0.0982		0.1728	

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.124C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	97	84	79	71	48	49
GEOGRAPHIC DIVISION						
Northeast	37	35	31	29	18	24
New England	20	16	19	15	9	11
Middle Atlantic	31	31	25	25	16	21
Midwest	35	34	31	29	19	17
East North Central	31	26	28	22	17	13
West North Central	17	22	15	19	10	11
South	58	52	47	44	29	31
South Atlantic	44	38	36	34	20	24
East South Central	23	20	18	16	12	10
West South Central	31	31	25	23	17	16
West	57	45	45	38	28	25
Mountain	25	17	23	14	14	9
Pacific	51	41	38	35	24	23
COUNTY TYPE						
Large Metro	71	66	56	53	34	37
Small Metro	51	45	41	39	24	28
250K – 1 Mil. Pop.	42	35	35	30	20	21
< 250K Pop.	27	29	21	25	13	18
Nonmetro	34	36	30	29	21	19
Urbanized	20	21	18	16	14	10
Less Urbanized	25	28	21	25	14	15
Completely Rural	10	9	9	7	6	4

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.124D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.39	0.33	0.32	0.28	0.19	0.20
GEOGRAPHIC DIVISION						
Northeast	0.83	0.77	0.70	0.64	0.40	0.53
New England	1.75	1.36	1.62	1.29	0.76	0.96
Middle Atlantic	0.94	0.93	0.74	0.73	0.47	0.62
Midwest	0.62	0.60	0.55	0.51	0.34	0.30
East North Central	0.78	0.65	0.69	0.54	0.42	0.33
West North Central	0.99	1.32	0.87	1.13	0.57	0.63
South	0.65	0.58	0.53	0.49	0.32	0.34
South Atlantic	0.98	0.82	0.79	0.74	0.43	0.53
East South Central	1.57	1.35	1.23	1.12	0.86	0.72
West South Central	1.04	1.03	0.86	0.78	0.57	0.53
West	0.97	0.74	0.76	0.63	0.48	0.42
Mountain	1.44	1.00	1.35	0.81	0.83	0.52
Pacific	1.23	0.96	0.91	0.82	0.58	0.55
COUNTY TYPE						
Large Metro	0.53	0.49	0.42	0.40	0.25	0.28
Small Metro	0.69	0.59	0.55	0.51	0.32	0.37
250K – 1 Mil. Pop.	0.84	0.68	0.69	0.59	0.40	0.42
< 250K Pop.	1.13	1.16	0.88	0.98	0.55	0.72
Nonmetro	0.79	0.85	0.69	0.69	0.50	0.45
Urbanized	1.08	1.22	0.99	0.93	0.75	0.60
Less Urbanized	1.24	1.32	1.03	1.16	0.73	0.71
Completely Rural	2.37	2.45	1.93	1.89	1.37	1.17

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.124P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.9361		0.2944		0.1391	
GEOGRAPHIC DIVISION						
Northeast	0.4909		0.7455		0.8577	
New England	0.7814		0.7195		0.4205	
Middle Atlantic	0.5220		0.8738		0.7968	
Midwest	0.7320		0.9815		0.8071	
East North Central	0.9098		0.8731		0.5570	
West North Central	0.6626		0.8124		0.6390	
South	0.4976		0.1786		0.1537	
South Atlantic	0.8097		0.6907		0.6961	
East South Central	0.5948		0.7245		0.4543	
West South Central	0.1576		0.0567		0.1039	
West	0.8742		0.5250		0.2908	
Mountain	0.1326		0.0674		0.0233	
Pacific	0.5972		0.8773		0.8924	
COUNTY TYPE						
Large Metro	0.9824		0.4982		0.6158	
Small Metro	0.4819		0.3122		0.1410	
250K – 1 Mil. Pop.	0.4059		0.4259		0.1138	
< 250K Pop.	0.9440		0.5057		0.7077	
Nonmetro	0.4730		0.9421		0.4360	
Urbanized	0.7519		0.4396		0.2121	
Less Urbanized	0.2265		0.6148		0.8209	
Completely Rural	0.9833		0.8827		0.3434	

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.125C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	151	157	127	126	82	82
GEOGRAPHIC DIVISION						
Northeast	58	65	48	55	29	37
New England	25	27	29	24	14	16
Middle Atlantic	52	59	40	49	26	33
Midwest	60	63	46	53	33	33
East North Central	50	50	38	42	27	26
West North Central	33	38	26	33	18	20
South	94	94	73	73	51	47
South Atlantic	68	55	54	46	41	34
East South Central	33	43	24	25	16	18
West South Central	55	63	43	51	26	27
West	82	88	79	69	46	46
Mountain	36	38	35	26	23	17
Pacific	73	80	70	64	41	43
COUNTY TYPE						
Large Metro	116	114	98	86	62	57
Small Metro	79	90	69	80	45	50
250K – 1 Mil. Pop.	64	74	59	64	36	39
< 250K Pop.	47	56	35	49	26	31
Nonmetro	48	54	42	39	27	31
Urbanized	33	42	27	29	19	22
Less Urbanized	32	31	28	26	18	19
Completely Rural	12	14	8	11	5	12

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.125D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.47	0.49	0.40	0.39	0.26	0.26
GEOGRAPHIC DIVISION						
Northeast	1.03	1.15	0.86	0.96	0.52	0.64
New England	1.68	1.83	1.98	1.60	0.94	1.10
Middle Atlantic	1.24	1.41	0.96	1.17	0.63	0.78
Midwest	0.82	0.85	0.63	0.71	0.44	0.44
East North Central	0.99	0.98	0.75	0.81	0.53	0.50
West North Central	1.45	1.65	1.15	1.41	0.81	0.88
South	0.83	0.81	0.65	0.64	0.45	0.41
South Atlantic	1.22	0.96	0.96	0.81	0.73	0.60
East South Central	1.71	2.20	1.26	1.27	0.85	0.90
West South Central	1.44	1.63	1.13	1.31	0.68	0.71
West	1.11	1.17	1.06	0.92	0.63	0.61
Mountain	1.62	1.64	1.58	1.15	1.01	0.74
Pacific	1.42	1.52	1.36	1.21	0.79	0.81
COUNTY TYPE						
Large Metro	0.70	0.69	0.59	0.52	0.37	0.34
Small Metro	0.77	0.85	0.67	0.76	0.44	0.47
250K – 1 Mil. Pop.	0.97	1.07	0.89	0.94	0.54	0.56
< 250K Pop.	1.33	1.50	0.99	1.32	0.75	0.84
Nonmetro	0.98	1.09	0.84	0.78	0.55	0.62
Urbanized	1.40	1.83	1.15	1.25	0.82	0.94
Less Urbanized	1.46	1.34	1.28	1.11	0.83	0.81
Completely Rural	3.22	4.44	2.25	3.44	1.36	3.57

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.125P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.1357		0.3860		0.4697	
GEOGRAPHIC DIVISION						
Northeast	0.7588		0.7554		0.4531	
New England	0.0407		0.4047		0.4797	
Middle Atlantic	0.5711		0.4008		0.6201	
Midwest	0.1470		0.8414		0.5707	
East North Central	0.3929		0.3439		0.8207	
West North Central	0.1835		0.3180		0.5377	
South	0.9482		0.9378		0.9679	
South Atlantic	0.9834		0.5390		0.5947	
East South Central	0.4218		0.5396		0.2259	
West South Central	0.5233		0.8651		0.9129	
West	0.1654		0.0868		0.1581	
Mountain	0.3215		0.7878		0.4084	
Pacific	0.2973		0.0739		0.2398	
COUNTY TYPE						
Large Metro	0.1133		0.1912		0.0577	
Small Metro	0.8490		0.6235		0.3488	
250K – 1 Mil. Pop.	0.3584		0.6892		0.5046	
< 250K Pop.	0.2981		0.7783		0.5078	
Nonmetro	0.5098		0.4518		0.7985	
Urbanized	0.6526		0.2725		0.2312	
Less Urbanized	0.2610		0.4046		0.4506	
Completely Rural	0.1179		0.0360		0.1078	

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.126C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	728	788	375	364	274	226
GEOGRAPHIC DIVISION						
Northeast	330	374	121	134	78	88
New England	201	211	91	56	49	42
Middle Atlantic	264	313	81	121	62	77
Midwest	269	283	146	142	89	98
East North Central	208	246	125	115	78	80
West North Central	171	142	74	84	43	57
South	411	478	201	203	160	145
South Atlantic	306	372	158	167	122	115
East South Central	128	144	71	65	61	54
West South Central	242	265	103	96	83	70
West	418	415	251	229	187	113
Mountain	168	162	109	90	81	55
Pacific	383	382	226	211	169	99
COUNTY TYPE						
Large Metro	577	604	300	289	222	170
Small Metro	397	379	187	171	125	118
250K – 1 Mil. Pop.	326	315	156	148	95	102
< 250K Pop.	217	219	106	90	79	61
Nonmetro	274	282	127	128	96	74
Urbanized	170	185	78	89	46	53
Less Urbanized	178	194	101	86	85	48
Completely Rural	94	70	25	33	10	14

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.126D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.40	0.43	0.21	0.20	0.15	0.12
GEOGRAPHIC DIVISION						
Northeast	0.94	1.06	0.34	0.38	0.22	0.25
New England	2.17	2.28	0.98	0.61	0.53	0.46
Middle Atlantic	1.02	1.20	0.31	0.47	0.24	0.30
Midwest	0.66	0.69	0.36	0.34	0.22	0.24
East North Central	0.73	0.85	0.44	0.40	0.27	0.28
West North Central	1.41	1.15	0.61	0.69	0.36	0.46
South	0.64	0.73	0.31	0.31	0.25	0.22
South Atlantic	0.89	1.07	0.46	0.48	0.36	0.33
East South Central	1.18	1.31	0.66	0.59	0.56	0.49
West South Central	1.25	1.35	0.53	0.49	0.43	0.36
West	1.03	1.01	0.62	0.56	0.46	0.28
Mountain	1.44	1.36	0.94	0.75	0.69	0.46
Pacific	1.33	1.31	0.78	0.72	0.58	0.34
COUNTY TYPE						
Large Metro	0.60	0.61	0.31	0.29	0.23	0.17
Small Metro	0.74	0.71	0.35	0.32	0.23	0.22
250K – 1 Mil. Pop.	0.92	0.90	0.44	0.42	0.27	0.29
< 250K Pop.	1.17	1.20	0.57	0.49	0.43	0.34
Nonmetro	0.88	0.90	0.41	0.41	0.31	0.24
Urbanized	1.25	1.45	0.57	0.70	0.34	0.42
Less Urbanized	1.26	1.23	0.72	0.54	0.61	0.31
Completely Rural	2.85	2.46	0.77	1.16	0.31	0.48

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.126P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.3268		0.2243		0.1419	
GEOGRAPHIC DIVISION						
Northeast	0.7033		0.5855		0.9100	
New England	0.6257		0.0465		0.7202	
Middle Atlantic	0.4435		0.4088		0.7010	
Midwest	0.2865		0.7633		0.7274	
East North Central	0.9295		0.5947		0.8542	
West North Central	0.0985		0.1747		0.2851	
South	0.0778		0.4212		0.8801	
South Atlantic	0.0591		0.6064		0.9066	
East South Central	0.9759		0.3338		0.3123	
West South Central	0.6264		0.1049		0.2147	
West	0.0003		0.4603		0.0301	
Mountain	0.0785		0.5318		0.5852	
Pacific	0.0014		0.6054		0.0264	
COUNTY TYPE						
Large Metro	0.3132		0.3351		0.1046	
Small Metro	0.9513		0.3294		0.8946	
250K – 1 Mil. Pop.	0.5514		0.9067		0.2407	
< 250K Pop.	0.4184		0.0504		0.1921	
Nonmetro	0.5270		0.9085		0.4574	
Urbanized	0.9846		0.8790		0.8682	
Less Urbanized	0.3052		0.7390		0.2061	
Completely Rural	0.5545		0.3414		0.2956	

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.127C Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	748	820	408	399	286	247
GEOGRAPHIC DIVISION						
Northeast	338	384	140	152	91	99
New England	201	216	98	68	51	51
Middle Atlantic	274	322	101	136	75	85
Midwest	275	295	153	152	94	104
East North Central	216	252	135	122	83	87
West North Central	170	153	72	92	44	57
South	425	504	225	218	163	152
South Atlantic	312	389	177	173	123	122
East South Central	139	142	82	64	63	51
West South Central	252	288	112	116	87	74
West	429	429	267	255	194	132
Mountain	172	170	117	97	88	62
Pacific	392	394	240	236	173	116
COUNTY TYPE						
Large Metro	596	628	325	322	229	187
Small Metro	409	395	200	189	133	131
250K – 1 Mil. Pop.	336	323	169	157	105	110
< 250K Pop.	231	239	113	106	79	72
Nonmetro	275	296	143	137	101	81
Urbanized	177	203	90	100	54	60
Less Urbanized	178	194	109	89	86	52
Completely Rural	92	73	25	34	11	18

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.127D Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.35	0.38	0.19	0.19	0.13	0.11
GEOGRAPHIC DIVISION						
Northeast	0.83	0.94	0.34	0.37	0.22	0.24
New England	1.88	2.00	0.91	0.63	0.48	0.47
Middle Atlantic	0.91	1.07	0.34	0.45	0.25	0.28
Midwest	0.57	0.61	0.32	0.31	0.20	0.21
East North Central	0.64	0.74	0.40	0.36	0.25	0.26
West North Central	1.18	1.05	0.50	0.63	0.31	0.39
South	0.56	0.65	0.30	0.28	0.22	0.20
South Atlantic	0.78	0.96	0.44	0.43	0.31	0.30
East South Central	1.09	1.10	0.64	0.49	0.50	0.40
West South Central	1.09	1.22	0.49	0.49	0.37	0.31
West	0.89	0.88	0.56	0.52	0.40	0.27
Mountain	1.24	1.19	0.84	0.68	0.63	0.44
Pacific	1.15	1.14	0.71	0.69	0.51	0.34
COUNTY TYPE						
Large Metro	0.53	0.55	0.29	0.28	0.20	0.16
Small Metro	0.64	0.62	0.31	0.30	0.21	0.20
250K – 1 Mil. Pop.	0.80	0.77	0.40	0.37	0.25	0.26
< 250K Pop.	1.05	1.09	0.51	0.48	0.36	0.33
Nonmetro	0.77	0.81	0.40	0.38	0.28	0.22
Urbanized	1.10	1.35	0.56	0.67	0.34	0.40
Less Urbanized	1.10	1.07	0.67	0.49	0.53	0.29
Completely Rural	2.51	2.29	0.69	1.08	0.30	0.56

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.127P Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.2120		0.1745		0.1132	
GEOGRAPHIC DIVISION						
Northeast	0.7535		0.7470		0.6927	
New England	0.4470		0.0586		0.9149	
Middle Atlantic	0.3970		0.2824		0.5847	
Midwest	0.1645		0.8253		0.6209	
East North Central	0.7716		0.4416		0.9081	
West North Central	0.0524		0.1119		0.2153	
South	0.0892		0.4495		0.8752	
South Atlantic	0.0653		0.5243		0.9609	
East South Central	0.7959		0.2686		0.1613	
West South Central	0.7607		0.1721		0.2396	
West	0.0002		0.2457		0.0196	
Mountain	0.0574		0.5015		0.4910	
Pacific	0.0013		0.3305		0.0207	
COUNTY TYPE						
Large Metro	0.1909		0.1875		0.0355	
Small Metro	0.9154		0.6298		0.5572	
250K – 1 Mil. Pop.	0.6723		0.6859		0.1658	
< 250K Pop.	0.6470		0.1468		0.3959	
Nonmetro	0.4350		0.8806		0.4994	
Urbanized	0.9799		0.9600		0.8616	
Less Urbanized	0.1824		0.4731		0.2793	
Completely Rural	0.3923		0.0899		0.0746	

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.