

Table 5.66C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	49	78	6	8	17	15	*	75
Rehabilitation Facility - Inpatient	65	60	8	10	20	16	*	57
Rehabilitation Facility - Outpatient	77	95	11	12	21	23	*	*
Mental Health Center - Outpatient	50	69	8	11	14	18	47	64
Emergency Room	23	44	7	5	12	10	20	41
Private Doctor's Office	29	29	5	5	6	8	27	28
Self-Help Group	75	84	10	9	25	22	*	78
Prison/Jail	26	30	5	4	8	8	*	29

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.66D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	3.61	4.03	5.18	4.75	4.00	3.67	*	5.68
Rehabilitation Facility - Inpatient	4.04	3.50	5.84	5.04	4.37	3.79	*	5.02
Rehabilitation Facility - Outpatient	3.60	3.75	5.51	5.17	4.26	3.77	*	*
Mental Health Center - Outpatient	3.28	3.87	5.23	5.65	3.71	4.11	5.10	5.57
Emergency Room	2.02	2.81	5.03	3.45	3.11	2.61	2.96	4.05
Private Doctor's Office	2.38	2.06	3.86	3.51	1.71	2.23	3.87	2.91
Self-Help Group	3.60	3.96	5.79	5.66	4.03	4.04	*	5.72
Prison/Jail	2.14	2.03	3.92	2.83	2.29	2.30	*	2.92

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.66P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.1881		0.8588		0.7038		*	
Rehabilitation Facility - Inpatient	0.2469		0.4930		0.6471		*	
Rehabilitation Facility - Outpatient	0.6313		0.6592		0.1395		*	
Mental Health Center - Outpatient	0.4307		0.8993		0.0456		0.9679	
Emergency Room	0.2383		0.0427		0.9455		0.0814	
Private Doctor's Office	0.7475		0.5367		0.1867		0.5268	
Self-Help Group	0.1847		0.1140		0.3723		*	
Prison/Jail	0.9819		0.6314		0.3160		*	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.67C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	58	65	*	8	11	12	56	63
Rehabilitation Facility - Inpatient	72	76	*	10	17	15	68	73
Rehabilitation Facility - Outpatient	75	110	*	12	21	24	71	107
Mental Health Center - Outpatient	52	101	*	10	15	15	49	99
Emergency Room	26	44	*	6	5	8	25	43
Private Doctor's Office	31	31	*	6	5	8	31	29
Self-Help Group	80	115	*	10	21	20	77	113
Prison/Jail	32	31	*	5	6	8	31	29

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.67D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	3.62	3.32	*	4.85	3.24	3.10	5.06	4.57
Rehabilitation Facility - Inpatient	3.97	3.62	*	5.54	4.18	3.72	5.42	5.03
Rehabilitation Facility - Outpatient	3.81	3.02	*	5.25	4.20	3.76	5.27	4.10
Mental Health Center - Outpatient	3.26	3.96	*	5.94	4.15	4.12	4.46	5.21
Emergency Room	1.93	2.41	*	4.14	1.69	2.23	2.67	3.31
Private Doctor's Office	2.28	2.05	*	4.08	1.60	2.27	3.28	2.77
Self-Help Group	3.75	3.47	*	5.94	4.19	4.60	5.17	4.42
Prison/Jail	2.30	1.99	*	3.53	1.97	2.33	3.18	2.68

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.67P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.6763		*		0.8409		0.6817	
Rehabilitation Facility - Inpatient	0.4458		*		0.5451		0.4020	
Rehabilitation Facility - Outpatient	0.0938		*		0.1648		0.1778	
Mental Health Center - Outpatient	0.0272		*		0.7088		0.0295	
Emergency Room	0.0784		*		0.1658		0.1298	
Private Doctor's Office	0.9952		*		0.1224		0.7787	
Self-Help Group	0.5270		*		0.6620		0.4272	
Prison/Jail	0.9603		*		0.3298		0.7946	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.68C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	66	88	9	10	17	16	63	85
Rehabilitation Facility - Inpatient	80	88	11	12	22	19	76	84
Rehabilitation Facility - Outpatient	94	137	13	13	27	30	88	130
Mental Health Center - Outpatient	68	111	11	13	18	20	66	107
Emergency Room	34	60	9	8	12	11	31	57
Private Doctor's Office	37	43	8	7	8	10	36	41
Self-Help Group	96	134	12	12	28	26	91	129
Prison/Jail	35	43	6	6	9	10	33	41

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.68D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2003 and 2004

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	2.82	2.91	4.52	4.12	3.02	2.57	4.17	4.06
Rehabilitation Facility - Inpatient	3.12	2.90	4.66	4.32	3.43	2.88	4.47	4.08
Rehabilitation Facility - Outpatient	2.96	2.66	4.52	4.30	3.35	3.15	4.25	3.63
Mental Health Center - Outpatient	2.70	3.25	4.48	4.70	3.01	3.21	3.98	4.47
Emergency Room	1.77	2.20	4.43	3.69	2.38	1.88	2.46	3.09
Private Doctor's Office	1.86	1.84	3.99	3.37	1.57	1.78	2.75	2.57
Self-Help Group	2.85	2.98	4.66	4.99	3.21	3.44	4.16	4.09
Prison/Jail	1.74	1.77	3.43	3.15	1.90	1.81	2.49	2.47

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.68P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Location of Treatment ¹	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	0.6253		0.9481		0.7075		0.5840	
Rehabilitation Facility - Inpatient	0.8927		0.3870		0.5283		0.8647	
Rehabilitation Facility - Outpatient	0.1718		0.9609		0.3334		0.2578	
Mental Health Center - Outpatient	0.4240		0.7064		0.4963		0.5748	
Emergency Room	0.0799		0.2134		0.6942		0.0453	
Private Doctor's Office	0.8509		0.4513		0.3200		0.9343	
Self-Help Group	0.7248		0.8528		0.2682		0.8955	
Prison/Jail	0.5930		0.8336		0.4442		0.7231	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.