

Table 8.17A Numbers (in Thousands) of Persons Aged 18 or Older, by Gender and Detailed Age Category: 2004

Age Category	Total		GENDER			
			Male		Female	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	215,300	215,300	103,605	103,605	111,695	111,695
18	4,355	4,768	2,352	2,427	2,002	2,340
19	3,999	3,798	2,170	1,942	1,830	1,855
20	3,889	4,057	1,950	2,125	1,939	1,933
21	4,326	3,926	2,139	1,873	2,187	2,052
22	4,059	3,888	2,045	1,966	2,014	1,923
23	3,907	3,885	1,960	1,852	1,947	2,034
24	4,110	3,990	1,991	1,938	2,119	2,052
25	3,548	3,882	1,564	2,049	1,985	1,833
26-29	15,423	15,125	7,970	7,607	7,452	7,518
30-34	19,552	19,850	9,401	9,764	10,151	10,086
35-39	20,123	20,756	9,741	9,821	10,382	10,936
40-44	22,989	23,006	11,262	11,463	11,728	11,543
45-49	22,015	21,366	10,992	10,711	11,024	10,654
50-54	19,504	19,536	8,845	9,543	10,659	9,993
55-59	16,948	16,349	8,406	8,022	8,542	8,326
60-64	11,873	12,441	6,095	5,781	5,779	6,660
65 or Older	34,679	34,679	14,722	14,722	19,957	19,957

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.17N Survey Sample Size for Respondents Aged 18 or Older, by Gender and Detailed Age Category: 2004

Age Category	Total		GENDER			
			Male		Female	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	22,628	22,825	10,635	10,692	11,993	12,133
18	1,561	1,691	815	839	746	852
19	1,423	1,465	717	719	706	746
20	1,353	1,440	636	699	717	741
21	1,370	1,429	664	658	706	771
22	1,406	1,416	663	671	743	745
23	1,377	1,412	664	634	713	778
24	1,481	1,410	683	659	798	751
25	1,254	1,338	540	659	714	679
26-29	1,502	1,480	724	685	778	795
30-34	1,829	1,763	851	803	978	960
35-39	1,615	1,574	721	717	894	857
40-44	1,682	1,714	769	788	913	926
45-49	1,693	1,671	800	782	893	889
50-54	726	757	325	356	401	401
55-59	651	619	313	275	338	344
60-64	495	463	238	212	257	251
65 or Older	1,210	1,183	512	536	698	647

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.18A Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Demographic Characteristics: 2004

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	215,300	215,300	32,194	32,194	100,102	100,102	83,004	83,004
GENDER								
Male	103,605	103,605	16,172	16,172	49,366	49,366	38,068	38,068
Female	111,695	111,695	16,022	16,022	50,737	50,737	44,936	44,936
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	188,504	188,504	26,429	26,475	85,104	85,050	76,971	76,980
White	151,599	152,388	19,953	20,268	66,225	66,638	65,421	65,483
Black or African American	24,312	23,994	4,336	4,193	12,226	12,013	7,750	7,788
American Indian or Alaska Native	1,171	1,047	158	141	640	563	372	344
Native Hawaiian or Other Pacific Islander	482	604	78	139	222	378	182	86
Asian	9,031	8,691	1,528	1,404	5,098	4,489	2,405	2,798
Two or More Races	1,910	1,779	376	329	693	968	841	481
Hispanic or Latino	26,797	26,797	5,765	5,719	14,998	15,053	6,033	6,024
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	73,048	73,860	9,794	10,328	32,260	33,311	30,993	30,220
Female, White, Not Hispanic	78,551	78,529	10,159	9,939	33,965	33,327	34,427	35,263
Male, Black, Not Hispanic	10,833	10,567	2,084	1,931	5,854	5,417	2,895	3,219
Female, Black, Not Hispanic	13,479	13,427	2,252	2,263	6,372	6,596	4,855	4,569
Male, Hispanic	13,746	13,746	3,263	2,968	8,225	7,458	2,258	3,320
Female, Hispanic	13,050	13,050	2,502	2,751	6,773	7,595	3,775	2,704
EDUCATION								
< High School	36,282	36,869	6,742	6,601	13,908	14,256	15,632	16,013
High School Graduate	68,266	68,315	10,959	11,137	29,329	29,263	27,978	27,915
Some College	55,574	53,050	10,479	10,124	25,737	26,094	19,357	16,832
College Graduate	55,179	57,066	4,014	4,333	31,128	30,489	20,037	22,244
CURRENT EMPLOYMENT								
Full-Time	117,169	119,767	15,024	15,129	71,492	72,751	30,653	31,887
Part-Time	26,712	28,238	8,005	8,138	10,624	10,490	8,084	9,610
Unemployed	8,047	7,467	2,755	2,569	3,752	3,600	1,540	1,298
Other ¹	63,372	59,827	6,410	6,358	14,235	13,261	42,727	40,209

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.18N Survey Sample Size for Respondents Aged 18 or Older, by Age Group and Demographic Characteristics: 2004

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	22,628	22,825	11,225	11,601	8,321	8,202	3,082	3,022
GENDER								
Male	10,635	10,692	5,382	5,538	3,865	3,775	1,388	1,379
Female	11,993	12,133	5,843	6,063	4,456	4,427	1,694	1,643
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	19,598	19,790	9,468	9,846	7,232	7,112	2,898	2,832
White	15,420	15,577	7,224	7,512	5,704	5,631	2,492	2,434
Black or African American	2,622	2,590	1,418	1,450	940	886	264	254
American Indian or Alaska Native	239	292	118	158	98	107	23	27
Native Hawaiian or Other Pacific Islander	80	96	48	61	27	30	5	5
Asian	759	788	396	410	307	306	56	72
Two or More Races	478	447	264	255	156	152	58	40
Hispanic or Latino	3,030	3,035	1,757	1,755	1,089	1,090	184	190
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	7,292	7,416	3,486	3,687	2,660	2,607	1,146	1,122
Female, White, Not Hispanic	8,128	8,161	3,738	3,825	3,044	3,024	1,346	1,312
Male, Black, Not Hispanic	1,118	1,076	620	601	390	366	108	109
Female, Black, Not Hispanic	1,504	1,514	798	849	550	520	156	145
Male, Hispanic	1,482	1,442	878	837	539	522	65	83
Female, Hispanic	1,548	1,593	879	918	550	568	119	107
EDUCATION								
< High School	3,820	4,070	2,205	2,377	1,062	1,113	553	580
High School Graduate	7,647	7,610	4,007	4,054	2,542	2,512	1,098	1,044
Some College	6,518	6,465	3,587	3,705	2,223	2,123	708	637
College Graduate	4,643	4,680	1,426	1,465	2,494	2,454	723	761
CURRENT EMPLOYMENT								
Full-Time	12,434	12,379	5,346	5,311	5,917	5,877	1,171	1,191
Part-Time	4,131	4,234	2,847	2,983	956	904	328	347
Unemployed	1,202	1,288	862	927	289	311	51	50
Other ¹	4,861	4,924	2,170	2,380	1,159	1,110	1,532	1,434

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.19A Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Geographic Characteristics: 2004

Geographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	215,300	215,300	32,194	32,194	100,102	100,102	83,004	83,004
GEOGRAPHIC DIVISION								
Northeast	40,961	40,961	5,684	5,684	18,842	18,842	16,435	16,435
New England	10,772	10,772	1,488	1,488	4,990	4,990	4,294	4,294
Middle Atlantic	30,189	30,189	4,196	4,196	13,851	13,851	12,141	12,141
Midwest	48,530	48,530	7,441	7,441	22,232	22,232	18,857	18,857
East North Central	33,930	33,930	5,127	5,127	15,655	15,655	13,148	13,148
West North Central	14,601	14,601	2,314	2,314	6,578	6,578	5,709	5,709
South	77,140	77,140	11,538	11,538	35,727	35,727	29,875	29,875
South Atlantic	40,612	40,612	5,706	5,706	18,638	18,638	16,268	16,268
East South Central	12,943	12,943	1,951	1,951	5,891	5,891	5,101	5,101
West South Central	23,585	23,585	3,881	3,881	11,198	11,198	8,506	8,506
West	48,669	48,669	7,531	7,531	23,301	23,301	17,837	17,837
Mountain	14,241	14,241	2,287	2,287	6,668	6,668	5,286	5,286
Pacific	34,428	34,428	5,244	5,244	16,633	16,633	12,551	12,551
COUNTY TYPE								
Large Metro	113,497	116,170	16,414	16,642	56,219	57,137	40,864	42,391
Small Metro	65,115	63,268	10,691	10,716	28,379	28,232	26,045	24,319
250K - 1 Mil. Pop.	42,059	42,245	6,912	6,956	18,764	19,163	16,382	16,126
< 250K Pop.	23,056	21,024	3,778	3,761	9,615	9,069	9,663	8,194
Nonmetro	36,688	35,862	5,089	4,835	15,504	14,733	16,095	16,294
Urbanized	15,345	14,674	2,301	2,340	6,455	6,426	6,588	5,908
Less Urbanized	18,337	18,011	2,463	2,216	7,766	7,212	8,108	8,582
Completely Rural	3,007	3,177	325	279	1,283	1,095	1,399	1,803

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 8.19N Survey Sample Size for Respondents Aged 18 or Older, by Age Group and Geographic Characteristics: 2004

Geographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B	Sample A	Sample B
TOTAL	22,628	22,825	11,225	11,601	8,321	8,202	3,082	3,022
GEOGRAPHIC DIVISION								
Northeast	4,645	4,516	2,285	2,247	1,706	1,633	654	636
New England	1,844	1,786	900	888	689	655	255	243
Middle Atlantic	2,801	2,730	1,385	1,359	1,017	978	399	393
Midwest	6,202	6,387	3,085	3,274	2,256	2,251	861	862
East North Central	4,122	4,240	2,075	2,150	1,484	1,511	563	579
West North Central	2,080	2,147	1,010	1,124	772	740	298	283
South	6,957	7,025	3,481	3,573	2,546	2,515	930	937
South Atlantic	3,576	3,680	1,761	1,838	1,346	1,325	469	517
East South Central	1,208	1,268	598	664	438	444	172	160
West South Central	2,173	2,077	1,122	1,071	762	746	289	260
West	4,824	4,897	2,374	2,507	1,813	1,803	637	587
Mountain	2,446	2,420	1,207	1,228	898	872	341	320
Pacific	2,378	2,477	1,167	1,279	915	931	296	267
COUNTY TYPE								
Large Metro	10,014	10,142	4,910	4,993	3,851	3,885	1,253	1,264
Small Metro	7,748	7,852	3,982	4,231	2,735	2,619	1,031	1,002
250K - 1 Mil. Pop.	4,951	4,931	2,470	2,611	1,814	1,684	667	636
< 250K Pop.	2,797	2,921	1,512	1,620	921	935	364	366
Nonmetro	4,866	4,831	2,333	2,377	1,735	1,698	798	756
Urbanized	2,077	2,127	1,060	1,124	696	744	321	259
Less Urbanized	2,306	2,261	1,090	1,066	833	798	383	397
Completely Rural	483	443	183	187	206	156	94	100

NOTE: In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.