

**Table 5.53A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	345 <sup>a</sup>	549	32	40	106	102	206 <sup>a</sup>	406
Rehabilitation Facility - Inpatient	486	540	44	60	145	141	296	339
Rehabilitation Facility - Outpatient	769 <sup>a</sup>	1,030	77	87	203	239	489	704
Mental Health Center - Outpatient	412 <sup>a</sup>	590	45	55	95	139	272	396
Emergency Room	131 <sup>a</sup>	253	28	20	48	49	55 <sup>b</sup>	185
Private Doctor's Office	227	209	38	40	49	56	140	112
Self-Help Group	1,074	1,175	91	87	303	289	681	800
Prison/Jail	144	163	24	18	44	53	76	92

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.53B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	19.1	25.0	13.3	14.5	19.6	18.9	20.3	29.6
Rehabilitation Facility - Inpatient	26.9	24.7	18.3	21.7	26.8	26.0	29.1	24.7
Rehabilitation Facility - Outpatient	42.7	47.0	31.9	31.7	37.4	44.0	48.0	51.3
Mental Health Center - Outpatient	22.9	26.9	18.7	20.0	17.5 <sup>a</sup>	25.5	26.7	28.9
Emergency Room	7.3	11.6	11.6	7.2	8.9	9.0	5.4 <sup>a</sup>	13.4
Private Doctor's Office	12.6	9.5	15.8	14.5	9.0	10.4	13.8	8.2
Self-Help Group	59.6	53.6	37.4	31.4	55.8	53.2	66.9	58.2
Prison/Jail	8.0	7.4	9.8	6.4	8.0	9.8	7.5	6.7

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.54A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	400	505	36	40	59	66	305	400
Rehabilitation Facility - Inpatient	516	673	39	56	112	107	364	509
Rehabilitation Facility - Outpatient	805 <sup>a</sup>	1,074	61	83	200	237	544	754
Mental Health Center - Outpatient	434 <sup>a</sup>	682	39	52	94	107	301 <sup>a</sup>	522
Emergency Room	125 <sup>a</sup>	238	19	22	20	34	86	182
Private Doctor's Office	246	310	28	41	36	54	183	215
Self-Help Group	1,356	1,524	83	91	284	290	989	1,143
Prison/Jail	154	199	15	24	31	44	108	130

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.54B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	17.0	19.0	16.6	16.9	9.9	11.4	19.8	21.6
Rehabilitation Facility - Inpatient	21.9	25.3	18.3	23.9	18.7	18.7	23.6	27.5
Rehabilitation Facility - Outpatient	34.1	40.4	28.4	35.2	33.4	41.2	35.2	40.8
Mental Health Center - Outpatient	18.4 <sup>a</sup>	25.6	18.0	22.3	15.8	18.6	19.5	28.3
Emergency Room	5.3	8.9	8.7	9.5	3.4	5.8	5.6	9.8
Private Doctor's Office	10.4	11.6	12.8	17.4	6.0	9.3	11.8	11.6
Self-Help Group	57.5	57.3	38.5	38.5	47.5	50.4	64.1	61.9
Prison/Jail	6.5	7.5	7.1	10.4	5.2	7.7	7.0	7.0

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.55A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	587	775	57	63	123	130	407	582
Rehabilitation Facility - Inpatient	752	947	65	82	185	193	502	672
Rehabilitation Facility - Outpatient	1,243 <sup>a</sup>	1,666	111	122	316	381	815 <sup>a</sup>	1,163
Mental Health Center - Outpatient	729	982	73	85	159	196	496	701
Emergency Room	251 <sup>b</sup>	453	50	44	67	79	134 <sup>b</sup>	330
Private Doctor's Office	377	490	56	67	81	90	240	333
Self-Help Group	1,911	2,098	132	138	471	459	1,309	1,501
Prison/Jail	206	310	30	35	62	70	114	206

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.55B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2003 and 2004**

Location of Treatment <sup>1</sup>	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
Hospital as an Inpatient	17.7	20.4	15.9	15.4	13.8	14.9	19.6	23.2
Rehabilitation Facility - Inpatient	22.6	25.0	18.0	20.2	20.8	22.1	24.2	26.8
Rehabilitation Facility - Outpatient	37.3 <sup>a</sup>	43.9	30.7	30.0	35.5 <sup>a</sup>	43.5	39.3	46.3
Mental Health Center - Outpatient	21.9	25.9	20.3	21.0	17.9	22.4	23.9	27.9
Emergency Room	7.5 <sup>a</sup>	11.9	13.9	10.7	7.5	9.0	6.5 <sup>a</sup>	13.2
Private Doctor's Office	11.3	12.9	15.6	16.5	9.1	10.3	11.6	13.3
Self-Help Group	57.4	55.3	36.4	33.9	52.8	52.5	63.1	59.8
Prison/Jail	6.2	8.2	8.4	8.5	6.9	8.0	5.5	8.2

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.