

**Table 3.24A Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	5,940	5,815	18,979	19,311
<b>AGE</b>				
12-13	2,052	2,025	6,364	6,307
14-15	2,166	2,146	6,076 <sup>a</sup>	6,485
16-17	1,722	1,644	6,539	6,518
<b>GENDER</b>				
Male	3,501	3,515	9,218	9,303
Female	2,439	2,300	9,761	10,008
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	4,803	4,757	16,062	16,156
White	3,320	3,319	12,208	12,136
Black or African American	1,122	1,150	2,598	2,638
American Indian or Alaska Native	56	37	116	128
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	161	114	807	887
Two or More Races	118	119	283	321
Hispanic or Latino	1,137	1,058	2,917	3,155
<b>COUNTY TYPE</b>				
Large Metro	3,242	3,064	10,026	10,232
Small Metro	1,726	1,828	5,656	5,796
Nonmetro	972	923	3,297	3,283
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	1,164	1,099	1,634	1,560
Marijuana	805	779	1,159	1,120
Illicit Drug Other Than Marijuana <sup>2</sup>	616	588	794	729
Cigarettes	1,136	1,172	1,894	1,804
Alcohol	1,475	1,470	2,941	2,953
Binge Alcohol <sup>3</sup>	975	1,055	1,678	1,731
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	2,069	2,030	3,362	3,246
Marijuana	1,414	1,398	2,313	2,239
Illicit Drug Other Than Marijuana <sup>2</sup>	1,361	1,347	1,977	1,906
Cigarettes	1,687	1,709	3,028	2,906
Alcohol	2,686	2,669	5,861	5,844
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	2,803	2,727	4,799	4,805
Marijuana	1,765	1,757	3,102	3,008
Illicit Drug Other Than Marijuana <sup>2</sup>	2,087	2,035	3,216	3,294
Cigarettes	2,579	2,467	5,147	4,859
Alcohol	3,371	3,265	7,322	7,286

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.24B Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	23.8	23.1	76.2	76.9
<b>AGE</b>				
12-13	24.4	24.3	75.6	75.7
14-15	26.3	24.9	73.7	75.1
16-17	20.8	20.1	79.2	79.9
<b>GENDER</b>				
Male	27.5	27.4	72.5	72.6
Female	20.0	18.7	80.0	81.3
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	23.0	22.7	77.0	77.3
White	21.4	21.5	78.6	78.5
Black or African American	30.2	30.4	69.8	69.6
American Indian or Alaska Native	32.7	22.4	67.3	77.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	16.7 <sup>a</sup>	11.4	83.3 <sup>a</sup>	88.6
Two or More Races	29.4	27.0	70.6	73.0
Hispanic or Latino	28.0	25.1	72.0	74.9
<b>COUNTY TYPE</b>				
Large Metro	24.4	23.0	75.6	77.0
Small Metro	23.4	24.0	76.6	76.0
Nonmetro	22.8	22.0	77.2	78.0
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	19.6	18.9	8.6	8.1
Marijuana	13.6	13.4	6.1	5.8
Illicit Drug Other Than Marijuana <sup>2</sup>	10.4	10.1	4.2	3.8
Cigarettes	19.1	20.2	10.0	9.3
Alcohol	24.8	25.3	15.5	15.3
Binge Alcohol <sup>3</sup>	16.4	18.1	8.8	9.0
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	34.8	34.9	17.7	16.8
Marijuana	23.8	24.0	12.2	11.6
Illicit Drug Other Than Marijuana <sup>2</sup>	22.9	23.2	10.4	9.9
Cigarettes	28.4	29.4	16.0	15.0
Alcohol	45.2	45.9	30.9	30.3
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	47.2	46.9	25.3	24.9
Marijuana	29.7	30.2	16.3	15.6
Illicit Drug Other Than Marijuana <sup>2</sup>	35.1	35.0	16.9	17.1
Cigarettes	43.4	42.4	27.1 <sup>b</sup>	25.2
Alcohol	56.8	56.1	38.6	37.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.25A Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	4,519	4,281	20,386	20,859
<b>AGE</b>				
12-13	1,544 <sup>b</sup>	1,348	6,869	6,992
14-15	1,608	1,584	6,627 <sup>a</sup>	7,053
16-17	1,368	1,349	6,890	6,814
<b>GENDER</b>				
Male	2,468	2,458	10,239	10,371
Female	2,051 <sup>a</sup>	1,822	10,147	10,488
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3,667	3,447	17,195	17,474
White	2,564	2,415	12,963	13,050
Black or African American	824	758	2,895	3,030
American Indian or Alaska Native	44	*	130	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	132	121	834	878
Two or More Races	82	92	319	349
Hispanic or Latino	852	834	3,191	3,385
<b>COUNTY TYPE</b>				
Large Metro	2,397	2,230	10,855	11,079
Small Metro	1,382	1,304	6,002	6,316
Nonmetro	741	747	3,529	3,465
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	959	962	1,840	1,696
Marijuana	684	712	1,280	1,183
Illicit Drug Other Than Marijuana <sup>2</sup>	511	487	899	830
Cigarettes	959	1,016	2,066	1,956
Alcohol	1,234	1,238	3,180	3,182
Binge Alcohol <sup>3</sup>	869	911	1,781	1,873
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	1,667	1,684	3,763	3,587
Marijuana	1,159	1,200	2,567	2,430
Illicit Drug Other Than Marijuana <sup>2</sup>	1,121	1,104	2,217	2,147
Cigarettes	1,373	1,395	3,338	3,219
Alcohol	2,182	2,111	6,361	6,399
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	2,245	2,227	5,348	5,305
Marijuana	1,438	1,501	3,427	3,259
Illicit Drug Other Than Marijuana <sup>2</sup>	1,706	1,652	3,588	3,679
Cigarettes	2,060	1,957	5,659	5,369
Alcohol	2,690	2,486	7,999	8,068

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.25B Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	18.1 <sup>a</sup>	17.0	81.9 <sup>a</sup>	83.0
<b>AGE</b>				
12-13	18.3 <sup>b</sup>	16.2	81.7 <sup>b</sup>	83.8
14-15	19.5	18.3	80.5	81.7
16-17	16.6	16.5	83.4	83.5
<b>GENDER</b>				
Male	19.4	19.2	80.6	80.8
Female	16.8 <sup>b</sup>	14.8	83.2 <sup>b</sup>	85.2
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	17.6 <sup>a</sup>	16.5	82.4 <sup>a</sup>	83.5
White	16.5	15.6	83.5	84.4
Black or African American	22.1	20.0	77.9	80.0
American Indian or Alaska Native	25.4	*	74.6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13.7	12.1	86.3	87.9
Two or More Races	20.5	20.8	79.5	79.2
Hispanic or Latino	21.1	19.8	78.9	80.2
<b>COUNTY TYPE</b>				
Large Metro	18.1 <sup>a</sup>	16.8	81.9 <sup>a</sup>	83.2
Small Metro	18.7	17.1	81.3	82.9
Nonmetro	17.3	17.7	82.7	82.3
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	21.2	22.5	9.0 <sup>a</sup>	8.1
Marijuana	15.1	16.6	6.3	5.7
Illicit Drug Other Than Marijuana <sup>2</sup>	11.3	11.4	4.4	4.0
Cigarettes	21.2 <sup>a</sup>	23.7	10.1	9.4
Alcohol	27.3	28.9	15.6	15.3
Binge Alcohol <sup>3</sup>	19.2	21.3	8.7	9.0
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	36.9	39.3	18.5 <sup>a</sup>	17.2
Marijuana	25.6	28.0	12.6 <sup>a</sup>	11.6
Illicit Drug Other Than Marijuana <sup>2</sup>	24.8	25.8	10.9	10.3
Cigarettes	30.4	32.6	16.4	15.4
Alcohol	48.3	49.3	31.2	30.7
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	49.7	52.0	26.2	25.4
Marijuana	31.8 <sup>a</sup>	35.1	16.8 <sup>a</sup>	15.6
Illicit Drug Other Than Marijuana <sup>2</sup>	37.7	38.6	17.6	17.6
Cigarettes	45.6	45.7	27.8 <sup>b</sup>	25.7
Alcohol	59.5	58.1	39.2	38.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.26A Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	904	818	24,023	24,335
<b>AGE</b>				
12-13	233 <sup>a</sup>	173	8,202	8,179
14-15	301	285	7,929 <sup>a</sup>	8,350
16-17	369	360	7,892	7,806
<b>GENDER</b>				
Male	761	695	11,957	12,139
Female	143	123	12,066	12,196
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	719	667	20,157	20,264
White	538	469	14,994	15,003
Black or African American	128	163	3,594	3,627
American Indian or Alaska Native	8	7	168	158
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	27	13	944	987
Two or More Races	13	12	387	426
Hispanic or Latino	185	152	3,866	4,071
<b>COUNTY TYPE</b>				
Large Metro	410	365	12,859	12,948
Small Metro	289	274	7,096	7,350
Nonmetro	205	179	4,068	4,037
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	294	275	2,503	2,387
Marijuana	217	222	1,744	1,678
Illicit Drug Other Than Marijuana <sup>2</sup>	180	133	1,231	1,185
Cigarettes	273	275	2,756	2,705
Alcohol	324	313	4,090	4,109
Binge Alcohol <sup>3</sup>	241	267	2,408	2,520
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	428	375	4,998	4,893
Marijuana	331	314	3,390	3,316
Illicit Drug Other Than Marijuana <sup>2</sup>	295 <sup>a</sup>	235	3,043	3,014
Cigarettes	367	339	4,344	4,281
Alcohol	509	470	8,033	8,040
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	565	483	7,028	7,048
Marijuana	401	382	4,462	4,379
Illicit Drug Other Than Marijuana <sup>2</sup>	438 <sup>a</sup>	361	4,861	4,966
Cigarettes	531	477	7,192	6,850
Alcohol	598	545	10,090	10,015

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.26B Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	3.6	3.3	96.4	96.7
<b>AGE</b>				
12-13	2.8 <sup>a</sup>	2.1	97.2 <sup>a</sup>	97.9
14-15	3.7	3.3	96.3	96.7
16-17	4.5	4.4	95.5	95.6
<b>GENDER</b>				
Male	6.0	5.4	94.0	94.6
Female	1.2	1.0	98.8	99.0
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3.4	3.2	96.6	96.8
White	3.5	3.0	96.5	97.0
Black or African American	3.4	4.3	96.6	95.7
American Indian or Alaska Native	4.4	4.3	95.6	95.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.7	1.3	97.3	98.7
Two or More Races	3.3	2.8	96.7	97.2
Hispanic or Latino	4.6	3.6	95.4	96.4
<b>COUNTY TYPE</b>				
Large Metro	3.1	2.7	96.9	97.3
Small Metro	3.9	3.6	96.1	96.4
Nonmetro	4.8	4.2	95.2	95.8
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	32.5	33.6	10.4	9.8
Marijuana	24.0	27.2	7.3	6.9
Illicit Drug Other Than Marijuana <sup>2</sup>	19.9	16.3	5.1	4.9
Cigarettes	30.2	33.6	11.5	11.1
Alcohol	35.8	38.3	17.0	16.9
Binge Alcohol <sup>3</sup>	26.7 <sup>a</sup>	32.7	10.0	10.4
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	47.3	45.8	20.8	20.1
Marijuana	36.7	38.3	14.1	13.6
Illicit Drug Other Than Marijuana <sup>2</sup>	32.7	28.8	12.7	12.4
Cigarettes	40.6	41.4	18.1	17.6
Alcohol	56.4	57.4	33.4	33.0
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	62.5	59.1	29.3	29.0
Marijuana	44.3	46.6	18.6	18.0
Illicit Drug Other Than Marijuana <sup>2</sup>	48.5	44.1	20.2	20.4
Cigarettes	58.7	58.3	29.9 <sup>b</sup>	28.1
Alcohol	66.2	66.7	42.0	41.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.27A Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	904	967	24,013	24,179
<b>AGE</b>				
12-13	57	72	8,378	8,279
14-15	311	317	7,920 <sup>a</sup>	8,323
16-17	535	578	7,715	7,576
<b>GENDER</b>				
Male	653	662	12,060	12,162
Female	250	305	11,953	12,017
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	762	805	20,104	20,125
White	601	606	14,929	14,862
Black or African American	118	148	3,596	3,644
American Indian or Alaska Native	10	7	165	158
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	5	11	967	989
Two or More Races	24	30	377	411
Hispanic or Latino	141	161	3,909	4,054
<b>COUNTY TYPE</b>				
Large Metro	472	491	12,792	12,824
Small Metro	265	305	7,114	7,315
Nonmetro	167	171	4,106	4,040
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	605	673	2,174 <sup>a</sup>	1,981
Marijuana	530	616	1,413	1,275
Illicit Drug Other Than Marijuana <sup>2</sup>	325	327	1,074	987
Cigarettes	544	589	2,471	2,378
Alcohol	602	672	3,797	3,743
Binge Alcohol <sup>3</sup>	493	575	2,146	2,204
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	786	842	4,623	4,422
Marijuana	733	801	2,971	2,821
Illicit Drug Other Than Marijuana <sup>2</sup>	538	576	2,789	2,671
Cigarettes	658	703	4,041	3,903
Alcohol	780	861	7,742	7,641
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	840	899	6,737	6,622
Marijuana	784	859	4,058	3,888
Illicit Drug Other Than Marijuana <sup>2</sup>	653	701	4,630	4,616
Cigarettes	773	823	6,936 <sup>a</sup>	6,489
Alcohol	827	905	9,841	9,640

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.27B Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	3.6	3.8	96.4	96.2
<b>AGE</b>				
12-13	0.7	0.9	99.3	99.1
14-15	3.8	3.7	96.2	96.3
16-17	6.5	7.1	93.5	92.9
<b>GENDER</b>				
Male	5.1	5.2	94.9	94.8
Female	2.1	2.5	97.9	97.5
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	3.7	3.8	96.3	96.2
White	3.9	3.9	96.1	96.1
Black or African American	3.2	3.9	96.8	96.1
American Indian or Alaska Native	5.9	4.5	94.1	95.5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.5	1.1	99.5	98.9
Two or More Races	6.0	6.7	94.0	93.3
Hispanic or Latino	3.5	3.8	96.5	96.2
<b>COUNTY TYPE</b>				
Large Metro	3.6	3.7	96.4	96.3
Small Metro	3.6	4.0	96.4	96.0
Nonmetro	3.9	4.1	96.1	95.9
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	67.0	69.6	9.1 <sup>a</sup>	8.2
Marijuana	58.7	63.8	5.9 <sup>a</sup>	5.3
Illicit Drug Other Than Marijuana <sup>2</sup>	36.0	33.8	4.5	4.1
Cigarettes	60.3	60.9	10.3	9.8
Alcohol	66.6	69.6	15.8	15.5
Binge Alcohol <sup>3</sup>	54.6	59.5	8.9	9.1
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	87.0	87.1	19.3 <sup>a</sup>	18.3
Marijuana	81.1	82.8	12.4	11.7
Illicit Drug Other Than Marijuana <sup>2</sup>	59.6	59.6	11.6	11.0
Cigarettes	72.8	72.7	16.8	16.1
Alcohol	86.3	89.1	32.2	31.6
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	92.9	93.0	28.1	27.4
Marijuana	86.8	88.8	16.9	16.1
Illicit Drug Other Than Marijuana <sup>2</sup>	72.3	72.5	19.3	19.1
Cigarettes	85.5	85.2	28.9 <sup>b</sup>	26.8
Alcohol	91.6	93.6	41.0	39.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 3.28A Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	1,112	1,127	23,816	24,023
<b>AGE</b>				
12-13	191	197	8,243	8,153
14-15	432	433	7,803 <sup>a</sup>	8,200
16-17	489	498	7,770	7,669
<b>GENDER</b>				
Male	748	725	11,979	12,116
Female	364	402	11,837	11,907
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	887	918	19,994	20,019
White	660	657	14,876	14,826
Black or African American	160	170	3,566	3,617
American Indian or Alaska Native	9	*	167	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	33	34	938	964
Two or More Races	18	34	380	406
Hispanic or Latino	225	210	3,822	4,004
<b>COUNTY TYPE</b>				
Large Metro	594	579	12,676	12,733
Small Metro	327	358	7,058	7,266
Nonmetro	191	191	4,082	4,023
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	435	462	2,361	2,198
Marijuana	359	373	1,601	1,524
Illicit Drug Other Than Marijuana <sup>2</sup>	245	244	1,164	1,074
Cigarettes	457	450	2,569	2,529
Alcohol	556	556	3,851	3,872
Binge Alcohol <sup>3</sup>	412	443	2,233	2,347
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	678	710	4,746	4,562
Marijuana	563	561	3,157	3,073
Illicit Drug Other Than Marijuana <sup>2</sup>	467	500	2,869	2,751
Cigarettes	602	627	4,110	3,988
Alcohol	809	816	7,728	7,698
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	810	857	6,780	6,678
Marijuana	653	669	4,206	4,096
Illicit Drug Other Than Marijuana <sup>2</sup>	619	680	4,673	4,650
Cigarettes	777	790	6,947 <sup>a</sup>	6,541
Alcohol	896	899	9,789	9,658

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.28B Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	4.5	4.5	95.5	95.5
<b>AGE</b>				
12-13	2.3	2.4	97.7	97.6
14-15	5.2	5.0	94.8	95.0
16-17	5.9	6.1	94.1	93.9
<b>GENDER</b>				
Male	5.9	5.6	94.1	94.4
Female	3.0	3.3	97.0	96.7
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	4.2	4.4	95.8	95.6
White	4.2	4.2	95.8	95.8
Black or African American	4.3	4.5	95.7	95.5
American Indian or Alaska Native	4.9	*	95.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.4	3.4	96.6	96.6
Two or More Races	4.6	7.8	95.4	92.2
Hispanic or Latino	5.6	5.0	94.4	95.0
<b>COUNTY TYPE</b>				
Large Metro	4.5	4.3	95.5	95.7
Small Metro	4.4	4.7	95.6	95.3
Nonmetro	4.5	4.5	95.5	95.5
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	39.1	40.9	9.9 <sup>a</sup>	9.1
Marijuana	32.3	33.1	6.7	6.3
Illicit Drug Other Than Marijuana <sup>2</sup>	22.0	21.6	4.9	4.5
Cigarettes	41.1	39.9	10.8	10.5
Alcohol	50.0	49.3	16.2	16.1
Binge Alcohol <sup>3</sup>	37.1	39.3	9.4	9.8
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	61.0	63.0	19.9	19.0
Marijuana	50.6	49.7	13.3	12.8
Illicit Drug Other Than Marijuana <sup>2</sup>	42.0	44.4	12.0	11.5
Cigarettes	54.1	55.6	17.3	16.6
Alcohol	72.8	72.4	32.4	32.0
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	72.8	76.0	28.5	27.8
Marijuana	58.7	59.4	17.7	17.0
Illicit Drug Other Than Marijuana <sup>2</sup>	55.7	60.3	19.6	19.4
Cigarettes	69.9	70.0	29.2 <sup>b</sup>	27.2
Alcohol	80.5	79.8	41.1	40.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.29A Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	2,071	2,068	22,852	23,092
<b>AGE</b>				
12-13	609	574	7,816	7,772
14-15	724	742	7,513 <sup>a</sup>	7,902
16-17	737	752	7,522	7,418
<b>GENDER</b>				
Male	1,310	1,345	11,412	11,499
Female	761	724	11,439	11,593
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	1,703	1,756	19,173	19,185
White	1,076	1,130	14,462	14,355
Black or African American	521	505	3,195	3,284
American Indian or Alaska Native	14	16	161	150
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	46	59	926	939
Two or More Races	36	45	364	395
Hispanic or Latino	368	312	3,678	3,907
<b>COUNTY TYPE</b>				
Large Metro	1,136	1,011	12,130	12,303
Small Metro	582	681	6,800	6,952
Nonmetro	352	377	3,921	3,836
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	574	606	2,219	2,055
Marijuana	415	461	1,548	1,437
Illicit Drug Other Than Marijuana <sup>2</sup>	310	324	1,093	995
Cigarettes	573	605	2,459	2,373
Alcohol	670	723	3,744	3,702
Binge Alcohol <sup>3</sup>	479 <sup>a</sup>	577	2,172	2,212
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	940	994	4,483	4,283
Marijuana	685	737	3,037	2,902
Illicit Drug Other Than Marijuana <sup>2</sup>	659	667	2,674	2,586
Cigarettes	784	805	3,933	3,817
Alcohol	1,117	1,146	7,426	7,374
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	1,213	1,270	6,381	6,271
Marijuana	828	889	4,036	3,881
Illicit Drug Other Than Marijuana <sup>2</sup>	942	984	4,353	4,351
Cigarettes	1,113	1,121	6,610 <sup>a</sup>	6,217
Alcohol	1,395	1,366	9,292	9,201

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 3.29B Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004**

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times		None	
	2003	2004	2003	2004
<b>(I) Demographic Characteristic</b>				
<b>TOTAL</b>	8.3	8.2	91.7	91.8
<b>AGE</b>				
12-13	7.2	6.9	92.8	93.1
14-15	8.8	8.6	91.2	91.4
16-17	8.9	9.2	91.1	90.8
<b>GENDER</b>				
Male	10.3	10.5	89.7	89.5
Female	6.2	5.9	93.8	94.1
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	8.2	8.4	91.8	91.6
White	6.9	7.3	93.1	92.7
Black or African American	14.0	13.3	86.0	86.7
American Indian or Alaska Native	8.0	9.4	92.0	90.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	4.7	5.9	95.3	94.1
Two or More Races	9.0	10.1	91.0	89.9
Hispanic or Latino	9.1	7.4	90.9	92.6
<b>COUNTY TYPE</b>				
Large Metro	8.6	7.6	91.4	92.4
Small Metro	7.9	8.9	92.1	91.1
Nonmetro	8.2	8.9	91.8	91.1
<b>(II) Substance Use</b>				
<b>PAST MONTH</b>				
Illicit Drug <sup>2</sup>	27.7	29.3	9.7 <sup>a</sup>	8.9
Marijuana	20.0	22.3	6.8	6.2
Illicit Drug Other Than Marijuana <sup>2</sup>	15.0	15.7	4.8	4.3
Cigarettes	27.7	29.3	10.8	10.3
Alcohol	32.3	35.0	16.4	16.0
Binge Alcohol <sup>3</sup>	23.1 <sup>a</sup>	27.9	9.5	9.6
<b>PAST YEAR</b>				
Illicit Drug <sup>2</sup>	45.4	48.1	19.6 <sup>a</sup>	18.5
Marijuana	33.1	35.6	13.3	12.6
Illicit Drug Other Than Marijuana <sup>2</sup>	31.8	32.2	11.7	11.2
Cigarettes	37.9	38.9	17.2	16.5
Alcohol	53.9	55.4	32.5	31.9
<b>LIFETIME</b>				
Illicit Drug <sup>2</sup>	58.6	61.4	27.9	27.2
Marijuana	40.0	43.0	17.7	16.8
Illicit Drug Other Than Marijuana <sup>2</sup>	45.5	47.6	19.0	18.8
Cigarettes	53.7	54.2	28.9 <sup>b</sup>	26.9
Alcohol	67.4	66.1	40.7	39.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.