

Table 3.66C Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	74	79	74	79
AGE				
12-13	33	35	33	35
14-15	41	48	41	48
16-17	52	50	52	50
GENDER				
Male	54	60	54	60
Female	49	50	49	50
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	67	71	67	71
White	57	57	57	57
Black or African American	32	33	32	33
American Indian or Alaska Native	4	5	4	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	15	11	15
Two or More Races	11	11	11	11
Hispanic or Latino	34	38	34	38
COUNTY TYPE				
Large Metro	58	57	58	57
Small Metro	37	45	37	45
Nonmetro	27	32	27	32
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	52	57	37	35
Marijuana	46	46	34	32
Illicit Drug Other Than Marijuana ²	39	42	25	25
Cigarettes	53	57	41	42
Alcohol	70	74	38	39
Binge Alcohol ³	53	63	35	35
PAST YEAR				
Illicit Drug ²	76	75	42	40
Marijuana	64	63	40	39
Illicit Drug Other Than Marijuana ²	64	61	36	34
Cigarettes	73	69	42	43
Alcohol	93	95	42	42
LIFETIME				
Illicit Drug ²	93	82	43	40
Marijuana	76	73	42	43
Illicit Drug Other Than Marijuana ²	83	71	39	40
Cigarettes	93	87	42	42
Alcohol	100	99	39	40

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.66D Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.30	0.32	0.30	0.32
AGE				
12-13	0.40	0.43	0.40	0.43
14-15	0.50	0.55	0.50	0.55
16-17	0.63	0.62	0.63	0.62
GENDER				
Male	0.43	0.47	0.43	0.47
Female	0.40	0.41	0.40	0.41
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.32	0.34	0.32	0.34
White	0.37	0.37	0.37	0.37
Black or African American	0.88	0.90	0.88	0.90
American Indian or Alaska Native	2.27	3.20	2.27	3.20
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.14	1.55	1.14	1.55
Two or More Races	2.81	2.50	2.81	2.50
Hispanic or Latino	0.87	0.92	0.87	0.92
COUNTY TYPE				
Large Metro	0.44	0.44	0.44	0.44
Small Metro	0.51	0.59	0.51	0.59
Nonmetro	0.64	0.77	0.64	0.77
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.25	0.27	1.00	0.95
Marijuana	0.22	0.21	0.91	0.89
Illicit Drug Other Than Marijuana ²	0.18	0.20	0.68	0.69
Cigarettes	0.25	0.27	1.10	1.15
Alcohol	0.33	0.35	1.03	1.07
Binge Alcohol ³	0.25	0.30	0.94	0.95
PAST YEAR				
Illicit Drug ²	0.36	0.35	1.15	1.11
Marijuana	0.31	0.30	1.08	1.08
Illicit Drug Other Than Marijuana ²	0.31	0.29	0.98	0.93
Cigarettes	0.35	0.32	1.14	1.19
Alcohol	0.44	0.45	1.14	1.16
LIFETIME				
Illicit Drug ²	0.44	0.39	1.16	1.11
Marijuana	0.36	0.34	1.15	1.18
Illicit Drug Other Than Marijuana ²	0.40	0.34	1.06	1.11
Cigarettes	0.45	0.41	1.14	1.14
Alcohol	0.48	0.46	1.05	1.10

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.66P Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.4787		0.4787	
AGE				
12-13	0.7539		0.7539	
14-15	0.2832		0.2832	
16-17	0.0256		0.0256	
GENDER				
Male	0.3379		0.3379	
Female	0.0185		0.0185	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5624		0.5624	
White	0.2770		0.2770	
Black or African American	0.8847		0.8847	
American Indian or Alaska Native	0.6433		0.6433	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6210		0.6210	
Two or More Races	0.6200		0.6200	
Hispanic or Latino	0.7172		0.7172	
COUNTY TYPE				
Large Metro	0.3323		0.3323	
Small Metro	0.7175		0.7175	
Nonmetro	0.6373		0.6373	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.5374		0.0795	
Marijuana	0.4753		0.0214	
Illicit Drug Other Than Marijuana ²	0.2671		0.4420	
Cigarettes	0.3141		0.0290	
Alcohol	0.1709		0.0053	
Binge Alcohol ³	0.0042		0.0181	
PAST YEAR				
Illicit Drug ²	0.4166		0.2558	
Marijuana	0.9907		0.1131	
Illicit Drug Other Than Marijuana ²	0.5755		0.4859	
Cigarettes	0.7548		0.0345	
Alcohol	0.6789		0.0387	
LIFETIME				
Illicit Drug ²	0.5605		0.8485	
Marijuana	0.9745		0.0871	
Illicit Drug Other Than Marijuana ²	0.7659		0.3593	
Cigarettes	0.0488		0.0077	
Alcohol	0.7609		0.0117	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.67C Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	83	89	83	89
AGE				
12-13	30	34	30	34
14-15	47	56	47	56
16-17	58	55	58	55
GENDER				
Male	60	63	60	63
Female	57	59	57	59
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	76	80	76	80
White	64	66	64	66
Black or African American	34	33	34	33
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	13	17	13
Two or More Races	11	12	11	12
Hispanic or Latino	34	39	34	39
COUNTY TYPE				
Large Metro	66	69	66	69
Small Metro	44	48	44	48
Nonmetro	29	31	29	31
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	45	45	46	43
Marijuana	34	33	42	42
Illicit Drug Other Than Marijuana ²	35	35	33	32
Cigarettes	51	52	45	45
Alcohol	60	62	49	49
Binge Alcohol ³	44	52	43	46
PAST YEAR				
Illicit Drug ²	67	64	49	47
Marijuana	51	49	48	48
Illicit Drug Other Than Marijuana ²	57	55	44	42
Cigarettes	67	65	48	48
Alcohol	86	86	48	46
LIFETIME				
Illicit Drug ²	84	78	49	44
Marijuana	64	62	49	48
Illicit Drug Other Than Marijuana ²	77	70	49	48
Cigarettes	89	80	49	46
Alcohol	94	91	43	43

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.67D Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.34	0.36	0.34	0.36
AGE				
12-13	0.36	0.41	0.36	0.41
14-15	0.57	0.65	0.57	0.65
16-17	0.70	0.68	0.70	0.68
GENDER				
Male	0.48	0.50	0.48	0.50
Female	0.47	0.49	0.47	0.49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.37	0.38	0.37	0.38
White	0.42	0.43	0.42	0.43
Black or African American	0.92	0.90	0.92	0.90
American Indian or Alaska Native	2.70	3.24	2.70	3.24
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.82	1.37	1.82	1.37
Two or More Races	2.89	2.69	2.89	2.69
Hispanic or Latino	0.86	0.95	0.86	0.95
COUNTY TYPE				
Large Metro	0.50	0.52	0.50	0.52
Small Metro	0.60	0.64	0.60	0.64
Nonmetro	0.69	0.74	0.69	0.74
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.22	0.23	0.95	0.91
Marijuana	0.17	0.16	0.88	0.88
Illicit Drug Other Than Marijuana ²	0.17	0.18	0.70	0.68
Cigarettes	0.26	0.26	0.94	0.93
Alcohol	0.30	0.31	1.03	1.02
Binge Alcohol ³	0.22	0.26	0.89	0.96
PAST YEAR				
Illicit Drug ²	0.34	0.32	1.03	0.98
Marijuana	0.25	0.25	1.00	1.00
Illicit Drug Other Than Marijuana ²	0.29	0.27	0.93	0.89
Cigarettes	0.34	0.32	1.00	1.00
Alcohol	0.43	0.43	0.99	0.95
LIFETIME				
Illicit Drug ²	0.42	0.39	1.03	0.91
Marijuana	0.32	0.31	1.02	1.00
Illicit Drug Other Than Marijuana ²	0.39	0.35	1.03	1.00
Cigarettes	0.45	0.40	1.02	0.96
Alcohol	0.47	0.45	0.89	0.90

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.67P Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.7711		0.7711	
AGE				
12-13	0.3147		0.3147	
14-15	0.6865		0.6865	
16-17	0.8254		0.8254	
GENDER				
Male	0.2868		0.2868	
Female	0.1201		0.1201	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5805		0.5805	
White	0.8391		0.8391	
Black or African American	0.3299		0.3299	
American Indian or Alaska Native	0.1729		0.1729	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1750		0.1750	
Two or More Races	0.0903		0.0903	
Hispanic or Latino	0.5685		0.5685	
COUNTY TYPE				
Large Metro	0.6652		0.6652	
Small Metro	0.9027		0.9027	
Nonmetro	0.8072		0.8072	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3037		0.1874	
Marijuana	0.7776		0.3639	
Illicit Drug Other Than Marijuana ²	0.0949		0.6916	
Cigarettes	0.7878		0.1093	
Alcohol	0.3296		0.1229	
Binge Alcohol ³	0.0250		0.5982	
PAST YEAR				
Illicit Drug ²	0.1589		0.5553	
Marijuana	0.2698		0.7643	
Illicit Drug Other Than Marijuana ²	0.2032		0.9879	
Cigarettes	0.5647		0.2584	
Alcohol	0.9831		0.2310	
LIFETIME				
Illicit Drug ²	0.3820		0.9017	
Marijuana	0.2796		0.7095	
Illicit Drug Other Than Marijuana ²	0.5447		0.4161	
Cigarettes	0.0087		0.0460	
Alcohol	0.3446		0.1563	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.68C Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	76	83	76	83
AGE				
12-13	30	30	30	30
14-15	44	46	44	46
16-17	57	57	57	57
GENDER				
Male	56	62	56	62
Female	53	56	53	56
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	70	75	70	75
White	60	64	60	64
Black or African American	31	32	31	32
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	15	14	15
Two or More Races	11	11	11	11
Hispanic or Latino	35	39	35	39
COUNTY TYPE				
Large Metro	62	63	62	63
Small Metro	39	47	39	47
Nonmetro	27	29	27	29
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	46	47	43	43
Marijuana	34	33	41	42
Illicit Drug Other Than Marijuana ²	36	37	32	31
Cigarettes	51	53	44	43
Alcohol	62	65	47	44
Binge Alcohol ³	45	52	41	42
PAST YEAR				
Illicit Drug ²	66	66	48	46
Marijuana	52	50	47	46
Illicit Drug Other Than Marijuana ²	57	57	43	41
Cigarettes	68	66	48	45
Alcohol	87	90	45	43
LIFETIME				
Illicit Drug ²	84	79	47	43
Marijuana	64	64	49	46
Illicit Drug Other Than Marijuana ²	76	70	46	45
Cigarettes	91	83	49	42
Alcohol	96	94	39	39

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.68D Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.31	0.33	0.31	0.33
AGE				
12-13	0.36	0.37	0.36	0.37
14-15	0.54	0.54	0.54	0.54
16-17	0.70	0.70	0.70	0.70
GENDER				
Male	0.45	0.49	0.45	0.49
Female	0.44	0.46	0.44	0.46
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.36	0.34	0.36
White	0.39	0.41	0.39	0.41
Black or African American	0.85	0.86	0.85	0.86
American Indian or Alaska Native	2.83	3.22	2.83	3.22
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.49	1.52	1.49	1.52
Two or More Races	2.88	2.59	2.88	2.59
Hispanic or Latino	0.88	0.95	0.88	0.95
COUNTY TYPE				
Large Metro	0.47	0.48	0.47	0.48
Small Metro	0.53	0.62	0.53	0.62
Nonmetro	0.64	0.69	0.64	0.69
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.23	0.23	0.99	1.02
Marijuana	0.17	0.16	0.94	1.00
Illicit Drug Other Than Marijuana ²	0.18	0.18	0.73	0.75
Cigarettes	0.25	0.26	1.00	1.03
Alcohol	0.31	0.31	1.07	1.04
Binge Alcohol ³	0.22	0.25	0.95	1.00
PAST YEAR				
Illicit Drug ²	0.33	0.32	1.09	1.09
Marijuana	0.26	0.24	1.07	1.10
Illicit Drug Other Than Marijuana ²	0.28	0.28	0.98	0.98
Cigarettes	0.34	0.32	1.09	1.06
Alcohol	0.43	0.43	1.03	1.03
LIFETIME				
Illicit Drug ²	0.41	0.38	1.07	1.03
Marijuana	0.32	0.31	1.12	1.09
Illicit Drug Other Than Marijuana ²	0.37	0.34	1.05	1.08
Cigarettes	0.45	0.40	1.12	1.01
Alcohol	0.47	0.46	0.90	0.94

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.68P Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0802		0.0802	
AGE				
12-13	0.0663		0.0663	
14-15	0.3819		0.3819	
16-17	0.4358		0.4358	
GENDER				
Male	0.8416		0.8416	
Female	0.0167		0.0167	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1198		0.1198	
White	0.2281		0.2281	
Black or African American	0.2017		0.2017	
American Indian or Alaska Native	0.6963		0.6963	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6320		0.6320	
Two or More Races	0.3957		0.3957	
Hispanic or Latino	0.4885		0.4885	
COUNTY TYPE				
Large Metro	0.1681		0.1681	
Small Metro	0.2305		0.2305	
Nonmetro	0.8677		0.8677	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3579		0.4923	
Marijuana	0.9046		0.7499	
Illicit Drug Other Than Marijuana ²	0.2039		0.7704	
Cigarettes	0.2713		0.0739	
Alcohol	0.6135		0.7062	
Binge Alcohol ³	0.0357		0.8702	
PAST YEAR				
Illicit Drug ²	0.5108		0.5110	
Marijuana	0.5487		0.8897	
Illicit Drug Other Than Marijuana ²	0.7043		0.6053	
Cigarettes	0.9867		0.2882	
Alcohol	0.8338		0.4321	
LIFETIME				
Illicit Drug ²	0.8710		0.7998	
Marijuana	0.5226		0.8888	
Illicit Drug Other Than Marijuana ²	0.7312		0.8873	
Cigarettes	0.0275		0.0918	
Alcohol	0.6080		0.1494	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.69C Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	79	83	79	83
AGE				
12-13	33	32	33	32
14-15	45	49	45	49
16-17	54	53	54	53
GENDER				
Male	59	62	59	62
Female	53	51	53	51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	71	75	71	75
White	60	63	60	63
Black or African American	33	34	33	34
American Indian or Alaska Native	5	4	5	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	17	14	17
Two or More Races	11	10	11	10
Hispanic or Latino	35	36	35	36
COUNTY TYPE				
Large Metro	61	60	61	60
Small Metro	40	45	40	45
Nonmetro	31	34	31	34
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	50	56	41	37
Marijuana	45	44	38	35
Illicit Drug Other Than Marijuana ²	36	40	30	28
Cigarettes	58	58	43	42
Alcohol	67	69	45	41
Binge Alcohol ³	48	58	41	39
PAST YEAR				
Illicit Drug ²	73	70	44	44
Marijuana	64	59	43	42
Illicit Drug Other Than Marijuana ²	61	59	41	38
Cigarettes	74	70	46	43
Alcohol	92	93	46	42
LIFETIME				
Illicit Drug ²	90	79	43	43
Marijuana	73	69	44	44
Illicit Drug Other Than Marijuana ²	82	70	43	43
Cigarettes	94	85	45	42
Alcohol	98	97	41	39

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.69D Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.32	0.33	0.32	0.33
AGE				
12-13	0.40	0.39	0.40	0.39
14-15	0.55	0.58	0.55	0.58
16-17	0.66	0.65	0.66	0.65
GENDER				
Male	0.47	0.49	0.47	0.49
Female	0.44	0.42	0.44	0.42
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.36	0.34	0.36
White	0.39	0.41	0.39	0.41
Black or African American	0.90	0.92	0.90	0.92
American Indian or Alaska Native	2.91	2.47	2.91	2.47
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.42	1.76	1.42	1.76
Two or More Races	2.85	2.35	2.85	2.35
Hispanic or Latino	0.88	0.86	0.88	0.86
COUNTY TYPE				
Large Metro	0.47	0.46	0.47	0.46
Small Metro	0.55	0.60	0.55	0.60
Nonmetro	0.74	0.81	0.74	0.81
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.25	0.27	0.97	0.89
Marijuana	0.22	0.21	0.89	0.86
Illicit Drug Other Than Marijuana ²	0.17	0.19	0.70	0.67
Cigarettes	0.28	0.28	1.02	1.02
Alcohol	0.33	0.33	1.06	0.99
Binge Alcohol ³	0.24	0.28	0.97	0.94
PAST YEAR				
Illicit Drug ²	0.36	0.34	1.03	1.07
Marijuana	0.31	0.28	1.01	1.02
Illicit Drug Other Than Marijuana ²	0.30	0.28	0.96	0.91
Cigarettes	0.36	0.34	1.08	1.05
Alcohol	0.45	0.45	1.10	1.02
LIFETIME				
Illicit Drug ²	0.44	0.38	1.02	1.05
Marijuana	0.36	0.33	1.05	1.07
Illicit Drug Other Than Marijuana ²	0.40	0.34	1.03	1.05
Cigarettes	0.46	0.41	1.07	1.03
Alcohol	0.48	0.47	0.97	0.96

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.69P Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Substance Use, by Youths' Perceptions of Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Youths' Perceptions of Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Youths Feel Close Friends Strongly/Somewhat Disapprove		Youths Feel Close Friends Neither Approve Nor Disapprove	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.1806		0.1806	
AGE				
12-13	0.4662		0.4662	
14-15	0.6353		0.6353	
16-17	0.1960		0.1960	
GENDER				
Male	0.5418		0.5418	
Female	0.0046		0.0046	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1574		0.1574	
White	0.1946		0.1946	
Black or African American	0.3880		0.3880	
American Indian or Alaska Native	0.7221		0.7221	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8658		0.8658	
Two or More Races	0.7102		0.7102	
Hispanic or Latino	0.9180		0.9180	
COUNTY TYPE				
Large Metro	0.2738		0.2738	
Small Metro	0.6830		0.6830	
Nonmetro	0.4257		0.4257	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.6452		0.1083	
Marijuana	0.9699		0.2677	
Illicit Drug Other Than Marijuana ²	0.5233		0.2898	
Cigarettes	0.4060		0.0409	
Alcohol	0.4666		0.3213	
Binge Alcohol ³	0.0786		0.8515	
PAST YEAR				
Illicit Drug ²	0.8133		0.0841	
Marijuana	0.8737		0.1471	
Illicit Drug Other Than Marijuana ²	0.7399		0.4468	
Cigarettes	0.7382		0.0353	
Alcohol	0.7601		0.2889	
LIFETIME				
Illicit Drug ²	0.8646		0.4253	
Marijuana	0.9465		0.1841	
Illicit Drug Other Than Marijuana ²	0.8984		0.5563	
Cigarettes	0.0693		0.0092	
Alcohol	0.8279		0.0450	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.