

Table 7.13A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	11,974	11,983	7,496	7,088
Marijuana and Hashish	9,768	9,768	4,870	4,808
Cocaine	1,869	1,604	412	417
Crack	548	428	56	38
Heroin	104	145	15	22
Hallucinogens	752	668	291	261
LSD	95	117	39	24
PCP	48	33	*	16
Ecstasy	333	311	137	140
Inhalants	274	262	296	376
Nonmedical Use of Psychotherapeutics ²	3,485	3,686	2,851 ^a	2,321
Pain Relievers	2,573	2,727	2,120 ^a	1,677
OxyContin [®]	--	282	--	43
Tranquilizers	1,188	1,052	642	564
Stimulants	782	818	410	372
Methamphetamine	460	445	148	138
Sedatives	168	165	126	101
ILLCIT DRUG OTHER THAN MARIJUANA¹	5,243	5,185	3,605 ^a	3,062

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.13B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	19.8	20.0	4.2	3.9
Marijuana and Hashish	16.2	16.3	2.7	2.7
Cocaine	3.1	2.7	0.2	0.2
Crack	0.9	0.7	0.0	0.0
Heroin	0.2	0.2	0.0	0.0
Hallucinogens	1.2	1.1	0.2	0.1
LSD	0.2	0.2	0.0	0.0
PCP	0.1	0.1	*	0.0
Ecstasy	0.6	0.5	0.1	0.1
Inhalants	0.5	0.4	0.2	0.2
Nonmedical Use of Psychotherapeutics ²	5.8	6.2	1.6 ^a	1.3
Pain Relievers	4.3	4.6	1.2 ^a	0.9
OxyContin [®]	--	0.5	--	0.0
Tranquilizers	2.0	1.8	0.4	0.3
Stimulants	1.3	1.4	0.2	0.2
Methamphetamine	0.8	0.7	0.1	0.1
Sedatives	0.3	0.3	0.1	0.1
ILLCIT DRUG OTHER THAN MARIJUANA¹	8.7	8.7	2.0 ^a	1.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.14A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	1,473	1,423	1,338	1,251
Marijuana and Hashish	1,277	1,215	695	694
Cocaine	116	113	37 ^a	13
Crack	26	12	7	4
Heroin	14	9	4	7
Hallucinogens	182	160	78	51
LSD	36	30	15	8
PCP	14	9	7	2
Ecstasy	74	66	17	12
Inhalants	137	123	183	189
Nonmedical Use of Psychotherapeutics ²	460	439	536	475
Pain Relievers	364	355	437	396
OxyContin [®]	--	60	--	6
Tranquilizers	131	102	95	60
Stimulants	136	113	85	66
Methamphetamine	48	42	21	15
Sedatives	27 ^a	10	20	17
ILLCIT DRUG OTHER THAN MARIJUANA¹	660	635	756	693

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.14B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	48.4	47.5	6.1	5.6
Marijuana and Hashish	41.9	40.5	3.2	3.1
Cocaine	3.8	3.8	0.2 ^a	0.1
Crack	0.8	0.4	0.0	0.0
Heroin	0.5	0.3	0.0	0.0
Hallucinogens	6.0	5.3	0.4	0.2
LSD	1.2	1.0	0.1	0.0
PCP	0.5	0.3	0.0	0.0
Ecstasy	2.4	2.2	0.1	0.1
Inhalants	4.5	4.1	0.8	0.9
Nonmedical Use of Psychotherapeutics ²	15.1	14.6	2.4	2.1
Pain Relievers	12.0	11.8	2.0	1.8
OxyContin [®]	--	2.0	--	0.0
Tranquilizers	4.3	3.4	0.4 ^a	0.3
Stimulants	4.5	3.8	0.4	0.3
Methamphetamine	1.6	1.4	0.1	0.1
Sedatives	0.9 ^a	0.3	0.1	0.1
ILLCIT DRUG OTHER THAN MARIJUANA¹	21.7	21.2	3.4	3.1

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	4,490	4,410	1,945	1,829
Marijuana and Hashish	3,869	3,836	1,530	1,359
Cocaine	576	598	120	94
Crack	51	73	3	8
Heroin	24	38	1	4
Hallucinogens	426	370	119	107
LSD	47	68	20	15
PCP	29	15	*	1
Ecstasy	191	186	39	45
Inhalants	81	99	53	45
Nonmedical Use of Psychotherapeutics ²	1,332	1,404	581	555
Pain Relievers	1,019	1,076	467	428
OxyContin [®]	--	131	--	11
Tranquilizers	394	421	132	145
Stimulants	301	366	99	81
Methamphetamine	161	162	24	24
Sedatives	43	32	16	17
ILLCIT DRUG OTHER THAN MARIJUANA¹	1,898	1,902	768	717

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	35.2	34.6	10.3	9.4
Marijuana and Hashish	30.3	30.1	8.1 ^a	7.0
Cocaine	4.5	4.7	0.6	0.5
Crack	0.4	0.6	0.0	0.0
Heroin	0.2	0.3	0.0	0.0
Hallucinogens	3.3	2.9	0.6	0.6
LSD	0.4	0.5	0.1	0.1
PCP	0.2	0.1	*	0.0
Ecstasy	1.5	1.5	0.2	0.2
Inhalants	0.6	0.8	0.3	0.2
Nonmedical Use of Psychotherapeutics ²	10.4	11.0	3.1	2.9
Pain Relievers	8.0	8.5	2.5	2.2
OxyContin [®]	--	1.0	--	0.1
Tranquilizers	3.1	3.3	0.7	0.7
Stimulants	2.4	2.9	0.5	0.4
Methamphetamine	1.3	1.3	0.1	0.1
Sedatives	0.3	0.2	0.1	0.1
ILLCIT DRUG OTHER THAN MARIJUANA¹	14.9	14.9	4.0	3.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.16A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLICIT DRUG¹	6,011	6,150	4,213	4,009
Marijuana and Hashish	4,622	4,716	2,645	2,755
Cocaine	1,177	894	254	310
Crack	471	344	47	27
Heroin	66	98	10	11
Hallucinogens	144	138	94	103
LSD	12	20	*	*
PCP	5	8	*	13
Ecstasy	69	59	80	83
Inhalants	56	40	60	141
Nonmedical Use of Psychotherapeutics ²	1,693	1,843	1,734 ^a	1,291
Pain Relievers	1,190	1,297	1,216 ^a	853
OxyContin [®]	--	92	--	26
Tranquilizers	663	529	415	360
Stimulants	345	339	225	226
Methamphetamine	250	241	103	99
Sedatives	98	123	91	67
ILLICIT DRUG OTHER THAN MARIJUANA¹	2,686	2,649	2,081	1,652

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.16B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2003 and 2004

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2003	2004	2003	2004
ILLCIT DRUG¹	13.5	13.9	3.1	2.9
Marijuana and Hashish	10.4	10.7	1.9	2.0
Cocaine	2.6	2.0	0.2	0.2
Crack	1.1	0.8	0.0	0.0
Heroin	0.1	0.2	0.0	0.0
Hallucinogens	0.3	0.3	0.1	0.1
LSD	0.0	0.0	*	*
PCP	0.0	0.0	*	0.0
Ecstasy	0.2	0.1	0.1	0.1
Inhalants	0.1	0.1	0.0	0.1
Nonmedical Use of Psychotherapeutics ²	3.8	4.2	1.3 ^a	0.9
Pain Relievers	2.7	2.9	0.9 ^a	0.6
OxyContin [®]	--	0.2	--	0.0
Tranquilizers	1.5	1.2	0.3	0.3
Stimulants	0.8	0.8	0.2	0.2
Methamphetamine	0.6	0.5	0.1	0.1
Sedatives	0.2	0.3	0.1	0.0
ILLCIT DRUG OTHER THAN MARIJUANA¹	6.0	6.0	1.5	1.2

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.