

Table 1.88C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	868	912	455	451	327	360
GEOGRAPHIC DIVISION						
Northeast	360	408	198	197	154	138
New England	220	210	115	101	96	66
Middle Atlantic	292	360	163	170	122	121
Midwest	337	326	171	182	132	139
East North Central	274	280	154	144	115	118
West North Central	195	165	76	112	65	73
South	522	590	261	261	184	203
South Atlantic	380	451	224	208	153	163
East South Central	209	199	68	92	60	77
West South Central	290	321	116	129	84	92
West	487	460	264	254	177	225
Mountain	219	173	96	91	70	57
Pacific	434	425	245	238	162	219
COUNTY TYPE						
Large Metro	708	712	353	348	252	263
Small Metro	430	438	251	230	184	192
250K – 1 Mil. Pop.	325	364	205	190	148	151
< 250K Pop.	261	259	140	132	108	116
Nonmetro	318	338	148	160	107	126
Urbanized	219	231	91	126	76	104
Less Urbanized	194	219	120	97	73	69
Completely Rural	98	70	28	35	14	19

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.88D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.37	0.38	0.19	0.19	0.14	0.15
GEOGRAPHIC DIVISION						
Northeast	0.80	0.90	0.44	0.43	0.34	0.30
New England	1.85	1.76	0.97	0.84	0.81	0.55
Middle Atlantic	0.87	1.07	0.49	0.51	0.37	0.36
Midwest	0.63	0.60	0.32	0.34	0.25	0.26
East North Central	0.73	0.74	0.41	0.38	0.31	0.31
West North Central	1.21	1.01	0.47	0.69	0.40	0.45
South	0.62	0.68	0.31	0.30	0.22	0.24
South Atlantic	0.86	1.00	0.51	0.46	0.34	0.36
East South Central	1.47	1.39	0.48	0.64	0.42	0.53
West South Central	1.11	1.21	0.44	0.49	0.32	0.35
West	0.90	0.84	0.49	0.46	0.33	0.41
Mountain	1.40	1.08	0.62	0.57	0.45	0.36
Pacific	1.14	1.10	0.64	0.61	0.42	0.57
COUNTY TYPE						
Large Metro	0.56	0.55	0.28	0.27	0.20	0.20
Small Metro	0.60	0.61	0.35	0.32	0.26	0.27
250K – 1 Mil. Pop.	0.69	0.77	0.44	0.40	0.32	0.32
< 250K Pop.	1.06	1.06	0.57	0.54	0.44	0.47
Nonmetro	0.79	0.83	0.37	0.40	0.27	0.31
Urbanized	1.23	1.39	0.51	0.75	0.42	0.62
Less Urbanized	1.07	1.08	0.66	0.48	0.40	0.34
Completely Rural	2.39	1.95	0.68	0.98	0.33	0.53

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.88P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.4176		0.9024		0.6243	
GEOGRAPHIC DIVISION						
Northeast	0.8461		0.7609		0.2433	
New England	0.8626		0.1708		0.0573	
Middle Atlantic	0.9134		0.6606		0.9169	
Midwest	0.3251		0.2986		0.4137	
East North Central	0.7122		0.8964		0.7512	
West North Central	0.2227		0.0299		0.0209	
South	0.3301		0.4837		0.6905	
South Atlantic	0.1178		0.9065		0.7230	
East South Central	0.8904		0.0129		0.0201	
West South Central	0.6047		0.9945		0.8334	
West	0.0476		0.9900		0.8670	
Mountain	0.3595		0.2777		0.0521	
Pacific	0.0777		0.7269		0.4222	
COUNTY TYPE						
Large Metro	0.1094		0.7096		0.8398	
Small Metro	0.7241		0.7078		0.9519	
250K – 1 Mil. Pop.	0.7592		0.9452		0.8759	
< 250K Pop.	0.8576		0.5599		0.7623	
Nonmetro	0.3854		0.4677		0.3423	
Urbanized	0.8409		0.7081		0.9330	
Less Urbanized	0.3106		0.1060		0.1017	
Completely Rural	0.3572		0.1358		0.0421	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.89C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	91	87	79	77	60	57
GEOGRAPHIC DIVISION						
Northeast	38	36	36	31	29	27
New England	18	20	19	19	16	13
Middle Atlantic	34	29	30	25	24	23
Midwest	36	35	33	33	24	23
East North Central	29	27	27	23	19	17
West North Central	21	23	18	23	15	16
South	57	54	49	47	37	31
South Atlantic	41	43	39	37	30	25
East South Central	19	17	14	15	11	10
West South Central	33	27	26	25	17	16
West	49	46	38	41	29	31
Mountain	17	20	16	17	13	13
Pacific	45	42	34	37	26	28
COUNTY TYPE						
Large Metro	69	64	60	59	47	46
Small Metro	51	46	43	40	33	26
250K – 1 Mil. Pop.	43	38	36	32	27	21
< 250K Pop.	26	26	23	24	19	17
Nonmetro	32	36	26	33	20	23
Urbanized	19	23	16	20	14	16
Less Urbanized	22	26	18	24	13	15
Completely Rural	9	10	8	8	6	5

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.89D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.37	0.34	0.31	0.31	0.24	0.23
GEOGRAPHIC DIVISION						
Northeast	0.85	0.78	0.80	0.69	0.64	0.58
New England	1.50	1.71	1.59	1.61	1.40	1.10
Middle Atlantic	1.02	0.87	0.92	0.75	0.71	0.69
Midwest	0.63	0.62	0.57	0.58	0.43	0.41
East North Central	0.73	0.67	0.67	0.58	0.47	0.42
West North Central	1.24	1.40	1.08	1.39	0.91	0.94
South	0.63	0.60	0.55	0.53	0.41	0.35
South Atlantic	0.92	0.94	0.86	0.82	0.67	0.54
East South Central	1.28	1.17	0.97	1.03	0.75	0.68
West South Central	1.12	0.91	0.87	0.84	0.58	0.53
West	0.82	0.77	0.65	0.68	0.50	0.52
Mountain	1.00	1.12	0.93	1.00	0.75	0.76
Pacific	1.09	0.98	0.82	0.87	0.63	0.67
COUNTY TYPE						
Large Metro	0.52	0.48	0.45	0.44	0.36	0.34
Small Metro	0.69	0.61	0.58	0.52	0.45	0.34
250K – 1 Mil. Pop.	0.87	0.74	0.72	0.63	0.54	0.41
< 250K Pop.	1.09	1.02	0.95	0.94	0.78	0.66
Nonmetro	0.75	0.84	0.61	0.78	0.47	0.54
Urbanized	1.03	1.33	0.85	1.17	0.74	0.92
Less Urbanized	1.13	1.21	0.91	1.12	0.63	0.72
Completely Rural	2.05	2.78	1.88	2.02	1.33	1.31

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.89P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.2736		0.2853		0.3316	
GEOGRAPHIC DIVISION						
Northeast	0.6017		0.6835		0.8380	
New England	0.5491		0.7643		0.6280	
Middle Atlantic	0.7963		0.7750		0.9397	
Midwest	0.6230		0.8604		0.2154	
East North Central	0.6257		0.6705		0.2522	
West North Central	0.8598		0.8161		0.5623	
South	0.0402		0.1260		0.1354	
South Atlantic	0.9799		0.7916		0.6091	
East South Central	0.5403		0.3609		0.8791	
West South Central	0.0001		0.0032		0.0197	
West	0.8044		0.9344		0.3833	
Mountain	0.5639		0.3615		0.7577	
Pacific	0.6018		0.7252		0.4139	
COUNTY TYPE						
Large Metro	0.9943		0.6890		0.6290	
Small Metro	0.1235		0.1748		0.0219	
250K – 1 Mil. Pop.	0.7357		0.8230		0.0632	
< 250K Pop.	0.0140		0.0371		0.1839	
Nonmetro	0.4779		0.8496		0.7110	
Urbanized	0.5441		0.7918		0.9336	
Less Urbanized	0.2985		0.5911		0.3833	
Completely Rural	0.1324		0.1436		0.3247	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.90C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	157	176	146	152	116	119
GEOGRAPHIC DIVISION						
Northeast	59	68	53	63	48	60
New England	26	28	22	27	19	34
Middle Atlantic	53	61	48	56	43	47
Midwest	71	65	64	64	45	48
East North Central	56	53	53	52	37	41
West North Central	42	38	36	37	25	24
South	101	109	84	86	66	62
South Atlantic	74	78	64	62	51	42
East South Central	41	44	29	34	22	27
West South Central	54	59	47	49	36	36
West	79	101	84	85	68	65
Mountain	33	36	30	25	27	24
Pacific	72	94	78	81	63	61
COUNTY TYPE						
Large Metro	113	132	105	105	94	78
Small Metro	91	97	88	96	59	80
250K – 1 Mil. Pop.	77	79	78	79	52	71
< 250K Pop.	49	59	45	55	30	39
Nonmetro	55	59	49	49	38	39
Urbanized	37	45	35	38	27	33
Less Urbanized	38	35	32	26	26	20
Completely Rural	14	13	11	15	9	7

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.90D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.50	0.55	0.46	0.47	0.37	0.37
GEOGRAPHIC DIVISION						
Northeast	1.05	1.19	0.94	1.10	0.85	1.05
New England	1.77	1.91	1.51	1.82	1.29	2.28
Middle Atlantic	1.27	1.45	1.14	1.32	1.03	1.13
Midwest	0.96	0.87	0.87	0.86	0.61	0.64
East North Central	1.11	1.03	1.04	1.02	0.73	0.81
West North Central	1.87	1.63	1.58	1.59	1.09	1.03
South	0.89	0.94	0.75	0.75	0.58	0.54
South Atlantic	1.32	1.36	1.14	1.08	0.91	0.74
East South Central	2.14	2.23	1.48	1.74	1.12	1.37
West South Central	1.41	1.52	1.23	1.27	0.96	0.94
West	1.07	1.35	1.13	1.13	0.92	0.87
Mountain	1.47	1.58	1.33	1.10	1.19	1.05
Pacific	1.39	1.80	1.51	1.55	1.22	1.16
COUNTY TYPE						
Large Metro	0.68	0.79	0.63	0.63	0.57	0.47
Small Metro	0.89	0.92	0.86	0.91	0.58	0.76
250K – 1 Mil. Pop.	1.16	1.14	1.18	1.14	0.77	1.04
< 250K Pop.	1.38	1.59	1.27	1.48	0.85	1.05
Nonmetro	1.11	1.18	0.99	0.99	0.77	0.79
Urbanized	1.56	1.97	1.49	1.66	1.15	1.44
Less Urbanized	1.73	1.52	1.48	1.12	1.17	0.88
Completely Rural	3.84	3.99	2.95	4.55	2.51	2.26

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.90P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.1148		0.3186		0.0997	
GEOGRAPHIC DIVISION						
Northeast	0.4968		0.9153		0.6460	
New England	0.0843		0.4153		0.7198	
Middle Atlantic	0.9904		0.7420		0.7435	
Midwest	0.5965		0.5833		0.8483	
East North Central	0.5967		0.7865		0.7097	
West North Central	0.8599		0.2382		0.3594	
South	0.8615		0.7353		0.5909	
South Atlantic	0.2127		0.9887		0.3726	
East South Central	0.3526		0.2820		0.3479	
West South Central	0.0465		0.8762		0.6562	
West	0.0319		0.1053		0.0608	
Mountain	0.7290		0.5041		0.3603	
Pacific	0.0117		0.1393		0.0997	
COUNTY TYPE						
Large Metro	0.2154		0.6749		0.0548	
Small Metro	0.1403		0.6179		0.9629	
250K – 1 Mil. Pop.	0.0371		0.6345		0.8287	
< 250K Pop.	0.6237		0.8549		0.6145	
Nonmetro	0.7147		0.1702		0.3535	
Urbanized	0.8911		0.6347		0.7857	
Less Urbanized	0.7955		0.0480		0.2307	
Completely Rural	0.0945		0.1969		0.4524	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.91C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	831	875	387	395	284	312
GEOGRAPHIC DIVISION						
Northeast	356	394	181	181	140	123
New England	218	209	105	99	88	68
Middle Atlantic	286	342	149	152	111	103
Midwest	326	311	142	152	122	120
East North Central	266	266	120	120	100	98
West North Central	189	158	76	93	69	69
South	489	561	220	223	156	181
South Atlantic	359	433	189	179	128	152
East South Central	188	190	64	80	58	66
West South Central	274	303	97	105	71	73
West	470	445	220	226	147	187
Mountain	209	169	77	82	61	50
Pacific	421	411	206	212	133	180
COUNTY TYPE						
Large Metro	675	681	311	315	219	232
Small Metro	418	410	205	186	157	161
250K – 1 Mil. Pop.	317	342	167	156	118	125
< 250K Pop.	247	242	116	108	101	105
Nonmetro	310	321	122	135	93	107
Urbanized	211	209	74	101	66	84
Less Urbanized	185	213	102	84	64	64
Completely Rural	100	69	21	31	7	16

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.91D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.46	0.48	0.21	0.22	0.16	0.17
GEOGRAPHIC DIVISION						
Northeast	1.01	1.12	0.51	0.51	0.40	0.35
New England	2.36	2.26	1.13	1.07	0.95	0.73
Middle Atlantic	1.10	1.32	0.57	0.58	0.43	0.40
Midwest	0.80	0.76	0.35	0.37	0.30	0.29
East North Central	0.93	0.93	0.42	0.42	0.35	0.34
West North Central	1.56	1.28	0.62	0.76	0.57	0.57
South	0.76	0.86	0.34	0.34	0.24	0.28
South Atlantic	1.05	1.24	0.55	0.51	0.37	0.43
East South Central	1.74	1.73	0.59	0.73	0.53	0.60
West South Central	1.42	1.54	0.50	0.54	0.37	0.37
West	1.16	1.08	0.54	0.55	0.36	0.45
Mountain	1.79	1.42	0.66	0.68	0.53	0.42
Pacific	1.46	1.41	0.71	0.73	0.46	0.62
COUNTY TYPE						
Large Metro	0.70	0.69	0.32	0.32	0.23	0.24
Small Metro	0.78	0.77	0.38	0.35	0.29	0.30
250K – 1 Mil. Pop.	0.90	0.97	0.47	0.44	0.34	0.35
< 250K Pop.	1.33	1.33	0.62	0.59	0.55	0.58
Nonmetro	1.00	1.02	0.39	0.43	0.30	0.34
Urbanized	1.55	1.65	0.55	0.79	0.49	0.66
Less Urbanized	1.32	1.35	0.73	0.53	0.46	0.41
Completely Rural	3.03	2.42	0.65	1.09	0.22	0.55

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.91P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.6710		0.6672		0.7831	
GEOGRAPHIC DIVISION						
Northeast	0.7013		0.7974		0.3153	
New England	0.6695		0.2285		0.0949	
Middle Atlantic	0.8778		0.6898		0.9824	
Midwest	0.3249		0.2890		0.5425	
East North Central	0.7513		0.9633		0.6707	
West North Central	0.1738		0.0507		0.0702	
South	0.2474		0.3220		0.3486	
South Atlantic	0.1767		0.9146		0.9891	
East South Central	0.8883		0.0172		0.0282	
West South Central	0.7501		0.4072		0.6388	
West	0.0957		0.5320		0.4261	
Mountain	0.3169		0.4533		0.0545	
Pacific	0.1666		0.3757		0.1429	
COUNTY TYPE						
Large Metro	0.1439		0.4332		0.5767	
Small Metro	0.3869		0.7812		0.9174	
250K – 1 Mil. Pop.	0.4231		0.9695		0.6296	
< 250K Pop.	0.7110		0.6517		0.6930	
Nonmetro	0.3788		0.8315		0.5482	
Urbanized	0.8259		0.6074		0.9126	
Less Urbanized	0.2315		0.3222		0.2917	
Completely Rural	0.6706		0.4372		0.0663	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.92C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	865	918	437	437	317	349
GEOGRAPHIC DIVISION						
Northeast	365	409	193	193	150	132
New England	223	221	112	98	93	62
Middle Atlantic	295	355	159	168	121	117
Midwest	336	330	167	177	130	138
East North Central	274	279	150	141	112	117
West North Central	194	171	75	106	66	72
South	511	592	253	251	177	196
South Atlantic	375	454	219	195	148	157
East South Central	198	200	66	93	56	75
West South Central	287	323	111	127	82	88
West	491	464	248	245	168	219
Mountain	219	177	93	88	70	55
Pacific	439	428	230	230	153	213
COUNTY TYPE						
Large Metro	706	714	340	338	242	254
Small Metro	427	438	237	222	178	186
250K – 1 Mil. Pop.	321	368	191	182	138	146
< 250K Pop.	260	255	135	129	109	114
Nonmetro	320	339	142	157	103	125
Urbanized	222	230	89	126	73	104
Less Urbanized	191	217	113	90	71	68
Completely Rural	98	70	25	34	11	18

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.92D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.41	0.43	0.21	0.20	0.15	0.16
GEOGRAPHIC DIVISION						
Northeast	0.89	1.00	0.47	0.47	0.37	0.32
New England	2.08	2.05	1.05	0.91	0.87	0.57
Middle Atlantic	0.98	1.18	0.53	0.56	0.40	0.39
Midwest	0.70	0.68	0.35	0.36	0.27	0.28
East North Central	0.81	0.82	0.44	0.42	0.33	0.34
West North Central	1.34	1.17	0.52	0.73	0.46	0.49
South	0.67	0.77	0.33	0.32	0.23	0.25
South Atlantic	0.94	1.12	0.55	0.48	0.37	0.39
East South Central	1.55	1.54	0.52	0.72	0.44	0.58
West South Central	1.24	1.37	0.48	0.54	0.36	0.37
West	1.02	0.95	0.52	0.50	0.35	0.45
Mountain	1.58	1.24	0.67	0.62	0.51	0.38
Pacific	1.29	1.24	0.68	0.67	0.45	0.62
COUNTY TYPE						
Large Metro	0.63	0.62	0.30	0.29	0.21	0.22
Small Metro	0.67	0.68	0.37	0.35	0.28	0.29
250K – 1 Mil. Pop.	0.76	0.87	0.46	0.43	0.33	0.35
< 250K Pop.	1.18	1.16	0.61	0.59	0.49	0.52
Nonmetro	0.89	0.93	0.40	0.43	0.29	0.34
Urbanized	1.39	1.54	0.56	0.84	0.46	0.70
Less Urbanized	1.18	1.20	0.69	0.50	0.44	0.37
Completely Rural	2.69	2.18	0.67	1.07	0.31	0.57

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 1.92P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	0.4823		0.9420		0.7409	
GEOGRAPHIC DIVISION						
Northeast	0.7938		0.8040		0.2441	
New England	0.8277		0.1667		0.0562	
Middle Atlantic	0.8765		0.6247		0.9013	
Midwest	0.2822		0.2779		0.5518	
East North Central	0.6662		0.9495		0.6177	
West North Central	0.1933		0.0269		0.0334	
South	0.2464		0.3043		0.4919	
South Atlantic	0.1227		0.9391		0.7845	
East South Central	0.9435		0.0153		0.0193	
West South Central	0.9256		0.4975		0.8214	
West	0.0501		1.0000		0.9714	
Mountain	0.3848		0.3577		0.0424	
Pacific	0.0779		0.7618		0.4836	
COUNTY TYPE						
Large Metro	0.0998		0.6337		0.7709	
Small Metro	0.5391		0.8636		0.7550	
250K – 1 Mil. Pop.	0.7000		0.9640		0.6298	
< 250K Pop.	0.5956		0.8050		0.9241	
Nonmetro	0.3666		0.4886		0.3725	
Urbanized	0.8151		0.6594		0.9272	
Less Urbanized	0.2608		0.1054		0.1385	
Completely Rural	0.4779		0.2203		0.0606	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.