

**Table 1.93C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	565	636	229	205	147	119
<b>GEOGRAPHIC DIVISION</b>						
Northeast	258	288	92	80	56	52
New England	126	135	56	29	28	26
Middle Atlantic	227	256	73	74	49	45
Midwest	207	216	88	94	51	62
East North Central	174	189	74	73	44	57
West North Central	111	105	48	58	27	23
South	324	365	132	120	101	71
South Atlantic	262	284	107	96	85	55
East South Central	90	104	41	41	27	31
West South Central	164	203	66	59	46	33
West	317	378	137	112	75	51
Mountain	140	133	79	46	55	19
Pacific	285	355	111	102	51	47
<b>COUNTY TYPE</b>						
Large Metro	471	503	183	168	117	97
Small Metro	282	299	104	108	57	60
250K – 1 Mil. Pop.	238	247	78	91	45	50
< 250K Pop.	147	173	66	60	36	35
Nonmetro	181	218	88	60	66	32
Urbanized	117	148	54	42	21	27
Less Urbanized	123	152	72	38	63	19
Completely Rural	64	55	10	14	9	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.93D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.24	0.26	0.10	0.09	0.06	0.05
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.57	0.63	0.20	0.17	0.12	0.11
New England	1.06	1.13	0.47	0.24	0.23	0.21
Middle Atlantic	0.68	0.76	0.22	0.22	0.15	0.13
Midwest	0.38	0.40	0.16	0.17	0.10	0.11
East North Central	0.46	0.50	0.20	0.19	0.12	0.15
West North Central	0.69	0.64	0.30	0.36	0.17	0.14
South	0.38	0.42	0.16	0.14	0.12	0.08
South Atlantic	0.59	0.63	0.24	0.21	0.19	0.12
East South Central	0.63	0.72	0.29	0.28	0.19	0.22
West South Central	0.63	0.76	0.25	0.22	0.18	0.13
West	0.59	0.69	0.25	0.21	0.14	0.09
Mountain	0.90	0.83	0.51	0.29	0.35	0.12
Pacific	0.74	0.92	0.29	0.26	0.13	0.12
<b>COUNTY TYPE</b>						
Large Metro	0.37	0.39	0.15	0.13	0.09	0.08
Small Metro	0.39	0.42	0.15	0.15	0.08	0.08
250K – 1 Mil. Pop.	0.51	0.52	0.17	0.19	0.10	0.10
< 250K Pop.	0.60	0.71	0.27	0.24	0.15	0.14
Nonmetro	0.45	0.54	0.22	0.15	0.16	0.08
Urbanized	0.65	0.89	0.30	0.25	0.12	0.16
Less Urbanized	0.68	0.75	0.39	0.19	0.34	0.09
Completely Rural	1.57	1.54	0.25	0.39	0.22	0.12

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.93P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1760		0.2923		0.1297	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6317		0.2639		0.7915	
New England	0.9803		0.5094		0.5203	
Middle Atlantic	0.5984		0.3677		0.5001	
Midwest	0.0247		0.8421		0.3840	
East North Central	0.2774		0.6661		0.3660	
West North Central	0.0124		0.7490		0.8816	
South	0.0831		0.7018		0.2550	
South Atlantic	0.1194		0.7360		0.4040	
East South Central	0.0321		0.8265		0.1971	
West South Central	0.7678		0.2210		0.0665	
West	0.0158		0.3933		0.0320	
Mountain	0.0096		0.1909		0.1086	
Pacific	0.1665		0.9374		0.1497	
<b>COUNTY TYPE</b>						
Large Metro	0.0956		0.1104		0.0956	
Small Metro	0.7852		0.2185		0.7800	
250K – 1 Mil. Pop.	0.9756		0.1527		0.8845	
< 250K Pop.	0.6472		0.9416		0.5240	
Nonmetro	0.7284		0.2742		0.4367	
Urbanized	0.3460		0.7749		0.4636	
Less Urbanized	0.7246		0.1832		0.2531	
Completely Rural	0.8090		0.3056		0.4962	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.94C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	36	33	28	27	16	15
<b>GEOGRAPHIC DIVISION</b>						
Northeast	12	13	9	11	4	7
New England	6	9	4	7	3	4
Middle Atlantic	10	10	8	8	3	6
Midwest	15	12	12	9	5	6
East North Central	12	9	10	7	4	4
West North Central	8	7	6	6	4	4
South	22	20	17	17	11	9
South Atlantic	14	14	12	11	8	5
East South Central	6	7	5	6	2	3
West South Central	14	12	12	11	7	6
West	22	19	16	16	9	9
Mountain	11	8	9	5	5	4
Pacific	19	18	13	15	7	8
<b>COUNTY TYPE</b>						
Large Metro	26	25	18	21	11	11
Small Metro	20	18	16	14	10	7
250K – 1 Mil. Pop.	16	15	13	11	9	5
< 250K Pop.	10	11	9	10	3	5
Nonmetro	16	12	15	11	6	7
Urbanized	12	7	11	6	4	4
Less Urbanized	10	9	9	9	5	5
Completely Rural	5	3	5	2	0	1

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.94D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.15	0.13	0.11	0.11	0.06	0.06
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.26	0.28	0.19	0.24	0.10	0.15
New England	0.52	0.73	0.37	0.61	0.23	0.34
Middle Atlantic	0.29	0.28	0.23	0.24	0.10	0.17
Midwest	0.26	0.20	0.21	0.16	0.10	0.10
East North Central	0.31	0.22	0.25	0.18	0.10	0.10
West North Central	0.50	0.43	0.36	0.35	0.22	0.25
South	0.24	0.22	0.19	0.19	0.12	0.09
South Atlantic	0.32	0.31	0.26	0.24	0.17	0.10
East South Central	0.44	0.46	0.36	0.42	0.17	0.20
West South Central	0.49	0.42	0.39	0.37	0.24	0.22
West	0.38	0.32	0.28	0.27	0.15	0.14
Mountain	0.62	0.46	0.53	0.30	0.29	0.23
Pacific	0.47	0.42	0.32	0.36	0.17	0.18
<b>COUNTY TYPE</b>						
Large Metro	0.20	0.19	0.14	0.16	0.08	0.09
Small Metro	0.27	0.24	0.22	0.19	0.13	0.10
250K – 1 Mil. Pop.	0.32	0.29	0.25	0.21	0.19	0.10
< 250K Pop.	0.42	0.42	0.36	0.40	0.12	0.20
Nonmetro	0.38	0.28	0.35	0.26	0.15	0.15
Urbanized	0.65	0.39	0.60	0.37	0.23	0.23
Less Urbanized	0.49	0.44	0.44	0.40	0.24	0.24
Completely Rural	1.09	0.74	1.09	0.65	0.04	0.26

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.94P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.3789		0.4183		0.1917	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8714		0.5654		0.3373	
New England	0.7974		0.7193		0.8067	
Middle Atlantic	1.0000		0.6499		0.3182	
Midwest	0.0140		0.0220		0.4393	
East North Central	0.0810		0.0522		0.3729	
West North Central	0.0796		0.2207		0.8323	
South	0.8948		0.9371		0.1111	
South Atlantic	0.5063		0.9659		0.3467	
East South Central	0.4914		0.6082		1.0000	
West South Central	0.2210		0.8098		0.1527	
West	0.9960		0.6655		0.4794	
Mountain	0.0368		0.0136		0.1833	
Pacific	0.2509		0.3798		0.9748	
<b>COUNTY TYPE</b>						
Large Metro	0.5306		0.9917		0.3112	
Small Metro	0.5226		0.9744		0.4732	
250K – 1 Mil. Pop.	0.4741		0.8777		0.0994	
< 250K Pop.	0.9525		0.8925		0.1189	
Nonmetro	0.0507		0.0886		0.6584	
Urbanized	0.3025		0.4501		0.9186	
Less Urbanized	0.0672		0.0901		0.4481	
Completely Rural	0.7731		0.5854		0.3887	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.95C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	107	109	72	80	42	43
<b>GEOGRAPHIC DIVISION</b>						
Northeast	37	47	30	37	16	20
New England	19	19	18	15	8	11
Middle Atlantic	32	43	24	34	14	17
Midwest	39	44	27	32	14	17
East North Central	33	36	23	24	12	11
West North Central	22	25	15	20	6	13
South	68	60	42	44	24	27
South Atlantic	46	39	30	32	18	19
East South Central	24	27	15	18	5	11
West South Central	43	38	25	25	14	15
West	62	66	42	45	27	22
Mountain	33	32	24	17	15	8
Pacific	52	57	35	42	22	20
<b>COUNTY TYPE</b>						
Large Metro	85	74	57	57	34	28
Small Metro	56	68	37	48	21	29
250K – 1 Mil. Pop.	48	58	33	38	20	21
< 250K Pop.	31	36	17	29	9	20
Nonmetro	33	40	23	25	13	15
Urbanized	25	28	17	17	11	13
Less Urbanized	21	24	15	16	5	10
Completely Rural	8	11	5	5	3	0

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.95D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.34	0.34	0.23	0.25	0.13	0.13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.65	0.82	0.53	0.65	0.29	0.36
New England	1.27	1.29	1.21	0.98	0.52	0.77
Middle Atlantic	0.77	1.01	0.59	0.82	0.34	0.40
Midwest	0.53	0.59	0.37	0.43	0.19	0.23
East North Central	0.64	0.69	0.44	0.48	0.24	0.22
West North Central	0.95	1.10	0.66	0.88	0.28	0.55
South	0.60	0.52	0.37	0.38	0.21	0.23
South Atlantic	0.83	0.68	0.54	0.55	0.33	0.33
East South Central	1.25	1.41	0.77	0.91	0.28	0.56
West South Central	1.13	0.97	0.65	0.64	0.37	0.40
West	0.83	0.87	0.57	0.60	0.37	0.29
Mountain	1.48	1.41	1.06	0.73	0.69	0.35
Pacific	1.00	1.09	0.67	0.79	0.43	0.38
<b>COUNTY TYPE</b>						
Large Metro	0.51	0.44	0.34	0.35	0.20	0.17
Small Metro	0.55	0.64	0.36	0.45	0.21	0.28
250K – 1 Mil. Pop.	0.71	0.84	0.49	0.55	0.30	0.31
< 250K Pop.	0.87	0.98	0.48	0.78	0.24	0.55
Nonmetro	0.67	0.82	0.47	0.51	0.26	0.31
Urbanized	1.04	1.23	0.73	0.75	0.46	0.55
Less Urbanized	0.95	1.03	0.69	0.70	0.22	0.44
Completely Rural	2.09	3.39	1.31	1.41	0.95	0.05

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.95P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.6690		0.9596		0.8037	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1045		0.6667		0.5064	
New England	0.8217		0.5788		0.0139	
Middle Atlantic	0.0884		0.8616		0.6036	
Midwest	0.8836		0.4803		0.7703	
East North Central	0.6697		0.6961		0.2965	
West North Central	0.7254		0.5026		0.1049	
South	0.9352		0.8517		0.3402	
South Atlantic	0.9406		0.6367		0.4916	
East South Central	0.6284		0.9043		0.0695	
West South Central	0.5797		0.7188		0.7979	
West	0.7350		0.3810		0.0287	
Mountain	0.4616		0.1991		0.1210	
Pacific	0.9112		0.7720		0.1092	
<b>COUNTY TYPE</b>						
Large Metro	0.0970		0.3785		0.0730	
Small Metro	0.0716		0.1652		0.1835	
250K – 1 Mil. Pop.	0.1481		0.4477		0.7288	
< 250K Pop.	0.2722		0.1808		0.0091	
Nonmetro	0.0567		0.8078		0.4601	
Urbanized	0.2548		0.5558		0.6359	
Less Urbanized	0.2241		0.7478		0.0081	
Completely Rural	0.1423		0.8771		0.0483	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.96C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	552	621	207	180	137	110
<b>GEOGRAPHIC DIVISION</b>						
Northeast	253	287	81	69	51	48
New England	120	137	46	26	22	22
Middle Atlantic	224	254	67	64	46	42
Midwest	204	204	83	83	49	56
East North Central	171	182	68	65	42	53
West North Central	110	92	48	51	25	18
South	310	359	122	109	97	66
South Atlantic	254	288	99	88	83	51
East South Central	86	98	39	41	26	30
West South Central	154	192	59	50	44	29
West	318	363	122	95	65	48
Mountain	135	123	67	42	45	19
Pacific	288	343	102	85	47	44
<b>COUNTY TYPE</b>						
Large Metro	461	489	165	148	107	94
Small Metro	272	284	95	94	53	50
250K – 1 Mil. Pop.	231	234	72	80	41	42
< 250K Pop.	139	165	62	51	34	28
Nonmetro	178	216	83	53	64	29
Urbanized	114	142	46	38	16	24
Less Urbanized	120	154	70	33	62	15
Completely Rural	64	53	8	13	8	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.96D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.30	0.34	0.11	0.10	0.08	0.06
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.72	0.81	0.23	0.20	0.15	0.13
New England	1.30	1.48	0.50	0.28	0.24	0.23
Middle Atlantic	0.86	0.98	0.26	0.25	0.18	0.16
Midwest	0.50	0.50	0.20	0.20	0.12	0.14
East North Central	0.60	0.63	0.24	0.23	0.15	0.19
West North Central	0.91	0.75	0.39	0.42	0.21	0.15
South	0.48	0.55	0.19	0.17	0.15	0.10
South Atlantic	0.74	0.82	0.29	0.25	0.24	0.14
East South Central	0.80	0.89	0.36	0.37	0.24	0.28
West South Central	0.80	0.97	0.30	0.25	0.23	0.15
West	0.78	0.88	0.30	0.23	0.16	0.12
Mountain	1.16	1.03	0.58	0.36	0.39	0.16
Pacific	1.00	1.18	0.35	0.29	0.16	0.15
<b>COUNTY TYPE</b>						
Large Metro	0.48	0.50	0.17	0.15	0.11	0.10
Small Metro	0.50	0.53	0.18	0.18	0.10	0.09
250K – 1 Mil. Pop.	0.66	0.67	0.20	0.23	0.11	0.12
< 250K Pop.	0.75	0.91	0.33	0.28	0.19	0.15
Nonmetro	0.57	0.69	0.27	0.17	0.21	0.09
Urbanized	0.83	1.12	0.33	0.30	0.11	0.19
Less Urbanized	0.86	0.97	0.50	0.21	0.44	0.09
Completely Rural	1.95	1.84	0.25	0.46	0.25	0.14

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.96P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1528		0.2751		0.1658	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.4673		0.1303		0.5187	
New England	0.9393		0.2622		0.8172	
Middle Atlantic	0.4361		0.2735		0.5435	
Midwest	0.0259		0.8218		0.3527	
East North Central	0.2715		0.5640		0.1953	
West North Central	0.0113		0.6622		0.5735	
South	0.0773		0.6271		0.1947	
South Atlantic	0.1329		0.8443		0.3407	
East South Central	0.0410		0.7357		0.4741	
West South Central	0.9337		0.2434		0.0922	
West	0.0146		0.5678		0.1559	
Mountain	0.0139		0.4298		0.2137	
Pacific	0.1329		0.9080		0.4245	
<b>COUNTY TYPE</b>						
Large Metro	0.1486		0.1627		0.2708	
Small Metro	0.5030		0.5485		0.7670	
250K – 1 Mil. Pop.	0.7099		0.2412		0.8033	
< 250K Pop.	0.5200		0.4997		0.4158	
Nonmetro	0.9170		0.4460		0.3529	
Urbanized	0.4253		0.9845		0.3261	
Less Urbanized	0.6567		0.2386		0.1371	
Completely Rural	0.9826		0.1718		0.9115	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.97C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	564	635	225	202	146	119
<b>GEOGRAPHIC DIVISION</b>						
Northeast	258	291	91	79	56	51
New England	126	138	54	29	27	25
Middle Atlantic	227	258	74	73	49	44
Midwest	205	217	86	93	51	62
East North Central	173	190	72	72	44	57
West North Central	110	104	47	58	26	23
South	321	364	130	118	100	71
South Atlantic	260	286	106	95	84	55
East South Central	88	103	40	39	27	31
West South Central	165	201	65	57	46	32
West	321	373	134	111	75	52
Mountain	140	134	79	46	55	20
Pacific	288	349	108	100	50	48
<b>COUNTY TYPE</b>						
Large Metro	473	502	182	165	117	97
Small Metro	280	298	100	106	56	60
250K – 1 Mil. Pop.	238	248	76	90	43	49
< 250K Pop.	146	172	65	59	35	34
Nonmetro	181	218	86	59	65	33
Urbanized	117	147	52	42	20	27
Less Urbanized	123	153	72	38	63	18
Completely Rural	64	56	9	14	9	4

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.97D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.27	0.30	0.11	0.09	0.07	0.06
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.63	0.71	0.22	0.19	0.14	0.12
New England	1.18	1.28	0.51	0.27	0.25	0.23
Middle Atlantic	0.75	0.86	0.24	0.24	0.16	0.15
Midwest	0.43	0.45	0.18	0.19	0.11	0.13
East North Central	0.51	0.56	0.21	0.21	0.13	0.17
West North Central	0.76	0.72	0.33	0.39	0.18	0.15
South	0.42	0.47	0.17	0.15	0.13	0.09
South Atlantic	0.65	0.70	0.26	0.23	0.21	0.14
East South Central	0.69	0.80	0.31	0.30	0.21	0.24
West South Central	0.71	0.85	0.28	0.24	0.20	0.13
West	0.67	0.77	0.28	0.23	0.16	0.11
Mountain	1.01	0.94	0.57	0.32	0.40	0.14
Pacific	0.85	1.01	0.32	0.29	0.15	0.14
<b>COUNTY TYPE</b>						
Large Metro	0.42	0.44	0.16	0.14	0.10	0.08
Small Metro	0.44	0.47	0.16	0.16	0.09	0.09
250K – 1 Mil. Pop.	0.57	0.59	0.18	0.21	0.10	0.12
< 250K Pop.	0.66	0.79	0.29	0.27	0.16	0.16
Nonmetro	0.50	0.60	0.24	0.16	0.18	0.09
Urbanized	0.73	0.98	0.32	0.28	0.12	0.18
Less Urbanized	0.76	0.84	0.44	0.21	0.39	0.10
Completely Rural	1.74	1.75	0.26	0.43	0.24	0.13

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.97P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.1893		0.3314		0.1697	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6342		0.2251		0.7014	
New England	0.9649		0.4649		0.5361	
Middle Atlantic	0.6075		0.3328		0.4257	
Midwest	0.0323		0.6549		0.3418	
East North Central	0.3157		0.5212		0.3279	
West North Central	0.0145		0.8674		0.8548	
South	0.0859		0.6872		0.3310	
South Atlantic	0.1306		0.7339		0.4560	
East South Central	0.0383		0.7552		0.1907	
West South Central	0.8252		0.2316		0.0965	
West	0.0167		0.4170		0.0404	
Mountain	0.0155		0.2910		0.1409	
Pacific	0.1514		0.8312		0.1518	
<b>COUNTY TYPE</b>						
Large Metro	0.0941		0.1043		0.1176	
Small Metro	0.8042		0.2028		0.6902	
250K – 1 Mil. Pop.	0.9681		0.1380		0.8946	
< 250K Pop.	0.6916		0.9521		0.6367	
Nonmetro	0.6491		0.4124		0.4698	
Urbanized	0.3185		0.8932		0.4588	
Less Urbanized	0.7984		0.2581		0.2854	
Completely Rural	0.7986		0.2065		0.4300	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.