

Table 3.54A How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Smoke Cigarettes ¹ | | | |
|--|---|-------|------------------|--------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 7,179 | 7,295 | 14,627 | 14,860 |
| AGE | | | | |
| 12-13 | 736 | 766 | 6,189 | 6,146 |
| 14-15 | 2,564 ^a | 2,782 | 4,822 | 5,004 |
| 16-17 | 3,880 | 3,747 | 3,617 | 3,710 |
| GENDER | | | | |
| Male | 3,112 | 3,065 | 8,016 | 8,219 |
| Female | 4,067 | 4,229 | 6,611 | 6,640 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 6,176 | 6,206 | 12,442 | 12,565 |
| White | 4,663 | 4,623 | 9,490 | 9,611 |
| Black or African American | 1,133 | 1,145 | 1,984 | 1,919 |
| American Indian or Alaska Native | 50 | * | 82 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 203 | 215 | 596 | 667 |
| Two or More Races | 107 | 136 | 255 | 256 |
| Hispanic or Latino | 1,003 | 1,089 | 2,185 | 2,295 |
| COUNTY TYPE | | | | |
| Large Metro | 3,572 | 3,631 | 8,031 | 8,063 |
| Small Metro | 2,299 | 2,309 | 4,204 | 4,477 |
| Nonmetro | 1,308 | 1,355 | 2,392 | 2,320 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 1,517 ^a | 1,355 | 993 | 1,071 |
| Marijuana | 1,175 | 1,042 | 634 | 715 |
| Illicit Drug Other Than Marijuana ² | 705 | 646 | 512 | 544 |
| Cigarettes | 1,849 | 1,793 | 853 | 965 |
| Alcohol | 2,235 | 2,190 | 1,817 | 1,923 |
| Binge Alcohol ³ | 1,463 | 1,442 | 960 ^a | 1,120 |
| PAST YEAR | | | | |
| Illicit Drug ² | 2,647 | 2,595 | 2,222 | 2,244 |
| Marijuana | 2,058 | 1,983 | 1,370 | 1,409 |
| Illicit Drug Other Than Marijuana ² | 1,581 | 1,570 | 1,359 | 1,404 |
| Cigarettes | 2,623 | 2,586 | 1,592 | 1,682 |
| Alcohol | 3,965 | 3,963 | 3,868 | 3,956 |
| LIFETIME | | | | |
| Illicit Drug ² | 3,551 | 3,533 | 3,251 | 3,349 |
| Marijuana | 2,662 | 2,597 | 1,813 | 1,829 |
| Illicit Drug Other Than Marijuana ² | 2,409 | 2,401 | 2,259 | 2,444 |
| Cigarettes | 3,872 | 3,816 | 3,066 | 2,944 |
| Alcohol | 4,757 | 4,747 | 4,968 | 4,972 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.54B How Many Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Smoke Cigarettes (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Smoke Cigarettes ¹ | | | |
|--|---|------|------------------|------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 32.9 | 32.9 | 67.1 | 67.1 |
| AGE | | | | |
| 12-13 | 10.6 | 11.1 | 89.4 | 88.9 |
| 14-15 | 34.7 | 35.7 | 65.3 | 64.3 |
| 16-17 | 51.8 | 50.3 | 48.2 | 49.7 |
| GENDER | | | | |
| Male | 28.0 | 27.2 | 72.0 | 72.8 |
| Female | 38.1 | 38.9 | 61.9 | 61.1 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 33.2 | 33.1 | 66.8 | 66.9 |
| White | 32.9 | 32.5 | 67.1 | 67.5 |
| Black or African American | 36.3 | 37.4 | 63.7 | 62.6 |
| American Indian or Alaska Native | 37.9 | * | 62.1 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 25.4 | 24.3 | 74.6 | 75.7 |
| Two or More Races | 29.6 | 34.6 | 70.4 | 65.4 |
| Hispanic or Latino | 31.5 | 32.2 | 68.5 | 67.8 |
| COUNTY TYPE | | | | |
| Large Metro | 30.8 | 31.0 | 69.2 | 69.0 |
| Small Metro | 35.4 | 34.0 | 64.6 | 66.0 |
| Nonmetro | 35.3 | 36.9 | 64.7 | 63.1 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 21.1 ^b | 18.6 | 6.8 | 7.2 |
| Marijuana | 16.4 ^a | 14.3 | 4.3 | 4.8 |
| Illicit Drug Other Than Marijuana ² | 9.8 | 8.9 | 3.5 | 3.7 |
| Cigarettes | 25.7 | 24.6 | 5.8 | 6.5 |
| Alcohol | 31.1 | 30.0 | 12.4 | 12.9 |
| Binge Alcohol ³ | 20.4 | 19.8 | 6.6 ^a | 7.5 |
| PAST YEAR | | | | |
| Illicit Drug ² | 36.9 | 35.6 | 15.2 | 15.1 |
| Marijuana | 28.7 | 27.2 | 9.4 | 9.5 |
| Illicit Drug Other Than Marijuana ² | 22.0 | 21.5 | 9.3 | 9.4 |
| Cigarettes | 36.5 | 35.4 | 10.9 | 11.3 |
| Alcohol | 55.2 | 54.3 | 26.4 | 26.6 |
| LIFETIME | | | | |
| Illicit Drug ² | 49.5 | 48.4 | 22.2 | 22.5 |
| Marijuana | 37.1 | 35.6 | 12.4 | 12.3 |
| Illicit Drug Other Than Marijuana ² | 33.6 | 32.9 | 15.4 | 16.4 |
| Cigarettes | 53.9 | 52.3 | 21.0 | 19.8 |
| Alcohol | 66.3 | 65.1 | 34.0 | 33.5 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.55A How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Use Marijuana/Hashish ¹ | | | |
|--|--|-------|--------------------|--------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 5,578 | 5,444 | 15,898 | 16,338 |
| AGE | | | | |
| 12-13 | 331 | 314 | 6,454 | 6,455 |
| 14-15 | 1,935 | 1,975 | 5,331 ^a | 5,644 |
| 16-17 | 3,313 | 3,155 | 4,114 | 4,239 |
| GENDER | | | | |
| Male | 2,459 | 2,429 | 8,507 | 8,701 |
| Female | 3,119 | 3,015 | 7,391 | 7,636 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 4,689 | 4,522 | 13,640 | 13,967 |
| White | 3,326 | 3,186 | 10,619 | 10,829 |
| Black or African American | 1,064 | 992 | 1,997 | 2,016 |
| American Indian or Alaska Native | 44 | 44 | 85 | 96 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 133 | 144 | 647 | 737 |
| Two or More Races | 101 | 133 | 258 | 254 |
| Hispanic or Latino | 890 | 922 | 2,259 | 2,371 |
| COUNTY TYPE | | | | |
| Large Metro | 3,108 | 2,979 | 8,346 | 8,512 |
| Small Metro | 1,743 | 1,660 | 4,655 ^a | 5,023 |
| Nonmetro | 727 | 805 | 2,898 | 2,803 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 1,555 | 1,408 | 943 | 1,011 |
| Marijuana | 1,290 | 1,165 | 517 | 591 |
| Illicit Drug Other Than Marijuana ² | 654 | 604 | 553 | 579 |
| Cigarettes | 1,483 | 1,478 | 1,209 | 1,256 |
| Alcohol | 1,993 | 2,034 | 2,053 | 2,062 |
| Binge Alcohol ³ | 1,352 | 1,393 | 1,066 | 1,168 |
| PAST YEAR | | | | |
| Illicit Drug ² | 2,582 | 2,458 | 2,251 | 2,357 |
| Marijuana | 2,182 | 2,058 | 1,243 | 1,326 |
| Illicit Drug Other Than Marijuana ² | 1,447 | 1,381 | 1,458 | 1,571 |
| Cigarettes | 2,103 | 2,078 | 2,086 | 2,162 |
| Alcohol | 3,487 | 3,424 | 4,312 | 4,436 |
| LIFETIME | | | | |
| Illicit Drug ² | 3,274 | 3,244 | 3,483 | 3,595 |
| Marijuana | 2,720 | 2,628 | 1,751 | 1,778 |
| Illicit Drug Other Than Marijuana ² | 2,068 | 2,111 | 2,555 | 2,697 |
| Cigarettes | 3,170 | 3,060 | 3,717 | 3,645 |
| Alcohol | 4,061 | 3,984 | 5,609 | 5,645 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.55B How Many Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Use Marijuana/Hashish ¹ | | | |
|--|--|------|-------------------|------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 26.0 | 25.0 | 74.0 | 75.0 |
| AGE | | | | |
| 12-13 | 4.9 | 4.6 | 95.1 | 95.4 |
| 14-15 | 26.6 | 25.9 | 73.4 | 74.1 |
| 16-17 | 44.6 | 42.7 | 55.4 | 57.3 |
| GENDER | | | | |
| Male | 22.4 | 21.8 | 77.6 | 78.2 |
| Female | 29.7 | 28.3 | 70.3 | 71.7 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 25.6 | 24.5 | 74.4 | 75.5 |
| White | 23.8 | 22.7 | 76.2 | 77.3 |
| Black or African American | 34.8 | 33.0 | 65.2 | 67.0 |
| American Indian or Alaska Native | 34.0 | 31.6 | 66.0 | 68.4 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 17.0 | 16.4 | 83.0 | 83.6 |
| Two or More Races | 28.1 | 34.3 | 71.9 | 65.7 |
| Hispanic or Latino | 28.3 | 28.0 | 71.7 | 72.0 |
| COUNTY TYPE | | | | |
| Large Metro | 27.1 | 25.9 | 72.9 | 74.1 |
| Small Metro | 27.2 ^a | 24.8 | 72.8 ^a | 75.2 |
| Nonmetro | 20.0 | 22.3 | 80.0 | 77.7 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 27.9 | 25.9 | 5.9 | 6.2 |
| Marijuana | 23.1 | 21.4 | 3.3 | 3.6 |
| Illicit Drug Other Than Marijuana ² | 11.7 | 11.1 | 3.5 | 3.5 |
| Cigarettes | 26.6 | 27.2 | 7.6 | 7.7 |
| Alcohol | 35.7 | 37.4 | 12.9 | 12.6 |
| Binge Alcohol ³ | 24.2 | 25.6 | 6.7 | 7.1 |
| PAST YEAR | | | | |
| Illicit Drug ² | 46.3 | 45.2 | 14.2 | 14.4 |
| Marijuana | 39.1 | 37.8 | 7.8 | 8.1 |
| Illicit Drug Other Than Marijuana ² | 25.9 | 25.4 | 9.2 | 9.6 |
| Cigarettes | 37.7 | 38.2 | 13.1 | 13.2 |
| Alcohol | 62.5 | 62.9 | 27.1 | 27.2 |
| LIFETIME | | | | |
| Illicit Drug ² | 58.7 | 59.6 | 21.9 | 22.0 |
| Marijuana | 48.8 | 48.3 | 11.0 | 10.9 |
| Illicit Drug Other Than Marijuana ² | 37.1 | 38.8 | 16.1 | 16.5 |
| Cigarettes | 56.8 | 56.2 | 23.4 | 22.3 |
| Alcohol | 72.8 | 73.2 | 35.3 | 34.5 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.56A How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Drink Alcoholic Beverages ¹ | | | |
|--|--|--------|--------------------|--------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 9,810 | 10,135 | 11,841 | 11,916 |
| AGE | | | | |
| 12-13 | 909 | 857 | 5,913 | 5,990 |
| 14-15 | 3,477 ^b | 3,797 | 3,871 | 3,949 |
| 16-17 | 5,424 | 5,480 | 2,057 | 1,976 |
| GENDER | | | | |
| Male | 4,342 | 4,567 | 6,702 | 6,672 |
| Female | 5,468 | 5,568 | 5,139 | 5,243 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 8,384 | 8,649 | 10,112 | 10,045 |
| White | 6,496 | 6,785 | 7,590 | 7,404 |
| Black or African American | 1,324 | 1,277 | 1,766 | 1,753 |
| American Indian or Alaska Native | 61 | 67 | 70 | 73 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 327 | 297 | 445 ^a | 593 |
| Two or More Races | 151 | 197 | 208 | 192 |
| Hispanic or Latino | 1,425 | 1,486 | 1,730 | 1,870 |
| COUNTY TYPE | | | | |
| Large Metro | 5,128 | 5,180 | 6,377 | 6,444 |
| Small Metro | 2,945 | 3,137 | 3,523 | 3,638 |
| Nonmetro | 1,736 | 1,819 | 1,942 | 1,834 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 1,847 | 1,796 | 660 | 628 |
| Marijuana | 1,391 | 1,393 | 413 | 365 |
| Illicit Drug Other Than Marijuana ² | 873 | 843 | 345 | 344 |
| Cigarettes | 1,925 | 2,070 | 771 | 683 |
| Alcohol | 3,099 | 3,281 | 955 ^a | 838 |
| Binge Alcohol ³ | 1,941 ^a | 2,141 | 479 | 431 |
| PAST YEAR | | | | |
| Illicit Drug ² | 3,353 | 3,427 | 1,499 | 1,407 |
| Marijuana | 2,578 | 2,609 | 846 | 786 |
| Illicit Drug Other Than Marijuana ² | 1,993 | 2,050 | 932 | 915 |
| Cigarettes | 2,916 | 3,061 | 1,292 | 1,199 |
| Alcohol | 5,635 | 5,859 | 2,198 | 2,059 |
| LIFETIME | | | | |
| Illicit Drug ² | 4,481 | 4,637 | 2,301 | 2,225 |
| Marijuana | 3,307 | 3,350 | 1,164 | 1,073 |
| Illicit Drug Other Than Marijuana ² | 3,003 | 3,169 | 1,646 | 1,657 |
| Cigarettes | 4,607 | 4,632 | 2,314 ^a | 2,122 |
| Alcohol | 6,615 | 6,833 | 3,110 ^a | 2,882 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.56B How Many Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Drink Alcoholic Beverages ¹ | | | |
|--|--|------|-------------------|------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 45.3 | 46.0 | 54.7 | 54.0 |
| AGE | | | | |
| 12-13 | 13.3 | 12.5 | 86.7 | 87.5 |
| 14-15 | 47.3 | 49.0 | 52.7 | 51.0 |
| 16-17 | 72.5 | 73.5 | 27.5 | 26.5 |
| GENDER | | | | |
| Male | 39.3 | 40.6 | 60.7 | 59.4 |
| Female | 51.6 | 51.5 | 48.4 | 48.5 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 45.3 | 46.3 | 54.7 | 53.7 |
| White | 46.1 ^a | 47.8 | 53.9 ^a | 52.2 |
| Black or African American | 42.9 | 42.1 | 57.1 | 57.9 |
| American Indian or Alaska Native | 46.6 | 47.9 | 53.4 | 52.1 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 42.4 ^a | 33.3 | 57.6 ^a | 66.7 |
| Two or More Races | 42.2 | 50.6 | 57.8 | 49.4 |
| Hispanic or Latino | 45.2 | 44.3 | 54.8 | 55.7 |
| COUNTY TYPE | | | | |
| Large Metro | 44.6 | 44.6 | 55.4 | 55.4 |
| Small Metro | 45.5 | 46.3 | 54.5 | 53.7 |
| Nonmetro | 47.2 | 49.8 | 52.8 | 50.2 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 18.8 | 17.7 | 5.6 | 5.3 |
| Marijuana | 14.2 | 13.7 | 3.5 | 3.1 |
| Illicit Drug Other Than Marijuana ² | 8.9 | 8.3 | 2.9 | 2.9 |
| Cigarettes | 19.6 | 20.4 | 6.5 | 5.7 |
| Alcohol | 31.6 | 32.4 | 8.1 ^a | 7.0 |
| Binge Alcohol ³ | 19.8 | 21.1 | 4.0 | 3.6 |
| PAST YEAR | | | | |
| Illicit Drug ² | 34.2 | 33.8 | 12.7 | 11.8 |
| Marijuana | 26.3 | 25.7 | 7.1 | 6.6 |
| Illicit Drug Other Than Marijuana ² | 20.3 | 20.2 | 7.9 | 7.7 |
| Cigarettes | 29.7 | 30.2 | 10.9 | 10.1 |
| Alcohol | 57.4 | 57.8 | 18.6 | 17.3 |
| LIFETIME | | | | |
| Illicit Drug ² | 45.7 | 45.8 | 19.4 | 18.7 |
| Marijuana | 33.7 | 33.1 | 9.8 | 9.0 |
| Illicit Drug Other Than Marijuana ² | 30.6 | 31.3 | 13.9 | 13.9 |
| Cigarettes | 47.0 | 45.7 | 19.5 ^a | 17.8 |
| Alcohol | 67.4 | 67.4 | 26.3 ^a | 24.2 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.57A How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Get Drunk at Least Once a Week ¹ | | | |
|--|---|-------|--------------------|--------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 4,040 | 4,105 | 17,389 | 17,671 |
| AGE | | | | |
| 12-13 | 188 | 213 | 6,599 | 6,547 |
| 14-15 | 1,307 | 1,348 | 5,934 ^a | 6,285 |
| 16-17 | 2,545 | 2,544 | 4,857 | 4,840 |
| GENDER | | | | |
| Male | 1,672 | 1,766 | 9,247 | 9,322 |
| Female | 2,368 | 2,340 | 8,142 | 8,350 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 3,436 | 3,406 | 14,858 | 15,055 |
| White | 2,600 | 2,603 | 11,357 | 11,439 |
| Black or African American | 634 | 552 | 2,400 | 2,421 |
| American Indian or Alaska Native | 25 | 28 | 100 | 107 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 94 | 126 | 675 | 745 |
| Two or More Races | 66 | 80 | 286 | 304 |
| Hispanic or Latino | 604 | 699 | 2,531 | 2,616 |
| COUNTY TYPE | | | | |
| Large Metro | 2,111 | 2,095 | 9,291 | 9,370 |
| Small Metro | 1,257 | 1,268 | 5,139 | 5,430 |
| Nonmetro | 672 | 742 | 2,959 | 2,871 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 1,020 | 925 | 1,474 | 1,491 |
| Marijuana | 801 | 731 | 994 | 1,024 |
| Illicit Drug Other Than Marijuana ² | 481 | 453 | 731 | 728 |
| Cigarettes | 1,067 | 1,063 | 1,610 | 1,666 |
| Alcohol | 1,505 | 1,487 | 2,530 | 2,608 |
| Binge Alcohol ³ | 1,053 | 1,085 | 1,363 | 1,477 |
| PAST YEAR | | | | |
| Illicit Drug ² | 1,624 | 1,621 | 3,198 | 3,187 |
| Marijuana | 1,304 | 1,289 | 2,104 | 2,091 |
| Illicit Drug Other Than Marijuana ² | 1,009 | 1,016 | 1,897 | 1,932 |
| Cigarettes | 1,451 | 1,452 | 2,718 | 2,779 |
| Alcohol | 2,486 | 2,443 | 5,287 | 5,414 |
| LIFETIME | | | | |
| Illicit Drug ² | 2,137 | 2,146 | 4,594 | 4,662 |
| Marijuana | 1,643 | 1,632 | 2,795 | 2,756 |
| Illicit Drug Other Than Marijuana ² | 1,495 | 1,509 | 3,123 | 3,278 |
| Cigarettes | 2,168 | 2,124 | 4,686 | 4,568 |
| Alcohol | 2,864 | 2,867 | 6,769 | 6,748 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.57B How Many Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Substance Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2003 and 2004

| (I) Demographic Characteristic and (II) Substance Use | Students in Youths' Grade Who Get Drunk at Least Once a Week ¹ | | | |
|--|---|------|------------------|------|
| | All/Most of Them | | Few/None of Them | |
| | 2003 | 2004 | 2003 | 2004 |
| (I) Demographic Characteristic | | | | |
| TOTAL | 18.9 | 18.9 | 81.1 | 81.1 |
| AGE | | | | |
| 12-13 | 2.8 | 3.2 | 97.2 | 96.8 |
| 14-15 | 18.1 | 17.7 | 81.9 | 82.3 |
| 16-17 | 34.4 | 34.5 | 65.6 | 65.5 |
| GENDER | | | | |
| Male | 15.3 | 15.9 | 84.7 | 84.1 |
| Female | 22.5 | 21.9 | 77.5 | 78.1 |
| HISPANIC ORIGIN AND RACE | | | | |
| Not Hispanic or Latino | 18.8 | 18.4 | 81.2 | 81.6 |
| White | 18.6 | 18.5 | 81.4 | 81.5 |
| Black or African American | 20.9 | 18.6 | 79.1 | 81.4 |
| American Indian or Alaska Native | 20.2 | 20.8 | 79.8 | 79.2 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * |
| Asian | 12.3 | 14.4 | 87.7 | 85.6 |
| Two or More Races | 18.7 | 20.8 | 81.3 | 79.2 |
| Hispanic or Latino | 19.3 | 21.1 | 80.7 | 78.9 |
| COUNTY TYPE | | | | |
| Large Metro | 18.5 | 18.3 | 81.5 | 81.7 |
| Small Metro | 19.6 | 18.9 | 80.4 | 81.1 |
| Nonmetro | 18.5 | 20.5 | 81.5 | 79.5 |
| (II) Substance Use | | | | |
| PAST MONTH | | | | |
| Illicit Drug ² | 25.3 ^a | 22.5 | 8.5 | 8.4 |
| Marijuana | 19.8 | 17.8 | 5.7 | 5.8 |
| Illicit Drug Other Than Marijuana ² | 11.9 | 11.0 | 4.2 | 4.1 |
| Cigarettes | 26.4 | 25.9 | 9.3 | 9.4 |
| Alcohol | 37.3 | 36.2 | 14.6 | 14.8 |
| Binge Alcohol ³ | 26.1 | 26.4 | 7.8 | 8.4 |
| PAST YEAR | | | | |
| Illicit Drug ² | 40.2 | 39.5 | 18.4 | 18.0 |
| Marijuana | 32.3 | 31.4 | 12.1 | 11.8 |
| Illicit Drug Other Than Marijuana ² | 25.0 | 24.8 | 10.9 | 10.9 |
| Cigarettes | 35.9 | 35.4 | 15.6 | 15.7 |
| Alcohol | 61.5 | 59.5 | 30.4 | 30.6 |
| LIFETIME | | | | |
| Illicit Drug ² | 52.9 | 52.3 | 26.4 | 26.4 |
| Marijuana | 40.7 | 39.8 | 16.1 | 15.6 |
| Illicit Drug Other Than Marijuana ² | 37.0 | 36.8 | 18.0 | 18.5 |
| Cigarettes | 53.7 | 51.7 | 26.9 | 25.8 |
| Alcohol | 70.9 | 69.8 | 38.9 | 38.2 |

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.