

Table 3.18A Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	4,013	4,103	20,947	21,088
AGE				
12-13	465	518	7,968	7,838
14-15	1,467	1,551	6,784	7,108
16-17	2,081	2,034	6,195	6,143
GENDER				
Male	2,414	2,426	10,333	10,438
Female	1,600	1,678	10,614	10,650
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	3,239	3,322	17,668	17,646
White	2,411	2,413	13,138	13,087
Black or African American	638	669	3,096	3,129
American Indian or Alaska Native	38	*	139	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	75	106	896	894
Two or More Races	63	86	338	354
Hispanic or Latino	774	781	3,279	3,443
COUNTY TYPE				
Large Metro	2,218	2,326	11,073	11,004
Small Metro	1,212	1,162	6,177	6,478
Nonmetro	583	616	3,697	3,607
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1,406	1,338	1,401	1,332
Marijuana	1,162	1,113	805	792
Illicit Drug Other Than Marijuana ²	633	598	784	729
Cigarettes	1,348	1,331	1,686	1,665
Alcohol	1,690	1,761	2,729	2,671
Binge Alcohol ³	1,248	1,279	1,408	1,510
PAST YEAR				
Illicit Drug ²	2,183	2,161	3,262	3,132
Marijuana	1,816	1,767	1,922	1,883
Illicit Drug Other Than Marijuana ²	1,335	1,337	2,011	1,928
Cigarettes	1,815	1,784	2,911	2,855
Alcohol	2,655	2,728	5,898	5,800
LIFETIME				
Illicit Drug ²	2,635	2,629	4,983	4,927
Marijuana	2,156	2,092	2,724	2,689
Illicit Drug Other Than Marijuana ²	1,846	1,863	3,463	3,485
Cigarettes	2,552	2,432	5,189	4,923
Alcohol	3,057	3,081	7,646	7,506

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.18B Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Substance Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	16.1	16.3	83.9	83.7
AGE				
12-13	5.5	6.2	94.5	93.8
14-15	17.8	17.9	82.2	82.1
16-17	25.1	24.9	74.9	75.1
GENDER				
Male	18.9	18.9	81.1	81.1
Female	13.1	13.6	86.9	86.4
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	15.5	15.8	84.5	84.2
White	15.5	15.6	84.5	84.4
Black or African American	17.1	17.6	82.9	82.4
American Indian or Alaska Native	21.3	*	78.7	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	7.7	10.6	92.3	89.4
Two or More Races	15.6	19.6	84.4	80.4
Hispanic or Latino	19.1	18.5	80.9	81.5
COUNTY TYPE				
Large Metro	16.7	17.4	83.3	82.6
Small Metro	16.4	15.2	83.6	84.8
Nonmetro	13.6	14.6	86.4	85.4
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	35.0	32.6	6.7	6.3
Marijuana	29.0	27.1	3.8	3.8
Illicit Drug Other Than Marijuana ²	15.8	14.6	3.7	3.5
Cigarettes	33.6	32.4	8.1	7.9
Alcohol	42.1	42.9	13.0	12.7
Binge Alcohol ³	31.1	31.2	6.7	7.2
PAST YEAR				
Illicit Drug ²	54.4	52.7	15.6	14.9
Marijuana	45.3	43.1	9.2	8.9
Illicit Drug Other Than Marijuana ²	33.3	32.6	9.6	9.1
Cigarettes	45.2	43.5	13.9	13.5
Alcohol	66.2	66.5	28.2	27.5
LIFETIME				
Illicit Drug ²	65.7	64.1	23.8	23.4
Marijuana	53.7	51.0	13.0	12.8
Illicit Drug Other Than Marijuana ²	46.0	45.4	16.5	16.5
Cigarettes	63.6 ^b	59.3	24.8 ^a	23.3
Alcohol	76.2	75.1	36.5	35.6

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.19A Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	6,178	6,166	18,315	18,451
AGE				
12-13	2,228	2,249	5,946	5,784
14-15	2,064	2,111	6,054 ^a	6,409
16-17	1,886	1,806	6,315	6,259
GENDER				
Male	3,177	3,144	9,311	9,418
Female	3,001	3,023	9,004	9,033
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	4,909	4,875	15,646	15,659
White	3,129	2,987	12,215	12,274
Black or African American	1,338	1,465	2,292	2,184
American Indian or Alaska Native	57	*	102	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	221	235	731	738
Two or More Races	141	120	254	309
Hispanic or Latino	1,269	1,292	2,669	2,792
COUNTY TYPE				
Large Metro	3,121	3,149	9,936	9,891
Small Metro	1,945	2,013	5,286	5,450
Nonmetro	1,112	1,004	3,093	3,110
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	841	793	1,916	1,829
Marijuana	602	571	1,337	1,306
Illicit Drug Other Than Marijuana ²	430	385	952	906
Cigarettes	973	874	2,005	2,055
Alcohol	1,128	1,031	3,247	3,337
Binge Alcohol ³	699	654	1,930	2,093
PAST YEAR				
Illicit Drug ²	1,596	1,493	3,761	3,676
Marijuana	1,098	1,039	2,584	2,539
Illicit Drug Other Than Marijuana ²	1,006	920	2,279	2,268
Cigarettes	1,430	1,307	3,212	3,249
Alcohol	2,201	2,085	6,248	6,331
LIFETIME				
Illicit Drug ²	2,252	2,165	5,233	5,195
Marijuana	1,481	1,402	3,315	3,277
Illicit Drug Other Than Marijuana ²	1,585	1,528	3,624	3,680
Cigarettes	2,372 ^b	2,110	5,240	5,092
Alcohol	2,887	2,722	7,672	7,674

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.19B Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	25.2	25.0	74.8	75.0
AGE				
12-13	27.3	28.0	72.7	72.0
14-15	25.4	24.8	74.6	75.2
16-17	23.0	22.4	77.0	77.6
GENDER				
Male	25.4	25.0	74.6	75.0
Female	25.0	25.1	75.0	74.9
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	23.9	23.7	76.1	76.3
White	20.4	19.6	79.6	80.4
Black or African American	36.9 ^a	40.2	63.1 ^a	59.8
American Indian or Alaska Native	35.9	*	64.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	23.2	24.2	76.8	75.8
Two or More Races	35.7	28.0	64.3	72.0
Hispanic or Latino	32.2	31.6	67.8	68.4
COUNTY TYPE				
Large Metro	23.9	24.1	76.1	75.9
Small Metro	26.9	27.0	73.1	73.0
Nonmetro	26.4	24.4	73.6	75.6
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	13.6	12.9	10.5	9.9
Marijuana	9.7	9.3	7.3	7.1
Illicit Drug Other Than Marijuana ²	7.0	6.2	5.2	4.9
Cigarettes	15.8	14.2	10.9	11.1
Alcohol	18.3	16.7	17.7	18.1
Binge Alcohol ³	11.3	10.6	10.5	11.3
PAST YEAR				
Illicit Drug ²	25.8	24.2	20.5	19.9
Marijuana	17.8	16.8	14.1	13.8
Illicit Drug Other Than Marijuana ²	16.3	14.9	12.4	12.3
Cigarettes	23.1	21.2	17.5	17.6
Alcohol	35.6	33.8	34.1	34.3
LIFETIME				
Illicit Drug ²	36.4	35.1	28.6	28.2
Marijuana	24.0	22.7	18.1	17.8
Illicit Drug Other Than Marijuana ²	25.7	24.8	19.8	19.9
Cigarettes	38.4 ^b	34.2	28.6	27.6
Alcohol	46.7	44.1	41.9	41.6

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.