

Table 3.34C Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	96	87	96	87
AGE				
12-13	58	58	58	58
14-15	54	52	54	52
16-17	55	48	55	48
GENDER				
Male	64	65	64	65
Female	70	63	70	63
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	86	74	86	74
White	70	66	70	66
Black or African American	44	34	44	34
American Indian or Alaska Native	6	9	6	9
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	23	22	23
Two or More Races	10	11	10	11
Hispanic or Latino	44	42	44	42
COUNTY TYPE				
Large Metro	75	70	75	70
Small Metro	47	45	47	45
Nonmetro	30	33	30	33
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	33	30	60	59
Marijuana	25	26	53	50
Illicit Drug Other Than Marijuana ²	27	21	42	43
Cigarettes	29	34	66	66
Alcohol	34	37	73	74
Binge Alcohol ³	25	31	60	65
PAST YEAR				
Illicit Drug ²	41	42	79	78
Marijuana	34	33	68	69
Illicit Drug Other Than Marijuana ²	37	34	67	63
Cigarettes	39	39	79	79
Alcohol	49	48	89	91
LIFETIME				
Illicit Drug ²	49	45	88	86
Marijuana	40	36	78	75
Illicit Drug Other Than Marijuana ²	45	40	79	76
Cigarettes	48	48	97	90
Alcohol	54	51	92	95

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.34D Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.39	0.35	0.39	0.35
AGE				
12-13	0.70	0.72	0.70	0.72
14-15	0.66	0.61	0.66	0.61
16-17	0.66	0.59	0.66	0.59
GENDER				
Male	0.51	0.51	0.51	0.51
Female	0.58	0.52	0.58	0.52
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.41	0.36	0.41	0.36
White	0.45	0.43	0.45	0.43
Black or African American	1.20	0.91	1.20	0.91
American Indian or Alaska Native	3.70	5.27	3.70	5.27
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.34	2.41	2.34	2.41
Two or More Races	2.49	2.56	2.49	2.56
Hispanic or Latino	1.11	1.01	1.11	1.01
COUNTY TYPE				
Large Metro	0.57	0.53	0.57	0.53
Small Metro	0.65	0.60	0.65	0.60
Nonmetro	0.71	0.80	0.71	0.80
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.53	0.52	0.33	0.31
Marijuana	0.40	0.45	0.29	0.26
Illicit Drug Other Than Marijuana ²	0.43	0.37	0.23	0.22
Cigarettes	0.47	0.58	0.36	0.35
Alcohol	0.56	0.63	0.40	0.39
Binge Alcohol ³	0.41	0.53	0.32	0.34
PAST YEAR				
Illicit Drug ²	0.67	0.71	0.43	0.41
Marijuana	0.56	0.57	0.37	0.36
Illicit Drug Other Than Marijuana ²	0.59	0.59	0.36	0.33
Cigarettes	0.63	0.67	0.43	0.42
Alcohol	0.79	0.83	0.48	0.48
LIFETIME				
Illicit Drug ²	0.79	0.77	0.48	0.45
Marijuana	0.64	0.62	0.42	0.40
Illicit Drug Other Than Marijuana ²	0.72	0.69	0.43	0.40
Cigarettes	0.78	0.82	0.53	0.48
Alcohol	0.88	0.87	0.50	0.50

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.34P Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0053		0.0053	
AGE				
12-13	0.1123		0.1123	
14-15	0.4299		0.4299	
16-17	0.0203		0.0203	
GENDER				
Male	0.2261		0.2261	
Female	0.0099		0.0099	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0177		0.0177	
White	0.2114		0.2114	
Black or African American	0.0335		0.0335	
American Indian or Alaska Native	0.2376		0.2376	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.2263		0.2263	
Two or More Races	0.6214		0.6214	
Hispanic or Latino	0.1245		0.1245	
COUNTY TYPE				
Large Metro	0.1080		0.1080	
Small Metro	0.0173		0.0173	
Nonmetro	0.4362		0.4362	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0801		0.2422	
Marijuana	0.6433		0.1202	
Illicit Drug Other Than Marijuana ²	0.0014		0.8952	
Cigarettes	0.9277		0.2265	
Alcohol	0.7929		0.7366	
Binge Alcohol ³	0.4291		0.4355	
PAST YEAR				
Illicit Drug ²	0.9201		0.0743	
Marijuana	0.5663		0.1004	
Illicit Drug Other Than Marijuana ²	0.4749		0.3741	
Cigarettes	0.4407		0.2820	
Alcohol	0.4190		0.6399	
LIFETIME				
Illicit Drug ²	0.9164		0.3083	
Marijuana	0.4319		0.2769	
Illicit Drug Other Than Marijuana ²	0.9650		0.9007	
Cigarettes	0.0110		0.0236	
Alcohol	0.0220		0.6071	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.35C Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	83	81	83	81
AGE				
12-13	52	50	52	50
14-15	45	49	45	49
16-17	41	38	41	38
GENDER				
Male	55	58	55	58
Female	61	58	61	58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	69	70	69	70
White	54	54	54	54
Black or African American	35	38	35	38
American Indian or Alaska Native	6	7	6	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	22	21	22	21
Two or More Races	9	9	9	9
Hispanic or Latino	43	39	43	39
COUNTY TYPE				
Large Metro	65	60	65	60
Small Metro	44	46	44	46
Nonmetro	25	31	25	31
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	26	26	63	65
Marijuana	22	23	54	55
Illicit Drug Other Than Marijuana ²	21	20	44	47
Cigarettes	25	26	68	69
Alcohol	30	28	77	78
Binge Alcohol ³	25	24	63	70
PAST YEAR				
Illicit Drug ²	34	34	84	83
Marijuana	28	29	72	75
Illicit Drug Other Than Marijuana ²	30	28	71	66
Cigarettes	31	32	83	84
Alcohol	37	37	94	97
LIFETIME				
Illicit Drug ²	41	38	94	88
Marijuana	32	32	82	81
Illicit Drug Other Than Marijuana ²	39	34	86	79
Cigarettes	40	36	103	97
Alcohol	42	42	99	100

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.35D Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.33	0.33	0.33	0.33
AGE				
12-13	0.63	0.61	0.63	0.61
14-15	0.55	0.56	0.55	0.56
16-17	0.50	0.46	0.50	0.46
GENDER				
Male	0.44	0.46	0.44	0.46
Female	0.50	0.47	0.50	0.47
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.33	0.34	0.33	0.34
White	0.35	0.35	0.35	0.35
Black or African American	0.94	1.00	0.94	1.00
American Indian or Alaska Native	3.57	4.25	3.57	4.25
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.30	2.17	2.30	2.17
Two or More Races	2.27	2.07	2.27	2.07
Hispanic or Latino	1.07	0.93	1.07	0.93
COUNTY TYPE				
Large Metro	0.49	0.46	0.49	0.46
Small Metro	0.59	0.61	0.59	0.61
Nonmetro	0.59	0.75	0.59	0.75
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.60	0.63	0.31	0.31
Marijuana	0.51	0.56	0.26	0.26
Illicit Drug Other Than Marijuana ²	0.49	0.48	0.21	0.22
Cigarettes	0.59	0.64	0.33	0.33
Alcohol	0.71	0.68	0.38	0.37
Binge Alcohol ³	0.59	0.58	0.31	0.34
PAST YEAR				
Illicit Drug ²	0.80	0.83	0.41	0.40
Marijuana	0.67	0.70	0.35	0.36
Illicit Drug Other Than Marijuana ²	0.70	0.69	0.35	0.32
Cigarettes	0.72	0.77	0.40	0.40
Alcohol	0.87	0.90	0.46	0.46
LIFETIME				
Illicit Drug ²	0.96	0.92	0.46	0.42
Marijuana	0.76	0.77	0.40	0.39
Illicit Drug Other Than Marijuana ²	0.90	0.82	0.42	0.38
Cigarettes	0.94	0.88	0.50	0.46
Alcohol	0.99	1.01	0.48	0.48

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.35P Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.1323		0.1323	
AGE				
12-13	0.6467		0.6467	
14-15	0.7553		0.7553	
16-17	0.0388		0.0388	
GENDER				
Male	0.5450		0.5450	
Female	0.1354		0.1354	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0529		0.0529	
White	0.0318		0.0318	
Black or African American	0.9322		0.9322	
American Indian or Alaska Native	0.4040		0.4040	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3672		0.3672	
Two or More Races	0.6822		0.6822	
Hispanic or Latino	0.7622		0.7622	
COUNTY TYPE				
Large Metro	0.5592		0.5592	
Small Metro	0.1250		0.1250	
Nonmetro	0.4539		0.4539	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.9590		0.0659	
Marijuana	0.3311		0.1300	
Illicit Drug Other Than Marijuana ²	0.2570		0.2625	
Cigarettes	0.8057		0.3770	
Alcohol	0.1786		0.9165	
Binge Alcohol ³	0.6021		0.2071	
PAST YEAR				
Illicit Drug ²	0.9549		0.0955	
Marijuana	0.6690		0.1883	
Illicit Drug Other Than Marijuana ²	0.5525		0.3872	
Cigarettes	0.7156		0.2552	
Alcohol	0.6162		0.5039	
LIFETIME				
Illicit Drug ²	0.9056		0.2850	
Marijuana	0.8933		0.1882	
Illicit Drug Other Than Marijuana ²	0.8025		0.9886	
Cigarettes	0.1672		0.0065	
Alcohol	0.2068		0.2465	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.36C Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Drug, Tobacco, or Alcohol Prevention Program Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	79	76	79	76
AGE				
12-13	47	45	47	45
14-15	44	43	44	43
16-17	39	36	39	36
GENDER				
Male	54	52	54	52
Female	55	52	55	52
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	67	67	67	67
White	52	50	52	50
Black or African American	33	33	33	33
American Indian or Alaska Native	6	5	6	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	16	20	16	20
Two or More Races	9	7	9	7
Hispanic or Latino	39	34	39	34
COUNTY TYPE				
Large Metro	61	57	61	57
Small Metro	42	41	42	41
Nonmetro	27	27	27	27
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	24	25	63	64
Marijuana	20	20	56	54
Illicit Drug Other Than Marijuana ²	20	19	44	45
Cigarettes	24	23	68	70
Alcohol	26	26	78	78
Binge Alcohol ³	22	22	62	70
PAST YEAR				
Illicit Drug ²	32	29	84	82
Marijuana	26	25	72	74
Illicit Drug Other Than Marijuana ²	28	25	71	65
Cigarettes	28	28	83	83
Alcohol	34	33	97	99
LIFETIME				
Illicit Drug ²	36	32	96	91
Marijuana	30	29	83	81
Illicit Drug Other Than Marijuana ²	34	28	87	80
Cigarettes	34	34	104	98
Alcohol	39	37	103	103

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.36D Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Drug, Tobacco, or Alcohol Prevention Program Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.32	0.30	0.32	0.30
AGE				
12-13	0.56	0.55	0.56	0.55
14-15	0.53	0.50	0.53	0.50
16-17	0.48	0.44	0.48	0.44
GENDER				
Male	0.43	0.40	0.43	0.40
Female	0.45	0.43	0.45	0.43
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.32	0.32	0.32	0.32
White	0.33	0.33	0.33	0.33
Black or African American	0.89	0.88	0.89	0.88
American Indian or Alaska Native	3.25	3.17	3.25	3.17
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.62	2.04	1.62	2.04
Two or More Races	2.25	1.67	2.25	1.67
Hispanic or Latino	0.97	0.80	0.97	0.80
COUNTY TYPE				
Large Metro	0.46	0.43	0.46	0.43
Small Metro	0.57	0.54	0.57	0.54
Nonmetro	0.63	0.65	0.63	0.65
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.71	0.81	0.30	0.29
Marijuana	0.57	0.65	0.26	0.25
Illicit Drug Other Than Marijuana ²	0.57	0.61	0.21	0.21
Cigarettes	0.70	0.76	0.32	0.32
Alcohol	0.76	0.86	0.36	0.35
Binge Alcohol ³	0.64	0.72	0.29	0.32
PAST YEAR				
Illicit Drug ²	0.93	0.96	0.39	0.37
Marijuana	0.76	0.81	0.34	0.34
Illicit Drug Other Than Marijuana ²	0.81	0.82	0.33	0.30
Cigarettes	0.82	0.91	0.39	0.38
Alcohol	1.00	1.08	0.45	0.45
LIFETIME				
Illicit Drug ²	1.06	1.05	0.45	0.42
Marijuana	0.86	0.96	0.39	0.37
Illicit Drug Other Than Marijuana ²	0.98	0.93	0.40	0.36
Cigarettes	0.99	1.11	0.49	0.45
Alcohol	1.13	1.20	0.48	0.47

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.36P Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Drug, Tobacco, or Alcohol Prevention Program Outside School (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Participated in Drug, Tobacco, or Alcohol Prevention Program Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0002		0.0002	
AGE				
12-13	0.2792		0.2792	
14-15	0.0040		0.0040	
16-17	0.0021		0.0021	
GENDER				
Male	0.0180		0.0180	
Female	0.0022		0.0022	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0039		0.0039	
White	0.0019		0.0019	
Black or African American	0.5600		0.5600	
American Indian or Alaska Native	0.6846		0.6846	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.9194		0.9194	
Two or More Races	0.1154		0.1154	
Hispanic or Latino	0.0119		0.0119	
COUNTY TYPE				
Large Metro	0.0246		0.0246	
Small Metro	0.0025		0.0025	
Nonmetro	0.2356		0.2356	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.8860		0.0548	
Marijuana	0.1901		0.1107	
Illicit Drug Other Than Marijuana ²	0.1670		0.2904	
Cigarettes	0.3174		0.5692	
Alcohol	0.1682		0.9679	
Binge Alcohol ³	0.3546		0.1465	
PAST YEAR				
Illicit Drug ²	0.1984		0.2115	
Marijuana	0.9776		0.2351	
Illicit Drug Other Than Marijuana ²	0.1251		0.5653	
Cigarettes	0.1284		0.4539	
Alcohol	0.0658		0.8081	
LIFETIME				
Illicit Drug ²	0.0362		0.8343	
Marijuana	0.7966		0.2396	
Illicit Drug Other Than Marijuana ²	0.0088		0.3854	
Cigarettes	0.0145		0.0136	
Alcohol	0.0033		0.6050	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.37C Whether Participated in a Program in the Past Year for Dealing with Drug or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Program for Dealing with Drug or Alcohol Use (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Program for Dealing with Drug or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	55	51	55	51
AGE				
12-13	35	31	35	31
14-15	26	30	26	30
16-17	26	28	26	28
GENDER				
Male	40	36	40	36
Female	37	35	37	35
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	46	43	46	43
White	35	33	35	33
Black or African American	23	22	23	22
American Indian or Alaska Native	4	6	4	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	12	10	12	10
Two or More Races	5	5	5	5
Hispanic or Latino	27	28	27	28
COUNTY TYPE				
Large Metro	41	37	41	37
Small Metro	30	29	30	29
Nonmetro	18	19	18	19
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	18	23	65	64
Marijuana	16	20	58	54
Illicit Drug Other Than Marijuana ²	15	17	45	46
Cigarettes	19	20	69	69
Alcohol	19	21	80	79
Binge Alcohol ³	16	18	66	71
PAST YEAR				
Illicit Drug ²	23	25	87	84
Marijuana	19	23	75	75
Illicit Drug Other Than Marijuana ²	20	21	75	67
Cigarettes	22	22	87	83
Alcohol	22	25	101	100
LIFETIME				
Illicit Drug ²	24	27	102	92
Marijuana	20	26	87	82
Illicit Drug Other Than Marijuana ²	23	25	94	81
Cigarettes	25	26	108	99
Alcohol	25	27	107	106

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.37D Whether Participated in a Program in the Past Year for Dealing with Drug or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Program for Dealing with Drug or Alcohol Use (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Program for Dealing with Drug or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.22	0.20	0.22	0.20
AGE				
12-13	0.43	0.37	0.43	0.37
14-15	0.31	0.35	0.31	0.35
16-17	0.31	0.35	0.31	0.35
GENDER				
Male	0.32	0.28	0.32	0.28
Female	0.30	0.29	0.30	0.29
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.22	0.21	0.22	0.21
White	0.23	0.22	0.23	0.22
Black or African American	0.62	0.59	0.62	0.59
American Indian or Alaska Native	2.42	3.95	2.42	3.95
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.29	0.97	1.29	0.97
Two or More Races	1.20	1.20	1.20	1.20
Hispanic or Latino	0.68	0.66	0.68	0.66
COUNTY TYPE				
Large Metro	0.31	0.28	0.31	0.28
Small Metro	0.41	0.38	0.41	0.38
Nonmetro	0.42	0.44	0.42	0.44
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1.22	1.66	0.28	0.27
Marijuana	1.05	1.47	0.25	0.23
Illicit Drug Other Than Marijuana ²	1.00	1.27	0.19	0.19
Cigarettes	1.29	1.51	0.30	0.29
Alcohol	1.27	1.52	0.34	0.33
Binge Alcohol ³	1.09	1.32	0.28	0.30
PAST YEAR				
Illicit Drug ²	1.53	1.86	0.37	0.35
Marijuana	1.30	1.67	0.32	0.32
Illicit Drug Other Than Marijuana ²	1.32	1.57	0.32	0.29
Cigarettes	1.51	1.65	0.37	0.35
Alcohol	1.51	1.87	0.43	0.42
LIFETIME				
Illicit Drug ²	1.60	1.98	0.44	0.39
Marijuana	1.36	1.88	0.37	0.35
Illicit Drug Other Than Marijuana ²	1.55	1.81	0.40	0.34
Cigarettes	1.67	1.95	0.46	0.42
Alcohol	1.67	2.00	0.46	0.45

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.37P Whether Participated in a Program in the Past Year for Dealing with Drug or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Program for Dealing with Drug or Alcohol Use (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Participated in Program for Dealing with Drug or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0873		0.0873	
AGE				
12-13	0.0186		0.0186	
14-15	0.4917		0.4917	
16-17	0.8887		0.8887	
GENDER				
Male	0.0515		0.0515	
Female	0.6476		0.6476	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0964		0.0964	
White	0.0177		0.0177	
Black or African American	0.2158		0.2158	
American Indian or Alaska Native	0.5252		0.5252	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0314		0.0314	
Two or More Races	0.8304		0.8304	
Hispanic or Latino	0.5112		0.5112	
COUNTY TYPE				
Large Metro	0.5555		0.5555	
Small Metro	0.0619		0.0619	
Nonmetro	0.5960		0.5960	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.0300		0.0162	
Marijuana	0.0432		0.0885	
Illicit Drug Other Than Marijuana ²	0.5650		0.1162	
Cigarettes	0.4212		0.3253	
Alcohol	0.2426		0.5780	
Binge Alcohol ³	0.6059		0.3001	
PAST YEAR				
Illicit Drug ²	0.0550		0.0447	
Marijuana	0.1108		0.1481	
Illicit Drug Other Than Marijuana ²	0.1498		0.1842	
Cigarettes	0.7254		0.2756	
Alcohol	0.3371		0.3665	
LIFETIME				
Illicit Drug ²	0.0858		0.2033	
Marijuana	0.0944		0.1276	
Illicit Drug Other Than Marijuana ²	0.1418		0.7254	
Cigarettes	0.4617		0.0015	
Alcohol	0.5795		0.1227	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.38C Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	79	82	79	82
AGE				
12-13	45	44	45	44
14-15	48	51	48	51
16-17	43	42	43	42
GENDER				
Male	54	53	54	53
Female	57	57	57	57
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	66	71	66	71
White	54	52	54	52
Black or African American	32	43	32	43
American Indian or Alaska Native	6	6	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	16	17	16
Two or More Races	7	9	7	9
Hispanic or Latino	45	39	45	39
COUNTY TYPE				
Large Metro	62	64	62	64
Small Metro	42	41	42	41
Nonmetro	25	29	25	29
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	23	26	62	61
Marijuana	19	22	55	53
Illicit Drug Other Than Marijuana ²	19	19	43	44
Cigarettes	25	28	66	67
Alcohol	30	29	76	77
Binge Alcohol ³	24	24	60	68
PAST YEAR				
Illicit Drug ²	34	35	84	80
Marijuana	28	28	72	73
Illicit Drug Other Than Marijuana ²	29	28	72	64
Cigarettes	33	32	81	80
Alcohol	39	39	94	98
LIFETIME				
Illicit Drug ²	39	39	96	88
Marijuana	32	32	82	79
Illicit Drug Other Than Marijuana ²	37	34	87	78
Cigarettes	41	38	102	94
Alcohol	41	40	100	102

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.38D Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.32	0.33	0.32	0.33
AGE				
12-13	0.54	0.53	0.54	0.53
14-15	0.58	0.59	0.58	0.59
16-17	0.52	0.51	0.52	0.51
GENDER				
Male	0.43	0.41	0.43	0.41
Female	0.47	0.46	0.47	0.46
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.32	0.34	0.32	0.34
White	0.35	0.34	0.35	0.34
Black or African American	0.87	1.15	0.87	1.15
American Indian or Alaska Native	3.27	3.68	3.27	3.68
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.78	1.62	1.78	1.62
Two or More Races	1.84	2.01	1.84	2.01
Hispanic or Latino	1.12	0.92	1.12	0.92
COUNTY TYPE				
Large Metro	0.47	0.48	0.47	0.48
Small Metro	0.57	0.54	0.57	0.54
Nonmetro	0.60	0.70	0.60	0.70
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.61	0.75	0.30	0.28
Marijuana	0.51	0.63	0.26	0.25
Illicit Drug Other Than Marijuana ²	0.52	0.55	0.20	0.20
Cigarettes	0.67	0.79	0.31	0.31
Alcohol	0.81	0.81	0.36	0.36
Binge Alcohol ³	0.64	0.69	0.29	0.32
PAST YEAR				
Illicit Drug ²	0.92	0.98	0.40	0.37
Marijuana	0.75	0.80	0.34	0.34
Illicit Drug Other Than Marijuana ²	0.79	0.78	0.34	0.30
Cigarettes	0.89	0.91	0.39	0.37
Alcohol	1.04	1.10	0.45	0.45
LIFETIME				
Illicit Drug ²	1.06	1.09	0.46	0.41
Marijuana	0.85	0.91	0.39	0.37
Illicit Drug Other Than Marijuana ²	0.99	0.96	0.41	0.36
Cigarettes	1.12	1.08	0.48	0.44
Alcohol	1.11	1.14	0.47	0.47

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.38P Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0532		0.0532	
AGE				
12-13	0.6278		0.6278	
14-15	0.1265		0.1265	
16-17	0.1018		0.1018	
GENDER				
Male	0.0430		0.0430	
Female	0.4332		0.4332	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4675		0.4675	
White	0.3133		0.3133	
Black or African American	0.8679		0.8679	
American Indian or Alaska Native	0.7989		0.7989	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5623		0.5623	
Two or More Races	0.3967		0.3967	
Hispanic or Latino	0.0095		0.0095	
COUNTY TYPE				
Large Metro	0.2254		0.2254	
Small Metro	0.0549		0.0549	
Nonmetro	0.8518		0.8518	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.2676		0.0166	
Marijuana	0.0093		0.0296	
Illicit Drug Other Than Marijuana ²	0.1602		0.3130	
Cigarettes	0.4838		0.2331	
Alcohol	0.4964		0.4985	
Binge Alcohol ³	0.3705		0.4197	
PAST YEAR				
Illicit Drug ²	0.1328		0.0248	
Marijuana	0.0440		0.0577	
Illicit Drug Other Than Marijuana ²	0.3601		0.1512	
Cigarettes	0.7376		0.2739	
Alcohol	0.4167		0.2570	
LIFETIME				
Illicit Drug ²	0.2718		0.1744	
Marijuana	0.1353		0.0715	
Illicit Drug Other Than Marijuana ²	0.2707		0.6300	
Cigarettes	0.1149		0.0060	
Alcohol	0.8801		0.1484	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.39C Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Drug, Tobacco, or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug, Tobacco, or Alcohol Use (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Talked with Parent about Dangers of Drug, Tobacco, or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	111	111	111	111
AGE				
12-13	63	64	63	64
14-15	59	62	59	62
16-17	63	62	63	62
GENDER				
Male	77	79	77	79
Female	77	73	77	73
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	97	95	97	95
White	76	78	76	78
Black or African American	43	42	43	42
American Indian or Alaska Native	8	6	8	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	25	25	25	25
Two or More Races	13	12	13	12
Hispanic or Latino	53	59	53	59
COUNTY TYPE				
Large Metro	87	84	87	84
Small Metro	56	64	56	64
Nonmetro	39	43	39	43
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	47	51	46	43
Marijuana	41	43	42	36
Illicit Drug Other Than Marijuana ²	35	35	30	33
Cigarettes	51	54	49	49
Alcohol	59	62	55	53
Binge Alcohol ³	45	54	44	47
PAST YEAR				
Illicit Drug ²	63	67	61	54
Marijuana	56	56	55	49
Illicit Drug Other Than Marijuana ²	54	53	48	47
Cigarettes	65	67	59	57
Alcohol	77	80	67	65
LIFETIME				
Illicit Drug ²	73	76	71	61
Marijuana	64	64	60	54
Illicit Drug Other Than Marijuana ²	63	66	63	57
Cigarettes	80	79	69	65
Alcohol	83	85	68	66

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.39D Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Drug, Tobacco, or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug, Tobacco, or Alcohol Use (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Talked with Parent about Dangers of Drug, Tobacco, or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.45	0.45	0.45	0.45
AGE				
12-13	0.76	0.77	0.76	0.77
14-15	0.72	0.72	0.72	0.72
16-17	0.77	0.77	0.77	0.77
GENDER				
Male	0.61	0.62	0.61	0.62
Female	0.64	0.60	0.64	0.60
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.47	0.46	0.47	0.46
White	0.50	0.51	0.50	0.51
Black or African American	1.16	1.10	1.16	1.10
American Indian or Alaska Native	4.45	3.77	4.45	3.77
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.69	2.56	2.69	2.56
Two or More Races	3.30	2.75	3.30	2.75
Hispanic or Latino	1.32	1.42	1.32	1.42
COUNTY TYPE				
Large Metro	0.66	0.64	0.66	0.64
Small Metro	0.77	0.85	0.77	0.85
Nonmetro	0.91	1.02	0.91	1.02
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.32	0.34	0.45	0.43
Marijuana	0.28	0.29	0.42	0.37
Illicit Drug Other Than Marijuana ²	0.24	0.23	0.29	0.33
Cigarettes	0.35	0.36	0.48	0.49
Alcohol	0.41	0.41	0.54	0.53
Binge Alcohol ³	0.31	0.36	0.43	0.47
PAST YEAR				
Illicit Drug ²	0.43	0.45	0.60	0.54
Marijuana	0.39	0.37	0.54	0.49
Illicit Drug Other Than Marijuana ²	0.37	0.35	0.47	0.47
Cigarettes	0.45	0.45	0.58	0.57
Alcohol	0.53	0.53	0.66	0.65
LIFETIME				
Illicit Drug ²	0.50	0.51	0.69	0.62
Marijuana	0.44	0.43	0.59	0.55
Illicit Drug Other Than Marijuana ²	0.43	0.44	0.62	0.58
Cigarettes	0.55	0.53	0.68	0.65
Alcohol	0.57	0.56	0.67	0.67

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.39P Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Drug, Tobacco, or Alcohol Use, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug, Tobacco, or Alcohol Use (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Talked with Parent about Dangers of Drug, Tobacco, or Alcohol Use ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0228		0.0228	
AGE				
12-13	0.0337		0.0337	
14-15	0.2636		0.2636	
16-17	0.4267		0.4267	
GENDER				
Male	0.0334		0.0334	
Female	0.2452		0.2452	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0619		0.0619	
White	0.0390		0.0390	
Black or African American	0.1027		0.1027	
American Indian or Alaska Native	0.7614		0.7614	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3354		0.3354	
Two or More Races	0.6536		0.6536	
Hispanic or Latino	0.2136		0.2136	
COUNTY TYPE				
Large Metro	0.0026		0.0026	
Small Metro	0.4651		0.4651	
Nonmetro	0.2623		0.2623	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.5847		0.0508	
Marijuana	0.4762		0.0218	
Illicit Drug Other Than Marijuana ²	0.0704		0.9140	
Cigarettes	0.6412		0.0950	
Alcohol	0.8354		0.4971	
Binge Alcohol ³	0.2950		0.5156	
PAST YEAR				
Illicit Drug ²	0.4520		0.1652	
Marijuana	0.8323		0.2204	
Illicit Drug Other Than Marijuana ²	0.0858		0.7941	
Cigarettes	0.4920		0.4469	
Alcohol	0.3989		0.9908	
LIFETIME				
Illicit Drug ²	0.9543		0.3444	
Marijuana	0.7847		0.2273	
Illicit Drug Other Than Marijuana ²	0.6753		0.6508	
Cigarettes	0.0128		0.1158	
Alcohol	0.1436		0.8129	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.40C Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	81	87	81	87
AGE				
12-13	46	53	46	53
14-15	44	45	44	45
16-17	47	44	47	44
GENDER				
Male	59	66	59	66
Female	52	56	52	56
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	72	75	72	75
White	60	61	60	61
Black or African American	33	38	33	38
American Indian or Alaska Native	5	5	5	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	15	26	15	26
Two or More Races	11	9	11	9
Hispanic or Latino	40	41	40	41
COUNTY TYPE				
Large Metro	61	66	61	66
Small Metro	43	48	43	48
Nonmetro	32	31	32	31
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	57	61	29	28
Marijuana	54	50	28	24
Illicit Drug Other Than Marijuana ²	43	44	20	19
Cigarettes	62	65	31	31
Alcohol	73	74	34	33
Binge Alcohol ³	59	67	29	30
PAST YEAR				
Illicit Drug ²	81	80	35	35
Marijuana	71	70	31	32
Illicit Drug Other Than Marijuana ²	70	64	31	28
Cigarettes	76	77	37	36
Alcohol	92	94	42	44
LIFETIME				
Illicit Drug ²	95	89	39	41
Marijuana	83	78	36	35
Illicit Drug Other Than Marijuana ²	85	77	36	37
Cigarettes	95	96	42	39
Alcohol	101	100	44	44

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.40D Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.33	0.35	0.33	0.35
AGE				
12-13	0.55	0.65	0.55	0.65
14-15	0.53	0.52	0.53	0.52
16-17	0.57	0.54	0.57	0.54
GENDER				
Male	0.47	0.51	0.47	0.51
Female	0.43	0.46	0.43	0.46
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.36	0.34	0.36
White	0.39	0.39	0.39	0.39
Black or African American	0.89	1.01	0.89	1.01
American Indian or Alaska Native	2.82	3.18	2.82	3.18
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.51	2.58	1.51	2.58
Two or More Races	2.87	2.14	2.87	2.14
Hispanic or Latino	1.00	0.97	1.00	0.97
COUNTY TYPE				
Large Metro	0.46	0.50	0.46	0.50
Small Metro	0.58	0.63	0.58	0.63
Nonmetro	0.76	0.73	0.76	0.73
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.27	0.30	0.71	0.66
Marijuana	0.26	0.24	0.69	0.58
Illicit Drug Other Than Marijuana ²	0.21	0.21	0.50	0.45
Cigarettes	0.30	0.31	0.76	0.73
Alcohol	0.35	0.36	0.83	0.77
Binge Alcohol ³	0.29	0.32	0.71	0.70
PAST YEAR				
Illicit Drug ²	0.39	0.39	0.86	0.83
Marijuana	0.34	0.34	0.76	0.75
Illicit Drug Other Than Marijuana ²	0.34	0.31	0.75	0.67
Cigarettes	0.37	0.37	0.90	0.86
Alcohol	0.44	0.45	1.03	1.04
LIFETIME				
Illicit Drug ²	0.46	0.43	0.95	0.97
Marijuana	0.40	0.37	0.88	0.83
Illicit Drug Other Than Marijuana ²	0.41	0.37	0.88	0.88
Cigarettes	0.46	0.46	1.03	0.92
Alcohol	0.48	0.48	1.07	1.04

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.40P Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages Outside School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.2487		0.2487	
AGE				
12-13	0.0452		0.0452	
14-15	0.6904		0.6904	
16-17	0.7477		0.7477	
GENDER				
Male	0.7526		0.7526	
Female	0.1374		0.1374	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3383		0.3383	
White	0.9922		0.9922	
Black or African American	0.5087		0.5087	
American Indian or Alaska Native	0.4543		0.4543	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0066		0.0066	
Two or More Races	0.2599		0.2599	
Hispanic or Latino	0.5446		0.5446	
COUNTY TYPE				
Large Metro	0.0925		0.0925	
Small Metro	0.3635		0.3635	
Nonmetro	0.1178		0.1178	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.2577		0.0457	
Marijuana	0.8379		0.0444	
Illicit Drug Other Than Marijuana ²	0.2292		0.1620	
Cigarettes	0.8805		0.0217	
Alcohol	0.7811		0.1483	
Binge Alcohol ³	0.1587		0.6618	
PAST YEAR				
Illicit Drug ²	0.4018		0.0413	
Marijuana	0.6691		0.1033	
Illicit Drug Other Than Marijuana ²	0.9134		0.0091	
Cigarettes	0.8809		0.0178	
Alcohol	0.9053		0.0814	
LIFETIME				
Illicit Drug ²	0.8220		0.1061	
Marijuana	0.5805		0.1525	
Illicit Drug Other Than Marijuana ²	0.5281		0.0830	
Cigarettes	0.0295		0.0096	
Alcohol	0.8092		0.0067	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.41C Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages at School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	249	239	103	108
AGE				
12-13	117	113	49	51
14-15	115	124	53	53
16-17	110	110	70	72
GENDER				
Male	153	147	75	74
Female	154	147	64	68
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	228	217	93	92
White	197	177	77	79
Black or African American	88	87	41	38
American Indian or Alaska Native	16	14	4	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	49	53	22	23
Two or More Races	23	25	15	12
Hispanic or Latino	98	95	44	49
COUNTY TYPE				
Large Metro	211	196	84	82
Small Metro	133	148	59	61
Nonmetro	97	94	40	39
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	60	64	37	35
Marijuana	51	52	34	33
Illicit Drug Other Than Marijuana ²	43	46	23	23
Cigarettes	58	68	39	44
Alcohol	77	79	44	48
Binge Alcohol ³	59	65	34	40
PAST YEAR				
Illicit Drug ²	86	88	51	48
Marijuana	71	72	43	45
Illicit Drug Other Than Marijuana ²	69	69	38	37
Cigarettes	77	88	47	51
Alcohol	109	121	62	66
LIFETIME				
Illicit Drug ²	105	103	62	61
Marijuana	84	81	50	52
Illicit Drug Other Than Marijuana ²	88	85	49	50
Cigarettes	105	107	64	61
Alcohol	127	134	70	74

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.41D Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages at School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.37	0.40	0.37	0.40
AGE				
12-13	0.61	0.63	0.61	0.63
14-15	0.62	0.59	0.62	0.59
16-17	0.74	0.77	0.74	0.77
GENDER				
Male	0.57	0.57	0.57	0.57
Female	0.51	0.51	0.51	0.51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.39	0.40	0.39	0.40
White	0.44	0.44	0.44	0.44
Black or African American	1.03	0.98	1.03	0.98
American Indian or Alaska Native	3.22	3.65	3.22	3.65
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.43	2.17	2.43	2.17
Two or More Races	3.25	2.57	3.25	2.57
Hispanic or Latino	1.09	1.18	1.09	1.18
COUNTY TYPE				
Large Metro	0.54	0.58	0.54	0.58
Small Metro	0.65	0.70	0.65	0.70
Nonmetro	0.85	0.81	0.85	0.81
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.31	0.33	0.68	0.65
Marijuana	0.28	0.27	0.63	0.62
Illicit Drug Other Than Marijuana ²	0.24	0.24	0.44	0.44
Cigarettes	0.32	0.34	0.73	0.79
Alcohol	0.38	0.37	0.78	0.80
Binge Alcohol ³	0.31	0.33	0.62	0.73
PAST YEAR				
Illicit Drug ²	0.42	0.42	0.87	0.79
Marijuana	0.38	0.36	0.76	0.77
Illicit Drug Other Than Marijuana ²	0.36	0.35	0.71	0.66
Cigarettes	0.41	0.41	0.85	0.88
Alcohol	0.49	0.47	0.95	0.95
LIFETIME				
Illicit Drug ²	0.48	0.43	0.98	0.87
Marijuana	0.44	0.40	0.83	0.85
Illicit Drug Other Than Marijuana ²	0.43	0.39	0.84	0.83
Cigarettes	0.50	0.47	1.01	0.92
Alcohol	0.53	0.50	0.99	0.98

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.41P Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Saw or Heard Drug or Alcohol Prevention Messages at School ¹			
	Yes		No	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.7551		0.7551	
AGE				
12-13	0.3204		0.3204	
14-15	0.5641		0.5641	
16-17	0.3575		0.3575	
GENDER				
Male	0.4343		0.4343	
Female	0.6619		0.6619	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3479		0.3479	
White	0.7466		0.7466	
Black or African American	0.4116		0.4116	
American Indian or Alaska Native	0.9420		0.9420	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7047		0.7047	
Two or More Races	0.6586		0.6586	
Hispanic or Latino	0.3245		0.3245	
COUNTY TYPE				
Large Metro	0.8062		0.8062	
Small Metro	0.5128		0.5128	
Nonmetro	0.6123		0.6123	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3833		0.2118	
Marijuana	0.4215		0.5925	
Illicit Drug Other Than Marijuana ²	0.7620		0.2779	
Cigarettes	0.6400		0.4846	
Alcohol	0.9224		0.9652	
Binge Alcohol ³	0.3625		0.4778	
PAST YEAR				
Illicit Drug ²	0.2981		0.8768	
Marijuana	0.2217		0.6619	
Illicit Drug Other Than Marijuana ²	0.7176		0.9670	
Cigarettes	0.4856		0.4119	
Alcohol	0.8309		0.7186	
LIFETIME				
Illicit Drug ²	0.7338		0.9355	
Marijuana	0.2991		0.8111	
Illicit Drug Other Than Marijuana ²	0.4961		0.7457	
Cigarettes	0.0495		0.4936	
Alcohol	0.3024		0.5977	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.42C Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	82	88	271	257
AGE				
12-13	39	41	123	119
14-15	43	46	122	131
16-17	49	49	123	127
GENDER				
Male	59	65	164	150
Female	52	52	163	166
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	68	69	252	235
White	56	57	218	196
Black or African American	32	27	92	97
American Indian or Alaska Native	7	*	15	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	20	51	57
Two or More Races	6	11	28	26
Hispanic or Latino	40	48	98	96
COUNTY TYPE				
Large Metro	67	69	232	211
Small Metro	40	46	153	157
Nonmetro	29	33	103	101
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	29	31	63	65
Marijuana	26	29	54	53
Illicit Drug Other Than Marijuana ²	19	23	43	46
Cigarettes	34	38	63	70
Alcohol	37	40	82	84
Binge Alcohol ³	28	35	62	70
PAST YEAR				
Illicit Drug ²	40	42	95	92
Marijuana	34	39	77	74
Illicit Drug Other Than Marijuana ²	32	34	72	71
Cigarettes	41	45	82	87
Alcohol	48	52	119	131
LIFETIME				
Illicit Drug ²	48	52	120	113
Marijuana	40	45	92	86
Illicit Drug Other Than Marijuana ²	41	47	98	93
Cigarettes	51	56	119	114
Alcohol	53	60	139	147

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Youths who participated in "One or Fewer" activities must have answered two or more of the four activity questions with a "yes" or "no" response to be included; whereas youths who participated in "Two or More" activities were included regardless of the number of youth activities they answered.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.42D Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.33	0.35	0.33	0.35
AGE				
12-13	0.51	0.53	0.51	0.53
14-15	0.54	0.55	0.54	0.55
16-17	0.58	0.60	0.58	0.60
GENDER				
Male	0.49	0.51	0.49	0.51
Female	0.44	0.45	0.44	0.45
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.33	0.33	0.33	0.33
White	0.37	0.36	0.37	0.36
Black or African American	0.83	0.80	0.83	0.80
American Indian or Alaska Native	4.61	*	4.61	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.63	1.98	1.63	1.98
Two or More Races	1.62	2.33	1.62	2.33
Hispanic or Latino	0.96	1.18	0.96	1.18
COUNTY TYPE				
Large Metro	0.50	0.53	0.50	0.53
Small Metro	0.55	0.56	0.55	0.56
Nonmetro	0.66	0.74	0.66	0.74
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.89	0.87	0.30	0.30
Marijuana	0.82	0.83	0.26	0.25
Illicit Drug Other Than Marijuana ²	0.61	0.68	0.21	0.22
Cigarettes	1.01	1.09	0.31	0.32
Alcohol	1.07	1.13	0.36	0.36
Binge Alcohol ³	0.87	1.05	0.29	0.33
PAST YEAR				
Illicit Drug ²	1.11	1.09	0.40	0.39
Marijuana	0.98	1.09	0.35	0.33
Illicit Drug Other Than Marijuana ²	0.97	0.95	0.33	0.32
Cigarettes	1.13	1.17	0.38	0.38
Alcohol	1.21	1.27	0.46	0.46
LIFETIME				
Illicit Drug ²	1.27	1.24	0.48	0.43
Marijuana	1.13	1.16	0.41	0.38
Illicit Drug Other Than Marijuana ²	1.19	1.24	0.43	0.38
Cigarettes	1.28	1.32	0.49	0.46
Alcohol	1.20	1.29	0.50	0.47

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Youths who participated in "One or Fewer" activities must have answered two or more of the four activity questions with a "yes" or "no" response to be included; whereas youths who participated in "Two or More" activities were included regardless of the number of youth activities they answered.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.42P Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.9807		0.9807	
AGE				
12-13	0.8533		0.8533	
14-15	0.5900		0.5900	
16-17	0.7952		0.7952	
GENDER				
Male	1.0000		1.0000	
Female	0.9595		0.9595	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7427		0.7427	
White	0.5565		0.5565	
Black or African American	0.5166		0.5166	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6966		0.6966	
Two or More Races	0.0278		0.0278	
Hispanic or Latino	0.7047		0.7047	
COUNTY TYPE				
Large Metro	0.3403		0.3403	
Small Metro	0.2326		0.2326	
Nonmetro	0.5191		0.5191	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.7108		0.1339	
Marijuana	0.7784		0.2749	
Illicit Drug Other Than Marijuana ²	0.7778		0.3197	
Cigarettes	0.8820		0.9789	
Alcohol	0.7275		0.7697	
Binge Alcohol ³	0.4459		0.4108	
PAST YEAR				
Illicit Drug ²	0.8528		0.2970	
Marijuana	0.9227		0.2939	
Illicit Drug Other Than Marijuana ²	0.6607		0.5777	
Cigarettes	0.8012		0.8788	
Alcohol	0.9279		0.6674	
LIFETIME				
Illicit Drug ²	0.3463		0.4355	
Marijuana	0.4447		0.1261	
Illicit Drug Other Than Marijuana ²	0.2127		0.8150	
Cigarettes	0.3997		0.0568	
Alcohol	0.8977		0.1994	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school. Youths who participated in "One or Fewer" activities must have answered two or more of the four activity questions with a "yes" or "no" response to be included; whereas youths who participated in "Two or More" activities were included regardless of the number of youth activities they answered.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.43C Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Substance Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	42	38	42	38
AGE				
12-13	22	21	22	21
14-15	25	25	25	25
16-17	26	22	26	22
GENDER				
Male	32	29	32	29
Female	28	26	28	26
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	36	34	36	34
White	28	28	28	28
Black or African American	18	15	18	15
American Indian or Alaska Native	2	3	2	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	11	11	11
Two or More Races	4	8	4	8
Hispanic or Latino	20	18	20	18
COUNTY TYPE				
Large Metro	35	29	35	29
Small Metro	20	22	20	22
Nonmetro	12	13	12	13
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	16	15	64	65
Marijuana	14	14	57	55
Illicit Drug Other Than Marijuana ²	15	11	46	47
Cigarettes	15	16	70	71
Alcohol	18	18	78	78
Binge Alcohol ³	15	14	62	69
PAST YEAR				
Illicit Drug ²	20	19	87	84
Marijuana	19	18	74	75
Illicit Drug Other Than Marijuana ²	17	16	74	68
Cigarettes	19	18	85	85
Alcohol	20	21	100	101
LIFETIME				
Illicit Drug ²	20	19	102	93
Marijuana	20	18	87	85
Illicit Drug Other Than Marijuana ²	20	19	91	81
Cigarettes	21	19	107	102
Alcohol	21	21	109	105

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.43D Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Substance Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.17	0.15	0.17	0.15
AGE				
12-13	0.27	0.26	0.27	0.26
14-15	0.31	0.30	0.31	0.30
16-17	0.32	0.27	0.32	0.27
GENDER				
Male	0.25	0.23	0.25	0.23
Female	0.23	0.21	0.23	0.21
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.18	0.17	0.18	0.17
White	0.18	0.18	0.18	0.18
Black or African American	0.49	0.41	0.49	0.41
American Indian or Alaska Native	1.40	2.08	1.40	2.08
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.19	1.12	1.19	1.12
Two or More Races	0.93	1.79	0.93	1.79
Hispanic or Latino	0.49	0.44	0.49	0.44
COUNTY TYPE				
Large Metro	0.27	0.22	0.27	0.22
Small Metro	0.28	0.30	0.28	0.30
Nonmetro	0.29	0.31	0.29	0.31
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1.71	1.77	0.27	0.27
Marijuana	1.47	1.57	0.24	0.23
Illicit Drug Other Than Marijuana ²	1.58	1.22	0.19	0.20
Cigarettes	1.59	1.87	0.30	0.30
Alcohol	1.95	2.10	0.33	0.33
Binge Alcohol ³	1.63	1.61	0.26	0.29
PAST YEAR				
Illicit Drug ²	2.09	2.14	0.37	0.35
Marijuana	2.03	2.02	0.32	0.31
Illicit Drug Other Than Marijuana ²	1.83	1.80	0.32	0.28
Cigarettes	2.00	2.02	0.36	0.35
Alcohol	2.16	2.43	0.42	0.42
LIFETIME				
Illicit Drug ²	2.15	2.19	0.43	0.39
Marijuana	2.11	2.04	0.37	0.36
Illicit Drug Other Than Marijuana ²	2.17	2.14	0.39	0.34
Cigarettes	2.28	2.16	0.46	0.43
Alcohol	2.23	2.41	0.46	0.44

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.43P Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Substance Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.1635		0.1635	
AGE				
12-13	0.9231		0.9231	
14-15	0.5554		0.5554	
16-17	0.0956		0.0956	
GENDER				
Male	0.1213		0.1213	
Female	0.7914		0.7914	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5343		0.5343	
White	0.6374		0.6374	
Black or African American	0.0330		0.0330	
American Indian or Alaska Native	0.6629		0.6629	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7170		0.7170	
Two or More Races	0.2907		0.2907	
Hispanic or Latino	0.0626		0.0626	
COUNTY TYPE				
Large Metro	0.0123		0.0123	
Small Metro	0.9679		0.9679	
Nonmetro	0.0505		0.0505	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.6442		0.0780	
Marijuana	0.9566		0.2956	
Illicit Drug Other Than Marijuana ²	0.0561		0.3213	
Cigarettes	0.6339		0.2512	
Alcohol	0.1128		0.9883	
Binge Alcohol ³	0.0625		0.1071	
PAST YEAR				
Illicit Drug ²	0.2342		0.1476	
Marijuana	0.2422		0.3554	
Illicit Drug Other Than Marijuana ²	0.4825		0.3343	
Cigarettes	0.6143		0.2472	
Alcohol	0.2940		0.5612	
LIFETIME				
Illicit Drug ²	0.0370		0.6454	
Marijuana	0.1979		0.3930	
Illicit Drug Other Than Marijuana ²	0.1829		0.7653	
Cigarettes	0.0562		0.0074	
Alcohol	0.2640		0.1920	

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.