

Table 7.106C Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|---|-------|------|--|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 596 | 573 | 213 | 218 | 552 | 507 |
| 12-17 | 110 | 106 | 48 | 47 | 100 | 94 |
| 18-25 | 212 | 214 | 65 | 79 | 195 | 197 |
| 26 or Older | 514 | 503 | 191 | 191 | 474 | 432 |
| MARIJUANA | | | | | | |
| Total | 478 | 467 | 177 | 181 | 445 | 416 |
| 12-17 | 88 | 89 | 38 | 39 | 81 | 79 |
| 18-25 | 196 | 194 | 58 | 72 | 183 | 179 |
| 26 or Older | 400 | 408 | 155 | 156 | 375 | 356 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 440 | 435 | 168 | 174 | 399 | 379 |
| 12-17 | 89 | 81 | 38 | 35 | 78 | 73 |
| 18-25 | 148 | 151 | 50 | 54 | 137 | 139 |
| 26 or Older | 386 | 381 | 154 | 156 | 343 | 324 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.106D Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|---|-------|------|--|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.23 | 0.22 | 0.62 | 0.57 | 0.26 | 0.23 |
| 12-17 | 0.36 | 0.34 | 0.85 | 0.78 | 0.40 | 0.38 |
| 18-25 | 0.48 | 0.48 | 1.03 | 1.05 | 0.52 | 0.53 |
| 26 or Older | 0.27 | 0.26 | 0.80 | 0.71 | 0.29 | 0.26 |
| MARIJUANA | | | | | | |
| Total | 0.19 | 0.19 | 0.51 | 0.49 | 0.21 | 0.20 |
| 12-17 | 0.31 | 0.31 | 0.74 | 0.75 | 0.35 | 0.34 |
| 18-25 | 0.46 | 0.47 | 0.95 | 1.01 | 0.51 | 0.52 |
| 26 or Older | 0.21 | 0.22 | 0.66 | 0.59 | 0.23 | 0.22 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.18 | 0.17 | 0.50 | 0.47 | 0.19 | 0.18 |
| 12-17 | 0.32 | 0.28 | 0.73 | 0.64 | 0.34 | 0.31 |
| 18-25 | 0.40 | 0.39 | 0.87 | 0.84 | 0.44 | 0.44 |
| 26 or Older | 0.21 | 0.20 | 0.66 | 0.59 | 0.21 | 0.20 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.106P Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Year Drug/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|---|--------|------|--|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.4285 | | 0.9146 | | 0.3348 | |
| 12-17 | 0.1100 | | 0.6438 | | 0.1117 | |
| 18-25 | 0.3109 | | 0.3118 | | 0.1249 | |
| 26 or Older | 0.7772 | | 0.8672 | | 0.6958 | |
| MARIJUANA | | | | | | |
| Total | 0.9024 | | 0.9063 | | 0.8305 | |
| 12-17 | 0.2853 | | 0.7866 | | 0.2789 | |
| 18-25 | 0.3186 | | 0.3515 | | 0.1515 | |
| 26 or Older | 0.6672 | | 0.8197 | | 0.6589 | |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.1310 | | 0.6509 | | 0.0431 | |
| 12-17 | 0.2944 | | 0.4268 | | 0.4231 | |
| 18-25 | 0.3860 | | 0.3567 | | 0.1866 | |
| 26 or Older | 0.2243 | | 0.6229 | | 0.0807 | |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.107C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|----------------------------------|-------|-------|--|------|-------|-------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 1,523 | 1,545 | 372 | 376 | 1,481 | 1,478 |
| 12-17 | 95 | 96 | 38 | 40 | 88 | 90 |
| 18-25 | 311 | 312 | 81 | 94 | 297 | 294 |
| 26 or Older | 1,443 | 1,465 | 355 | 360 | 1,405 | 1,400 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 797 | 811 | 259 | 267 | 761 | 747 |
| 12-17 | 73 | 79 | 30 | 30 | 67 | 75 |
| 18-25 | 240 | 253 | 63 | 74 | 228 | 239 |
| 26 or Older | 730 | 738 | 245 | 256 | 696 | 678 |
| CIGARETTES | | | | | | |
| Total | 910 | 873 | 357 | 354 | 812 | 770 |
| 12-17 | 78 | 84 | 35 | 35 | 72 | 73 |
| 18-25 | 213 | 230 | 75 | 89 | 194 | 206 |
| 26 or Older | 847 | 801 | 333 | 339 | 761 | 701 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.107D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|----------------------------------|-------|------|--|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.39 | 0.40 | 0.90 | 0.88 | 0.43 | 0.43 |
| 12-17 | 0.33 | 0.32 | 0.75 | 0.73 | 0.36 | 0.37 |
| 18-25 | 0.50 | 0.51 | 1.04 | 1.05 | 0.56 | 0.56 |
| 26 or Older | 0.49 | 0.51 | 1.28 | 1.22 | 0.53 | 0.54 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.29 | 0.29 | 0.72 | 0.71 | 0.32 | 0.31 |
| 12-17 | 0.27 | 0.29 | 0.63 | 0.61 | 0.30 | 0.33 |
| 18-25 | 0.49 | 0.52 | 0.97 | 1.02 | 0.54 | 0.58 |
| 26 or Older | 0.35 | 0.36 | 1.00 | 0.96 | 0.38 | 0.38 |
| CIGARETTES | | | | | | |
| Total | 0.33 | 0.32 | 0.91 | 0.85 | 0.35 | 0.33 |
| 12-17 | 0.29 | 0.30 | 0.71 | 0.70 | 0.32 | 0.32 |
| 18-25 | 0.47 | 0.49 | 1.08 | 1.10 | 0.53 | 0.54 |
| 26 or Older | 0.41 | 0.39 | 1.26 | 1.19 | 0.42 | 0.40 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.107P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Participation in One or More Government Assistance Programs and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Month Substance/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|----------------------------------|--------|------|--|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.6754 | | 0.5710 | | 0.3028 | |
| 12-17 | 0.8159 | | 0.6540 | | 0.6998 | |
| 18-25 | 0.2246 | | 0.5898 | | 0.1921 | |
| 26 or Older | 0.5156 | | 0.4244 | | 0.1786 | |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.7514 | | 0.5828 | | 0.5298 | |
| 12-17 | 0.2617 | | 0.8748 | | 0.2344 | |
| 18-25 | 0.6165 | | 0.2551 | | 0.4473 | |
| 26 or Older | 0.7523 | | 0.3948 | | 0.4768 | |
| CIGARETTES | | | | | | |
| Total | 0.2217 | | 0.3989 | | 0.1924 | |
| 12-17 | 0.4951 | | 0.0750 | | 0.9440 | |
| 18-25 | 0.3224 | | 0.1957 | | 0.0874 | |
| 26 or Older | 0.3049 | | 0.3247 | | 0.3107 | |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.108C Substance Dependence or Abuse in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|--|-------|------|--|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 436 | 462 | 166 | 164 | 401 | 434 |
| 12-17 | 65 | 67 | 29 | 31 | 60 | 61 |
| 18-25 | 149 | 161 | 47 | 58 | 142 | 147 |
| 26 or Older | 394 | 411 | 155 | 148 | 362 | 383 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 211 | 219 | 94 | 112 | 187 | 189 |
| 12-17 | 47 | 48 | 24 | 25 | 43 | 43 |
| 18-25 | 79 | 93 | 35 | 40 | 73 | 81 |
| 26 or Older | 183 | 194 | 83 | 101 | 160 | 162 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 403 | 433 | 146 | 136 | 373 | 409 |
| 12-17 | 52 | 54 | 21 | 23 | 49 | 50 |
| 18-25 | 132 | 143 | 40 | 48 | 127 | 132 |
| 26 or Older | 368 | 383 | 139 | 125 | 340 | 362 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.108D Substance Dependence or Abuse in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: Standard Errors of Percentages, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|--|-------|------|--|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.17 | 0.18 | 0.49 | 0.46 | 0.18 | 0.20 |
| 12-17 | 0.25 | 0.24 | 0.59 | 0.60 | 0.27 | 0.27 |
| 18-25 | 0.37 | 0.40 | 0.80 | 0.86 | 0.41 | 0.44 |
| 26 or Older | 0.21 | 0.22 | 0.64 | 0.59 | 0.22 | 0.23 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.09 | 0.09 | 0.29 | 0.31 | 0.09 | 0.09 |
| 12-17 | 0.18 | 0.18 | 0.50 | 0.48 | 0.20 | 0.20 |
| 18-25 | 0.23 | 0.26 | 0.64 | 0.64 | 0.25 | 0.27 |
| 26 or Older | 0.10 | 0.10 | 0.37 | 0.39 | 0.10 | 0.10 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.16 | 0.17 | 0.43 | 0.39 | 0.17 | 0.19 |
| 12-17 | 0.20 | 0.20 | 0.45 | 0.47 | 0.23 | 0.23 |
| 18-25 | 0.34 | 0.37 | 0.69 | 0.74 | 0.39 | 0.41 |
| 26 or Older | 0.20 | 0.21 | 0.58 | 0.51 | 0.21 | 0.22 |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.108P Substance Dependence or Abuse in the Past Year, by Household Participation in One or More Government Assistance Programs and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Dependence or Abuse/Age | Total | | HOUSEHOLD PARTICIPATED IN ONE OR MORE GOVERNMENT ASSISTANCE PROGRAMS | | | |
|--|--------|------|--|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.2724 | | 0.7285 | | 0.2169 | |
| 12-17 | 0.9592 | | 0.6749 | | 0.8972 | |
| 18-25 | 0.7182 | | 0.0400 | | 0.7289 | |
| 26 or Older | 0.2749 | | 0.3817 | | 0.1535 | |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.1886 | | 0.1262 | | 0.7046 | |
| 12-17 | 0.4552 | | 0.4893 | | 0.2392 | |
| 18-25 | 0.1625 | | 0.2113 | | 0.3577 | |
| 26 or Older | 0.5079 | | 0.1328 | | 0.7169 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.2691 | | 0.3585 | | 0.1278 | |
| 12-17 | 0.6366 | | 0.5828 | | 0.7764 | |
| 18-25 | 0.6802 | | 0.0634 | | 0.8933 | |
| 26 or Older | 0.3085 | | 0.1098 | | 0.0948 | |

*Low precision; no estimate reported.

NOTE: Household participation in one or more government assistance programs is defined as one or more household family members having received Supplemental Security Income (SSI), food stamps, cash, or noncash assistance during the prior calendar year. SSI provides payments to low-income, aged, blind, and disabled persons. Food stamps are government-issued coupons used to purchase food. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance. Noncash assistance refers to receiving assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.109C Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|---|-------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 596 | 573 | 131 | 137 | 581 | 547 |
| 12-17 | 110 | 106 | 31 | 24 | 106 | 101 |
| 18-25 | 212 | 214 | 37 | 41 | 209 | 209 |
| 26 or Older | 514 | 503 | 120 | 132 | 498 | 472 |
| MARIJUANA | | | | | | |
| Total | 478 | 467 | 108 | 102 | 468 | 454 |
| 12-17 | 88 | 89 | 23 | 21 | 85 | 85 |
| 18-25 | 196 | 194 | 31 | 39 | 195 | 189 |
| 26 or Older | 400 | 408 | 98 | 92 | 392 | 392 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 440 | 435 | 98 | 117 | 428 | 408 |
| 12-17 | 89 | 81 | 24 | 19 | 84 | 79 |
| 18-25 | 148 | 151 | 31 | 28 | 144 | 148 |
| 26 or Older | 386 | 381 | 92 | 115 | 372 | 349 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.109D Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|---|-------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.23 | 0.22 | 0.85 | 0.81 | 0.25 | 0.23 |
| 12-17 | 0.36 | 0.34 | 1.34 | 1.22 | 0.37 | 0.36 |
| 18-25 | 0.48 | 0.48 | 1.76 | 1.96 | 0.50 | 0.50 |
| 26 or Older | 0.27 | 0.26 | 1.00 | 0.96 | 0.28 | 0.26 |
| MARIJUANA | | | | | | |
| Total | 0.19 | 0.19 | 0.69 | 0.64 | 0.20 | 0.20 |
| 12-17 | 0.31 | 0.31 | 1.10 | 1.09 | 0.32 | 0.32 |
| 18-25 | 0.46 | 0.47 | 1.59 | 1.92 | 0.48 | 0.49 |
| 26 or Older | 0.21 | 0.22 | 0.82 | 0.70 | 0.22 | 0.23 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.18 | 0.17 | 0.64 | 0.68 | 0.18 | 0.17 |
| 12-17 | 0.32 | 0.28 | 1.13 | 0.98 | 0.32 | 0.30 |
| 18-25 | 0.40 | 0.39 | 1.56 | 1.58 | 0.41 | 0.41 |
| 26 or Older | 0.21 | 0.20 | 0.77 | 0.83 | 0.21 | 0.20 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.109P Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|---|--------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.4285 | | 0.8404 | | 0.4510 | |
| 12-17 | 0.1100 | | 0.1195 | | 0.2171 | |
| 18-25 | 0.3109 | | 0.7915 | | 0.2719 | |
| 26 or Older | 0.7772 | | 0.7352 | | 0.7034 | |
| MARIJUANA | | | | | | |
| Total | 0.9024 | | 0.7158 | | 0.9814 | |
| 12-17 | 0.2853 | | 0.4977 | | 0.3445 | |
| 18-25 | 0.3186 | | 0.3289 | | 0.2226 | |
| 26 or Older | 0.6672 | | 0.7906 | | 0.6129 | |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.1310 | | 1.0000 | | 0.1139 | |
| 12-17 | 0.2944 | | 0.0514 | | 0.5823 | |
| 18-25 | 0.3860 | | 0.3935 | | 0.4789 | |
| 26 or Older | 0.2243 | | 0.3770 | | 0.1235 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.110C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|----------------------------------|-------|-------|---|------|-------|-------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 1,523 | 1,545 | 275 | 265 | 1,491 | 1,519 |
| 12-17 | 95 | 96 | 24 | 23 | 94 | 93 |
| 18-25 | 311 | 312 | 48 | 47 | 312 | 308 |
| 26 or Older | 1,443 | 1,465 | 267 | 262 | 1,411 | 1,434 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 797 | 811 | 186 | 162 | 768 | 783 |
| 12-17 | 73 | 79 | 19 | 17 | 71 | 77 |
| 18-25 | 240 | 253 | 39 | 37 | 240 | 249 |
| 26 or Older | 730 | 738 | 179 | 157 | 702 | 710 |
| CIGARETTES | | | | | | |
| Total | 910 | 873 | 256 | 237 | 855 | 831 |
| 12-17 | 78 | 84 | 23 | 22 | 75 | 77 |
| 18-25 | 213 | 230 | 43 | 45 | 208 | 222 |
| 26 or Older | 847 | 801 | 245 | 235 | 800 | 756 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.110D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|----------------------------------|-------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.39 | 0.40 | 1.46 | 1.42 | 0.40 | 0.41 |
| 12-17 | 0.33 | 0.32 | 1.16 | 1.13 | 0.35 | 0.34 |
| 18-25 | 0.50 | 0.51 | 1.95 | 2.00 | 0.53 | 0.53 |
| 26 or Older | 0.49 | 0.51 | 1.87 | 1.77 | 0.50 | 0.52 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.29 | 0.29 | 1.11 | 0.95 | 0.29 | 0.30 |
| 12-17 | 0.27 | 0.29 | 0.92 | 0.88 | 0.28 | 0.30 |
| 18-25 | 0.49 | 0.52 | 1.76 | 1.90 | 0.51 | 0.53 |
| 26 or Older | 0.35 | 0.36 | 1.41 | 1.15 | 0.36 | 0.37 |
| CIGARETTES | | | | | | |
| Total | 0.33 | 0.32 | 1.42 | 1.31 | 0.34 | 0.33 |
| 12-17 | 0.29 | 0.30 | 1.05 | 1.16 | 0.30 | 0.30 |
| 18-25 | 0.47 | 0.49 | 1.91 | 1.91 | 0.49 | 0.50 |
| 26 or Older | 0.41 | 0.39 | 1.79 | 1.65 | 0.42 | 0.40 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.110P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Supplemental Security Income (SSI) and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|----------------------------------|--------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.6754 | | 0.2062 | | 0.3670 | |
| 12-17 | 0.8159 | | 0.7037 | | 0.8656 | |
| 18-25 | 0.2246 | | 0.7775 | | 0.1893 | |
| 26 or Older | 0.5156 | | 0.1796 | | 0.2186 | |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.7514 | | 0.0915 | | 0.4129 | |
| 12-17 | 0.2617 | | 0.8115 | | 0.2337 | |
| 18-25 | 0.6165 | | 0.6057 | | 0.6705 | |
| 26 or Older | 0.7523 | | 0.1111 | | 0.4116 | |
| CIGARETTES | | | | | | |
| Total | 0.2217 | | 0.3867 | | 0.2886 | |
| 12-17 | 0.4951 | | 0.5619 | | 0.5887 | |
| 18-25 | 0.3224 | | 0.2357 | | 0.2095 | |
| 26 or Older | 0.3049 | | 0.2908 | | 0.4218 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.111C Substance Dependence or Abuse in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group:
Standard Errors of Numbers in Thousands, 2003 and 2004**

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|--|-------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 436 | 462 | 102 | 94 | 420 | 454 |
| 12-17 | 65 | 67 | 17 | 14 | 64 | 66 |
| 18-25 | 149 | 161 | 30 | 33 | 149 | 155 |
| 26 or Older | 394 | 411 | 97 | 90 | 379 | 399 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 211 | 219 | 61 | 69 | 201 | 207 |
| 12-17 | 47 | 48 | 14 | 11 | 46 | 46 |
| 18-25 | 79 | 93 | 21 | 25 | 77 | 87 |
| 26 or Older | 183 | 194 | 56 | 66 | 173 | 178 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 403 | 433 | 90 | 79 | 391 | 422 |
| 12-17 | 52 | 54 | 13 | 11 | 51 | 53 |
| 18-25 | 132 | 143 | 25 | 26 | 132 | 139 |
| 26 or Older | 368 | 383 | 86 | 75 | 358 | 372 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.111D Substance Dependence or Abuse in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group:
Standard Errors of Percentages, 2003 and 2004**

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|--|-------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.17 | 0.18 | 0.64 | 0.58 | 0.18 | 0.19 |
| 12-17 | 0.25 | 0.24 | 0.83 | 0.79 | 0.26 | 0.26 |
| 18-25 | 0.37 | 0.40 | 1.56 | 1.75 | 0.39 | 0.41 |
| 26 or Older | 0.21 | 0.22 | 0.79 | 0.68 | 0.21 | 0.23 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.09 | 0.09 | 0.40 | 0.42 | 0.09 | 0.09 |
| 12-17 | 0.18 | 0.18 | 0.68 | 0.60 | 0.19 | 0.19 |
| 18-25 | 0.23 | 0.26 | 1.17 | 1.42 | 0.24 | 0.25 |
| 26 or Older | 0.10 | 0.10 | 0.46 | 0.49 | 0.10 | 0.10 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.16 | 0.17 | 0.57 | 0.48 | 0.17 | 0.18 |
| 12-17 | 0.20 | 0.20 | 0.69 | 0.61 | 0.21 | 0.21 |
| 18-25 | 0.34 | 0.37 | 1.33 | 1.42 | 0.36 | 0.38 |
| 26 or Older | 0.20 | 0.21 | 0.70 | 0.57 | 0.20 | 0.21 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.111P Substance Dependence or Abuse in the Past Year, by Household Receipt of Supplemental Security Income (SSI) and Age Group: P
Values from Tests of Differences of Percentages, 2004 Versus 2003

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) | | | |
|--|--------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.2724 | | 0.3270 | | 0.1668 | |
| 12-17 | 0.9592 | | 0.2639 | | 0.8383 | |
| 18-25 | 0.7182 | | 0.0802 | | 0.9845 | |
| 26 or Older | 0.2749 | | 0.2253 | | 0.1471 | |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.1886 | | 0.2669 | | 0.3281 | |
| 12-17 | 0.4552 | | 0.1100 | | 0.2336 | |
| 18-25 | 0.1625 | | 0.1554 | | 0.2785 | |
| 26 or Older | 0.5079 | | 0.2294 | | 0.8242 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.2691 | | 0.0987 | | 0.1297 | |
| 12-17 | 0.6366 | | 0.6283 | | 0.5617 | |
| 18-25 | 0.6802 | | 0.2702 | | 0.8514 | |
| 26 or Older | 0.3085 | | 0.0592 | | 0.1332 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Supplemental Security Income (SSI) is defined as one or more household family members having received SSI during the prior calendar year. SSI is a program that makes assistance payments to low-income, aged, blind, and disabled persons.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.112C Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|---|-------|------|--------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 596 | 573 | 157 | 176 | 574 | 542 |
| 12-17 | 110 | 106 | 37 | 39 | 103 | 98 |
| 18-25 | 212 | 214 | 49 | 61 | 203 | 202 |
| 26 or Older | 514 | 503 | 140 | 157 | 497 | 471 |
| MARIJUANA | | | | | | |
| Total | 478 | 467 | 126 | 146 | 461 | 438 |
| 12-17 | 88 | 89 | 30 | 32 | 83 | 81 |
| 18-25 | 196 | 194 | 44 | 54 | 188 | 183 |
| 26 or Older | 400 | 408 | 113 | 128 | 388 | 379 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 440 | 435 | 129 | 138 | 415 | 402 |
| 12-17 | 89 | 81 | 27 | 29 | 83 | 75 |
| 18-25 | 148 | 151 | 35 | 43 | 142 | 142 |
| 26 or Older | 386 | 381 | 118 | 126 | 362 | 349 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.112D Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|---|-------|------|--------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.23 | 0.22 | 0.81 | 0.81 | 0.25 | 0.23 |
| 12-17 | 0.36 | 0.34 | 1.02 | 0.99 | 0.39 | 0.37 |
| 18-25 | 0.48 | 0.48 | 1.29 | 1.28 | 0.50 | 0.51 |
| 26 or Older | 0.27 | 0.26 | 1.16 | 1.10 | 0.28 | 0.26 |
| MARIJUANA | | | | | | |
| Total | 0.19 | 0.19 | 0.67 | 0.67 | 0.20 | 0.19 |
| 12-17 | 0.31 | 0.31 | 0.91 | 0.91 | 0.34 | 0.32 |
| 18-25 | 0.46 | 0.47 | 1.20 | 1.20 | 0.48 | 0.50 |
| 26 or Older | 0.21 | 0.22 | 0.96 | 0.91 | 0.22 | 0.22 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.18 | 0.17 | 0.70 | 0.65 | 0.18 | 0.17 |
| 12-17 | 0.32 | 0.28 | 0.82 | 0.80 | 0.33 | 0.30 |
| 18-25 | 0.40 | 0.39 | 1.04 | 1.05 | 0.43 | 0.41 |
| 26 or Older | 0.21 | 0.20 | 1.00 | 0.90 | 0.21 | 0.20 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.112P Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Food Stamps and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|---|--------|------|--------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.4285 | | 0.2996 | | 0.1809 | |
| 12-17 | 0.1100 | | 0.8070 | | 0.0704 | |
| 18-25 | 0.3109 | | 0.1178 | | 0.1380 | |
| 26 or Older | 0.7772 | | 0.4726 | | 0.4622 | |
| MARIJUANA | | | | | | |
| Total | 0.9024 | | 0.1943 | | 0.4868 | |
| 12-17 | 0.2853 | | 0.7935 | | 0.2040 | |
| 18-25 | 0.3186 | | 0.1476 | | 0.1619 | |
| 26 or Older | 0.6672 | | 0.3319 | | 0.9634 | |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.1310 | | 0.2362 | | 0.0291 | |
| 12-17 | 0.2944 | | 0.8659 | | 0.2375 | |
| 18-25 | 0.3860 | | 0.1664 | | 0.2059 | |
| 26 or Older | 0.2243 | | 0.3901 | | 0.0687 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.113C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|----------------------------------|-------|-------|--------------------------------|------|-------|-------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 1,523 | 1,545 | 252 | 240 | 1,499 | 1,521 |
| 12-17 | 95 | 96 | 27 | 32 | 90 | 92 |
| 18-25 | 311 | 312 | 59 | 76 | 304 | 302 |
| 26 or Older | 1,443 | 1,465 | 240 | 222 | 1,418 | 1,443 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 797 | 811 | 194 | 191 | 776 | 773 |
| 12-17 | 73 | 79 | 21 | 23 | 68 | 77 |
| 18-25 | 240 | 253 | 43 | 61 | 233 | 246 |
| 26 or Older | 730 | 738 | 185 | 179 | 707 | 704 |
| CIGARETTES | | | | | | |
| Total | 910 | 873 | 283 | 275 | 850 | 809 |
| 12-17 | 78 | 84 | 28 | 28 | 74 | 76 |
| 18-25 | 213 | 230 | 58 | 71 | 201 | 213 |
| 26 or Older | 847 | 801 | 265 | 259 | 794 | 742 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.113D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|----------------------------------|-------|------|--------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.39 | 0.40 | 1.13 | 0.99 | 0.41 | 0.42 |
| 12-17 | 0.33 | 0.32 | 0.85 | 0.90 | 0.35 | 0.35 |
| 18-25 | 0.50 | 0.51 | 1.30 | 1.33 | 0.54 | 0.54 |
| 26 or Older | 0.49 | 0.51 | 1.69 | 1.44 | 0.51 | 0.53 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.29 | 0.29 | 0.97 | 0.89 | 0.30 | 0.30 |
| 12-17 | 0.27 | 0.29 | 0.69 | 0.70 | 0.28 | 0.32 |
| 18-25 | 0.49 | 0.52 | 1.13 | 1.28 | 0.52 | 0.55 |
| 26 or Older | 0.35 | 0.36 | 1.45 | 1.28 | 0.37 | 0.36 |
| CIGARETTES | | | | | | |
| Total | 0.33 | 0.32 | 1.26 | 1.09 | 0.33 | 0.32 |
| 12-17 | 0.29 | 0.30 | 0.88 | 0.83 | 0.31 | 0.31 |
| 18-25 | 0.47 | 0.49 | 1.41 | 1.33 | 0.50 | 0.51 |
| 26 or Older | 0.41 | 0.39 | 1.82 | 1.60 | 0.41 | 0.39 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.113P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Food Stamps and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|----------------------------------|--------|------|--------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.6754 | | 0.8735 | | 0.4438 | |
| 12-17 | 0.8159 | | 0.2821 | | 0.6081 | |
| 18-25 | 0.2246 | | 0.0933 | | 0.1440 | |
| 26 or Older | 0.5156 | | 0.5858 | | 0.2687 | |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.7514 | | 0.6424 | | 0.8187 | |
| 12-17 | 0.2617 | | 0.5111 | | 0.2938 | |
| 18-25 | 0.6165 | | 0.0536 | | 0.4298 | |
| 26 or Older | 0.7523 | | 0.8836 | | 0.7439 | |
| CIGARETTES | | | | | | |
| Total | 0.2217 | | 0.8491 | | 0.0848 | |
| 12-17 | 0.4951 | | 0.1654 | | 0.8063 | |
| 18-25 | 0.3224 | | 0.1199 | | 0.0932 | |
| 26 or Older | 0.3049 | | 0.5428 | | 0.1551 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.114C Substance Dependence or Abuse in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|--|-------|------|--------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 436 | 462 | 125 | 139 | 414 | 447 |
| 12-17 | 65 | 67 | 23 | 24 | 61 | 63 |
| 18-25 | 149 | 161 | 36 | 44 | 144 | 154 |
| 26 or Older | 394 | 411 | 114 | 126 | 372 | 396 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 211 | 219 | 67 | 97 | 199 | 199 |
| 12-17 | 47 | 48 | 19 | 19 | 44 | 45 |
| 18-25 | 79 | 93 | 25 | 29 | 74 | 87 |
| 26 or Older | 183 | 194 | 57 | 88 | 173 | 171 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 403 | 433 | 111 | 114 | 385 | 422 |
| 12-17 | 52 | 54 | 16 | 18 | 50 | 51 |
| 18-25 | 132 | 143 | 30 | 38 | 129 | 137 |
| 26 or Older | 368 | 383 | 105 | 105 | 350 | 374 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.114D Substance Dependence or Abuse in the Past Year, by Household Receipt of Food Stamps and Age Group: Standard Errors of Percentages, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|--|-------|------|--------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.17 | 0.18 | 0.69 | 0.66 | 0.18 | 0.19 |
| 12-17 | 0.25 | 0.24 | 0.74 | 0.70 | 0.26 | 0.26 |
| 18-25 | 0.37 | 0.40 | 1.01 | 1.00 | 0.39 | 0.43 |
| 26 or Older | 0.21 | 0.22 | 0.97 | 0.92 | 0.21 | 0.23 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.09 | 0.09 | 0.39 | 0.47 | 0.09 | 0.09 |
| 12-17 | 0.18 | 0.18 | 0.62 | 0.58 | 0.19 | 0.19 |
| 18-25 | 0.23 | 0.26 | 0.77 | 0.74 | 0.24 | 0.27 |
| 26 or Older | 0.10 | 0.10 | 0.52 | 0.64 | 0.10 | 0.10 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.16 | 0.17 | 0.62 | 0.56 | 0.17 | 0.18 |
| 12-17 | 0.20 | 0.20 | 0.54 | 0.57 | 0.21 | 0.21 |
| 18-25 | 0.34 | 0.37 | 0.87 | 0.90 | 0.37 | 0.39 |
| 26 or Older | 0.20 | 0.21 | 0.90 | 0.78 | 0.20 | 0.22 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.114P Substance Dependence or Abuse in the Past Year, by Household Receipt of Food Stamps and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED FOOD STAMPS | | | |
|--|--------|------|--------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.2724 | | 0.6250 | | 0.3937 | |
| 12-17 | 0.9592 | | 0.6425 | | 0.9246 | |
| 18-25 | 0.7182 | | 0.5042 | | 0.7654 | |
| 26 or Older | 0.2749 | | 0.6725 | | 0.4061 | |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.1886 | | 0.0287 | | 0.8271 | |
| 12-17 | 0.4552 | | 0.5058 | | 0.2997 | |
| 18-25 | 0.1625 | | 0.4980 | | 0.2184 | |
| 26 or Older | 0.5079 | | 0.0138 | | 0.5417 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.2691 | | 0.9860 | | 0.2733 | |
| 12-17 | 0.6366 | | 0.5806 | | 0.7423 | |
| 18-25 | 0.6802 | | 0.4606 | | 0.7128 | |
| 26 or Older | 0.3085 | | 0.7553 | | 0.2903 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Food Stamps is defined as one or more household family members having received food stamps during the prior calendar year. The food stamp program provides government-issued coupons that can be used to purchase food.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.115C Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|---|-------|------|------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 596 | 573 | 104 | 110 | 577 | 556 |
| 12-17 | 110 | 106 | 27 | 28 | 108 | 103 |
| 18-25 | 212 | 214 | 32 | 37 | 206 | 210 |
| 26 or Older | 514 | 503 | 90 | 97 | 498 | 488 |
| MARIJUANA | | | | | | |
| Total | 478 | 467 | 81 | 83 | 465 | 459 |
| 12-17 | 88 | 89 | 23 | 22 | 86 | 86 |
| 18-25 | 196 | 194 | 29 | 36 | 191 | 191 |
| 26 or Older | 400 | 408 | 70 | 70 | 391 | 400 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 440 | 435 | 84 | 93 | 419 | 415 |
| 12-17 | 89 | 81 | 22 | 23 | 86 | 78 |
| 18-25 | 148 | 151 | 25 | 24 | 144 | 148 |
| 26 or Older | 386 | 381 | 76 | 83 | 367 | 366 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.115D Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|---|-------|------|------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.23 | 0.22 | 1.20 | 1.33 | 0.24 | 0.22 |
| 12-17 | 0.36 | 0.34 | 1.73 | 1.81 | 0.38 | 0.35 |
| 18-25 | 0.48 | 0.48 | 1.81 | 2.00 | 0.49 | 0.49 |
| 26 or Older | 0.27 | 0.26 | 1.84 | 1.97 | 0.27 | 0.26 |
| MARIJUANA | | | | | | |
| Total | 0.19 | 0.19 | 1.07 | 1.09 | 0.19 | 0.19 |
| 12-17 | 0.31 | 0.31 | 1.55 | 1.64 | 0.33 | 0.31 |
| 18-25 | 0.46 | 0.47 | 1.63 | 2.01 | 0.47 | 0.48 |
| 26 or Older | 0.21 | 0.22 | 1.64 | 1.48 | 0.21 | 0.22 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.18 | 0.17 | 1.01 | 1.16 | 0.18 | 0.17 |
| 12-17 | 0.32 | 0.28 | 1.45 | 1.62 | 0.32 | 0.29 |
| 18-25 | 0.40 | 0.39 | 1.54 | 1.50 | 0.41 | 0.40 |
| 26 or Older | 0.21 | 0.20 | 1.55 | 1.73 | 0.20 | 0.20 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.115P Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Cash Assistance and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|---|--------|------|------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.4285 | | 0.9640 | | 0.4124 | |
| 12-17 | 0.1100 | | 0.2101 | | 0.0553 | |
| 18-25 | 0.3109 | | 0.1897 | | 0.1903 | |
| 26 or Older | 0.7772 | | 0.4937 | | 0.8484 | |
| MARIJUANA | | | | | | |
| Total | 0.9024 | | 0.7413 | | 0.9396 | |
| 12-17 | 0.2853 | | 0.2466 | | 0.1713 | |
| 18-25 | 0.3186 | | 0.1373 | | 0.1898 | |
| 26 or Older | 0.6672 | | 0.2152 | | 0.5279 | |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.1310 | | 0.7823 | | 0.1051 | |
| 12-17 | 0.2944 | | 0.4328 | | 0.2032 | |
| 18-25 | 0.3860 | | 0.3034 | | 0.2696 | |
| 26 or Older | 0.2243 | | 0.8119 | | 0.2176 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.116C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group:
Standard Errors of Numbers in Thousands, 2003 and 2004**

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|----------------------------------|-------|-------|------------------------------------|------|-------|-------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 1,523 | 1,545 | 177 | 164 | 1,511 | 1,530 |
| 12-17 | 95 | 96 | 20 | 20 | 92 | 94 |
| 18-25 | 311 | 312 | 46 | 48 | 304 | 307 |
| 26 or Older | 1,443 | 1,465 | 166 | 156 | 1,429 | 1,453 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 797 | 811 | 141 | 104 | 789 | 791 |
| 12-17 | 73 | 79 | 18 | 15 | 70 | 79 |
| 18-25 | 240 | 253 | 33 | 37 | 236 | 249 |
| 26 or Older | 730 | 738 | 135 | 94 | 721 | 720 |
| CIGARETTES | | | | | | |
| Total | 910 | 873 | 177 | 150 | 886 | 842 |
| 12-17 | 78 | 84 | 20 | 18 | 77 | 81 |
| 18-25 | 213 | 230 | 40 | 46 | 207 | 223 |
| 26 or Older | 847 | 801 | 165 | 139 | 827 | 775 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.116D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group:
Standard Errors of Percentages, 2003 and 2004**

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|----------------------------------|-------|------|------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.39 | 0.40 | 1.82 | 1.83 | 0.39 | 0.40 |
| 12-17 | 0.33 | 0.32 | 1.49 | 1.55 | 0.33 | 0.33 |
| 18-25 | 0.50 | 0.51 | 1.97 | 2.00 | 0.52 | 0.53 |
| 26 or Older | 0.49 | 0.51 | 2.88 | 2.84 | 0.49 | 0.52 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.29 | 0.29 | 1.73 | 1.35 | 0.29 | 0.29 |
| 12-17 | 0.27 | 0.29 | 1.33 | 1.20 | 0.27 | 0.30 |
| 18-25 | 0.49 | 0.52 | 1.75 | 2.05 | 0.50 | 0.53 |
| 26 or Older | 0.35 | 0.36 | 2.81 | 1.98 | 0.36 | 0.36 |
| CIGARETTES | | | | | | |
| Total | 0.33 | 0.32 | 1.94 | 1.77 | 0.33 | 0.32 |
| 12-17 | 0.29 | 0.30 | 1.47 | 1.37 | 0.30 | 0.31 |
| 18-25 | 0.47 | 0.49 | 2.28 | 2.13 | 0.49 | 0.50 |
| 26 or Older | 0.41 | 0.39 | 3.15 | 2.70 | 0.41 | 0.39 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.116P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Cash Assistance and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|----------------------------------|--------|------|------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.6754 | | 0.5262 | | 0.6044 | |
| 12-17 | 0.8159 | | 0.5371 | | 0.6910 | |
| 18-25 | 0.2246 | | 0.5236 | | 0.1713 | |
| 26 or Older | 0.5156 | | 0.3020 | | 0.4116 | |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.7514 | | 0.1111 | | 0.5652 | |
| 12-17 | 0.2617 | | 0.8452 | | 0.2378 | |
| 18-25 | 0.6165 | | 0.1756 | | 0.4377 | |
| 26 or Older | 0.7523 | | 0.0357 | | 0.5070 | |
| CIGARETTES | | | | | | |
| Total | 0.2217 | | 0.1062 | | 0.3400 | |
| 12-17 | 0.4951 | | 0.5819 | | 0.5871 | |
| 18-25 | 0.3224 | | 0.5191 | | 0.2436 | |
| 26 or Older | 0.3049 | | 0.0567 | | 0.4777 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.117C Substance Dependence or Abuse in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|--|-------|------|------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 436 | 462 | 86 | 83 | 420 | 453 |
| 12-17 | 65 | 67 | 18 | 19 | 63 | 65 |
| 18-25 | 149 | 161 | 26 | 31 | 145 | 156 |
| 26 or Older | 394 | 411 | 76 | 72 | 379 | 404 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 211 | 219 | 50 | 58 | 204 | 210 |
| 12-17 | 47 | 48 | 15 | 15 | 47 | 46 |
| 18-25 | 79 | 93 | 17 | 22 | 76 | 89 |
| 26 or Older | 183 | 194 | 44 | 50 | 177 | 186 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 403 | 433 | 72 | 69 | 390 | 424 |
| 12-17 | 52 | 54 | 12 | 13 | 51 | 52 |
| 18-25 | 132 | 143 | 20 | 27 | 129 | 139 |
| 26 or Older | 368 | 383 | 67 | 60 | 358 | 377 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.117D Substance Dependence or Abuse in the Past Year, by Household Receipt of Cash Assistance and Age Group: Standard Errors of Percentages, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|--|-------|------|------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.17 | 0.18 | 1.14 | 1.09 | 0.17 | 0.18 |
| 12-17 | 0.25 | 0.24 | 1.24 | 1.36 | 0.25 | 0.24 |
| 18-25 | 0.37 | 0.40 | 1.62 | 1.78 | 0.38 | 0.41 |
| 26 or Older | 0.21 | 0.22 | 1.68 | 1.57 | 0.20 | 0.22 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.09 | 0.09 | 0.70 | 0.78 | 0.09 | 0.09 |
| 12-17 | 0.18 | 0.18 | 1.09 | 1.12 | 0.19 | 0.18 |
| 18-25 | 0.23 | 0.26 | 1.08 | 1.30 | 0.23 | 0.26 |
| 26 or Older | 0.10 | 0.10 | 1.04 | 1.10 | 0.10 | 0.10 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.16 | 0.17 | 0.97 | 0.94 | 0.16 | 0.18 |
| 12-17 | 0.20 | 0.20 | 0.91 | 1.02 | 0.20 | 0.20 |
| 18-25 | 0.34 | 0.37 | 1.30 | 1.62 | 0.35 | 0.38 |
| 26 or Older | 0.20 | 0.21 | 1.49 | 1.34 | 0.20 | 0.21 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.117P Substance Dependence or Abuse in the Past Year, by Household Receipt of Cash Assistance and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED CASH ASSISTANCE | | | |
|--|--------|------|------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.2724 | | 0.7769 | | 0.2415 | |
| 12-17 | 0.9592 | | 0.8042 | | 0.9220 | |
| 18-25 | 0.7182 | | 0.1010 | | 0.9912 | |
| 26 or Older | 0.2749 | | 0.3115 | | 0.2005 | |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.1886 | | 0.3328 | | 0.2694 | |
| 12-17 | 0.4552 | | 0.9760 | | 0.4118 | |
| 18-25 | 0.1625 | | 0.0427 | | 0.3266 | |
| 26 or Older | 0.5079 | | 0.7447 | | 0.5637 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.2691 | | 0.6298 | | 0.2259 | |
| 12-17 | 0.6366 | | 0.4108 | | 0.7746 | |
| 18-25 | 0.6802 | | 0.1132 | | 0.9271 | |
| 26 or Older | 0.3085 | | 0.1774 | | 0.2105 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Cash Assistance is defined as one or more household family members having received cash assistance during the prior calendar year. Cash assistance refers to receiving cash due to low income, such as Temporary Assistance for Needy Families (TANF), welfare, or public assistance.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.118C Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|---|-------|------|---------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 596 | 573 | 122 | 120 | 578 | 556 |
| 12-17 | 110 | 106 | 21 | 25 | 108 | 104 |
| 18-25 | 212 | 214 | 42 | 40 | 205 | 209 |
| 26 or Older | 514 | 503 | 108 | 112 | 498 | 484 |
| MARIJUANA | | | | | | |
| Total | 478 | 467 | 98 | 106 | 465 | 451 |
| 12-17 | 88 | 89 | 17 | 19 | 86 | 86 |
| 18-25 | 196 | 194 | 38 | 35 | 190 | 189 |
| 26 or Older | 400 | 408 | 84 | 99 | 391 | 392 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 440 | 435 | 92 | 87 | 418 | 423 |
| 12-17 | 89 | 81 | 15 | 20 | 87 | 79 |
| 18-25 | 148 | 151 | 30 | 30 | 144 | 147 |
| 26 or Older | 386 | 381 | 87 | 75 | 368 | 370 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.118D Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Percentages, 2003 and 2004

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|---|-------|------|---------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.23 | 0.22 | 1.28 | 1.29 | 0.24 | 0.22 |
| 12-17 | 0.36 | 0.34 | 1.62 | 1.68 | 0.37 | 0.36 |
| 18-25 | 0.48 | 0.48 | 1.75 | 1.64 | 0.49 | 0.50 |
| 26 or Older | 0.27 | 0.26 | 1.89 | 1.92 | 0.27 | 0.26 |
| MARIJUANA | | | | | | |
| Total | 0.19 | 0.19 | 1.07 | 1.21 | 0.19 | 0.19 |
| 12-17 | 0.31 | 0.31 | 1.42 | 1.49 | 0.32 | 0.31 |
| 18-25 | 0.46 | 0.47 | 1.67 | 1.57 | 0.48 | 0.49 |
| 26 or Older | 0.21 | 0.22 | 1.52 | 1.74 | 0.21 | 0.21 |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.18 | 0.17 | 1.04 | 0.97 | 0.17 | 0.17 |
| 12-17 | 0.32 | 0.28 | 1.25 | 1.49 | 0.32 | 0.29 |
| 18-25 | 0.40 | 0.39 | 1.42 | 1.37 | 0.41 | 0.41 |
| 26 or Older | 0.21 | 0.20 | 1.60 | 1.33 | 0.20 | 0.20 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.118P Illicit Drug Use, Marijuana Use, and Illicit Drug Use Other Than Marijuana in the Past Year, by Household Receipt of Noncash Assistance and Age Group: P Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Year Drug/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|---|--------|------|---------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ILLCIT DRUG¹ | | | | | | |
| Total | 0.4285 | | 0.4622 | | 0.4858 | |
| 12-17 | 0.1100 | | 0.2169 | | 0.0554 | |
| 18-25 | 0.3109 | | 0.9000 | | 0.3011 | |
| 26 or Older | 0.7772 | | 0.3645 | | 0.8922 | |
| MARIJUANA | | | | | | |
| Total | 0.9024 | | 0.2684 | | 0.9495 | |
| 12-17 | 0.2853 | | 0.4216 | | 0.1872 | |
| 18-25 | 0.3186 | | 0.5103 | | 0.3705 | |
| 26 or Older | 0.6672 | | 0.2860 | | 0.5267 | |
| ILLCIT DRUG OTHER THAN MARIJUANA¹ | | | | | | |
| Total | 0.1310 | | 0.7476 | | 0.0981 | |
| 12-17 | 0.2944 | | 0.2897 | | 0.1936 | |
| 18-25 | 0.3860 | | 0.2578 | | 0.2472 | |
| 26 or Older | 0.2243 | | 0.8291 | | 0.2155 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.119C Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group:
Standard Errors of Numbers in Thousands, 2003 and 2004**

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|----------------------------------|-------|-------|---------------------------------------|------|-------|-------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 1,523 | 1,545 | 177 | 192 | 1,512 | 1,528 |
| 12-17 | 95 | 96 | 20 | 22 | 92 | 94 |
| 18-25 | 311 | 312 | 52 | 54 | 302 | 303 |
| 26 or Older | 1,443 | 1,465 | 166 | 181 | 1,435 | 1,450 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 797 | 811 | 132 | 140 | 789 | 794 |
| 12-17 | 73 | 79 | 17 | 17 | 71 | 77 |
| 18-25 | 240 | 253 | 37 | 42 | 233 | 247 |
| 26 or Older | 730 | 738 | 125 | 132 | 723 | 722 |
| CIGARETTES | | | | | | |
| Total | 910 | 873 | 162 | 161 | 880 | 851 |
| 12-17 | 78 | 84 | 18 | 17 | 77 | 80 |
| 18-25 | 213 | 230 | 46 | 46 | 204 | 224 |
| 26 or Older | 847 | 801 | 149 | 152 | 820 | 784 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.119D Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group:
Standard Errors of Percentages, 2003 and 2004**

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|----------------------------------|-------|------|---------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.39 | 0.40 | 1.60 | 1.68 | 0.40 | 0.41 |
| 12-17 | 0.33 | 0.32 | 1.58 | 1.66 | 0.33 | 0.33 |
| 18-25 | 0.50 | 0.51 | 1.79 | 1.75 | 0.52 | 0.53 |
| 26 or Older | 0.49 | 0.51 | 2.52 | 2.55 | 0.50 | 0.52 |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.29 | 0.29 | 1.37 | 1.48 | 0.29 | 0.29 |
| 12-17 | 0.27 | 0.29 | 1.40 | 1.29 | 0.27 | 0.30 |
| 18-25 | 0.49 | 0.52 | 1.57 | 1.63 | 0.50 | 0.54 |
| 26 or Older | 0.35 | 0.36 | 2.15 | 2.21 | 0.36 | 0.36 |
| CIGARETTES | | | | | | |
| Total | 0.33 | 0.32 | 1.62 | 1.53 | 0.33 | 0.32 |
| 12-17 | 0.29 | 0.30 | 1.46 | 1.32 | 0.30 | 0.30 |
| 18-25 | 0.47 | 0.49 | 1.86 | 1.81 | 0.49 | 0.51 |
| 26 or Older | 0.41 | 0.39 | 2.48 | 2.36 | 0.41 | 0.40 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.119P Alcohol Use, Binge Alcohol Use, and Cigarette Use in the Past Month, by Household Receipt of Noncash Assistance and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

| Past Month Substance/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|----------------------------------|--------|------|---------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| ALCOHOL | | | | | | |
| Total | 0.6754 | | 0.5022 | | 0.5917 | |
| 12-17 | 0.8159 | | 0.6197 | | 0.7285 | |
| 18-25 | 0.2246 | | 0.2957 | | 0.3145 | |
| 26 or Older | 0.5156 | | 0.6818 | | 0.4646 | |
| BINGE ALCOHOL¹ | | | | | | |
| Total | 0.7514 | | 0.4362 | | 0.6530 | |
| 12-17 | 0.2617 | | 0.9127 | | 0.2334 | |
| 18-25 | 0.6165 | | 0.6299 | | 0.5482 | |
| 26 or Older | 0.7523 | | 0.3881 | | 0.6420 | |
| CIGARETTES | | | | | | |
| Total | 0.2217 | | 0.1558 | | 0.2980 | |
| 12-17 | 0.4951 | | 0.2985 | | 0.6239 | |
| 18-25 | 0.3224 | | 0.8759 | | 0.3233 | |
| 26 or Older | 0.3049 | | 0.2173 | | 0.3865 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Binge Alcohol Use is defined as drinking 5 or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.120C Substance Dependence or Abuse in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|--|-------|------|---------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 436 | 462 | 93 | 87 | 423 | 454 |
| 12-17 | 65 | 67 | 14 | 17 | 64 | 66 |
| 18-25 | 149 | 161 | 29 | 32 | 147 | 156 |
| 26 or Older | 394 | 411 | 85 | 77 | 382 | 404 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 211 | 219 | 50 | 67 | 202 | 208 |
| 12-17 | 47 | 48 | 12 | 14 | 46 | 47 |
| 18-25 | 79 | 93 | 24 | 23 | 76 | 90 |
| 26 or Older | 183 | 194 | 44 | 59 | 176 | 184 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 403 | 433 | 80 | 68 | 392 | 428 |
| 12-17 | 52 | 54 | 10 | 13 | 51 | 52 |
| 18-25 | 132 | 143 | 23 | 28 | 130 | 138 |
| 26 or Older | 368 | 383 | 75 | 60 | 358 | 379 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.120D Substance Dependence or Abuse in the Past Year, by Household Receipt of Noncash Assistance and Age Group: Standard Errors of Percentages, 2003 and 2004

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|--|-------|------|---------------------------------------|------|------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.17 | 0.18 | 1.04 | 0.97 | 0.17 | 0.18 |
| 12-17 | 0.25 | 0.24 | 1.20 | 1.32 | 0.25 | 0.25 |
| 18-25 | 0.37 | 0.40 | 1.39 | 1.43 | 0.38 | 0.42 |
| 26 or Older | 0.21 | 0.22 | 1.53 | 1.38 | 0.21 | 0.22 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.09 | 0.09 | 0.61 | 0.77 | 0.09 | 0.09 |
| 12-17 | 0.18 | 0.18 | 1.03 | 1.07 | 0.19 | 0.19 |
| 18-25 | 0.23 | 0.26 | 1.18 | 1.14 | 0.23 | 0.26 |
| 26 or Older | 0.10 | 0.10 | 0.87 | 1.08 | 0.10 | 0.10 |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.16 | 0.17 | 0.91 | 0.78 | 0.16 | 0.18 |
| 12-17 | 0.20 | 0.20 | 0.84 | 0.98 | 0.20 | 0.20 |
| 18-25 | 0.34 | 0.37 | 1.13 | 1.25 | 0.36 | 0.38 |
| 26 or Older | 0.20 | 0.21 | 1.36 | 1.11 | 0.20 | 0.21 |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year.

Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.120P Substance Dependence or Abuse in the Past Year, by Household Receipt of Noncash Assistance and Age Group: P Values from Tests of Differences of Percentages, 2004 Versus 2003

| Dependence or Abuse/Age | Total | | HOUSEHOLD RECEIVED NONCASH ASSISTANCE | | | |
|--|--------|------|---------------------------------------|------|--------|------|
| | | | Yes | | No | |
| | 2003 | 2004 | 2003 | 2004 | 2003 | 2004 |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG OR ALCOHOL^{1,2} | | | | | | |
| Total | 0.2724 | | 0.6178 | | 0.3221 | |
| 12-17 | 0.9592 | | 0.8904 | | 0.9775 | |
| 18-25 | 0.7182 | | 0.0483 | | 0.9435 | |
| 26 or Older | 0.2749 | | 0.9371 | | 0.2731 | |
| DEPENDENCE OR ABUSE FOR ILLICIT DRUG^{1,2} | | | | | | |
| Total | 0.1886 | | 0.3143 | | 0.3091 | |
| 12-17 | 0.4552 | | 0.5058 | | 0.3427 | |
| 18-25 | 0.1625 | | 0.8013 | | 0.1716 | |
| 26 or Older | 0.5079 | | 0.2081 | | 0.7865 | |
| DEPENDENCE OR ABUSE FOR ALCOHOL¹ | | | | | | |
| Total | 0.2691 | | 0.6482 | | 0.3014 | |
| 12-17 | 0.6366 | | 0.4336 | | 0.7680 | |
| 18-25 | 0.6802 | | 0.0122 | | 0.9278 | |
| 26 or Older | 0.3085 | | 0.6196 | | 0.2661 | |

*Low precision; no estimate reported.

NOTE: Household Receipt of Noncash Assistance is defined as one or more household family members having received noncash assistance during the prior calendar year. Noncash assistance refers to assistance due to low income, such as help getting a job, placement in an education or job training program, or help with transportation, child care, or housing.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.