

**Table 6.70C Substance Dependence or Abuse in the Past Year among Persons Aged 12 Older, by Past Year Major Depressive Episode (MDE):
Standard Errors of Numbers in Thousands, 2004**

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	356	147	313
Marijuana	287	91	269
Illicit Drug Other Than Marijuana ⁴	236	128	189
Alcohol	669	237	637
Illicit Drug or Alcohol ⁴	696	260	676
Both Illicit Drug and Alcohol ⁴	219	92	190
DEPENDENCE³			
Illicit Drug ⁴	267	133	224
Marijuana	192	71	176
Illicit Drug Other Than Marijuana ⁴	204	120	154
Alcohol	449	195	408
Illicit Drug or Alcohol ⁴	486	224	446
Both Illicit Drug and Alcohol ⁴	139	71	110

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 12 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

**Table 6.70D Substance Dependence or Abuse in the Past Year among Persons Aged 12 Older, by Past Year Major Depressive Episode (MDE):
Standard Errors of Percentages, 2004**

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	0.15	0.75	0.14
Marijuana	0.12	0.47	0.12
Illicit Drug Other Than Marijuana ⁴	0.10	0.66	0.09
Alcohol	0.28	1.13	0.28
Illicit Drug or Alcohol ⁴	0.29	1.22	0.30
Both Illicit Drug and Alcohol ⁴	0.09	0.48	0.09
DEPENDENCE³			
Illicit Drug ⁴	0.11	0.68	0.10
Marijuana	0.08	0.37	0.08
Illicit Drug Other Than Marijuana ⁴	0.09	0.61	0.07
Alcohol	0.19	0.97	0.18
Illicit Drug or Alcohol ⁴	0.20	1.09	0.20
Both Illicit Drug and Alcohol ⁴	0.06	0.37	0.05

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 12 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.71C Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Numbers in Thousands, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	46	25	41
Marijuana	40	20	36
Illicit Drug Other Than Marijuana ⁴	31	18	27
Alcohol	50	24	48
Illicit Drug or Alcohol ⁴	61	30	58
Both Illicit Drug and Alcohol ⁴	33	18	30
DEPENDENCE³			
Illicit Drug ⁴	36	19	31
Marijuana	29	14	26
Illicit Drug Other Than Marijuana ⁴	25	15	21
Alcohol	31	17	26
Illicit Drug or Alcohol ⁴	43	22	38
Both Illicit Drug and Alcohol ⁴	19	12	16

*Low precision; no estimate reported.

¹ Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.71D Substance Dependence or Abuse in the Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	0.18	1.00	0.18
Marijuana	0.16	0.83	0.16
Illicit Drug Other Than Marijuana ⁴	0.12	0.79	0.12
Alcohol	0.20	0.96	0.20
Illicit Drug or Alcohol ⁴	0.24	1.20	0.24
Both Illicit Drug and Alcohol ⁴	0.13	0.75	0.13
DEPENDENCE³			
Illicit Drug ⁴	0.14	0.82	0.14
Marijuana	0.11	0.62	0.11
Illicit Drug Other Than Marijuana ⁴	0.10	0.66	0.09
Alcohol	0.12	0.73	0.11
Illicit Drug or Alcohol ⁴	0.17	0.95	0.16
Both Illicit Drug and Alcohol ⁴	0.08	0.54	0.07

*Low precision; no estimate reported.

¹ Estimates in the Total column represent persons aged 12 to 17, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

**Table 6.72C Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE):
Standard Errors of Numbers in Thousands, 2004**

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	354	145	312
Marijuana	285	88	269
Illicit Drug Other Than Marijuana ⁴	233	127	188
Alcohol	667	237	633
Illicit Drug or Alcohol ⁴	694	261	672
Both Illicit Drug and Alcohol ⁴	214	90	187
DEPENDENCE³			
Illicit Drug ⁴	267	132	223
Marijuana	191	69	176
Illicit Drug Other Than Marijuana ⁴	204	119	153
Alcohol	449	197	406
Illicit Drug or Alcohol ⁴	486	226	444
Both Illicit Drug and Alcohol ⁴	136	70	109

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.72D Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Standard Errors of Percentages, 2004

Dependence/Abuse	Total ¹	PAST YEAR MAJOR DEPRESSIVE EPISODE ²	
		Yes	No
DEPENDENCE OR ABUSE³			
Illicit Drug ⁴	0.16	0.84	0.16
Marijuana	0.13	0.51	0.14
Illicit Drug Other Than Marijuana ⁴	0.11	0.73	0.10
Alcohol	0.31	1.29	0.31
Illicit Drug or Alcohol ⁴	0.32	1.39	0.33
Both Illicit Drug and Alcohol ⁴	0.10	0.53	0.09
DEPENDENCE³			
Illicit Drug ⁴	0.12	0.76	0.11
Marijuana	0.09	0.41	0.09
Illicit Drug Other Than Marijuana ⁴	0.09	0.69	0.08
Alcohol	0.21	1.10	0.20
Illicit Drug or Alcohol ⁴	0.23	1.24	0.22
Both Illicit Drug and Alcohol ⁴	0.06	0.41	0.06

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. Therefore, estimates in the Total column are not comparable to similar estimates in other detailed tables. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column represent persons aged 18 or older, including those with unknown past year MDE information.

² Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

³ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

⁴ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).