

**Table 6.73C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 or Older, by Age Group and Substance Use and Health Measures: Standard Errors of Numbers in Thousands, 2004**

Substance Use/Health Measures	Total	AGE GROUP	
		12-17	18 or Older
<b>PAST MONTH DAILY CIGARETTE USE<sup>1</sup></b>			
Yes	325	17	324
No	560	67	549
<b>PAST MONTH HEAVY ALCOHOL USE<sup>2</sup></b>			
Yes	171	12	171
No	625	68	613
<b>PAST YEAR ILLICIT DRUG USE<sup>3</sup></b>			
Yes	300	43	296
No	569	51	563
<b>PAST YEAR DEPENDENCE OR ABUSE<sup>4</sup></b>			
Illicit Drug or Alcohol <sup>3</sup>			
Yes	260	30	261
No	586	61	575
Illicit Drug <sup>3</sup>			
Yes	147	25	145
No	629	63	618
Alcohol			
Yes	237	24	237
No	599	64	588
<b>PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY<sup>3,5</sup></b>			
Received	122	8	122
Not Received	638	70	624

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data are excluded.

<sup>1</sup> Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

<sup>2</sup> Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>5</sup> Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

**Table 6.73D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 or Older, by Age Group and Substance Use and Health Measures: Standard Errors of Percentages, 2004**

Substance Use/Health Measures	Total	AGE GROUP	
		12-17	18 or Older
<b>PAST MONTH DAILY CIGARETTE USE<sup>1</sup></b>			
Yes	0.79	1.85	0.80
No	0.27	0.25	0.30
<b>PAST MONTH HEAVY ALCOHOL USE<sup>2</sup></b>			
Yes	0.98	1.73	1.02
No	0.27	0.25	0.30
<b>PAST YEAR ILLICIT DRUG USE<sup>3</sup></b>			
Yes	0.75	0.72	0.86
No	0.27	0.24	0.30
<b>PAST YEAR DEPENDENCE OR ABUSE<sup>4</sup></b>			
Illicit Drug or Alcohol <sup>3</sup>			
Yes	1.06	1.21	1.17
No	0.26	0.24	0.29
Illicit Drug <sup>3</sup>			
Yes	1.67	1.62	1.98
No	0.26	0.24	0.29
Alcohol			
Yes	1.17	1.41	1.27
No	0.26	0.24	0.29
<b>PAST YEAR ILLICIT DRUG OR ALCOHOL TREATMENT AT A SPECIALTY FACILITY<sup>3,5</sup></b>			
Received	4.30	3.76	4.65
Not Received	0.26	0.25	0.28

\*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Respondents with unknown past year MDE data are excluded.

<sup>1</sup> Past Month Daily Cigarette Use is defined as smoking on each of the past 30 days.

<sup>2</sup> Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>4</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>5</sup> Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).