

Table 6.75A Type of Treatment Received in the Past Year for Depression among Persons Aged 12 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	12,024	3,315	658	8,040
AGE				
12-17	895	464	72	348
18-25	1,500	570	97	833
26 or Older	9,629	2,280	490	6,859
GENDER				
Male	3,396	1,118	153	2,122
Female	8,628	2,197	505	5,918
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	10,898	2,787	608	7,497
White	9,223	2,215	566	6,436
Black or African American	1,090	466	31	593
Other or Two or More Races	*	106	11	*
Hispanic or Latino	1,126	527	51	542
FAMILY INCOME				
Less Than \$20,000	2,941	961	168	1,808
\$20,000 - \$49,999	3,926	1,015	259	2,649
\$50,000 - \$74,999	2,236	692	66	1,478
\$75,000 or More	2,922	647	165	2,104
GOVERNMENT ASSISTANCE²				
Yes	2,677	725	205	1,744
No	9,347	2,590	454	6,296
HEALTH INSURANCE³				
Private	8,124	2,109	427	5,583
Medicaid/CHIP ⁴	1,780	413	46	1,318
Other ⁵	1,881	297	159	1,425
No Coverage	1,458	677	100	678

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.75B Type of Treatment Received in the Past Year for Depression among Persons Aged 12 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	62.3	17.2	3.4	41.7
AGE				
12-17	40.3	21.0	3.2	15.7
18-25	46.3	17.6	3.0	25.7
26 or Older	69.5	16.5	3.5	49.5
GENDER				
Male	53.4	17.6	2.4	33.4
Female	66.6	17.0	3.9	45.7
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	63.3	16.2	3.5	43.5
White	65.0	15.6	4.0	45.3
Black or African American	55.3	23.6	1.6	30.1
Other or Two or More Races	*	10.1	1.0	*
Hispanic or Latino	54.0	25.4	2.4	26.1
FAMILY INCOME				
Less Than \$20,000	58.5	19.1	3.3	36.0
\$20,000 - \$49,999	59.7	15.4	3.9	40.3
\$50,000 - \$74,999	65.7	20.3	1.9	43.4
\$75,000 or More	67.9	15.1	3.8	49.0
GOVERNMENT ASSISTANCE²				
Yes	62.5	16.9	4.8	40.7
No	62.2	17.2	3.0	41.9
HEALTH INSURANCE³				
Private	66.7	17.3	3.5	45.9
Medicaid/CHIP ⁴	67.4	15.6	1.7	49.9
Other ⁵	80.6	12.7	6.8	61.1
No Coverage	40.5	18.8	2.8	18.9

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.76A Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	895	464	72	348
GENDER				
Male	239	104	30	103
Female	656	360	42	245
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	756	377	65	308
White	633	293	56	278
Black or African American	82	60	*	18
Other or Two or More Races	*	*	5	*
Hispanic or Latino	139	88	7	39
FAMILY INCOME				
Less Than \$20,000	135	74	15	43
\$20,000 - \$49,999	330	168	28	132
\$50,000 - \$74,999	186	97	11	78
\$75,000 or More	243	125	18	94
GOVERNMENT ASSISTANCE²				
Yes	176	83	16	74
No	719	381	55	274
HEALTH INSURANCE³				
Private	620	316	49	249
Medicaid/CHIP ⁴	227	117	13	93
Other ⁵	38	19	5	14
No Coverage	38	26	5	4

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.76B Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	40.3	21.0	3.2	15.7
GENDER				
Male	37.7	16.5	4.7	16.2
Female	41.3	22.8	2.7	15.5
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	41.0	20.5	3.5	16.8
White	44.9	20.8	4.0	19.8
Black or African American	28.9	21.2	*	6.1
Other or Two or More Races	*	*	3.4	*
Hispanic or Latino	36.8	23.6	1.8	10.6
FAMILY INCOME				
Less Than \$20,000	33.9	18.5	3.9	10.7
\$20,000 - \$49,999	42.4	21.6	3.5	17.0
\$50,000 - \$74,999	41.5	21.6	2.4	17.4
\$75,000 or More	41.0	21.3	3.0	16.1
GOVERNMENT ASSISTANCE²				
Yes	42.1	19.8	3.9	17.8
No	39.9	21.3	3.1	15.2
HEALTH INSURANCE³				
Private	41.2	21.0	3.3	16.6
Medicaid/CHIP ⁴	41.1	21.2	2.4	16.9
Other ⁵	37.3	18.8	5.1	13.4
No Coverage	26.9	18.8	3.6	3.2

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.77A Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	11,129	2,850	587	7,692
GENDER				
Male	3,157	1,014	124	2,020
Female	7,972	1,836	463	5,673
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	10,142	2,411	543	7,189
White	8,589	1,922	510	6,157
Black or African American	1,008	406	27	*
Other or Two or More Races	*	83	*	*
Hispanic or Latino	987	*	44	503
FAMILY INCOME				
Less Than \$20,000	2,806	887	153	1,766
\$20,000 - \$49,999	3,596	847	231	2,517
\$50,000 - \$74,999	2,049	*	55	1,400
\$75,000 or More	2,679	522	147	2,010
GOVERNMENT ASSISTANCE²				
Yes	2,501	642	189	1,670
No	8,628	2,208	398	6,022
HEALTH INSURANCE³				
Private	7,504	1,793	377	5,333
Medicaid/CHIP ⁴	1,553	296	32	1,224
Other ⁵	1,843	278	154	1,411
No Coverage	1,420	651	95	674

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.77B Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	65.1	16.7	3.4	45.0
GENDER				
Male	55.2	17.7	2.2	35.3
Female	70.1	16.2	4.1	49.9
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	66.0	15.7	3.5	46.7
White	67.2	15.0	4.0	48.1
Black or African American	59.8	24.1	1.6	*
Other or Two or More Races	*	9.2	*	*
Hispanic or Latino	57.8	*	2.6	29.5
FAMILY INCOME				
Less Than \$20,000	60.6	19.2	3.3	38.1
\$20,000 - \$49,999	62.0	14.6	4.0	43.4
\$50,000 - \$74,999	69.4	*	1.9	47.4
\$75,000 or More	72.2	14.1	4.0	54.2
GOVERNMENT ASSISTANCE²				
Yes	64.7	16.6	4.9	43.2
No	65.3	16.7	3.0	45.5
HEALTH INSURANCE³				
Private	70.3	16.8	3.5	50.0
Medicaid/CHIP ⁴	74.3	14.2	1.5	58.6
Other ⁵	82.6	12.4	6.9	63.3
No Coverage	41.1	18.8	2.7	19.5

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).