

Table 5.38C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	119	134	144	174	100	111	169	198
12	2	1	2	2	2	1	3	3
13	2	4	2	3	1	3	3	5
14	7	7	6	5	5	5	9	9
15	9	10	9	8	8	7	12	12
16	11	14	11	13	9	12	14	16
17	11	13	10	12	9	11	13	15
18	15	15	14	11	12	9	18	18
19	19	11	11	12	8	8	21	14
20	12	10	11	13	9	8	15	16
21	13	14	15	15	12	11	16	18
22	10	12	13	14	9	10	14	17
23	11	15	12	16	10	14	15	18
24	13	12	14	11	10	8	17	15
25	11	8	12	10	9	7	16	12
26-29	36	43	45	45	33	31	56	56
30-34	27	42	40	43	19	30	44	53
35-39	61	53	65	76	54	50	71	79
40-44	40	60	49	61	36	50	57	71
45-49	26	51	41	56	23	47	47	59
50-54	46	41	41	77	33	39	59	85
55-59	11	28	17	48	11	28	17	53
60-64	9	41	53	25	9	11	53	50
65 or Older	*	*	19	*	*	*	26	27

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.38D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.05	0.06	0.06	0.07	0.04	0.05	0.07	0.08
12	0.06	0.03	0.06	0.06	0.06	0.03	0.08	0.07
13	0.04	0.08	0.06	0.08	0.03	0.06	0.07	0.11
14	0.17	0.15	0.15	0.12	0.13	0.11	0.22	0.21
15	0.22	0.23	0.21	0.18	0.19	0.17	0.28	0.27
16	0.26	0.34	0.27	0.31	0.21	0.29	0.34	0.38
17	0.27	0.31	0.25	0.31	0.21	0.27	0.31	0.36
18	0.33	0.34	0.31	0.24	0.26	0.20	0.38	0.39
19	0.48	0.27	0.28	0.30	0.21	0.21	0.53	0.35
20	0.30	0.25	0.27	0.34	0.22	0.21	0.36	0.39
21	0.34	0.35	0.38	0.37	0.31	0.28	0.42	0.45
22	0.25	0.31	0.32	0.36	0.22	0.25	0.35	0.42
23	0.28	0.38	0.29	0.42	0.24	0.35	0.37	0.46
24	0.36	0.30	0.39	0.28	0.29	0.19	0.46	0.37
25	0.31	0.24	0.34	0.28	0.23	0.19	0.43	0.34
26-29	0.25	0.28	0.30	0.29	0.23	0.20	0.38	0.37
30-34	0.13	0.21	0.20	0.22	0.10	0.15	0.22	0.27
35-39	0.29	0.26	0.31	0.36	0.26	0.24	0.34	0.38
40-44	0.17	0.26	0.21	0.27	0.16	0.22	0.25	0.32
45-49	0.12	0.24	0.19	0.26	0.11	0.22	0.22	0.28
50-54	0.23	0.21	0.20	0.40	0.16	0.20	0.30	0.44
55-59	0.07	0.17	0.11	0.29	0.07	0.17	0.11	0.32
60-64	0.07	0.33	0.45	0.20	0.07	0.09	0.45	0.40
65 or Older	*	*	0.06	*	*	*	0.08	0.08

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.38P Received Substance Use Treatment in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Age Category	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0432		0.2312		0.1949		0.1086	
12	0.5140		0.8081		0.6848		0.7112	
13	0.2650		0.9398		0.5552		0.5213	
14	0.8141		0.6695		0.8157		0.9564	
15	0.1815		0.5957		0.4494		0.3463	
16	0.8799		1.0000		0.8380		0.7641	
17	0.4670		0.3401		0.5462		0.1268	
18	0.4469		0.2714		0.2152		0.7930	
19	0.2162		0.7313		0.6400		0.1406	
20	0.2973		0.6712		0.6458		0.8543	
21	0.8822		0.8555		0.6621		0.3954	
22	0.2573		0.9711		0.7466		0.3778	
23	0.4979		0.4958		0.5590		0.8112	
24	0.7694		0.1784		0.3179		0.2792	
25	0.4381		0.5763		0.7393		0.3382	
26-29	0.3732		0.8495		0.9905		0.7270	
30-34	0.2992		1.0000		0.4941		0.4815	
35-39	0.2209		0.7943		0.4831		0.9431	
40-44	0.0536		0.3249		0.1692		0.2457	
45-49	0.0022		0.0993		0.0089		0.1208	
50-54	0.5736		0.4589		1.0000		0.8820	
55-59	0.4362		0.2416		0.4362		0.0803	
60-64	0.2903		0.5713		0.7397		0.6571	
65 or Older	*		*		*		0.6871	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.39C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	119	134	144	174	100	111	169	198
AGE								
12-17	20	23	20	20	16	18	24	26
18-25	37	37	35	39	27	29	45	48
26 or Older	108	124	136	168	93	104	160	189
GENDER								
Male	101	106	124	157	84	91	145	176
Female	63	87	72	76	54	66	85	99
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	111	129	122	143	93	107	147	172
White	87	90	96	113	66	70	122	132
Black or African American	60	74	68	77	58	67	70	93
American Indian or Alaska Native	12	15	15	21	11	15	18	21
Native Hawaiian or Other Pacific Islander	*	*	4	*	*	*	6	*
Asian	8	48	7	27	7	26	19	49
Two or More Races	9	22	10	13	9	13	28	23
Hispanic or Latino	44	43	76	98	40	36	79	102

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.39D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.05	0.06	0.06	0.07	0.04	0.05	0.07	0.08
AGE								
12-17	0.08	0.09	0.08	0.08	0.06	0.07	0.10	0.10
18-25	0.12	0.12	0.11	0.12	0.09	0.09	0.14	0.15
26 or Older	0.06	0.07	0.08	0.09	0.05	0.06	0.09	0.10
GENDER								
Male	0.09	0.09	0.11	0.13	0.07	0.08	0.13	0.15
Female	0.05	0.07	0.06	0.06	0.04	0.05	0.07	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.05	0.06	0.06	0.07	0.04	0.05	0.07	0.08
White	0.05	0.05	0.06	0.07	0.04	0.04	0.07	0.08
Black or African American	0.22	0.26	0.25	0.28	0.21	0.24	0.25	0.33
American Indian or Alaska Native	0.92	1.18	1.16	1.61	0.88	1.15	1.47	1.62
Native Hawaiian or Other Pacific Islander	*	*	0.78	*	*	*	1.29	*
Asian	0.08	0.48	0.08	0.28	0.07	0.26	0.20	0.49
Two or More Races	0.37	0.88	0.39	0.52	0.36	0.50	1.07	0.89
Hispanic or Latino	0.15	0.14	0.25	0.32	0.13	0.11	0.26	0.33

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.39P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0432		0.2312		0.1949		0.1086	
AGE								
12-17	0.2861		0.5202		0.4706		0.2594	
18-25	0.8767		0.5442		0.3213		0.6573	
26 or Older	0.0413		0.1948		0.1275		0.1010	
GENDER								
Male	0.1780		0.2026		0.2751		0.1360	
Female	0.1277		0.9088		0.5031		0.5600	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0704		0.1207		0.2936		0.0475	
White	0.6269		0.2719		0.9033		0.3907	
Black or African American	0.1537		0.4504		0.2835		0.0522	
American Indian or Alaska Native	0.6078		0.8552		0.5563		0.4011	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2070		0.3493		0.5788		0.2859	
Two or More Races	0.0593		0.2678		0.2153		0.6195	
Hispanic or Latino	0.3479		0.8188		0.3912		0.7985	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.40C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	20	23	20	20	16	18	24	26
GENDER								
Male	14	17	15	15	12	14	18	19
Female	13	16	12	14	10	13	16	18
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18	21	17	19	15	17	21	25
White	16	19	16	18	14	16	19	23
Black or African American	6	6	4	6	4	6	7	8
American Indian or Alaska Native	2	4	2	1	2	1	3	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	0	3	2	2	0	3	3
Two or More Races	3	7	2	7	2	7	3	7
Hispanic or Latino	7	9	9	8	6	7	14	11
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	13	13	13	12	11	10	15	16
Female, White, Not Hispanic	10	14	9	13	8	12	11	16
Male, Black, Not Hispanic	4	5	4	5	3	5	5	7
Female, Black, Not Hispanic	4	3	2	3	2	3	5	4
Male, Hispanic	3	8	7	7	3	7	9	9
Female, Hispanic	6	5	6	3	5	2	11	7

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.40D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.08	0.09	0.08	0.08	0.06	0.07	0.10	0.10
GENDER								
Male	0.11	0.13	0.12	0.12	0.10	0.11	0.14	0.15
Female	0.11	0.13	0.09	0.11	0.08	0.10	0.13	0.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.09	0.10	0.08	0.09	0.07	0.08	0.10	0.12
White	0.10	0.13	0.10	0.11	0.09	0.10	0.12	0.15
Black or African American	0.15	0.15	0.11	0.15	0.09	0.15	0.19	0.21
American Indian or Alaska Native	1.25	2.49	1.06	0.79	0.96	0.77	1.45	2.49
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.26	0.03	0.26	0.16	0.25	0.03	0.27	0.26
Two or More Races	0.65	1.59	0.44	1.48	0.44	1.48	0.73	1.59
Hispanic or Latino	0.17	0.22	0.22	0.18	0.14	0.16	0.35	0.26
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.17	0.16	0.16	0.15	0.14	0.13	0.19	0.20
Female, White, Not Hispanic	0.13	0.19	0.12	0.18	0.11	0.16	0.14	0.21
Male, Black, Not Hispanic	0.21	0.26	0.19	0.26	0.16	0.26	0.27	0.36
Female, Black, Not Hispanic	0.21	0.16	0.10	0.16	0.10	0.15	0.27	0.19
Male, Hispanic	0.16	0.37	0.32	0.32	0.14	0.31	0.45	0.40
Female, Hispanic	0.32	0.23	0.30	0.15	0.25	0.10	0.56	0.35

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.40P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.2861		0.5202		0.4706		0.2594	
GENDER								
Male	0.7550		0.6737		0.9834		0.6970	
Female	0.2374		0.1407		0.2716		0.2099	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4061		0.3668		0.5365		0.0664	
White	0.4663		0.4689		0.7487		0.0827	
Black or African American	0.9306		0.4960		0.3371		0.7287	
American Indian or Alaska Native	0.6280		0.4388		0.4895		0.8366	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2348		0.7121		0.3727		0.9945	
Two or More Races	0.1627		0.1792		0.1792		0.2291	
Hispanic or Latino	0.4329		0.6682		0.6835		0.3438	
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.4558		0.2199		0.1532		0.9810	
Female, White, Not Hispanic	0.0703		0.0225		0.0587		0.0111	
Male, Black, Not Hispanic	0.9670		0.8406		0.4370		0.7108	
Female, Black, Not Hispanic	0.9162		0.3190		0.5763		0.9586	
Male, Hispanic	0.1417		0.9246		0.2527		0.7456	
Female, Hispanic	0.6757		0.3828		0.3917		0.2964	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.41C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	37	37	35	39	27	29	45	48
GENDER								
Male	31	30	31	33	23	22	39	40
Female	20	21	19	17	15	15	24	24
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	30	34	31	33	23	26	38	41
White	27	31	28	31	20	24	34	38
Black or African American	14	12	13	10	11	9	16	14
American Indian or Alaska Native	2	*	3	3	2	*	4	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	0
Asian	3	6	3	3	2	0	4	7
Two or More Races	4	2	4	2	4	2	4	3
Hispanic or Latino	19	13	17	20	14	11	24	23
EDUCATION								
< High School	20	22	19	21	17	17	25	27
High School Graduate	25	22	23	23	19	16	30	28
Some College	14	13	17	21	12	11	19	23
College Graduate	4	9	10	7	3	6	10	10
CURRENT EMPLOYMENT								
Full-Time	23	23	26	25	18	18	32	31
Part-Time	16	16	18	18	14	11	21	23
Unemployed	16	11	10	10	8	7	18	13
Other ³	19	18	17	19	15	15	22	22

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.41D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.12	0.12	0.11	0.12	0.09	0.09	0.14	0.15
GENDER								
Male	0.20	0.19	0.20	0.20	0.15	0.14	0.25	0.25
Female	0.13	0.13	0.12	0.11	0.10	0.09	0.15	0.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.12	0.13	0.12	0.13	0.09	0.10	0.15	0.16
White	0.14	0.16	0.14	0.16	0.10	0.12	0.18	0.19
Black or African American	0.32	0.28	0.30	0.23	0.26	0.22	0.37	0.32
American Indian or Alaska Native	1.05	*	1.59	1.91	1.05	*	2.34	1.93
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	0.13
Asian	0.24	0.40	0.18	0.21	0.16	0.02	0.25	0.45
Two or More Races	1.02	0.70	1.06	0.65	1.01	0.53	1.13	0.80
Hispanic or Latino	0.34	0.24	0.30	0.34	0.25	0.19	0.42	0.40
EDUCATION								
< High School	0.29	0.33	0.28	0.32	0.25	0.25	0.37	0.41
High School Graduate	0.23	0.20	0.21	0.21	0.17	0.15	0.27	0.25
Some College	0.15	0.13	0.17	0.20	0.12	0.11	0.20	0.22
College Graduate	0.11	0.22	0.24	0.17	0.08	0.14	0.25	0.24
CURRENT EMPLOYMENT								
Full-Time	0.16	0.15	0.18	0.17	0.12	0.12	0.22	0.21
Part-Time	0.20	0.20	0.22	0.22	0.17	0.14	0.25	0.28
Unemployed	0.59	0.43	0.38	0.38	0.31	0.27	0.65	0.52
Other ³	0.31	0.27	0.26	0.30	0.23	0.23	0.35	0.34

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.41P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.8767		0.5442		0.3213		0.6573	
GENDER								
Male	0.5785		0.4005		0.1390		0.4794	
Female	0.5785		0.8200		0.7335		0.7647	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6757		0.7410		0.5261		0.8857	
White	0.2735		0.6572		0.8854		0.3759	
Black or African American	0.1850		0.1013		0.1661		0.1520	
American Indian or Alaska Native	*		0.6692		*		0.2333	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.5566		0.8544		0.2966		0.3371	
Two or More Races	0.8513		0.7497		0.6487		0.9391	
Hispanic or Latino	0.2289		0.5090		0.3308		0.2505	
EDUCATION								
< High School	0.2055		0.4088		0.8758		0.3192	
High School Graduate	0.3580		0.2356		0.0651		0.3189	
Some College	0.3664		0.9478		0.9827		0.8132	
College Graduate	0.3891		0.4008		0.3376		0.5015	
CURRENT EMPLOYMENT								
Full-Time	0.8626		0.4774		0.4068		0.7079	
Part-Time	0.5024		0.8199		0.7057		0.4785	
Unemployed	0.2609		0.9396		0.2865		0.3066	
Other ³	0.7942		0.9957		0.9862		0.7228	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.42C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	108	124	136	168	93	104	160	189
GENDER								
Male	92	100	117	153	77	86	137	171
Female	56	84	67	75	49	63	77	95
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	101	118	113	137	85	100	138	162
White	80	77	90	107	61	63	115	122
Black or African American	55	73	63	77	54	67	65	93
American Indian or Alaska Native	11	*	13	21	11	*	17	21
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	6	47	6	27	6	*	19	48
Two or More Races	9	21	9	11	8	11	27	21
Hispanic or Latino	39	43	74	96	37	33	76	100
EDUCATION								
< High School	63	73	85	96	59	58	97	112
High School Graduate	63	74	65	77	47	61	77	93
Some College	43	54	63	71	36	48	72	84
College Graduate	30	42	40	61	26	39	52	64
CURRENT EMPLOYMENT								
Full-Time	80	87	110	119	66	76	131	135
Part-Time	28	53	37	52	23	44	44	60
Unemployed	23	53	26	37	18	27	30	58
Other ³	56	61	60	82	53	53	67	96

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.42D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.06	0.07	0.08	0.09	0.05	0.06	0.09	0.10
GENDER								
Male	0.11	0.11	0.14	0.18	0.09	0.10	0.16	0.20
Female	0.06	0.09	0.07	0.08	0.05	0.07	0.08	0.10
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.07	0.07	0.08	0.05	0.06	0.09	0.10
White	0.06	0.06	0.07	0.08	0.05	0.05	0.09	0.09
Black or African American	0.28	0.37	0.33	0.39	0.28	0.34	0.34	0.47
American Indian or Alaska Native	1.22	*	1.50	2.17	1.18	*	1.93	2.17
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.08	0.64	0.09	0.37	0.08	*	0.25	0.65
Two or More Races	0.49	1.20	0.48	0.62	0.45	0.60	1.49	1.21
Hispanic or Latino	0.19	0.20	0.37	0.45	0.18	0.16	0.38	0.48
EDUCATION								
< High School	0.20	0.24	0.27	0.32	0.19	0.19	0.31	0.37
High School Graduate	0.11	0.13	0.12	0.13	0.08	0.11	0.14	0.16
Some College	0.10	0.12	0.15	0.16	0.09	0.11	0.17	0.19
College Graduate	0.06	0.08	0.08	0.12	0.05	0.08	0.10	0.12
CURRENT EMPLOYMENT								
Full-Time	0.08	0.08	0.11	0.11	0.06	0.07	0.13	0.13
Part-Time	0.13	0.27	0.18	0.27	0.11	0.23	0.21	0.31
Unemployed	0.43	1.10	0.48	0.77	0.34	0.56	0.55	1.21
Other ³	0.11	0.11	0.11	0.15	0.10	0.10	0.13	0.17

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.42P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR					
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0413		0.1948		0.1275	0.1010
GENDER						
Male	0.1126		0.1207		0.1177	0.0937
Female	0.2187		0.8325		0.6947	0.7706
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0948		0.1164		0.2453	0.0767
White	0.9729		0.3748		0.9961	0.7485
Black or African American	0.0763		0.3129		0.1939	0.0254
American Indian or Alaska Native	*		0.9556		*	0.5215
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.2115		0.3367		*	0.3496
Two or More Races	0.1336		0.4401		0.3611	0.8048
Hispanic or Latino	0.1787		0.9625		0.2300	0.8436
EDUCATION						
< High School	0.3567		0.3205		0.6619	0.2610
High School Graduate	0.0979		0.3931		0.1511	0.0873
Some College	0.3017		0.9718		0.4478	0.9480
College Graduate	0.6366		0.2841		0.5610	0.6639
CURRENT EMPLOYMENT						
Full-Time	0.5158		0.4581		0.3682	0.6733
Part-Time	0.0449		0.4202		0.1204	0.2062
Unemployed	0.0816		0.2160		0.3759	0.0436
Other ³	0.5363		0.5213		0.7620	0.3196

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.43C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	117	131	143	172	99	109	168	196
GENDER								
Male	100	105	123	156	83	90	145	174
Female	60	86	71	75	53	65	82	97
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	108	126	121	141	91	104	145	169
White	84	85	95	112	65	68	120	128
Black or African American	60	74	67	77	58	67	69	94
American Indian or Alaska Native	11	15	14	21	11	*	18	21
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	7	48	7	27	7	26	19	48
Two or More Races	10	21	10	11	9	11	28	21
Hispanic or Latino	43	42	75	98	39	35	78	102
EDUCATION								
< High School	66	77	87	99	61	61	98	115
High School Graduate	68	78	70	79	51	63	83	97
Some College	45	56	65	74	38	49	75	86
College Graduate	30	43	41	61	26	40	53	65
CURRENT EMPLOYMENT								
Full-Time	83	91	113	121	68	79	134	139
Part-Time	32	55	42	55	27	45	49	64
Unemployed	28	54	28	38	20	28	35	60
Other ³	60	62	63	84	56	55	72	97

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.43D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.05	0.06	0.07	0.08	0.05	0.05	0.08	0.09
GENDER								
Male	0.10	0.10	0.12	0.15	0.08	0.09	0.14	0.17
Female	0.05	0.08	0.06	0.07	0.05	0.06	0.07	0.09
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.07	0.06	0.07	0.05	0.06	0.08	0.09
White	0.06	0.06	0.06	0.07	0.04	0.04	0.08	0.08
Black or African American	0.25	0.30	0.28	0.32	0.25	0.28	0.29	0.39
American Indian or Alaska Native	1.04	1.31	1.33	1.85	1.01	*	1.68	1.85
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.08	0.53	0.08	0.31	0.08	0.29	0.21	0.54
Two or More Races	0.44	1.00	0.45	0.53	0.41	0.51	1.27	1.01
Hispanic or Latino	0.17	0.16	0.29	0.36	0.15	0.13	0.30	0.38
EDUCATION								
< High School	0.17	0.21	0.23	0.27	0.16	0.17	0.26	0.31
High School Graduate	0.10	0.11	0.10	0.12	0.08	0.09	0.12	0.14
Some College	0.09	0.10	0.12	0.14	0.07	0.09	0.14	0.16
College Graduate	0.05	0.08	0.08	0.11	0.05	0.07	0.10	0.12
CURRENT EMPLOYMENT								
Full-Time	0.07	0.08	0.10	0.10	0.06	0.07	0.11	0.12
Part-Time	0.11	0.20	0.15	0.20	0.09	0.16	0.17	0.23
Unemployed	0.35	0.73	0.34	0.52	0.25	0.37	0.43	0.81
Other ³	0.10	0.10	0.11	0.14	0.09	0.09	0.12	0.16

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.43P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0604		0.2611		0.2340		0.1423	
GENDER								
Male	0.1880		0.1845		0.2693		0.1443	
Female	0.1794		0.8834		0.6402		0.7149	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0884		0.1505		0.3371		0.0814	
White	0.7187		0.3204		0.9522		0.5526	
Black or African American	0.1519		0.4764		0.3160		0.0561	
American Indian or Alaska Native	0.5272		0.9013		*		0.3800	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.1847		0.3268		0.5203		0.2842	
Two or More Races	0.1299		0.5282		0.4565		0.8177	
Hispanic or Latino	0.4181		0.8495		0.4219		0.9062	
EDUCATION								
< High School	0.1977		0.2468		0.6388		0.1681	
High School Graduate	0.2060		0.6552		0.4147		0.1926	
Some College	0.4587		0.9589		0.4629		1.0000	
College Graduate	0.5292		0.3412		0.4778		0.7435	
CURRENT EMPLOYMENT								
Full-Time	0.4852		0.5475		0.4875		0.7278	
Part-Time	0.0330		0.4956		0.1763		0.1448	
Unemployed	0.1848		0.2362		0.6056		0.1026	
Other ³	0.6232		0.5429		0.7825		0.3966	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.44C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	119	134	144	174	100	111	169	198
GEOGRAPHIC DIVISION								
Northeast	45	63	55	59	38	52	62	73
New England	19	23	28	22	13	19	33	31
Middle Atlantic	41	58	48	55	36	48	53	66
Midwest	49	46	61	56	42	34	72	78
East North Central	36	34	49	48	30	30	57	69
West North Central	33	30	35	29	29	17	44	37
South	76	93	80	98	68	78	100	114
South Atlantic	65	77	65	81	58	64	86	92
East South Central	32	21	32	22	29	16	35	34
West South Central	25	47	32	52	20	42	37	57
West	62	58	87	119	46	48	98	122
Mountain	21	22	34	29	15	15	37	33
Pacific	59	54	80	115	44	46	91	117
COUNTY TYPE								
Large Metro	100	106	119	146	84	88	141	162
Small Metro	48	64	62	73	38	51	71	90
250K - 1 Mil. Pop.	42	54	56	62	33	42	63	78
< 250K Pop.	24	34	29	40	21	30	34	46
Nonmetro	39	50	49	58	36	41	65	66
Urbanized	30	33	38	40	28	28	41	45
Less Urbanized	22	36	29	41	21	30	45	48
Completely Rural	10	3	11	16	10	2	11	16

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.44D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.05	0.06	0.06	0.07	0.04	0.05	0.07	0.08
GEOGRAPHIC DIVISION								
Northeast	0.10	0.14	0.12	0.13	0.08	0.11	0.14	0.16
New England	0.16	0.19	0.23	0.18	0.11	0.16	0.28	0.26
Middle Atlantic	0.12	0.17	0.14	0.16	0.11	0.14	0.16	0.20
Midwest	0.09	0.08	0.11	0.10	0.08	0.06	0.13	0.14
East North Central	0.09	0.09	0.13	0.13	0.08	0.08	0.15	0.18
West North Central	0.21	0.18	0.22	0.18	0.18	0.10	0.27	0.23
South	0.09	0.11	0.09	0.11	0.08	0.09	0.12	0.13
South Atlantic	0.15	0.17	0.15	0.18	0.13	0.14	0.19	0.20
East South Central	0.23	0.14	0.23	0.15	0.21	0.11	0.25	0.23
West South Central	0.10	0.18	0.12	0.19	0.08	0.16	0.14	0.22
West	0.12	0.11	0.16	0.22	0.09	0.09	0.18	0.22
Mountain	0.13	0.14	0.22	0.18	0.10	0.09	0.24	0.21
Pacific	0.15	0.14	0.21	0.30	0.11	0.12	0.24	0.30
COUNTY TYPE								
Large Metro	0.08	0.08	0.09	0.11	0.07	0.07	0.11	0.13
Small Metro	0.07	0.09	0.09	0.10	0.05	0.07	0.10	0.13
250K - 1 Mil. Pop.	0.09	0.11	0.12	0.13	0.07	0.09	0.14	0.16
< 250K Pop.	0.10	0.14	0.12	0.16	0.08	0.12	0.14	0.19
Nonmetro	0.10	0.12	0.12	0.14	0.09	0.10	0.16	0.16
Urbanized	0.17	0.20	0.21	0.24	0.16	0.17	0.23	0.27
Less Urbanized	0.12	0.18	0.16	0.20	0.12	0.15	0.25	0.24
Completely Rural	0.24	0.07	0.27	0.45	0.24	0.05	0.27	0.46

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.44P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0432		0.2312		0.1949		0.1086	
GEOGRAPHIC DIVISION								
Northeast	0.1313		0.4243		0.2300		0.2047	
New England	0.0770		0.9385		0.0822		0.6533	
Middle Atlantic	0.3531		0.3973		0.5351		0.2305	
Midwest	0.9533		0.7254		0.4044		0.5795	
East North Central	0.9605		0.9840		0.5690		0.3533	
West North Central	0.8848		0.5453		0.5327		0.7100	
South	0.0725		0.1053		0.1930		0.0528	
South Atlantic	0.1503		0.0950		0.2473		0.1149	
East South Central	0.6738		0.4177		0.1308		0.5459	
West South Central	0.1125		0.2925		0.0887		0.3335	
West	0.8680		0.8722		0.7198		0.6496	
Mountain	0.8863		0.8531		0.9762		0.6704	
Pacific	0.9055		0.8246		0.7143		0.7278	
COUNTY TYPE								
Large Metro	0.2816		0.4196		0.4140		0.3358	
Small Metro	0.0468		0.3908		0.1278		0.1436	
250K - 1 Mil. Pop.	0.1343		0.8663		0.3118		0.4427	
< 250K Pop.	0.1792		0.1825		0.2399		0.1207	
Nonmetro	0.4309		0.6529		0.9913		0.6390	
Urbanized	0.4233		0.7700		0.7672		0.5441	
Less Urbanized	0.4959		0.7568		0.8745		0.9750	
Completely Rural	0.1039		0.7827		0.0498		0.7525	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.45C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	20	23	20	20	16	18	24	26
GEOGRAPHIC DIVISION								
Northeast	9	11	9	10	8	10	11	12
New England	1	3	3	3	0	3	3	5
Middle Atlantic	9	10	9	9	8	9	11	11
Midwest	8	8	8	7	6	6	10	9
East North Central	6	5	5	5	4	5	7	6
West North Central	5	5	6	5	4	4	7	7
South	12	14	10	13	9	11	14	17
South Atlantic	6	12	5	10	4	9	8	13
East South Central	5	4	4	4	4	3	6	5
West South Central	9	7	7	7	6	6	10	10
West	10	11	12	9	9	9	14	13
Mountain	5	5	6	4	6	4	6	6
Pacific	9	10	10	9	7	8	13	11
COUNTY TYPE								
Large Metro	15	16	13	14	12	13	18	19
Small Metro	11	14	12	12	9	11	14	16
250K - 1 Mil. Pop.	9	13	10	11	7	11	12	14
< 250K Pop.	7	6	7	6	6	5	7	7
Nonmetro	8	8	8	7	6	6	10	11
Urbanized	6	5	6	5	5	4	7	6
Less Urbanized	5	6	5	5	4	4	7	9
Completely Rural	0	2	1	2	0	2	2	3

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.45D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.08	0.09	0.08	0.08	0.06	0.07	0.10	0.10
GEOGRAPHIC DIVISION								
Northeast	0.21	0.24	0.20	0.22	0.19	0.21	0.25	0.27
New England	0.07	0.28	0.22	0.28	0.04	0.24	0.27	0.43
Middle Atlantic	0.28	0.31	0.26	0.28	0.25	0.27	0.32	0.33
Midwest	0.13	0.13	0.14	0.12	0.11	0.11	0.17	0.17
East North Central	0.14	0.14	0.13	0.13	0.11	0.12	0.17	0.16
West North Central	0.30	0.32	0.37	0.29	0.26	0.23	0.42	0.42
South	0.13	0.16	0.11	0.14	0.10	0.12	0.15	0.19
South Atlantic	0.14	0.25	0.11	0.22	0.09	0.20	0.17	0.27
East South Central	0.35	0.28	0.30	0.27	0.30	0.21	0.39	0.34
West South Central	0.30	0.25	0.24	0.24	0.21	0.19	0.33	0.33
West	0.17	0.19	0.20	0.16	0.16	0.15	0.24	0.21
Mountain	0.28	0.30	0.35	0.22	0.34	0.21	0.34	0.34
Pacific	0.21	0.23	0.25	0.20	0.17	0.19	0.30	0.26
COUNTY TYPE								
Large Metro	0.11	0.12	0.10	0.11	0.09	0.10	0.13	0.14
Small Metro	0.15	0.18	0.16	0.16	0.12	0.14	0.19	0.20
250K - 1 Mil. Pop.	0.18	0.26	0.21	0.22	0.14	0.21	0.24	0.28
< 250K Pop.	0.27	0.24	0.27	0.23	0.25	0.21	0.30	0.28
Nonmetro	0.18	0.18	0.18	0.17	0.14	0.14	0.24	0.25
Urbanized	0.33	0.27	0.31	0.28	0.25	0.23	0.40	0.33
Less Urbanized	0.25	0.28	0.25	0.24	0.20	0.19	0.34	0.41
Completely Rural	0.10	0.44	0.19	0.63	0.10	0.41	0.43	0.71

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.45P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.2861		0.5202		0.4706		0.2594	
GEOGRAPHIC DIVISION								
Northeast	0.1849		0.5270		0.3041		0.3031	
New England	0.0578		0.2924		0.0241		0.3541	
Middle Atlantic	0.3612		0.7397		0.5808		0.4566	
Midwest	0.9273		0.5915		0.9970		0.9790	
East North Central	0.8987		0.8850		0.8411		0.8119	
West North Central	0.9917		0.3856		0.8297		0.8046	
South	0.8496		0.0679		0.3617		0.2144	
South Atlantic	0.0349		0.0089		0.0270		0.0185	
East South Central	0.1749		0.9271		0.4244		0.3849	
West South Central	0.1495		0.9477		0.4238		0.8331	
West	0.6172		0.3187		0.4470		0.8488	
Mountain	0.6916		0.2055		0.1331		0.5725	
Pacific	0.4097		0.6822		0.8499		0.9529	
COUNTY TYPE								
Large Metro	0.3468		0.6154		0.6252		0.4014	
Small Metro	0.6430		0.8665		0.7722		0.5768	
250K - 1 Mil. Pop.	0.3744		0.7470		0.4680		0.4255	
< 250K Pop.	0.5070		0.7942		0.5020		0.6824	
Nonmetro	0.7802		0.6421		0.5862		0.6393	
Urbanized	0.4691		0.9193		0.9304		0.4259	
Less Urbanized	0.5339		0.9377		0.6535		0.4254	
Completely Rural	0.0342		0.0350		0.0854		0.1184	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.46C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	37	37	35	39	27	29	45	48
GEOGRAPHIC DIVISION								
Northeast	15	14	13	15	11	11	17	19
New England	7	9	7	8	5	6	9	12
Middle Atlantic	13	10	11	13	10	9	14	15
Midwest	12	16	16	17	10	12	18	21
East North Central	11	10	14	12	9	9	16	14
West North Central	5	13	9	13	5	9	9	16
South	20	19	20	19	16	14	24	25
South Atlantic	14	15	14	16	12	11	17	20
East South Central	6	6	6	6	6	6	6	7
West South Central	13	10	12	8	9	7	16	12
West	25	23	20	25	16	19	30	29
Mountain	9	11	8	11	7	8	9	14
Pacific	24	20	18	22	15	17	28	25
COUNTY TYPE								
Large Metro	32	25	28	28	23	20	36	34
Small Metro	17	23	18	21	13	17	24	27
250K - 1 Mil. Pop.	13	18	14	18	11	14	19	22
< 250K Pop.	10	14	11	10	7	10	14	15
Nonmetro	12	14	11	17	9	11	15	19
Urbanized	8	8	7	9	6	6	10	11
Less Urbanized	8	11	7	10	5	9	10	13
Completely Rural	4	*	5	*	4	0	5	8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.46D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.12	0.12	0.11	0.12	0.09	0.09	0.14	0.15
GEOGRAPHIC DIVISION								
Northeast	0.26	0.24	0.23	0.26	0.20	0.19	0.30	0.33
New England	0.48	0.60	0.50	0.55	0.31	0.37	0.63	0.80
Middle Atlantic	0.31	0.25	0.26	0.30	0.24	0.21	0.34	0.35
Midwest	0.16	0.22	0.22	0.24	0.14	0.17	0.25	0.29
East North Central	0.21	0.20	0.27	0.24	0.18	0.17	0.31	0.28
West North Central	0.24	0.55	0.38	0.55	0.21	0.39	0.41	0.70
South	0.18	0.17	0.18	0.16	0.14	0.12	0.21	0.21
South Atlantic	0.24	0.26	0.26	0.27	0.21	0.19	0.30	0.35
East South Central	0.31	0.32	0.33	0.29	0.32	0.29	0.29	0.34
West South Central	0.35	0.27	0.33	0.22	0.24	0.19	0.42	0.31
West	0.34	0.31	0.27	0.33	0.22	0.25	0.40	0.39
Mountain	0.39	0.50	0.35	0.48	0.31	0.35	0.39	0.63
Pacific	0.46	0.39	0.35	0.43	0.29	0.32	0.55	0.48
COUNTY TYPE								
Large Metro	0.19	0.15	0.17	0.17	0.14	0.12	0.22	0.20
Small Metro	0.17	0.21	0.17	0.19	0.13	0.16	0.23	0.25
250K - 1 Mil. Pop.	0.20	0.26	0.21	0.26	0.17	0.20	0.28	0.32
< 250K Pop.	0.29	0.39	0.32	0.28	0.20	0.26	0.39	0.41
Nonmetro	0.24	0.28	0.22	0.34	0.19	0.23	0.30	0.38
Urbanized	0.32	0.34	0.30	0.41	0.25	0.28	0.44	0.46
Less Urbanized	0.37	0.49	0.30	0.45	0.24	0.39	0.44	0.56
Completely Rural	1.17	*	1.32	*	1.17	0.02	1.38	2.39

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.46P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.8767		0.5442		0.3213		0.6573	
GEOGRAPHIC DIVISION								
Northeast	0.9923		0.4033		0.8075		0.4853	
New England	0.2961		0.3228		0.3906		0.2585	
Middle Atlantic	0.4832		0.7703		0.4213		0.9615	
Midwest	0.9912		0.2662		0.2609		0.5418	
East North Central	0.3906		0.1303		0.0781		0.3105	
West North Central	0.3287		0.9950		0.6586		0.8543	
South	0.6289		0.4566		0.2965		0.9067	
South Atlantic	0.5625		0.9487		0.4841		0.7328	
East South Central	0.4407		0.2486		0.4204		0.7784	
West South Central	0.6760		0.4773		0.6602		0.4725	
West	0.8490		0.9393		0.7943		0.5012	
Mountain	0.0737		0.8247		0.5413		0.2909	
Pacific	0.5509		0.8467		0.9883		0.2220	
COUNTY TYPE								
Large Metro	0.3203		0.1712		0.1013		0.3031	
Small Metro	0.6216		0.4979		0.9965		0.6825	
250K - 1 Mil. Pop.	0.9428		0.5255		0.4987		0.6964	
< 250K Pop.	0.3513		0.7875		0.2285		0.8636	
Nonmetro	0.3134		0.0409		0.5240		0.1310	
Urbanized	0.3948		0.0416		0.4086		0.3262	
Less Urbanized	0.2556		0.2438		0.3237		0.2506	
Completely Rural	*		*		0.0384		0.6639	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.47C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	108	124	136	168	93	104	160	189
GEOGRAPHIC DIVISION								
Northeast	40	57	51	55	34	50	56	64
New England	17	20	25	18	11	17	31	25
Middle Atlantic	36	54	44	52	33	46	47	58
Midwest	47	42	57	53	41	32	67	74
East North Central	35	32	47	46	30	28	55	65
West North Central	31	27	33	27	28	15	39	34
South	70	87	76	95	63	75	96	108
South Atlantic	60	72	61	78	54	61	83	88
East South Central	30	21	31	22	28	15	33	35
West South Central	21	45	31	49	17	41	35	52
West	54	52	83	116	42	41	93	121
Mountain	18	15	28	30	11	12	33	32
Pacific	51	50	78	112	41	39	87	116
COUNTY TYPE								
Large Metro	91	99	113	143	77	84	133	156
Small Metro	41	59	58	70	34	47	66	87
250K - 1 Mil. Pop.	37	51	53	59	30	38	60	76
< 250K Pop.	20	29	25	38	18	27	29	43
Nonmetro	35	45	47	54	34	40	60	60
Urbanized	28	33	37	38	27	28	38	42
Less Urbanized	19	30	27	39	19	28	43	43
Completely Rural	9	1	10	*	9	1	10	*

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.47D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.06	0.07	0.08	0.09	0.05	0.06	0.09	0.10
GEOGRAPHIC DIVISION								
Northeast	0.11	0.16	0.14	0.16	0.10	0.14	0.16	0.18
New England	0.19	0.21	0.27	0.20	0.12	0.19	0.33	0.27
Middle Atlantic	0.14	0.21	0.17	0.20	0.13	0.18	0.18	0.22
Midwest	0.11	0.10	0.14	0.13	0.10	0.08	0.16	0.18
East North Central	0.12	0.11	0.17	0.16	0.11	0.10	0.19	0.23
West North Central	0.25	0.22	0.27	0.22	0.23	0.12	0.32	0.28
South	0.11	0.13	0.12	0.14	0.10	0.11	0.15	0.16
South Atlantic	0.17	0.21	0.18	0.22	0.16	0.18	0.24	0.25
East South Central	0.28	0.20	0.29	0.20	0.26	0.14	0.30	0.31
West South Central	0.11	0.23	0.16	0.25	0.09	0.21	0.18	0.27
West	0.13	0.13	0.20	0.28	0.10	0.10	0.23	0.29
Mountain	0.15	0.13	0.24	0.25	0.10	0.10	0.28	0.27
Pacific	0.18	0.17	0.27	0.38	0.14	0.13	0.30	0.40
COUNTY TYPE								
Large Metro	0.09	0.10	0.12	0.15	0.08	0.09	0.14	0.16
Small Metro	0.08	0.11	0.11	0.13	0.06	0.09	0.12	0.16
250K - 1 Mil. Pop.	0.10	0.15	0.15	0.17	0.08	0.11	0.17	0.22
< 250K Pop.	0.11	0.16	0.14	0.21	0.10	0.15	0.16	0.24
Nonmetro	0.11	0.14	0.15	0.17	0.11	0.13	0.19	0.19
Urbanized	0.21	0.26	0.27	0.30	0.20	0.22	0.28	0.33
Less Urbanized	0.14	0.19	0.19	0.25	0.14	0.18	0.30	0.27
Completely Rural	0.28	0.02	0.30	*	0.28	0.02	0.30	*

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.47P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0413		0.1948		0.1275		0.1010	
GEOGRAPHIC DIVISION								
Northeast	0.1578		0.6082		0.2694		0.3094	
New England	0.2131		0.6332		0.1809		0.9566	
Middle Atlantic	0.3050		0.4379		0.4830		0.2314	
Midwest	0.9668		0.9807		0.6150		0.4510	
East North Central	0.8361		0.7326		0.9594		0.2346	
West North Central	0.8575		0.6143		0.4422		0.6733	
South	0.0420		0.1079		0.1417		0.0602	
South Atlantic	0.1611		0.1391		0.2712		0.1922	
East South Central	0.7183		0.5625		0.2268		0.4740	
West South Central	0.0316		0.2187		0.0480		0.2018	
West	0.9959		0.7765		0.6564		0.8003	
Mountain	0.4816		0.9794		0.6952		0.4731	
Pacific	0.8127		0.7627		0.7190		0.9666	
COUNTY TYPE								
Large Metro	0.1870		0.2816		0.2284		0.2419	
Small Metro	0.0719		0.3061		0.1183		0.1390	
250K - 1 Mil. Pop.	0.1714		0.7835		0.2473		0.4754	
< 250K Pop.	0.2307		0.1371		0.3010		0.0893	
Nonmetro	0.6069		0.8835		0.7931		0.9913	
Urbanized	0.4521		0.8759		0.8972		0.6252	
Less Urbanized	0.7620		0.9631		0.8630		0.6640	
Completely Rural	0.1258		*		0.1258		*	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.48C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	117	131	143	172	99	109	168	196
GEOGRAPHIC DIVISION								
Northeast	44	61	55	57	37	50	61	71
New England	19	23	28	21	13	19	33	29
Middle Atlantic	40	57	47	53	35	47	52	64
Midwest	49	45	60	55	42	33	71	77
East North Central	36	34	49	48	30	29	56	68
West North Central	33	29	35	28	30	16	43	37
South	75	91	79	97	67	77	99	112
South Atlantic	65	75	66	80	59	63	87	92
East South Central	31	22	31	22	28	17	33	34
West South Central	23	46	31	51	19	42	35	54
West	61	57	86	118	45	47	98	122
Mountain	20	20	31	29	13	15	35	32
Pacific	57	53	81	114	43	45	91	117
COUNTY TYPE								
Large Metro	99	104	118	146	83	87	140	161
Small Metro	46	62	62	72	38	49	69	89
250K - 1 Mil. Pop.	41	53	55	61	33	41	62	77
< 250K Pop.	23	33	29	39	20	28	32	44
Nonmetro	38	49	49	57	36	41	64	65
Urbanized	30	33	38	40	28	28	40	44
Less Urbanized	22	36	28	41	21	30	44	48
Completely Rural	10	2	11	15	10	1	11	15

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.48D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.05	0.06	0.07	0.08	0.05	0.05	0.08	0.09
GEOGRAPHIC DIVISION								
Northeast	0.11	0.15	0.13	0.14	0.09	0.12	0.15	0.17
New England	0.17	0.21	0.26	0.19	0.12	0.17	0.31	0.27
Middle Atlantic	0.13	0.19	0.16	0.18	0.12	0.15	0.17	0.21
Midwest	0.10	0.09	0.13	0.11	0.09	0.07	0.15	0.16
East North Central	0.11	0.10	0.15	0.14	0.09	0.09	0.17	0.20
West North Central	0.23	0.20	0.24	0.19	0.20	0.11	0.30	0.25
South	0.10	0.12	0.10	0.13	0.09	0.10	0.13	0.14
South Atlantic	0.16	0.19	0.17	0.20	0.15	0.15	0.22	0.23
East South Central	0.24	0.17	0.24	0.17	0.22	0.13	0.26	0.26
West South Central	0.10	0.19	0.13	0.21	0.08	0.18	0.15	0.23
West	0.13	0.12	0.18	0.24	0.09	0.10	0.20	0.25
Mountain	0.15	0.14	0.22	0.20	0.09	0.10	0.25	0.23
Pacific	0.17	0.15	0.24	0.33	0.13	0.13	0.27	0.34
COUNTY TYPE								
Large Metro	0.09	0.09	0.11	0.13	0.07	0.08	0.12	0.14
Small Metro	0.07	0.10	0.10	0.11	0.06	0.08	0.11	0.14
250K - 1 Mil. Pop.	0.10	0.13	0.13	0.15	0.08	0.10	0.15	0.18
< 250K Pop.	0.10	0.15	0.13	0.18	0.09	0.13	0.15	0.20
Nonmetro	0.11	0.14	0.14	0.16	0.10	0.11	0.18	0.18
Urbanized	0.18	0.22	0.24	0.27	0.17	0.19	0.25	0.29
Less Urbanized	0.13	0.20	0.17	0.22	0.13	0.16	0.27	0.26
Completely Rural	0.27	0.06	0.30	0.48	0.27	0.02	0.30	0.49

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.48P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED IN PAST YEAR							
	Illicit Drug ¹		Alcohol		Both Illicit Drug and Alcohol ¹		Illicit Drug or Alcohol ^{1,2}	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0604		0.2611		0.2340		0.1423	
GEOGRAPHIC DIVISION								
Northeast	0.1972		0.4856		0.3157		0.2646	
New England	0.1159		0.9591		0.1348		0.7292	
Middle Atlantic	0.4435		0.4268		0.6132		0.2810	
Midwest	0.9644		0.7747		0.4088		0.5760	
East North Central	0.9458		0.9713		0.5510		0.3584	
West North Central	0.8863		0.6422		0.5644		0.7445	
South	0.0702		0.1626		0.2350		0.0741	
South Atlantic	0.2313		0.1639		0.3650		0.1895	
East South Central	0.8557		0.4263		0.1715		0.4515	
West South Central	0.0536		0.2849		0.0640		0.2994	
West	0.9376		0.7894		0.6106		0.6634	
Mountain	0.8007		0.9572		0.5162		0.7367	
Pacific	0.9861		0.7937		0.7329		0.7203	
COUNTY TYPE								
Large Metro	0.3409		0.4497		0.4519		0.3842	
Small Metro	0.0548		0.4023		0.1409		0.1727	
250K - 1 Mil. Pop.	0.1924		0.9125		0.4069		0.5407	
< 250K Pop.	0.1237		0.1595		0.1709		0.1025	
Nonmetro	0.4489		0.7011		0.9266		0.6863	
Urbanized	0.3449		0.7616		0.7570		0.4533	
Less Urbanized	0.5617		0.7612		0.9274		0.8691	
Completely Rural	0.0381		0.9962		0.0205		0.9546	

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital, a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.