

**Table 1.73A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |            |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 109,230     | 110,131   | 35,062    | 34,900    | 19,496     | 19,270    |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 98,036      | 99,108    | 30,681    | 30,704    | 17,264     | 16,961    |
| White                                     | 81,059      | 81,932    | 24,732    | 24,915    | 13,920     | 13,650    |
| Black or African American                 | 11,986      | 12,181    | 4,360     | 4,157     | 2,493      | 2,408     |
| American Indian or Alaska Native          | 824         | 771       | 262       | 289       | 150        | 156       |
| Native Hawaiian or Other Pacific Islander | 305         | 293       | 115       | 123       | 59         | 81        |
| Chinese                                   | 408         | 413       | 107       | 108       | 52         | 50        |
| Filipino                                  | 578         | 593       | 134       | 136       | 73         | 60        |
| Japanese                                  | 367         | *         | 38        | 62        | 19         | 41        |
| Asian Indian                              | 330         | 377       | 118       | 109       | 57         | 49        |
| Korean                                    | 297         | 249       | 138       | 115       | 62         | 63        |
| Vietnamese                                | 208         | 211       | 77        | 68        | 40         | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 11,194      | 11,023    | 4,381     | 4,196     | 2,231      | 2,309     |
| Mexican                                   | 7,553       | 7,198     | 2,940     | 2,789     | 1,495      | 1,471     |
| Puerto Rican                              | 1,471       | 1,413     | 586       | 510       | 343        | 350       |
| Central or South American                 | 1,244       | 1,272     | 472       | 435       | 207        | 245       |
| Cuban                                     | 359         | 459       | 148       | 170       | 80         | 89        |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.73B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |                   |           |            |           |
|-------------------------------------------|-------------------|-----------|-------------------|-----------|------------|-----------|
|                                           | Lifetime          |           | Past Year         |           | Past Month |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 46.2              | 46.1      | 14.8              | 14.6      | 8.2        | 8.1       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 47.4              | 47.5      | 14.8              | 14.7      | 8.3        | 8.1       |
| White                                     | 48.9              | 49.2      | 14.9              | 15.0      | 8.4        | 8.2       |
| Black or African American                 | 44.2              | 43.9      | 16.1 <sup>a</sup> | 15.0      | 9.2        | 8.7       |
| American Indian or Alaska Native          | 60.2              | 60.3      | 19.1              | 22.6      | 11.0       | 12.2      |
| Native Hawaiian or Other Pacific Islander | 46.8              | 52.0      | 17.6              | 21.8      | 9.1        | 14.3      |
| Chinese                                   | 19.3              | 18.0      | 5.1               | 4.7       | 2.5        | 2.2       |
| Filipino                                  | 27.5              | 27.0      | 6.4               | 6.2       | 3.5        | 2.7       |
| Japanese                                  | 43.5              | *         | 4.5               | 7.2       | 2.3        | 4.8       |
| Asian Indian                              | 16.5              | 16.7      | 5.9               | 4.8       | 2.9        | 2.2       |
| Korean                                    | 37.5              | 33.8      | 17.4              | 15.6      | 7.8        | 8.5       |
| Vietnamese                                | 25.4              | 29.3      | 9.4               | 9.5       | 4.9        | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 38.0 <sup>a</sup> | 36.2      | 14.9 <sup>a</sup> | 13.8      | 7.6        | 7.6       |
| Mexican                                   | 38.8 <sup>b</sup> | 36.1      | 15.1              | 14.0      | 7.7        | 7.4       |
| Puerto Rican                              | 46.3              | 45.7      | 18.5              | 16.5      | 10.8       | 11.3      |
| Central or South American                 | 30.7              | 29.0      | 11.7              | 9.9       | 5.1        | 5.6       |
| Cuban                                     | 28.3              | 34.4      | 11.7              | 12.7      | 6.3        | 6.7       |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.74A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                    |           |                    |           |
|-------------------------------------------|-------------|-----------|--------------------|-----------|--------------------|-----------|
|                                           | Lifetime    |           | Past Year          |           | Past Month         |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003          | 2003-2004 | 2002-2003          | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 7,637       | 7,598     | 5,475              | 5,378     | 2,845              | 2,743     |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 6,387       | 6,325     | 4,628              | 4,517     | 2,412 <sup>a</sup> | 2,302     |
| White                                     | 4,864       | 4,769     | 3,645 <sup>a</sup> | 3,504     | 1,895 <sup>b</sup> | 1,782     |
| Black or African American                 | 1,095       | 1,105     | 695                | 709       | 359                | 356       |
| American Indian or Alaska Native          | 86          | 79        | 62                 | 63        | 37                 | 39        |
| Native Hawaiian or Other Pacific Islander | *           | *         | 16 <sup>a</sup>    | 11        | 10                 | 7         |
| Chinese                                   | 30          | 36        | 19                 | 24        | 7                  | 11        |
| Filipino                                  | 48          | 44        | 27                 | 24        | 15                 | 11        |
| Japanese                                  | 7           | *         | 4                  | *         | 2                  | *         |
| Asian Indian                              | 30          | 41        | 25                 | 31        | 13                 | 11        |
| Korean                                    | 18          | 16        | 11                 | 12        | 3                  | *         |
| Vietnamese                                | 25          | *         | 12                 | *         | 4                  | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 1,250       | 1,273     | 846                | 860       | 433                | 440       |
| Mexican                                   | 894         | 890       | 599                | 609       | 311                | 305       |
| Puerto Rican                              | 142         | 145       | 101                | 102       | 65                 | 68        |
| Central or South American                 | 128         | 118       | 91                 | 78        | 31                 | 29        |
| Cuban                                     | 40          | 41        | 26                 | 23        | *                  | 12        |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.74B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                   |           |                   |           |
|-------------------------------------------|-------------|-----------|-------------------|-----------|-------------------|-----------|
|                                           | Lifetime    |           | Past Year         |           | Past Month        |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 30.7        | 30.3      | 22.0 <sup>a</sup> | 21.4      | 11.4 <sup>a</sup> | 10.9      |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 30.6        | 30.2      | 22.2 <sup>a</sup> | 21.6      | 11.6 <sup>b</sup> | 11.0      |
| White                                     | 31.3        | 30.7      | 23.4 <sup>b</sup> | 22.6      | 12.2 <sup>b</sup> | 11.5      |
| Black or African American                 | 29.8        | 29.3      | 18.9              | 18.8      | 9.8               | 9.4       |
| American Indian or Alaska Native          | 47.2        | 46.2      | 34.1              | 36.8      | 20.2              | 22.6      |
| Native Hawaiian or Other Pacific Islander | *           | *         | 20.7              | 15.8      | 12.7              | 9.9       |
| Chinese                                   | 14.1        | 17.4      | 8.6               | 11.4      | 3.2               | 5.2       |
| Filipino                                  | 28.9        | 27.3      | 16.4              | 14.5      | 8.9               | 6.7       |
| Japanese                                  | 14.4        | *         | 8.9               | *         | 3.7               | *         |
| Asian Indian                              | 14.4        | 17.7      | 11.9              | 13.4      | 6.4               | 4.6       |
| Korean                                    | 19.7        | 19.7      | 11.6              | 14.2      | 2.7               | *         |
| Vietnamese                                | 21.7        | *         | 10.8              | *         | 3.8               | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 31.3        | 30.7      | 21.2              | 20.7      | 10.8              | 10.6      |
| Mexican                                   | 31.4        | 30.7      | 21.1              | 21.0      | 10.9              | 10.5      |
| Puerto Rican                              | 29.9        | 30.2      | 21.4              | 21.2      | 13.7              | 14.1      |
| Central or South American                 | 29.5        | 26.7      | 21.0              | 17.6      | 7.2               | 6.5       |
| Cuban                                     | 33.7        | 29.9      | 21.4              | 16.3      | *                 | 9.0       |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.75A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD     |           |           |           |            |           |
|-------------------------------------------|-----------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime        |           | Past Year |           | Past Month |           |
|                                           | 2002-2003       | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 18,878          | 19,119    | 10,988    | 10,944    | 6,349      | 6,337     |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 16,008          | 16,282    | 9,468     | 9,440     | 5,520      | 5,492     |
| White                                     | 12,660          | 12,880    | 7,570     | 7,529     | 4,420      | 4,365     |
| Black or African American                 | 2,261           | 2,357     | 1,283     | 1,333     | 760        | 797       |
| American Indian or Alaska Native          | 156             | 138       | 94        | 80        | 60         | 49        |
| Native Hawaiian or Other Pacific Islander | 96              | 81        | 55        | 45        | 22         | 27        |
| Chinese                                   | 89 <sup>a</sup> | 117       | 39        | 56        | 18         | 29        |
| Filipino                                  | 137             | 123       | 69        | 56        | 40         | 36        |
| Japanese                                  | *               | *         | 22        | *         | 8          | *         |
| Asian Indian                              | 91              | 97        | 45        | 40        | 19         | 20        |
| Korean                                    | 83              | 75        | 45        | 43        | 26         | 19        |
| Vietnamese                                | 46              | 47        | *         | 24        | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 2,870           | 2,836     | 1,519     | 1,504     | 829        | 844       |
| Mexican                                   | 1,994           | 1,964     | 996       | 994       | 535        | 535       |
| Puerto Rican                              | 348             | 331       | 205       | 193       | 121        | 129       |
| Central or South American                 | 321             | 298       | 178       | 160       | 97         | 88        |
| Cuban                                     | 82              | 78        | 58        | 55        | 28         | 29        |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.75B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                   |           |            |           |
|-------------------------------------------|-------------|-----------|-------------------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year         |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 60.2        | 59.8      | 35.0 <sup>a</sup> | 34.2      | 20.2       | 19.8      |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 62.0        | 62.0      | 36.7 <sup>a</sup> | 35.9      | 21.4       | 20.9      |
| White                                     | 65.0        | 65.1      | 38.9 <sup>a</sup> | 38.0      | 22.7       | 22.1      |
| Black or African American                 | 54.2        | 54.6      | 30.7              | 30.9      | 18.2       | 18.5      |
| American Indian or Alaska Native          | 78.6        | 77.8      | 47.0              | 45.4      | 30.2       | 27.7      |
| Native Hawaiian or Other Pacific Islander | 58.6        | 58.3      | 33.3              | 32.1      | 13.1       | 19.5      |
| Chinese                                   | 30.9        | 33.3      | 13.5              | 15.9      | 6.3        | 8.2       |
| Filipino                                  | 49.9        | 47.1      | 25.0              | 21.3      | 14.4       | 13.7      |
| Japanese                                  | *           | *         | 28.9              | *         | 11.3       | *         |
| Asian Indian                              | 31.6        | 30.6      | 15.5              | 12.4      | 6.7        | 6.3       |
| Korean                                    | 45.0        | 44.1      | 24.5              | 25.6      | 14.1       | 11.0      |
| Vietnamese                                | 29.3        | 28.7      | *                 | 14.6      | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 51.5        | 49.9      | 27.3              | 26.4      | 14.9       | 14.8      |
| Mexican                                   | 50.4        | 48.9      | 25.2              | 24.7      | 13.5       | 13.3      |
| Puerto Rican                              | 63.5        | 63.9      | 37.4              | 37.3      | 22.1       | 25.0      |
| Central or South American                 | 44.2        | 40.1      | 24.5              | 21.5      | 13.3       | 11.9      |
| Cuban                                     | 57.1        | 56.6      | 40.4              | 39.7      | 19.6       | 20.7      |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.76A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                    |           |            |           |
|-------------------------------------------|-------------|-----------|--------------------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year          |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003          | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 82,715      | 83,414    | 18,600             | 18,578    | 10,302     | 10,191    |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 75,641      | 76,501    | 16,585             | 16,746    | 9,332      | 9,166     |
| White                                     | 63,535      | 64,283    | 13,517             | 13,882    | 7,605      | 7,503     |
| Black or African American                 | 8,630       | 8,720     | 2,383 <sup>a</sup> | 2,115     | 1,374      | 1,255     |
| American Indian or Alaska Native          | 581         | 554       | 106                | 145       | 54         | 68        |
| Native Hawaiian or Other Pacific Islander | *           | *         | 44                 | *         | 28         | *         |
| Chinese                                   | 288         | 261       | 49                 | 29        | 27         | 10        |
| Filipino                                  | 393         | 426       | 38                 | 57        | 19         | 13        |
| Japanese                                  | 325         | *         | 12                 | 35        | 9          | *         |
| Asian Indian                              | 209         | 238       | 49                 | 38        | 25         | 18        |
| Korean                                    | *           | *         | *                  | *         | *          | *         |
| Vietnamese                                | *           | *         | *                  | *         | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 7,075       | 6,913     | 2,015              | 1,831     | 970        | 1,025     |
| Mexican                                   | 4,665       | 4,344     | 1,344              | 1,185     | 649        | 630       |
| Puerto Rican                              | 982         | 937       | 280                | 214       | 157        | 152       |
| Central or South American                 | 795         | 856       | 202                | 197       | 79         | 128       |
| Cuban                                     | 237         | 340       | 65                 | 92        | 37         | 48        |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.76B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |                   |           |            |           |
|-------------------------------------------|-------------------|-----------|-------------------|-----------|------------|-----------|
|                                           | Lifetime          |           | Past Year         |           | Past Month |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 45.9              | 45.8      | 10.3              | 10.2      | 5.7        | 5.6       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 47.2              | 47.4      | 10.3              | 10.4      | 5.8        | 5.7       |
| White                                     | 48.6              | 49.0      | 10.3              | 10.6      | 5.8        | 5.7       |
| Black or African American                 | 44.8              | 44.4      | 12.4 <sup>b</sup> | 10.8      | 7.1        | 6.4       |
| American Indian or Alaska Native          | 59.0              | 59.6      | 10.7              | 15.6      | 5.4        | 7.3       |
| Native Hawaiian or Other Pacific Islander | *                 | *         | 10.7              | *         | 6.8        | *         |
| Chinese                                   | 17.9              | 15.0      | 3.1               | 1.7       | 1.7        | 0.6       |
| Filipino                                  | 23.7              | 24.0      | 2.3               | 3.2       | 1.1        | 0.8       |
| Japanese                                  | 45.0              | *         | 1.7               | 4.6       | 1.3        | *         |
| Asian Indian                              | 13.8              | 13.9      | 3.2               | 2.2       | 1.6        | 1.1       |
| Korean                                    | *                 | *         | *                 | *         | *          | *         |
| Vietnamese                                | *                 | *         | *                 | *         | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 35.5              | 33.5      | 10.1 <sup>a</sup> | 8.9       | 4.9        | 5.0       |
| Mexican                                   | 36.8 <sup>b</sup> | 33.3      | 10.6 <sup>a</sup> | 9.1       | 5.1        | 4.8       |
| Puerto Rican                              | 45.6              | 44.8      | 13.0              | 10.3      | 7.3        | 7.3       |
| Central or South American                 | 27.5              | 26.7      | 7.0               | 6.2       | 2.7        | 4.0       |
| Cuban                                     | 23.6 <sup>a</sup> | 32.1      | 6.5               | 8.7       | 3.6        | 4.5       |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.



**Table 1.77A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |            |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 101,593     | 102,533   | 29,588    | 29,522    | 16,651     | 16,528    |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 91,649      | 92,783    | 26,053    | 26,186    | 14,853     | 14,659    |
| White                                     | 76,195      | 77,163    | 21,087    | 21,411    | 12,025     | 11,868    |
| Black or African American                 | 10,891      | 11,077    | 3,666     | 3,448     | 2,135      | 2,052     |
| American Indian or Alaska Native          | 738         | 692       | 200       | 226       | 114        | 117       |
| Native Hawaiian or Other Pacific Islander | 277         | 269       | 98        | 112       | 49         | 74        |
| Chinese                                   | 377         | 377       | 88        | 84        | 45         | 39        |
| Filipino                                  | 531         | 549       | 107       | 112       | 58         | 49        |
| Japanese                                  | 360         | *         | 34        | 57        | 18         | 38        |
| Asian Indian                              | 300         | 335       | 94        | 78        | 44         | 38        |
| Korean                                    | 279         | *         | *         | *         | *          | *         |
| Vietnamese                                | 184         | 191       | 65        | 59        | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 9,945       | 9,749     | 3,535     | 3,336     | 1,799      | 1,869     |
| Mexican                                   | 6,659       | 6,308     | 2,340     | 2,179     | 1,184      | 1,165     |
| Puerto Rican                              | 1,329       | 1,268     | 485       | 407       | 278        | 282       |
| Central or South American                 | 1,116       | 1,154     | 380       | 357       | 176        | 216       |
| Cuban                                     | 319         | 418       | 122       | 147       | 65         | 76        |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.77B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |                   |           |            |           |
|-------------------------------------------|-------------------|-----------|-------------------|-----------|------------|-----------|
|                                           | Lifetime          |           | Past Year         |           | Past Month |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 48.0              | 47.9      | 14.0              | 13.8      | 7.9        | 7.7       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 49.3              | 49.4      | 14.0              | 14.0      | 8.0        | 7.8       |
| White                                     | 50.7              | 51.1      | 14.0              | 14.2      | 8.0        | 7.9       |
| Black or African American                 | 46.4              | 46.2      | 15.6 <sup>a</sup> | 14.4      | 9.1        | 8.6       |
| American Indian or Alaska Native          | 62.3              | 62.5      | 16.8              | 20.4      | 9.6        | 10.6      |
| Native Hawaiian or Other Pacific Islander | 48.2              | 54.6      | 17.2              | 22.6      | 8.6        | 15.0      |
| Chinese                                   | 19.9              | 18.1      | 4.7               | 4.0       | 2.4        | 1.9       |
| Filipino                                  | 27.4              | 27.0      | 5.5               | 5.5       | 3.0        | 2.4       |
| Japanese                                  | 45.2              | *         | 4.2               | 6.9       | 2.2        | 4.6       |
| Asian Indian                              | 16.7              | 16.6      | 5.2               | 3.9       | 2.4        | 1.9       |
| Korean                                    | 39.9              | *         | *                 | *         | *          | *         |
| Vietnamese                                | 26.0              | 30.9      | 9.2               | 9.6       | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 39.0 <sup>a</sup> | 37.1      | 13.9 <sup>a</sup> | 12.7      | 7.1        | 7.1       |
| Mexican                                   | 40.0 <sup>b</sup> | 37.0      | 14.1 <sup>a</sup> | 12.8      | 7.1        | 6.8       |
| Puerto Rican                              | 49.2              | 48.6      | 18.0              | 15.6      | 10.3       | 10.8      |
| Central or South American                 | 30.9              | 29.2      | 10.5              | 9.0       | 4.9        | 5.5       |
| Cuban                                     | 27.8              | 35.0      | 10.7              | 12.3      | 5.6        | 6.4       |

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.78A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |            |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 95,778      | 96,692    | 25,493    | 25,341    | 14,611     | 14,607    |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 87,075      | 88,147    | 22,873    | 22,736    | 13,246     | 13,098    |
| White                                     | 72,636      | 73,436    | 18,469    | 18,400    | 10,770     | 10,573    |
| Black or African American                 | 10,457      | 10,753    | 3,349     | 3,239     | 1,916      | 1,908     |
| American Indian or Alaska Native          | 674         | 627       | 199       | 210       | 114        | 124       |
| Native Hawaiian or Other Pacific Islander | 262         | 264       | 70        | 83        | 36         | 58        |
| Chinese                                   | 289         | 279       | 51        | 72        | 18         | 32        |
| Filipino                                  | 443         | 459       | 90        | 82        | 49         | 44        |
| Japanese                                  | 313         | *         | 22        | 37        | 11         | 32        |
| Asian Indian                              | 223         | 226       | 57        | 48        | 28         | 21        |
| Korean                                    | 213         | 154       | 64        | 63        | 32         | 27        |
| Vietnamese                                | 96          | 112       | 23        | 23        | 8          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 8,703       | 8,545     | 2,620     | 2,605     | 1,365      | 1,509     |
| Mexican                                   | 5,786       | 5,567     | 1,651     | 1,645     | 841        | 897       |
| Puerto Rican                              | 1,251       | 1,162     | 414       | 366       | 227        | 251       |
| Central or South American                 | 882         | 876       | 287       | 277       | 158        | 177       |
| Cuban                                     | 309         | 365       | 118       | 125       | 62         | 67        |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.78B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |           |           |            |           |
|-------------------------------------------|-------------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime          |           | Past Year |           | Past Month |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 40.5              | 40.4      | 10.8      | 10.6      | 6.2        | 6.1       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 42.1              | 42.2      | 11.1      | 10.9      | 6.4        | 6.3       |
| White                                     | 43.8              | 44.1      | 11.1      | 11.0      | 6.5        | 6.3       |
| Black or African American                 | 38.5              | 38.8      | 12.3      | 11.7      | 7.1        | 6.9       |
| American Indian or Alaska Native          | 49.3              | 49.1      | 14.5      | 16.5      | 8.3        | 9.7       |
| Native Hawaiian or Other Pacific Islander | 40.3              | 46.9      | 10.7      | 14.7      | 5.5        | 10.3      |
| Chinese                                   | 13.7              | 12.1      | 2.4       | 3.1       | 0.8        | 1.4       |
| Filipino                                  | 21.1              | 20.9      | 4.3       | 3.7       | 2.3        | 2.0       |
| Japanese                                  | 37.1              | *         | 2.7       | 4.3       | 1.3        | 3.7       |
| Asian Indian                              | 11.1              | 10.0      | 2.8       | 2.1       | 1.4        | 0.9       |
| Korean                                    | 26.9              | 20.9      | 8.0       | 8.6       | 4.1        | 3.7       |
| Vietnamese                                | 11.7              | 15.6      | 2.8       | 3.1       | 1.0        | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 29.5 <sup>a</sup> | 28.1      | 8.9       | 8.6       | 4.6        | 5.0       |
| Mexican                                   | 29.7 <sup>a</sup> | 27.9      | 8.5       | 8.2       | 4.3        | 4.5       |
| Puerto Rican                              | 39.4              | 37.6      | 13.1      | 11.8      | 7.1        | 8.1       |
| Central or South American                 | 21.8              | 19.9      | 7.1       | 6.3       | 3.9        | 4.0       |
| Cuban                                     | 24.4              | 27.4      | 9.3       | 9.4       | 4.9        | 5.0       |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.79A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD        |           |                    |           |                    |           |
|-------------------------------------------|--------------------|-----------|--------------------|-----------|--------------------|-----------|
|                                           | Lifetime           |           | Past Year          |           | Past Month         |           |
|                                           | 2002-2003          | 2003-2004 | 2002-2003          | 2003-2004 | 2002-2003          | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 4,996 <sup>a</sup> | 4,838     | 3,825              | 3,700     | 1,997              | 1,940     |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 4,219 <sup>a</sup> | 4,064     | 3,266              | 3,154     | 1,725              | 1,659     |
| White                                     | 3,318 <sup>b</sup> | 3,159     | 2,645 <sup>b</sup> | 2,495     | 1,392 <sup>a</sup> | 1,316     |
| Black or African American                 | 651                | 648       | 439                | 460       | 235                | 232       |
| American Indian or Alaska Native          | 70                 | 58        | 52                 | 48        | 29                 | 27        |
| Native Hawaiian or Other Pacific Islander | 14                 | *         | 8                  | 6         | 6                  | *         |
| Chinese                                   | 11                 | 19        | 7                  | 14        | *                  | 8         |
| Filipino                                  | 26                 | 20        | 16                 | 15        | 6                  | 8         |
| Japanese                                  | 2                  | *         | 2                  | *         | 1                  | *         |
| Asian Indian                              | 12                 | 12        | 10                 | 10        | 6                  | 4         |
| Korean                                    | 7                  | *         | 6                  | *         | 2                  | *         |
| Vietnamese                                | 9                  | 8         | 4                  | 5         | *                  | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 777                | 775       | 559                | 546       | 272                | 281       |
| Mexican                                   | 551                | 550       | 386                | 392       | 188                | 198       |
| Puerto Rican                              | 97                 | 87        | 78                 | 67        | 43                 | 41        |
| Central or South American                 | 69                 | 56        | 55                 | 40        | 21                 | 18        |
| Cuban                                     | 30                 | 24        | 21                 | 15        | *                  | 8         |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.79B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |                   |           |                  |           |
|-------------------------------------------|-------------------|-----------|-------------------|-----------|------------------|-----------|
|                                           | Lifetime          |           | Past Year         |           | Past Month       |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003        | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 20.1 <sup>b</sup> | 19.3      | 15.4 <sup>b</sup> | 14.7      | 8.0              | 7.7       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 20.2 <sup>b</sup> | 19.4      | 15.6 <sup>a</sup> | 15.1      | 8.3              | 7.9       |
| White                                     | 21.3 <sup>b</sup> | 20.3      | 17.0 <sup>b</sup> | 16.1      | 9.0 <sup>a</sup> | 8.5       |
| Black or African American                 | 17.7              | 17.2      | 11.9              | 12.2      | 6.4              | 6.1       |
| American Indian or Alaska Native          | 38.4              | 33.8      | 28.6              | 28.2      | 15.9             | 16.0      |
| Native Hawaiian or Other Pacific Islander | 17.4              | *         | 10.1              | 9.2       | 8.1              | *         |
| Chinese                                   | 5.0               | 9.1       | 3.2               | 7.0       | *                | 3.9       |
| Filipino                                  | 15.8              | 12.5      | 9.9               | 9.0       | 3.9              | 4.7       |
| Japanese                                  | 5.1               | *         | 4.5               | *         | 2.6              | *         |
| Asian Indian                              | 5.6               | 5.0       | 4.7               | 4.2       | 2.8              | 1.5       |
| Korean                                    | 7.4               | *         | 5.9               | *         | 1.7              | *         |
| Vietnamese                                | 7.8               | 8.0       | 3.6               | 4.7       | *                | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 19.4              | 18.7      | 14.0              | 13.2      | 6.8              | 6.8       |
| Mexican                                   | 19.4              | 19.0      | 13.6              | 13.6      | 6.6              | 6.8       |
| Puerto Rican                              | 20.6              | 18.1      | 16.5              | 13.9      | 9.2              | 8.5       |
| Central or South American                 | 15.9              | 12.7      | 12.6 <sup>a</sup> | 9.0       | 4.9              | 4.0       |
| Cuban                                     | 25.2 <sup>a</sup> | 17.0      | 17.3              | 10.7      | *                | 5.8       |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.80A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |                 |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|-----------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month      |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003       | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 16,891      | 17,043    | 9,141     | 9,004     | 5,388           | 5,298     |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 14,502      | 14,710    | 8,005     | 7,892     | 4,766           | 4,680     |
| White                                     | 11,518      | 11,702    | 6,383     | 6,267     | 3,808           | 3,696     |
| Black or African American                 | 2,032       | 2,117     | 1,119     | 1,165     | 678             | 715       |
| American Indian or Alaska Native          | 140         | 122       | 75        | 67        | 46              | 45        |
| Native Hawaiian or Other Pacific Islander | 93          | 73        | 45        | 38        | 18              | 22        |
| Chinese                                   | 66          | 88        | 28        | 42        | 12 <sup>a</sup> | 24        |
| Filipino                                  | 123         | 107       | 56        | 41        | 34              | 29        |
| Japanese                                  | *           | *         | 16        | *         | 7               | *         |
| Asian Indian                              | 62          | 60        | 33        | 27        | 16              | 13        |
| Korean                                    | 73          | 67        | 38        | 38        | 23              | 16        |
| Vietnamese                                | 37          | 39        | *         | 18        | 7               | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 2,390       | 2,333     | 1,136     | 1,112     | 621             | 618       |
| Mexican                                   | 1,627       | 1,575     | 703       | 696       | 383             | 368       |
| Puerto Rican                              | 321         | 305       | 182       | 168       | 99              | 107       |
| Central or South American                 | 253         | 233       | 133       | 113       | 72              | 67        |
| Cuban                                     | 72          | 72        | 49        | 49        | 25              | 23        |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.80B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                   |           |                   |           |
|-------------------------------------------|-------------|-----------|-------------------|-----------|-------------------|-----------|
|                                           | Lifetime    |           | Past Year         |           | Past Month        |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003         | 2003-2004 | 2002-2003         | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 53.8        | 53.3      | 29.1 <sup>b</sup> | 28.2      | 17.2 <sup>a</sup> | 16.6      |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 56.2        | 56.0      | 31.0 <sup>b</sup> | 30.0      | 18.5 <sup>a</sup> | 17.8      |
| White                                     | 59.1        | 59.1      | 32.8 <sup>b</sup> | 31.7      | 19.6 <sup>b</sup> | 18.7      |
| Black or African American                 | 48.7        | 49.0      | 26.8              | 27.0      | 16.2              | 16.6      |
| American Indian or Alaska Native          | 70.2        | 69.0      | 37.6              | 37.7      | 23.1              | 25.4      |
| Native Hawaiian or Other Pacific Islander | 56.8        | 52.5      | 27.3              | 27.0      | 10.9              | 15.7      |
| Chinese                                   | 22.9        | 25.1      | 9.8               | 12.1      | 4.2               | 6.7       |
| Filipino                                  | 44.6        | 41.2      | 20.4              | 15.6      | 12.2              | 11.1      |
| Japanese                                  | *           | *         | 21.6              | *         | 10.0              | *         |
| Asian Indian                              | 21.5        | 18.9      | 11.6              | 8.4       | 5.6               | 4.0       |
| Korean                                    | 39.5        | 39.4      | 20.4              | 22.6      | 12.5              | 9.2       |
| Vietnamese                                | 23.7        | 23.3      | *                 | 10.7      | 4.7               | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 42.9        | 41.0      | 20.4              | 19.5      | 11.1              | 10.9      |
| Mexican                                   | 41.1        | 39.2      | 17.8              | 17.3      | 9.7               | 9.2       |
| Puerto Rican                              | 58.6        | 59.1      | 33.2              | 32.5      | 18.1              | 20.7      |
| Central or South American                 | 34.9        | 31.3      | 18.3              | 15.2      | 9.9               | 9.0       |
| Cuban                                     | 50.6        | 51.8      | 34.4              | 35.3      | 17.2              | 16.3      |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.



**Table 1.81A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |                  |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|------------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month       |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003        | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 73,891      | 74,811    | 12,527    | 12,637    | 7,226            | 7,369     |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 68,354      | 69,373    | 11,602    | 11,690    | 6,754            | 6,759     |
| White                                     | 57,801      | 58,575    | 9,442     | 9,637     | 5,571            | 5,561     |
| Black or African American                 | 7,773       | 7,989     | 1,791     | 1,613     | 1,003            | 961       |
| American Indian or Alaska Native          | 464         | 447       | 72        | 95        | 39               | 51        |
| Native Hawaiian or Other Pacific Islander | *           | *         | 17        | *         | 11               | *         |
| Chinese                                   | 211         | 172       | 15        | 15        | *                | *         |
| Filipino                                  | 294         | 332       | 17        | 27        | 9                | 7         |
| Japanese                                  | 282         | *         | 4         | *         | 2                | *         |
| Asian Indian                              | 149         | 154       | 14        | 11        | 6                | 5         |
| Korean                                    | *           | *         | *         | *         | *                | *         |
| Vietnamese                                | *           | *         | *         | *         | *                | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 5,537       | 5,438     | 925       | 948       | 472 <sup>a</sup> | 610       |
| Mexican                                   | 3,608       | 3,441     | 562       | 557       | 270              | 332       |
| Puerto Rican                              | 833         | 770       | 155       | 131       | 84               | 103       |
| Central or South American                 | 560         | 587       | 99        | 124       | 64               | 93        |
| Cuban                                     | 207         | 270       | 48        | 61        | 25               | 36        |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.81B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |                  |           |            |           |
|-------------------------------------------|-------------|-----------|------------------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year        |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003        | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 41.0        | 41.1      | 7.0              | 6.9       | 4.0        | 4.0       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 42.7        | 43.0      | 7.2              | 7.2       | 4.2        | 4.2       |
| White                                     | 44.2        | 44.6      | 7.2              | 7.3       | 4.3        | 4.2       |
| Black or African American                 | 40.3        | 40.7      | 9.3 <sup>a</sup> | 8.2       | 5.2        | 4.9       |
| American Indian or Alaska Native          | 47.1        | 48.1      | 7.3              | 10.3      | 4.0        | 5.5       |
| Native Hawaiian or Other Pacific Islander | *           | *         | 4.2              | *         | 2.8        | *         |
| Chinese                                   | 13.2        | 9.9       | 1.0              | 0.8       | *          | *         |
| Filipino                                  | 17.7        | 18.7      | 1.0              | 1.5       | 0.5        | 0.4       |
| Japanese                                  | 39.1        | *         | 0.6              | *         | 0.3        | *         |
| Asian Indian                              | 9.9         | 9.0       | 0.9              | 0.7       | 0.4        | 0.3       |
| Korean                                    | *           | *         | *                | *         | *          | *         |
| Vietnamese                                | *           | *         | *                | *         | *          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 27.8        | 26.4      | 4.6              | 4.6       | 2.4        | 3.0       |
| Mexican                                   | 28.4        | 26.4      | 4.4              | 4.3       | 2.1        | 2.5       |
| Puerto Rican                              | 38.7        | 36.8      | 7.2              | 6.3       | 3.9        | 4.9       |
| Central or South American                 | 19.4        | 18.3      | 3.4              | 3.9       | 2.2        | 2.9       |
| Cuban                                     | 20.6        | 25.6      | 4.8              | 5.8       | 2.5        | 3.4       |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.82A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD |           |           |           |            |           |
|-------------------------------------------|-------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime    |           | Past Year |           | Past Month |           |
|                                           | 2002-2003   | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 90,782      | 91,854    | 21,668    | 21,641    | 12,614     | 12,667    |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 82,856      | 84,083    | 19,607    | 19,582    | 11,520     | 11,439    |
| White                                     | 69,318      | 70,278    | 15,824    | 15,904    | 9,378      | 9,257     |
| Black or African American                 | 9,805       | 10,106    | 2,910     | 2,779     | 1,681      | 1,676     |
| American Indian or Alaska Native          | 604         | 569       | 147       | 162       | 85         | 97        |
| Native Hawaiian or Other Pacific Islander | 249         | 251       | 62        | 77        | 29         | 54        |
| Chinese                                   | 278         | 260       | 44        | 57        | 18         | 24        |
| Filipino                                  | 417         | 439       | 73        | 67        | 42         | 36        |
| Japanese                                  | 311         | *         | 20        | 34        | 10         | 29        |
| Asian Indian                              | 211         | 214       | 47        | 38        | 22         | 18        |
| Korean                                    | 206         | 143       | 58        | 56        | 30         | 22        |
| Vietnamese                                | 87          | 104       | 19        | 18        | 8          | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 7,927       | 7,771     | 2,061     | 2,059     | 1,093      | 1,228     |
| Mexican                                   | 5,235       | 5,017     | 1,265     | 1,253     | 653        | 700       |
| Puerto Rican                              | 1,154       | 1,075     | 336       | 299       | 183        | 210       |
| Central or South American                 | 813         | 820       | 232       | 237       | 136        | 159       |
| Cuban                                     | 279         | 342       | 97        | 110       | 49         | 59        |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 1.82B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

| Racial/Ethnic Subgroup                    | TIME PERIOD       |           |           |           |            |           |
|-------------------------------------------|-------------------|-----------|-----------|-----------|------------|-----------|
|                                           | Lifetime          |           | Past Year |           | Past Month |           |
|                                           | 2002-2003         | 2003-2004 | 2002-2003 | 2003-2004 | 2002-2003  | 2003-2004 |
| <b>TOTAL<sup>1</sup></b>                  | 42.9              | 42.9      | 10.2      | 10.1      | 6.0        | 5.9       |
| <b>NOT HISPANIC OR LATINO<sup>1</sup></b> | 44.5              | 44.8      | 10.5      | 10.4      | 6.2        | 6.1       |
| White                                     | 46.1              | 46.5      | 10.5      | 10.5      | 6.2        | 6.1       |
| Black or African American                 | 41.8              | 42.2      | 12.4      | 11.6      | 7.2        | 7.0       |
| American Indian or Alaska Native          | 51.0              | 51.5      | 12.4      | 14.7      | 7.2        | 8.7       |
| Native Hawaiian or Other Pacific Islander | 43.4              | 50.9      | 10.8      | 15.5      | 5.1        | 10.9      |
| Chinese                                   | 14.6              | 12.4      | 2.3       | 2.7       | 0.9        | 1.1       |
| Filipino                                  | 21.5              | 21.6      | 3.8       | 3.3       | 2.2        | 1.8       |
| Japanese                                  | 39.0              | *         | 2.6       | 4.1       | 1.2        | 3.6       |
| Asian Indian                              | 11.8              | 10.6      | 2.6       | 1.9       | 1.2        | 0.9       |
| Korean                                    | 29.5              | 21.8      | 8.3       | 8.5       | 4.4        | 3.3       |
| Vietnamese                                | 12.3              | 16.9      | 2.6       | 2.9       | 1.2        | *         |
| <b>HISPANIC OR LATINO<sup>1</sup></b>     | 31.1 <sup>a</sup> | 29.5      | 8.1       | 7.8       | 4.3        | 4.7       |
| Mexican                                   | 31.5 <sup>a</sup> | 29.4      | 7.6       | 7.3       | 3.9        | 4.1       |
| Puerto Rican                              | 42.7              | 41.2      | 12.5      | 11.5      | 6.8        | 8.1       |
| Central or South American                 | 22.5              | 20.8      | 6.4       | 6.0       | 3.8        | 4.0       |
| Cuban                                     | 24.3              | 28.6      | 8.5       | 9.2       | 4.3        | 4.9       |

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.