

Table 2.77A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	163,240	161,842	69,853	69,909	60,434	59,896
GEOGRAPHIC DIVISION						
Northeast	30,611	30,002	13,051	12,905	11,306	11,022
New England	8,274	8,268	3,191	3,113	2,721	2,685
Middle Atlantic	22,337	21,734	9,860	9,791	8,585	8,337
Midwest	38,649	38,610	17,353	17,252	14,891	15,055
East North Central	26,959	26,893	11,956	12,078	10,354	10,549
West North Central	11,690	11,718	5,397	5,174	4,537	4,506
South	58,174	58,128	25,745	26,602	22,665	23,063
South Atlantic	30,925	30,967	12,527	13,807	11,013	11,921
East South Central	9,807	9,698	4,773	4,507	4,189	4,046
West South Central	17,442	17,463	8,445	8,288	7,463	7,096
West	35,806	35,102	13,704	13,150	11,573	10,756
Mountain	10,734	10,837	4,803	4,434	4,188	3,702
Pacific	25,072	24,265	8,901	8,716	7,385	7,053
COUNTY TYPE						
Large Metro	84,185	83,354	34,584	35,335	29,887	29,738
Small Metro	50,335	49,776	22,277	21,447	19,173	18,644
250K – 1 Mil. Pop.	33,135	31,973	14,484	13,639	12,381	11,713
< 250K Pop.	17,201	17,803	7,793	7,808	6,792	6,932
Nonmetro	28,720	28,711	12,992	13,127	11,375	11,513
Urbanized	12,925	11,670	5,983	5,663	5,283	4,891
Less Urbanized	12,836 ^a	14,504	5,721	6,536	4,945 ^a	5,809
Completely Rural	2,958	2,537	1,288 ^a	928	1,147 ^a	813

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.77B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	68.7 ^b	67.3	29.4	29.1	25.4	24.9
GEOGRAPHIC DIVISION						
Northeast	67.6	65.9	28.8	28.4	25.0	24.2
New England	69.6	69.2	26.8	26.1	22.9	22.5
Middle Atlantic	66.8	64.8	29.5	29.2	25.7	24.8
Midwest	71.9	71.2	32.3	31.8	27.7	27.8
East North Central	71.6	70.9	31.7	31.8	27.5	27.8
West North Central	72.6	72.0	33.5	31.8	28.2	27.7
South	68.6	67.5	30.4	30.9	26.7	26.8
South Atlantic	69.6	68.5	28.2	30.6	24.8	26.4
East South Central	69.0	67.4	33.6	31.3	29.5	28.1
West South Central	66.8	65.8	32.3	31.2	28.6	26.7
West	66.5	64.2	25.5	24.1	21.5 ^a	19.7
Mountain	68.7	67.8	30.8 ^a	27.7	26.8 ^b	23.2
Pacific	65.6	62.7	23.3	22.5	19.3	18.2
COUNTY TYPE						
Large Metro	66.8 ^a	65.0	27.4	27.5	23.7	23.2
Small Metro	70.5	69.5	31.2	29.9	26.9	26.0
250K – 1 Mil. Pop.	70.6 ^b	67.8	30.9	28.9	26.4	24.8
< 250K Pop.	70.3	72.8	31.8	31.9	27.8	28.3
Nonmetro	71.5	70.8	32.3	32.4	28.3	28.4
Urbanized	72.3	69.9	33.5	33.9	29.6	29.3
Less Urbanized	70.4	71.5	31.4	32.2	27.1	28.6
Completely Rural	72.2	71.1	31.4 ^a	26.0	28.0 ^a	22.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.78A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	7,752	7,363	4,737	4,645	3,044	2,998
GEOGRAPHIC DIVISION						
Northeast	1,348	1,269	864	877	562	550
New England	344	333	224	243	146	152
Middle Atlantic	1,004	935	640	634	416	398
Midwest	1,851	1,768	1,172	1,113	798	735
East North Central	1,260	1,198	790	770	533	496
West North Central	591	570	381	343	265	238
South	2,901	2,698	1,748	1,677	1,122	1,086
South Atlantic	1,400	1,353	814	834	528	554
East South Central	503	494	312	316	209	218
West South Central	998 ^a	851	622	527	385	313
West	1,652	1,628	953	978	561	628
Mountain	556	495	328	289	211	194
Pacific	1,095	1,133	625	690	350	434
COUNTY TYPE						
Large Metro	3,616	3,473	2,181	2,158	1,360	1,333
Small Metro	2,483	2,373	1,499	1,532	984	1,008
250K – 1 Mil. Pop.	1,618	1,536	943	1,000	605	646
< 250K Pop.	865	837	556	531	379	362
Nonmetro	1,653	1,517	1,057	955	699	657
Urbanized	683 ^a	565	436	373	307	259
Less Urbanized	824	821	527	511	327	351
Completely Rural	147	132	94	70	66	47

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.78B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	31.0 ^b	29.2	19.0	18.4	12.2	11.9
GEOGRAPHIC DIVISION						
Northeast	30.0	28.0	19.2	19.3	12.5	12.1
New England	29.3	28.4	19.1	20.7	12.5	12.9
Middle Atlantic	30.3	27.8	19.3	18.9	12.5	11.8
Midwest	32.5	31.1	20.6	19.6	14.0	12.9
East North Central	31.6	29.9	19.8	19.2	13.3	12.4
West North Central	34.7	34.0	22.4	20.5	15.6	14.2
South	32.5 ^a	30.0	19.6	18.6	12.6	12.1
South Atlantic	31.1	29.5	18.1	18.2	11.7	12.1
East South Central	34.6	34.1	21.5	21.8	14.4	15.0
West South Central	33.6 ^b	28.6	20.9 ^a	17.7	13.0 ^a	10.5
West	28.1	27.2	16.2	16.3	9.5	10.5
Mountain	32.2	28.4	19.0	16.6	12.2	11.1
Pacific	26.4	26.7	15.0	16.2	8.4	10.2
COUNTY TYPE						
Large Metro	27.2	26.0	16.4	16.2	10.2	10.0
Small Metro	33.6 ^a	31.0	20.3	20.0	13.3	13.2
250K – 1 Mil. Pop.	32.5	30.1	18.9	19.6	12.1	12.7
< 250K Pop.	35.8	32.9	23.0	20.9	15.7	14.2
Nonmetro	38.6	35.9	24.7	22.6	16.3	15.6
Urbanized	36.7	33.2	23.4	22.0	16.5	15.2
Less Urbanized	41.5	38.2	26.6	23.8	16.5	16.4
Completely Rural	33.2	34.8	21.3	18.6	14.9	12.5

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.79A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	22,267	22,118	15,113	15,290	12,764	12,731
GEOGRAPHIC DIVISION						
Northeast	3,948	3,966	2,756	2,814	2,266	2,377
New England	1,046	1,036	701	747	575	644
Middle Atlantic	2,902	2,930	2,055	2,068	1,691	1,733
Midwest	5,482	5,518	3,824	3,962	3,232	3,369
East North Central	3,748	3,763	2,600	2,712	2,194	2,314
West North Central	1,734	1,755	1,225	1,250	1,038	1,055
South	7,882	7,814	5,365	5,373	4,658	4,500
South Atlantic	3,797	3,907	2,537	2,684	2,199	2,248
East South Central	1,343	1,342	931	940	824	810
West South Central	2,741	2,565	1,897	1,749	1,635	1,443
West	4,955	4,821	3,167	3,140	2,607	2,485
Mountain	1,513	1,546	972	1,013	813	841
Pacific	3,442	3,275	2,195	2,126	1,794	1,644
COUNTY TYPE						
Large Metro	11,245	11,085	7,473	7,512	6,277	6,134
Small Metro	7,311	7,382	5,000	5,112	4,222	4,269
250K – 1 Mil. Pop.	4,740	4,657	3,204	3,213	2,704	2,672
< 250K Pop.	2,571	2,725	1,796	1,899	1,518	1,597
Nonmetro	3,712	3,652	2,639	2,666	2,265	2,328
Urbanized	1,771	1,666	1,243	1,247	1,055	1,088
Less Urbanized	1,645	1,720	1,192	1,223	1,022	1,072
Completely Rural	297	266	204	196	189	168

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.79B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	70.2 ^a	68.7	47.6	47.5	40.2	39.5
GEOGRAPHIC DIVISION						
Northeast	70.1	69.8	48.9	49.5	40.2	41.8
New England	71.1	69.6	47.7	50.2	39.1	43.2
Middle Atlantic	69.7	69.8	49.4	49.3	40.6	41.3
Midwest	74.5	74.2	52.0	53.3	43.9	45.3
East North Central	73.7	73.4	51.1	52.9	43.2	45.1
West North Central	76.2	75.8	53.8	54.0	45.6	45.6
South	69.6	67.7	47.4	46.6	41.1	39.0
South Atlantic	68.0	68.5	45.4	47.0	39.4	39.4
East South Central	69.5	68.8	48.1	48.2	42.6	41.5
West South Central	72.0 ^b	66.1	49.8 ^b	45.1	42.9 ^b	37.2
West	66.9	64.0	42.7	41.7	35.2	33.0
Mountain	67.7	67.6	43.5	44.3	36.4	36.8
Pacific	66.5	62.5	42.4	40.5	34.7	31.4
COUNTY TYPE						
Large Metro	67.7	66.6	45.0	45.1	37.8	36.8
Small Metro	71.6	69.6	49.0	48.2	41.4	40.3
250K – 1 Mil. Pop.	71.3 ^b	67.6	48.2	46.6	40.7	38.8
< 250K Pop.	72.3	73.3	50.5	51.1	42.7	43.0
Nonmetro	75.5	73.9	53.7	54.0	46.1	47.1
Urbanized	75.0	72.3	52.6	54.2	44.6	47.2
Less Urbanized	75.0	74.4	54.4	52.8	46.6	46.3
Completely Rural	81.6	81.9	56.2	60.4	52.0	51.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.80A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	133,221	132,360	50,004	49,974	44,626	44,166
GEOGRAPHIC DIVISION						
Northeast	25,316	24,767	9,432	9,214	8,477	8,095
New England	6,884	6,898	2,267	2,124	1,999	1,890
Middle Atlantic	18,432	17,869	7,165	7,089	6,478	6,206
Midwest	31,315	31,325	12,357	12,176	10,861	10,951
East North Central	21,950	21,931	8,566	8,595	7,627	7,738
West North Central	9,365	9,393	3,791	3,581	3,234	3,213
South	47,391	47,616	18,631	19,553	16,885	17,477
South Atlantic	25,728	25,707	9,175	10,289	8,286	9,119
East South Central	7,960	7,862	3,530	3,251	3,156	3,018
West South Central	13,703	14,047	5,926	6,013	5,443	5,340
West	29,199	28,652	9,584	9,032	8,404	7,643
Mountain	8,664	8,795	3,502	3,132	3,163 ^a	2,667
Pacific	20,535	19,857	6,081	5,900	5,241	4,975
COUNTY TYPE						
Large Metro	69,325	68,797	24,930	25,665	22,249	22,271
Small Metro	40,542	40,021	15,778	14,803	13,967	13,367
250K – 1 Mil. Pop.	26,777	25,779	10,336	9,425	9,073	8,394
< 250K Pop.	13,765	14,242	5,441	5,378	4,894	4,973
Nonmetro	23,355	23,542	9,296	9,506	8,410	8,528
Urbanized	10,471	9,440	4,305	4,043	3,922	3,544
Less Urbanized	10,368 ^a	11,963	4,002 ^a	4,802	3,596 ^a	4,386
Completely Rural	2,515	2,140	989 ^a	662	892	598

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.80B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	73.6 ^a	72.3	27.6	27.3	24.7	24.1
GEOGRAPHIC DIVISION						
Northeast	71.9	70.2	26.8	26.1	24.1	22.9
New England	74.5	74.3	24.5	22.9	21.6	20.4
Middle Atlantic	71.0	68.7	27.6	27.3	25.0	23.9
Midwest	76.9	76.2	30.4	29.6	26.7	26.7
East North Central	76.8	76.1	30.0	29.8	26.7	26.9
West North Central	77.2	76.5	31.3	29.1	26.7	26.1
South	73.4	72.6	28.9	29.8	26.2	26.6
South Atlantic	74.9	73.6	26.7	29.5	24.1	26.1
East South Central	73.5	71.5	32.6	29.6	29.1	27.5
West South Central	70.8	71.3	30.6	30.5	28.1	27.1
West	72.0	69.6	23.6	22.0	20.7 ^a	18.6
Mountain	74.4	73.6	30.1 ^b	26.2	27.2 ^b	22.3
Pacific	71.1	68.0	21.1	20.2	18.1	17.0
COUNTY TYPE						
Large Metro	72.1 ^a	70.0	25.9	26.1	23.1	22.7
Small Metro	75.4	75.0	29.3	27.7	26.0	25.0
250K – 1 Mil. Pop.	75.9 ^a	73.3	29.3	26.8	25.7	23.9
< 250K Pop.	74.4 ^a	78.2	29.4	29.5	26.5	27.3
Nonmetro	75.4	75.0	30.0	30.3	27.1	27.2
Urbanized	76.7	74.4	31.6	31.8	28.7	27.9
Less Urbanized	73.8	75.6	28.5	30.3	25.6	27.7
Completely Rural	76.4	74.7	30.0 ^a	23.1	27.1 ^a	20.9

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.81A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	155,488	154,479	65,116	65,264	57,391	56,897
GEOGRAPHIC DIVISION						
Northeast	29,263	28,733	12,188	12,028	10,743	10,472
New England	7,930	7,935	2,968	2,871	2,575	2,533
Middle Atlantic	21,333	20,799	9,220	9,157	8,169	7,939
Midwest	36,797	36,842	16,182	16,139	14,093	14,320
East North Central	25,699	25,694	11,166	11,307	9,821	10,052
West North Central	11,099	11,148	5,016	4,831	4,272	4,268
South	55,273	55,430	23,996	24,926	21,543	21,978
South Atlantic	29,525	29,614	11,712	12,973	10,485	11,366
East South Central	9,304	9,204	4,461	4,191	3,980	3,828
West South Central	16,444	16,612	7,823	7,762	7,078	6,783
West	34,154	33,473	12,751	12,172	11,011	10,127
Mountain	10,178	10,341	4,475	4,145	3,976	3,508
Pacific	23,977	23,132	8,276	8,027	7,035	6,620
COUNTY TYPE						
Large Metro	80,569	79,881	32,403	33,177	28,526	28,406
Small Metro	47,852	47,403	20,778	19,915	18,189	17,636
250K – 1 Mil. Pop.	31,517	30,437	13,541	12,638	11,777	11,066
< 250K Pop.	16,335	16,967	7,237	7,277	6,412	6,570
Nonmetro	27,067	27,194	11,935	12,172	10,676	10,856
Urbanized	12,242	11,105	5,548	5,290	4,976	4,632
Less Urbanized	12,013 ^a	13,683	5,194 ^a	6,024	4,618 ^a	5,458
Completely Rural	2,812	2,406	1,194	858	1,081	766

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.81B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	73.1 ^b	71.8	30.6	30.3	27.0	26.4
GEOGRAPHIC DIVISION						
Northeast	71.7	70.1	29.9	29.4	26.3	25.6
New England	74.0	73.7	27.7	26.7	24.0	23.5
Middle Atlantic	70.9	68.9	30.6	30.3	27.1	26.3
Midwest	76.5	75.9	33.7	33.3	29.3	29.5
East North Central	76.3	75.7	33.2	33.3	29.2	29.6
West North Central	77.1	76.4	34.8	33.1	29.7	29.2
South	72.9	71.9	31.6	32.3	28.4	28.5
South Atlantic	73.9	72.9	29.3	31.9	26.3	28.0
East South Central	72.9	71.1	34.9	32.4	31.2	29.6
West South Central	71.0	70.4	33.8	32.9	30.6	28.8
West	71.2	68.8	26.6	25.0	23.0 ^a	20.8
Mountain	73.3	72.6	32.2 ^a	29.1	28.6 ^b	24.6
Pacific	70.4	67.2	24.3	23.3	20.7	19.2
COUNTY TYPE						
Large Metro	71.4 ^a	69.5	28.7	28.9	25.3	24.7
Small Metro	74.8	74.1	32.5	31.1	28.4	27.6
250K – 1 Mil. Pop.	75.1 ^a	72.4	32.3	30.0	28.1	26.3
< 250K Pop.	74.1 ^a	77.4	32.8	33.2	29.1	30.0
Nonmetro	75.4	74.9	33.2	33.5	29.7	29.9
Urbanized	76.5	74.1	34.7	35.3	31.1	30.9
Less Urbanized	74.0	75.4	32.0	33.2	28.4	30.1
Completely Rural	76.9	75.4	32.6 ^a	26.9	29.6 ^a	24.0

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.82A Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:
Numbers in Thousands, 2003 and 2004

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	94,759	93,409	51,241	50,278	43,517	43,130	45.9	46.2
GEOGRAPHIC DIVISION								
Northeast	18,809	18,252	9,951	9,447	8,859	8,805	47.1	48.2
New England	5,059	5,019	2,446	2,300	2,613	2,719	51.6	54.2
Middle Atlantic	13,751	13,233	7,505	7,147	6,246	6,087	45.4	46.0
Midwest	23,018	22,726	12,861	12,872	10,157	9,854	44.1	43.4
East North Central	16,132	16,052	8,897	9,122	7,235	6,929	44.8	43.2
West North Central	6,886	6,674	3,963	3,749	2,922	2,925	42.4	43.8
South	33,765	34,530	19,033	19,540	14,732	14,990	43.6	43.4
South Atlantic	18,128	18,932	9,428	10,270	8,699	8,662	48.0	45.8
East South Central	6,010	5,995	3,678	3,582	2,332	2,413	38.8	40.2
West South Central	9,627	9,603	5,926	5,688	3,700	3,916	38.4	40.8
West	19,167	17,901	9,397 ^a	8,420	9,770	9,480	51.0	53.0
Mountain	6,246	6,019	3,596 ^a	3,023	2,649	2,996	42.4 ^b	49.8
Pacific	12,921	11,881	5,801	5,397	7,121	6,484	55.1	54.6
COUNTY TYPE								
Large Metro	46,836	46,333	24,694	24,270	22,142	22,063	47.3	47.6
Small Metro	29,935	29,296	16,521	15,892	13,415	13,404	44.8	45.8
250K - 1 Mil. Pop.	19,461	18,776	10,683	10,001	8,778	8,774	45.1	46.7
< 250K Pop.	10,474	10,520	5,837	5,891	4,637	4,629	44.3	44.0
Nonmetro	17,987	17,780	10,027	10,117	7,960	7,663	44.3	43.1
Urbanized	8,253	7,342	4,697	4,278	3,557	3,064	43.1	41.7
Less Urbanized	7,776 ^a	8,874	4,339 ^a	5,151	3,437	3,723	44.2	42.0
Completely Rural	1,957	1,564	991 ^a	688	967	876	49.4	56.0

*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.82B Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	39.9 ^a	38.8	21.6	20.9	18.3	17.9	45.9	46.2
GEOGRAPHIC DIVISION								
Northeast	41.5	40.1	22.0	20.8	19.6	19.4	47.1	48.2
New England	42.6	42.0	20.6	19.3	22.0	22.8	51.6	54.2
Middle Atlantic	41.1	39.4	22.5	21.3	18.7	18.1	45.4	46.0
Midwest	42.8	41.9	23.9	23.7	18.9	18.2	44.1	43.4
East North Central	42.8	42.3	23.6	24.0	19.2	18.3	44.8	43.2
West North Central	42.8	41.0	24.6	23.0	18.2	18.0	42.4	43.8
South	39.8	40.1	22.5	22.7	17.4	17.4	43.6	43.4
South Atlantic	40.8	41.9	21.2	22.7	19.6	19.2	48.0	45.8
East South Central	42.3	41.7	25.9	24.9	16.4	16.8	38.8	40.2
West South Central	36.8	36.2	22.7	21.4	14.2	14.7	38.4	40.8
West	35.6 ^a	32.7	17.5 ^a	15.4	18.1	17.3	51.0	53.0
Mountain	40.0	37.7	23.0 ^b	18.9	17.0	18.7	42.4 ^b	49.8
Pacific	33.8	30.7	15.2	14.0	18.6	16.8	55.1	54.6
COUNTY TYPE								
Large Metro	37.1	36.1	19.6	18.9	17.6	17.2	47.3	47.6
Small Metro	41.9	40.9	23.1	22.2	18.8	18.7	44.8	45.8
250K - 1 Mil. Pop.	41.5	39.8	22.8	21.2	18.7	18.6	45.1	46.7
< 250K Pop.	42.8	43.0	23.9	24.1	18.9	18.9	44.3	44.0
Nonmetro	44.8	43.8	25.0	24.9	19.8	18.9	44.3	43.1
Urbanized	46.2	44.0	26.3	25.6	19.9	18.4	43.1	41.7
Less Urbanized	42.7	43.7	23.8	25.4	18.9	18.3	44.2	42.0
Completely Rural	47.8	43.8	24.2 ^a	19.3	23.6	24.6	49.4	56.0

*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.