

Table 5.90C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	415	461	118	165	390	426	0.50	0.65
AGE								
12-17	61	63	17	18	61	60	0.74	0.74
18-25	117	130	33	36	115	127	0.47	0.50
26 or Older	378	424	110	157	357	385	0.79	1.01
GENDER								
Male	330	345	97	143	318	322	0.65	0.87
Female	232	240	65	84	218	222	0.78	0.97
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	371	423	113	132	346	393	0.55	0.61
White	331	374	90	97	313	355	0.54	0.56
Black or African American	145	149	59	74	136	131	2.37	2.56
American Indian or Alaska Native	28	44	13	14	25	42	*	*
Native Hawaiian or Other Pacific Islander	16	*	4	*	15	18	*	*
Asian	67	87	7	41	66	78	1.07	*
Two or More Races	42	44	10	12	40	42	3.11	3.33
Hispanic or Latino	158	168	36	98	153	150	1.18	2.84

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.90D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.17	0.19	0.05	0.07	0.16	0.18	0.50	0.65
AGE								
12-17	0.24	0.25	0.07	0.07	0.24	0.24	0.74	0.74
18-25	0.37	0.40	0.10	0.11	0.36	0.39	0.47	0.50
26 or Older	0.21	0.23	0.06	0.09	0.20	0.21	0.79	1.01
GENDER								
Male	0.29	0.30	0.08	0.12	0.28	0.28	0.65	0.87
Female	0.19	0.19	0.05	0.07	0.18	0.18	0.78	0.97
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.20	0.05	0.06	0.17	0.19	0.55	0.61
White	0.20	0.22	0.05	0.06	0.19	0.21	0.54	0.56
Black or African American	0.53	0.53	0.21	0.26	0.50	0.47	2.37	2.56
American Indian or Alaska Native	2.21	3.37	1.04	1.05	2.02	3.21	*	*
Native Hawaiian or Other Pacific Islander	3.17	*	0.78	*	3.06	2.75	*	*
Asian	0.68	0.88	0.07	0.41	0.67	0.78	1.07	*
Two or More Races	1.63	1.72	0.37	0.45	1.56	1.65	3.11	3.33
Hispanic or Latino	0.53	0.54	0.12	0.32	0.51	0.48	1.18	2.84

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.90P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2003	2004	2003	2004	2003	2004	
TOTAL	0.0956		0.0370		0.2917		0.0811
AGE							
12-17	0.8647		0.5103		0.9954		0.5346
18-25	0.4842		0.2633		0.6939		0.3435
26 or Older	0.1116		0.0665		0.3040		0.1396
GENDER							
Male	0.0768		0.1017		0.2290		0.2110
Female	0.5628		0.2035		0.8520		0.2264
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.1070		0.0742		0.2522		0.1578
White	0.1363		0.3178		0.1876		0.5780
Black or African American	0.3586		0.1782		0.7671		0.2513
American Indian or Alaska Native	0.5287		0.3688		0.2691		*
Native Hawaiian or Other Pacific Islander	*		*		0.4602		*
Asian	0.3585		0.2687		0.1438		*
Two or More Races	0.4618		0.6059		0.5348		0.8169
Hispanic or Latino	0.5914		0.2803		0.9618		0.2933

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.91C Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	321	308	94	100	309	287	0.40	0.41
AGE								
12-17	45	43	13	13	44	42	0.55	0.54
18-25	88	88	22	25	86	85	0.32	0.35
26 or Older	287	288	89	94	279	265	0.65	0.64
GENDER								
Male	255	241	79	84	246	225	0.52	0.53
Female	180	166	52	52	170	157	0.62	0.63
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	291	280	91	86	278	263	0.45	0.41
White	252	243	77	65	242	235	0.47	0.39
Black or African American	107	107	44	46	104	95	1.69	1.69
American Indian or Alaska Native	21	29	9	10	19	28	3.72	3.75
Native Hawaiian or Other Pacific Islander	13	14	2	*	13	12	*	*
Asian	49	56	4	21	49	52	0.77	*
Two or More Races	32	34	8	8	31	32	2.33	2.34
Hispanic or Latino	107	115	28	51	105	103	0.89	1.55

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.91D Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.14	0.13	0.04	0.04	0.13	0.12	0.40	0.41
AGE								
12-17	0.18	0.17	0.05	0.05	0.18	0.17	0.55	0.54
18-25	0.28	0.27	0.07	0.08	0.27	0.27	0.32	0.35
26 or Older	0.16	0.16	0.05	0.05	0.15	0.15	0.65	0.64
GENDER								
Male	0.22	0.21	0.07	0.07	0.22	0.19	0.52	0.53
Female	0.15	0.13	0.04	0.04	0.14	0.13	0.62	0.63
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.14	0.13	0.04	0.04	0.13	0.13	0.45	0.41
White	0.15	0.15	0.05	0.04	0.15	0.14	0.47	0.39
Black or African American	0.39	0.39	0.16	0.17	0.38	0.34	1.69	1.69
American Indian or Alaska Native	1.54	2.27	0.66	0.75	1.42	2.17	3.72	3.75
Native Hawaiian or Other Pacific Islander	1.97	2.48	0.31	*	1.93	2.08	*	*
Asian	0.52	0.57	0.04	0.21	0.52	0.53	0.77	*
Two or More Races	1.25	1.31	0.30	0.29	1.22	1.26	2.33	2.34
Hispanic or Latino	0.36	0.38	0.09	0.17	0.36	0.34	0.89	1.55

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.91P Needed and Received Treatment for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG OR ALCOHOL PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.8139		0.7656		0.7231		0.7040	
AGE								
12-17	0.9049		0.8673		0.9403		0.8853	
18-25	0.6525		0.0347		0.3180		0.0209	
26 or Older	0.7629		0.4548		0.5478		0.3743	
GENDER								
Male	0.9328		0.7987		0.9900		0.8058	
Female	0.7858		0.3251		0.5172		0.2676	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6530		0.5094		0.4777		0.4037	
White	0.4439		0.2112		0.2324		0.1296	
Black or African American	0.2357		0.9019		0.1713		0.5832	
American Indian or Alaska Native	0.1765		0.7820		0.1229		0.2775	
Native Hawaiian or Other Pacific Islander	0.5417		*		0.9428		*	
Asian	0.3786		0.2458		0.6430		*	
Two or More Races	0.8700		0.8303		0.8209		0.7689	
Hispanic or Latino	0.5842		0.5422		0.3531		0.4605	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.92C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	416	450	94	102	47	64	81	78	398	431
AGE										
12-17	65	65	12	14	7	5	9	13	64	64
18-25	145	157	25	32	8	18	24	25	141	148
26 or Older	377	399	89	96	46	61	76	73	364	382
GENDER										
Male	337	356	81	79	42	44	70	65	322	344
Female	220	223	50	59	24	40	44	42	214	217

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.92D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.00	0.00	0.44	0.46	0.23	0.30	0.38	0.36	0.44	0.46
AGE										
12-17	0.00	0.00	0.55	0.65	0.35	0.25	0.43	0.60	0.55	0.65
18-25	0.00	0.00	0.39	0.47	0.13	0.27	0.37	0.37	0.39	0.47
26 or Older	0.00	0.00	0.72	0.73	0.39	0.48	0.62	0.57	0.72	0.73
GENDER										
Male	0.00	0.00	0.59	0.55	0.32	0.32	0.51	0.46	0.59	0.55
Female	0.00	0.00	0.68	0.79	0.33	0.55	0.60	0.57	0.68	0.79

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.92P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	.		0.2452		0.0480		0.9696		0.2452	
AGE										
12-17	.		0.8776		0.8934		0.9214		0.8776	
18-25	.		0.0155		0.0002		0.4909		0.0155	
26 or Older	.		0.6571		0.2691		0.7739		0.6571	
GENDER										
Male	.		0.7658		0.5151		0.9447		0.7658	
Female	.		0.1193		0.0162		0.9576		0.1193	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.93C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	340	312	73	71	46	40	56	59	325	300
AGE										
12-17	46	46	8	9	4	5	7	8	45	45
18-25	115	110	18	21	7	10	16	17	113	106
26 or Older	304	282	70	67	45	39	53	56	292	271
GENDER										
Male	264	251	62	56	41	31	45	48	256	243
Female	176	159	38	38	20	23	33	30	169	155

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.93D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.00	0.00	0.34	0.33	0.22	0.19	0.26	0.27	0.34	0.33
AGE										
12-17	0.00	0.00	0.39	0.43	0.20	0.21	0.33	0.37	0.39	0.43
18-25	0.00	0.00	0.27	0.31	0.11	0.15	0.25	0.26	0.27	0.31
26 or Older	0.00	0.00	0.56	0.53	0.37	0.32	0.42	0.44	0.56	0.53
GENDER										
Male	0.00	0.00	0.45	0.40	0.31	0.23	0.33	0.34	0.45	0.40
Female	0.00	0.00	0.52	0.51	0.28	0.31	0.45	0.41	0.52	0.51

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.93P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	.		0.9648		0.8674		0.8279		0.9648	
AGE										
12-17	.		0.3761		0.8488		0.3127		0.3761	
18-25	.		0.1338		0.0078		0.9282		0.1338	
26 or Older	.		0.7526		0.4292		0.7199		0.7526	
GENDER										
Male	.		0.7266		0.2130		0.4421		0.7266	
Female	.		0.5851		0.0919		0.5238		0.5851	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.