

**Table 1.53C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	441	480	83	90	45	64
<b>AGE</b>						
12-17	68	67	48	45	25	26
18-25	104	111	39	41	19	18
26 or Older	407	448	54	69	32	55
<b>GENDER</b>						
Male	377	375	65	73	36	44
Female	231	267	47	63	27	46
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	421	458	76	81	40	58
White	401	420	68	70	34	40
Black or African American	94	121	16	19	7	10
American Indian or Alaska Native	22	46	3	15	2	5
Native Hawaiian or Other Pacific Islander	8	*	5	1	4	0
Asian	71	62	26	44	19	40
Two or More Races	39	46	8	8	5	4
Hispanic or Latino	120	122	32	37	18	27

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.53D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.19	0.20	0.03	0.04	0.02	0.03
<b>AGE</b>						
12-17	0.27	0.27	0.19	0.18	0.10	0.10
18-25	0.33	0.34	0.12	0.13	0.06	0.06
26 or Older	0.22	0.24	0.03	0.04	0.02	0.03
<b>GENDER</b>						
Male	0.33	0.32	0.06	0.06	0.03	0.04
Female	0.19	0.22	0.04	0.05	0.02	0.04
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.20	0.22	0.04	0.04	0.02	0.03
White	0.24	0.25	0.04	0.04	0.02	0.02
Black or African American	0.34	0.43	0.06	0.07	0.03	0.03
American Indian or Alaska Native	1.77	3.51	0.20	1.15	0.14	0.37
Native Hawaiian or Other Pacific Islander	1.66	*	1.01	0.11	0.74	0.07
Asian	0.73	0.62	0.26	0.44	0.20	0.41
Two or More Races	1.50	1.78	0.31	0.30	0.20	0.14
Hispanic or Latino	0.40	0.39	0.11	0.12	0.06	0.09

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.53P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.4574		0.2265		0.4365	
<b>AGE</b>						
12-17	0.4829		0.5597		0.7747	
18-25	0.0664		0.9634		0.7501	
26 or Older	0.6570		0.1997		0.3248	
<b>GENDER</b>						
Male	0.3188		0.2094		0.3595	
Female	0.9256		0.7543		0.8809	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4633		0.4230		0.4695	
White	0.3922		0.7345		0.4753	
Black or African American	0.8239		0.2105		0.5353	
American Indian or Alaska Native	0.0739		0.1949		0.7140	
Native Hawaiian or Other Pacific Islander	*		0.0828		0.2594	
Asian	0.0999		0.7214		0.7739	
Two or More Races	0.2617		0.9758		0.5077	
Hispanic or Latino	0.9882		0.2277		0.7934	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.54C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	68	67	48	45	25	26
<b>GENDER</b>						
Male	49	47	33	34	16	16
Female	45	50	31	34	19	20
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	63	59	43	41	22	22
White	52	54	36	37	18	19
Black or African American	23	23	15	12	7	5
American Indian or Alaska Native	4	3	2	3	2	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	19	12	15	6	6
Two or More Races	7	9	5	6	4	2
Hispanic or Latino	29	31	22	22	13	16
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	37	35	24	26	12	12
Female, White, Not Hispanic	35	40	25	26	13	14
Male, Black, Not Hispanic	16	17	10	8	4	5
Female, Black, Not Hispanic	13	16	8	9	5	3
Male, Hispanic	22	21	16	13	7	6
Female, Hispanic	23	24	15	18	11	14

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.54D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.27	0.27	0.19	0.18	0.10	0.10
<b>GENDER</b>						
Male	0.39	0.37	0.26	0.26	0.13	0.12
Female	0.36	0.41	0.25	0.27	0.15	0.16
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.30	0.28	0.21	0.20	0.10	0.10
White	0.34	0.35	0.23	0.24	0.12	0.12
Black or African American	0.62	0.61	0.39	0.32	0.17	0.14
American Indian or Alaska Native	2.36	1.99	1.04	1.96	0.91	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.98	1.92	1.20	1.53	0.67	0.65
Two or More Races	1.80	2.02	1.36	1.38	0.90	0.56
Hispanic or Latino	0.72	0.73	0.55	0.53	0.32	0.37
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.46	0.45	0.30	0.32	0.15	0.15
Female, White, Not Hispanic	0.47	0.53	0.33	0.35	0.17	0.18
Male, Black, Not Hispanic	0.87	0.89	0.52	0.43	0.19	0.24
Female, Black, Not Hispanic	0.72	0.84	0.46	0.47	0.30	0.15
Male, Hispanic	1.04	0.97	0.78	0.62	0.33	0.26
Female, Hispanic	1.16	1.18	0.76	0.87	0.56	0.69

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.54P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.4829		0.5597		0.7747	
<b>GENDER</b>						
Male	0.6951		0.5690		0.9788	
Female	0.5535		0.8074		0.6923	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4704		0.7761		0.8456	
White	0.9039		0.8698		0.5078	
Black or African American	0.1446		0.5979		0.5601	
American Indian or Alaska Native	0.5762		0.2203		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7449		0.4622		0.8468	
Two or More Races	0.0617		0.6053		0.4460	
Hispanic or Latino	0.9422		0.5019		0.4218	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.5732		0.9930		0.9808	
Female, White, Not Hispanic	0.7208		0.8250		0.3630	
Male, Black, Not Hispanic	0.3265		0.7270		0.2897	
Female, Black, Not Hispanic	0.2570		0.6458		0.0633	
Male, Hispanic	0.7776		0.9098		0.2472	
Female, Hispanic	0.7418		0.3214		0.7394	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.55C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	104	111	39	41	19	18
<b>GENDER</b>						
Male	81	82	31	33	16	17
Female	62	61	23	22	10	7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	96	98	36	35	16	16
White	85	89	34	33	15	16
Black or African American	18	15	7	6	3	4
American Indian or Alaska Native	6	*	2	*	1	0
Native Hawaiian or Other Pacific Islander	5	4	2	0	*	0
Asian	18	15	6	9	1	1
Two or More Races	11	12	4	3	4	3
Hispanic or Latino	42	42	17	22	11	8
<b>EDUCATION</b>						
< High School	46	46	20	15	9	8
High School Graduate	62	59	23	23	11	10
Some College	55	56	23	24	12	10
College Graduate	32	36	11	15	5	9
<b>CURRENT EMPLOYMENT</b>						
Full-Time	69	72	26	24	14	10
Part-Time	49	47	19	21	8	12
Unemployed	33	29	13	13	4	4
Other <sup>1</sup>	38	42	18	18	8	8

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.55D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.33	0.34	0.12	0.13	0.06	0.06
<b>GENDER</b>						
Male	0.51	0.51	0.20	0.21	0.10	0.10
Female	0.39	0.38	0.14	0.14	0.06	0.05
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.37	0.37	0.14	0.13	0.06	0.06
White	0.43	0.44	0.17	0.16	0.08	0.08
Black or African American	0.42	0.35	0.16	0.13	0.07	0.09
American Indian or Alaska Native	3.44	*	0.93	*	0.30	0.17
Native Hawaiian or Other Pacific Islander	3.23	3.23	1.12	0.41	*	0.25
Asian	1.27	0.99	0.41	0.56	0.07	0.08
Two or More Races	2.98	3.35	1.09	0.98	0.98	0.71
Hispanic or Latino	0.74	0.74	0.31	0.38	0.19	0.14
<b>EDUCATION</b>						
< High School	0.67	0.69	0.29	0.22	0.13	0.12
High School Graduate	0.56	0.53	0.21	0.21	0.10	0.09
Some College	0.56	0.55	0.23	0.23	0.12	0.09
College Graduate	0.81	0.86	0.27	0.36	0.13	0.22
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.48	0.48	0.18	0.16	0.09	0.07
Part-Time	0.60	0.58	0.24	0.26	0.10	0.15
Unemployed	1.22	1.13	0.46	0.52	0.16	0.16
Other <sup>1</sup>	0.60	0.66	0.29	0.28	0.13	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 1.55P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0664		0.9634		0.7501	
<b>GENDER</b>						
Male	0.5223		0.5741		0.4508	
Female	0.0137		0.4518		0.4588	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1793		0.7193		0.5513	
White	0.3024		0.7606		0.6691	
Black or African American	0.4540		0.5834		0.4540	
American Indian or Alaska Native	*		*		0.7678	
Native Hawaiian or Other Pacific Islander	0.8785		0.3981		*	
Asian	0.0190		0.6757		0.0335	
Two or More Races	0.9860		0.6300		0.7381	
Hispanic or Latino	0.1191		0.4432		0.6387	
<b>EDUCATION</b>						
< High School	0.1486		0.1503		0.7827	
High School Graduate	0.1074		0.9419		0.7756	
Some College	0.2862		0.3943		0.3633	
College Graduate	0.4604		0.4615		0.1582	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3577		0.3702		0.5945	
Part-Time	0.2316		0.2708		0.1454	
Unemployed	0.8369		0.6359		0.5409	
Other <sup>1</sup>	0.0732		0.8516		0.5585	

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.56C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	407	448	54	69	32	55
<b>GENDER</b>						
Male	360	355	46	52	28	38
Female	211	253	29	46	16	40
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	392	430	52	66	32	51
White	375	399	47	49	27	32
Black or African American	88	113	*	12	*	7
American Indian or Alaska Native	21	44	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	65	56	22	*	18	*
Two or More Races	39	41	4	2	*	*
Hispanic or Latino	101	112	14	21	*	20
<b>EDUCATION</b>						
< High School	138	156	12	24	*	9
High School Graduate	194	214	25	48	15	47
Some College	213	240	28	18	19	12
College Graduate	250	243	35	39	21	24
<b>CURRENT EMPLOYMENT</b>						
Full-Time	340	340	42	49	23	37
Part-Time	130	133	14	15	11	9
Unemployed	77	114	13	*	3	*
Other <sup>1</sup>	155	185	26	25	19	6

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.56D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.22	0.24	0.03	0.04	0.02	0.03
<b>GENDER</b>						
Male	0.42	0.41	0.05	0.06	0.03	0.04
Female	0.22	0.26	0.03	0.05	0.02	0.04
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.24	0.27	0.03	0.04	0.02	0.03
White	0.29	0.30	0.04	0.04	0.02	0.02
Black or African American	0.45	0.57	*	0.06	*	0.03
American Indian or Alaska Native	2.33	4.54	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.88	0.75	0.30	*	0.25	*
Two or More Races	2.13	2.33	0.22	0.11	*	*
Hispanic or Latino	0.50	0.53	0.07	0.10	*	0.10
<b>EDUCATION</b>						
< High School	0.45	0.52	0.04	0.08	*	0.03
High School Graduate	0.35	0.38	0.04	0.08	0.03	0.08
Some College	0.50	0.54	0.07	0.04	0.05	0.03
College Graduate	0.49	0.47	0.07	0.07	0.04	0.05
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.33	0.33	0.04	0.05	0.02	0.04
Part-Time	0.64	0.68	0.07	0.08	0.05	0.04
Unemployed	1.42	2.38	0.25	*	0.05	*
Other <sup>1</sup>	0.29	0.34	0.05	0.05	0.04	0.01

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.56P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.6570		0.1997		0.3248	
<b>GENDER</b>						
Male	0.3434		0.2798		0.4595	
Female	0.5433		0.4878		0.5174	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5563		0.2692		0.5975	
White	0.4933		0.3999		0.7752	
Black or African American	0.9623		*		*	
American Indian or Alaska Native	0.1307		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1840		*		*	
Two or More Races	0.4530		0.4140		*	
Hispanic or Latino	0.5247		0.4212		*	
<b>EDUCATION</b>						
< High School	0.5313		0.0563		*	
High School Graduate	0.9333		0.1953		0.1206	
Some College	0.2857		0.3331		0.2804	
College Graduate	0.6615		0.6409		0.9968	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3574		0.4683		0.2773	
Part-Time	0.2936		0.2538		0.9679	
Unemployed	0.1560		*		*	
Other <sup>1</sup>	0.3030		0.5788		0.2582	

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.57C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	435	471	66	78	37	58
<b>GENDER</b>						
Male	376	370	56	63	33	42
Female	223	260	35	51	18	41
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	416	450	63	70	36	54
White	395	413	59	59	30	35
Black or African American	90	115	7	14	3	8
American Indian or Alaska Native	22	45	2	*	1	0
Native Hawaiian or Other Pacific Islander	6	*	2	0	1	0
Asian	69	58	23	41	18	40
Two or More Races	38	45	6	4	4	3
Hispanic or Latino	114	120	23	30	11	22
<b>EDUCATION</b>						
< High School	150	166	24	29	9	12
High School Graduate	207	226	34	51	19	48
Some College	225	246	37	31	23	15
College Graduate	251	248	36	43	22	27
<b>CURRENT EMPLOYMENT</b>						
Full-Time	354	349	50	55	27	39
Part-Time	140	144	24	26	14	15
Unemployed	82	117	18	42	5	40
Other <sup>1</sup>	162	191	32	31	21	10

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.57D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.20	0.22	0.03	0.04	0.02	0.03
<b>GENDER</b>						
Male	0.37	0.36	0.06	0.06	0.03	0.04
Female	0.20	0.23	0.03	0.05	0.02	0.04
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.22	0.24	0.03	0.04	0.02	0.03
White	0.26	0.27	0.04	0.04	0.02	0.02
Black or African American	0.38	0.48	0.03	0.06	0.01	0.03
American Indian or Alaska Native	2.03	3.97	0.16	*	0.05	0.03
Native Hawaiian or Other Pacific Islander	1.54	*	0.43	0.09	0.28	0.05
Asian	0.79	0.64	0.26	0.46	0.21	0.45
Two or More Races	1.76	2.10	0.26	0.19	0.16	0.12
Hispanic or Latino	0.44	0.45	0.09	0.11	0.04	0.08
<b>EDUCATION</b>						
< High School	0.40	0.45	0.06	0.08	0.02	0.03
High School Graduate	0.31	0.33	0.05	0.07	0.03	0.07
Some College	0.43	0.45	0.07	0.06	0.04	0.03
College Graduate	0.46	0.44	0.06	0.08	0.04	0.05
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.30	0.29	0.04	0.05	0.02	0.03
Part-Time	0.49	0.52	0.08	0.10	0.05	0.05
Unemployed	1.02	1.58	0.23	0.57	0.06	0.54
Other <sup>1</sup>	0.28	0.31	0.05	0.05	0.04	0.02

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 1.57P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.3848		0.2558		0.3021	
<b>GENDER</b>						
Male	0.2874		0.2371		0.3230	
Female	0.9841		0.8069		0.6706	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3894		0.4079		0.4754	
White	0.3932		0.5702		0.6410	
Black or African American	0.9387		0.1521		0.1280	
American Indian or Alaska Native	0.0799		*		0.7155	
Native Hawaiian or Other Pacific Islander	*		0.2722		0.4281	
Asian	0.0613		0.9447		0.7393	
Two or More Races	0.4755		0.3675		0.7358	
Hispanic or Latino	0.9719		0.3055		0.2919	
<b>EDUCATION</b>						
< High School	0.8582		0.6551		0.3599	
High School Graduate	0.6879		0.2763		0.1188	
Some College	0.1984		0.9281		0.1559	
College Graduate	0.7525		0.4974		0.6566	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.2868		0.7855		0.4164	
Part-Time	0.1806		0.0901		0.2810	
Unemployed	0.1808		0.3957		0.2804	
Other <sup>1</sup>	0.5956		0.7744		0.1964	

\*Low precision; no estimate reported.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.