

Table 2.88A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	88,096	87,409	25,386	25,974	12,837	13,727
GEOGRAPHIC DIVISION						
Northeast	15,595	15,421	4,499	4,528	2,362	2,294
New England	4,712	4,415	1,317	1,263	550 ^a	740
Middle Atlantic	10,883	11,006	3,182	3,265	1,812	1,554
Midwest	22,112	21,939	6,761	6,823	3,099 ^b	3,758
East North Central	15,200	15,012	4,698	4,741	2,247 ^a	2,652
West North Central	6,912	6,927	2,063	2,081	852 ^b	1,105
South	30,554	30,055	9,150	9,127	4,887	5,058
South Atlantic	16,361	15,875	4,722	4,748	2,486	2,661
East South Central	4,866	5,104	1,518	1,527	771	899
West South Central	9,327	9,077	2,910	2,852	1,631	1,498
West	19,835	19,994	4,976	5,497	2,490	2,618
Mountain	6,087	6,290	1,562 ^a	1,865	721	906
Pacific	13,748	13,704	3,414	3,631	1,769	1,712
COUNTY TYPE						
Large Metro	45,981	45,315	13,730	13,786	7,042	7,255
Small Metro	27,287	26,930	7,856	8,084	3,935	4,293
250K – 1 Mil. Pop.	17,850	17,116	5,244	5,205	2,661	2,678
< 250K Pop.	9,438	9,814	2,612	2,879	1,275 ^a	1,615
Nonmetro	14,828	15,165	3,800	4,104	1,860 ^a	2,180
Urbanized	6,887	6,371	1,761	1,793	864	944
Less Urbanized	6,565	7,384	1,706 ^a	2,057	850 ^a	1,099
Completely Rural	1,375	1,410	332	254	146	137

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.88B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	37.1	36.3	10.7	10.8	5.4	5.7
GEOGRAPHIC DIVISION						
Northeast	34.4	33.9	9.9	10.0	5.2	5.0
New England	39.6	37.0	11.1	10.6	4.6 ^a	6.2
Middle Atlantic	32.6	32.8	9.5	9.7	5.4	4.6
Midwest	41.1	40.5	12.6	12.6	5.8 ^b	6.9
East North Central	40.4	39.6	12.5	12.5	6.0 ^a	7.0
West North Central	42.9	42.6	12.8	12.8	5.3 ^b	6.8
South	36.0	34.9	10.8	10.6	5.8	5.9
South Atlantic	36.8	35.1	10.6	10.5	5.6	5.9
East South Central	34.2	35.5	10.7	10.6	5.4	6.2
West South Central	35.7	34.2	11.1	10.7	6.2	5.6
West	36.8	36.6	9.2	10.1	4.6	4.8
Mountain	39.0	39.3	10.0 ^a	11.7	4.6	5.7
Pacific	36.0	35.4	8.9	9.4	4.6	4.4
COUNTY TYPE						
Large Metro	36.5	35.3	10.9	10.7	5.6	5.7
Small Metro	38.2	37.6	11.0	11.3	5.5	6.0
250K – 1 Mil. Pop.	38.0	36.3	11.2	11.0	5.7	5.7
< 250K Pop.	38.6	40.1	10.7	11.8	5.2 ^a	6.6
Nonmetro	36.9	37.4	9.5	10.1	4.6 ^a	5.4
Urbanized	38.6	38.2	9.9	10.7	4.8	5.7
Less Urbanized	36.0	36.4	9.4	10.1	4.7	5.4
Completely Rural	33.6	39.5	8.1	7.1	3.6	3.8

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.89A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	3,776	3,743	2,487	2,568	1,115	1,201
GEOGRAPHIC DIVISION						
Northeast	590	633	400	472	164	215
New England	168	188	115	140	45	58
Middle Atlantic	423	445	285	332	119	157
Midwest	904	947	635	662	296	313
East North Central	620	630	446	436	207	211
West North Central	284	317	189	226	89	102
South	1,464	1,313	941	868	425	402
South Atlantic	711	662	452	431	200	190
East South Central	246	235	171	155	79	74
West South Central	507	415	319	283	146	138
West	818	851	511	566	230	271
Mountain	281	298	175	205	67 ^a	95
Pacific	537	554	336	361	163	176
COUNTY TYPE						
Large Metro	1,748	1,779	1,158	1,253	518	563
Small Metro	1,292	1,199	891	811	392	392
250K – 1 Mil. Pop.	841	788	572	528	241	248
< 250K Pop.	451	411	319	283	151	144
Nonmetro	736	766	438	503	205	246
Urbanized	322	297	205	198	94	101
Less Urbanized	344	406	190 ^a	269	90 ^a	132
Completely Rural	71	63	42	37	20	14

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.89B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	15.1	14.8	10.0	10.2	4.5	4.8
GEOGRAPHIC DIVISION						
Northeast	13.1	13.9	8.9	10.4	3.6 ^a	4.7
New England	14.3	16.0	9.8	12.0	3.8	4.9
Middle Atlantic	12.7	13.2	8.6	9.9	3.6	4.7
Midwest	15.9	16.7	11.2	11.7	5.2	5.5
East North Central	15.5	15.7	11.2	10.9	5.2	5.3
West North Central	16.7	19.0	11.1	13.5	5.2	6.1
South	16.4 ^a	14.6	10.5	9.6	4.8	4.5
South Atlantic	15.8	14.5	10.0	9.4	4.5	4.2
East South Central	16.9	16.2	11.8	10.7	5.4	5.1
West South Central	17.1 ^a	14.0	10.7	9.5	4.9	4.6
West	13.9	14.2	8.7	9.4	3.9	4.5
Mountain	16.2	17.1	10.1	11.7	3.9 ^a	5.5
Pacific	12.9	13.0	8.1	8.5	3.9	4.1
COUNTY TYPE						
Large Metro	13.1	13.3	8.7	9.4	3.9	4.2
Small Metro	17.5 ^a	15.7	12.0 ^a	10.6	5.3	5.1
250K – 1 Mil. Pop.	16.9	15.4	11.5	10.4	4.8	4.9
< 250K Pop.	18.6	16.2	13.2	11.1	6.2	5.7
Nonmetro	17.2	18.1	10.2	11.9	4.8	5.8
Urbanized	17.3	17.5	11.1	11.7	5.1	5.9
Less Urbanized	17.3	18.9	9.6 ^a	12.5	4.5	6.1
Completely Rural	16.0	16.6	9.6	9.7	4.6	3.7

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.90A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	14,327	14,213	7,196 ^a	7,724	3,623 ^b	4,103
GEOGRAPHIC DIVISION						
Northeast	2,484	2,444	1,271	1,371	616	675
New England	761	712	376	400	169	208
Middle Atlantic	1,724	1,732	895	970	447	467
Midwest	3,737	3,831	1,928	2,029	914 ^a	1,079
East North Central	2,525	2,533	1,320	1,377	637	734
West North Central	1,212	1,298	608	652	278	345
South	4,866	4,760	2,569	2,683	1,410	1,506
South Atlantic	2,410	2,382	1,249	1,338	647	736
East South Central	835	891	443	514	294	293
West South Central	1,621	1,486	877	832	469	477
West	3,240	3,177	1,428 ^a	1,641	682 ^a	842
Mountain	1,033	1,080	447 ^b	603	215 ^b	329
Pacific	2,207	2,097	981	1,038	467	513
COUNTY TYPE						
Large Metro	7,124	7,000	3,585	3,753	1,763 ^b	2,034
Small Metro	4,842	4,918	2,435 ^a	2,733	1,248 ^a	1,431
250K – 1 Mil. Pop.	3,099	3,136	1,568	1,722	806	858
< 250K Pop.	1,743	1,782	867 ^a	1,011	442 ^b	574
Nonmetro	2,361	2,295	1,176	1,238	612	638
Urbanized	1,177	1,091	585	582	319	311
Less Urbanized	1,007	1,048	505	588	249	289
Completely Rural	178	156	86	68	43	38

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.90B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	45.2	44.1	22.7 ^a	24.0	11.4 ^b	12.7
GEOGRAPHIC DIVISION						
Northeast	44.1	43.0	22.6	24.1	10.9	11.9
New England	51.8	47.9	25.6	26.9	11.5 ^a	14.0
Middle Atlantic	41.4	41.3	21.5	23.1	10.7	11.1
Midwest	50.8	51.5	26.2	27.3	12.4 ^b	14.5
East North Central	49.7	49.4	26.0	26.9	12.5	14.3
West North Central	53.3	56.1	26.7	28.2	12.2 ^a	14.9
South	43.0	41.3	22.7	23.3	12.4	13.1
South Atlantic	43.2	41.8	22.4	23.5	11.6	12.9
East South Central	43.2	45.7	22.9	26.3	15.2	15.0
West South Central	42.6 ^a	38.3	23.0	21.4	12.3	12.3
West	43.7	42.2	19.3 ^a	21.8	9.2 ^a	11.2
Mountain	46.2	47.2	20.0 ^b	26.4	9.6 ^b	14.4
Pacific	42.6	40.0	19.0	19.8	9.0	9.8
COUNTY TYPE						
Large Metro	42.9	42.0	21.6	22.5	10.6 ^b	12.2
Small Metro	47.4	46.4	23.9 ^a	25.8	12.2	13.5
250K – 1 Mil. Pop.	46.6	45.5	23.6	25.0	12.1	12.5
< 250K Pop.	49.0	48.0	24.4 ^a	27.2	12.4 ^b	15.4
Nonmetro	48.0	46.5	23.9	25.1	12.4	12.9
Urbanized	49.8	47.4	24.8	25.3	13.5	13.5
Less Urbanized	45.9	45.3	23.0	25.4	11.4	12.5
Completely Rural	48.9	48.2	23.7	20.8	11.9	11.7

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.91A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	69,992	69,453	15,702	15,681	8,099	8,423
GEOGRAPHIC DIVISION						
Northeast	12,521	12,344	2,828	2,685	1,582	1,404
New England	3,783	3,515	826	722	336	474
Middle Atlantic	8,737	8,829	2,002	1,963	1,246 ^a	929
Midwest	17,471	17,160	4,198	4,132	1,889 ^a	2,365
East North Central	12,055	11,849	2,932	2,928	1,404	1,707
West North Central	5,416	5,311	1,265	1,204	485	658
South	24,224	23,983	5,639	5,575	3,052	3,149
South Atlantic	13,241	12,830	3,021	2,978	1,638	1,735
East South Central	3,785	3,978	904	859	398	532
West South Central	7,198	7,175	1,714	1,738	1,016	883
West	15,777	15,966	3,037	3,290	1,577	1,505
Mountain	4,773	4,912	940	1,057	439	481
Pacific	11,004	11,053	2,097	2,233	1,138	1,023
COUNTY TYPE						
Large Metro	37,109	36,536	8,987	8,779	4,760	4,658
Small Metro	21,153	20,813	4,529	4,540	2,296	2,469
250K – 1 Mil. Pop.	13,909	13,192	3,104	2,955	1,614	1,572
< 250K Pop.	7,244	7,621	1,426	1,585	682	897
Nonmetro	11,730	12,104	2,186	2,362	1,043	1,296
Urbanized	5,389	4,983	971	1,012	450	533
Less Urbanized	5,214	5,930	1,012	1,200	511	678
Completely Rural	1,127	1,191	203	149	82	85

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.91B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	38.7	37.9	8.7	8.6	4.5	4.6
GEOGRAPHIC DIVISION						
Northeast	35.6	35.0	8.0	7.6	4.5	4.0
New England	40.9	37.9	8.9	7.8	3.6	5.1
Middle Atlantic	33.7	34.0	7.7	7.6	4.8 ^a	3.6
Midwest	42.9	41.8	10.3	10.1	4.6 ^a	5.8
East North Central	42.2	41.1	10.3	10.2	4.9	5.9
West North Central	44.7	43.2	10.4	9.8	4.0	5.4
South	37.5	36.6	8.7	8.5	4.7	4.8
South Atlantic	38.6	36.8	8.8	8.5	4.8	5.0
East South Central	35.0	36.2	8.3	7.8	3.7	4.8
West South Central	37.2	36.4	8.9	8.8	5.2	4.5
West	38.9	38.8	7.5	8.0	3.9	3.7
Mountain	41.0	41.1	8.1	8.8	3.8	4.0
Pacific	38.1	37.9	7.3	7.7	3.9	3.5
COUNTY TYPE						
Large Metro	38.6	37.2	9.3	8.9	4.9	4.7
Small Metro	39.3	39.0	8.4	8.5	4.3	4.6
250K – 1 Mil. Pop.	39.4	37.5	8.8	8.4	4.6	4.5
< 250K Pop.	39.2	41.8	7.7	8.7	3.7	4.9
Nonmetro	37.9	38.6	7.1	7.5	3.4	4.1
Urbanized	39.5	39.3	7.1	8.0	3.3	4.2
Less Urbanized	37.1	37.5	7.2	7.6	3.6	4.3
Completely Rural	34.2	41.6	6.2	5.2	2.5	3.0

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.92A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	84,320	83,666	22,898	23,405	11,722	12,526
GEOGRAPHIC DIVISION						
Northeast	15,005	14,788	4,099	4,056	2,198	2,079
New England	4,544	4,227	1,202	1,123	505 ^a	682
Middle Atlantic	10,461	10,561	2,897	2,933	1,693 ^a	1,397
Midwest	21,208	20,992	6,126	6,160	2,803 ^b	3,445
East North Central	14,580	14,382	4,252	4,305	2,040 ^a	2,441
West North Central	6,628	6,610	1,874	1,856	763 ^a	1,004
South	29,090	28,743	8,208	8,258	4,462	4,656
South Atlantic	15,651	15,212	4,271	4,317	2,285	2,471
East South Central	4,620	4,869	1,347	1,373	692	825
West South Central	8,820	8,661	2,591	2,569	1,485	1,360
West	19,017	19,143	4,465	4,931	2,260	2,347
Mountain	5,806	5,993	1,387 ^a	1,660	654	811
Pacific	13,211	13,151	3,079	3,271	1,606	1,536
COUNTY TYPE						
Large Metro	44,232	43,536	12,572	12,532	6,524	6,692
Small Metro	25,996	25,731	6,965	7,273	3,543	3,901
250K – 1 Mil. Pop.	17,009	16,328	4,672	4,677	2,420	2,430
< 250K Pop.	8,987	9,403	2,293	2,596	1,124 ^a	1,471
Nonmetro	14,091	14,399	3,362	3,600	1,655	1,934
Urbanized	6,565	6,073	1,556	1,595	770	843
Less Urbanized	6,221	6,978	1,516	1,788	760	968
Completely Rural	1,305	1,347	290	217	126	123

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 2.92B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
TOTAL	39.6	38.9	10.8	10.9	5.5	5.8
GEOGRAPHIC DIVISION						
Northeast	36.8	36.1	10.0	9.9	5.4	5.1
New England	42.4	39.2	11.2	10.4	4.7	6.3
Middle Atlantic	34.7	35.0	9.6	9.7	5.6 ^a	4.6
Midwest	44.1	43.3	12.7	12.7	5.8 ^b	7.1
East North Central	43.3	42.4	12.6	12.7	6.1 ^a	7.2
West North Central	46.0	45.3	13.0	12.7	5.3 ^a	6.9
South	38.4	37.3	10.8	10.7	5.9	6.0
South Atlantic	39.2	37.5	10.7	10.6	5.7	6.1
East South Central	36.2	37.6	10.6	10.6	5.4	6.4
West South Central	38.1	36.7	11.2	10.9	6.4	5.8
West	39.7	39.3	9.3	10.1	4.7	4.8
Mountain	41.8	42.1	10.0	11.7	4.7	5.7
Pacific	38.8	38.2	9.0	9.5	4.7	4.5
COUNTY TYPE						
Large Metro	39.2	37.9	11.1	10.9	5.8	5.8
Small Metro	40.6	40.2	10.9	11.4	5.5	6.1
250K – 1 Mil. Pop.	40.5	38.8	11.1	11.1	5.8	5.8
< 250K Pop.	40.8	42.9	10.4	11.8	5.1 ^b	6.7
Nonmetro	39.3	39.6	9.4	9.9	4.6	5.3
Urbanized	41.0	40.5	9.7	10.6	4.8	5.6
Less Urbanized	38.3	38.5	9.3	9.9	4.7	5.3
Completely Rural	35.7	42.2	7.9	6.8	3.4	3.9

*Low precision; no estimate reported.

^a Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.