

**Table 2.77C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	825	824	819	788	789	768
<b>GEOGRAPHIC DIVISION</b>						
Northeast	341	335	293	330	301	318
New England	154	187	154	154	164	158
Middle Atlantic	305	277	248	291	251	276
Midwest	321	282	317	302	306	294
East North Central	260	238	265	252	250	253
West North Central	188	152	175	167	176	150
South	495	523	566	524	562	505
South Atlantic	373	418	398	438	408	413
East South Central	186	196	271	181	252	182
West South Central	265	243	301	223	295	225
West	468	466	401	371	349	373
Mountain	182	186	143	157	139	149
Pacific	432	430	365	333	311	340
<b>COUNTY TYPE</b>						
Large Metro	654	646	594	576	565	564
Small Metro	410	418	479	426	464	408
250K – 1 Mil. Pop.	335	329	406	350	389	327
< 250K Pop.	247	280	257	247	246	245
Nonmetro	286	290	292	327	285	315
Urbanized	189	207	210	204	197	196
Less Urbanized	187	197	189	236	188	229
Completely Rural	97	84	77	71	73	65

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.77D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.35	0.34	0.34	0.33	0.33	0.32
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.75	0.74	0.65	0.73	0.66	0.70
New England	1.29	1.57	1.30	1.29	1.38	1.32
Middle Atlantic	0.91	0.82	0.74	0.87	0.75	0.82
Midwest	0.60	0.52	0.59	0.56	0.57	0.54
East North Central	0.69	0.63	0.70	0.66	0.66	0.67
West North Central	1.17	0.93	1.09	1.03	1.09	0.92
South	0.58	0.61	0.67	0.61	0.66	0.59
South Atlantic	0.84	0.92	0.90	0.97	0.92	0.91
East South Central	1.31	1.36	1.90	1.26	1.77	1.26
West South Central	1.02	0.92	1.15	0.84	1.13	0.85
West	0.87	0.85	0.75	0.68	0.65	0.68
Mountain	1.16	1.16	0.92	0.98	0.89	0.93
Pacific	1.13	1.11	0.95	0.86	0.81	0.88
<b>COUNTY TYPE</b>						
Large Metro	0.52	0.50	0.47	0.45	0.45	0.44
Small Metro	0.57	0.58	0.67	0.59	0.65	0.57
250K – 1 Mil. Pop.	0.71	0.70	0.86	0.74	0.83	0.69
< 250K Pop.	1.01	1.15	1.05	1.01	1.00	1.00
Nonmetro	0.71	0.71	0.73	0.81	0.71	0.78
Urbanized	1.06	1.24	1.17	1.22	1.10	1.17
Less Urbanized	1.02	0.97	1.04	1.16	1.03	1.13
Completely Rural	2.37	2.35	1.87	2.00	1.79	1.82

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.77P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0035		0.4688		0.2217	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1149		0.6257		0.3968	
New England	0.7974		0.5400		0.7469	
Middle Atlantic	0.1077		0.7802		0.4328	
Midwest	0.3902		0.5525		0.9198	
East North Central	0.4511		0.9161		0.7188	
West North Central	0.6738		0.2431		0.7367	
South	0.1613		0.5368		0.9634	
South Atlantic	0.3605		0.0512		0.1951	
East South Central	0.4538		0.3358		0.5452	
West South Central	0.4262		0.3672		0.1275	
West	0.0545		0.1485		0.0336	
Mountain	0.6218		0.0149		0.0004	
Pacific	0.0549		0.5414		0.3269	
<b>COUNTY TYPE</b>						
Large Metro	0.0103		0.8550		0.3557	
Small Metro	0.2127		0.1547		0.3312	
250K – 1 Mil. Pop.	0.0042		0.0875		0.1549	
< 250K Pop.	0.1129		0.9663		0.6697	
Nonmetro	0.5077		0.9704		0.9351	
Urbanized	0.1391		0.7800		0.8451	
Less Urbanized	0.4585		0.6130		0.3624	
Completely Rural	0.7460		0.0317		0.0248	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.78C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	111	105	90	89	73	76
<b>GEOGRAPHIC DIVISION</b>						
Northeast	44	39	38	37	31	32
New England	24	20	18	19	16	17
Middle Atlantic	38	34	33	32	27	27
Midwest	43	42	39	36	35	29
East North Central	34	33	29	29	27	22
West North Central	27	25	26	23	21	20
South	69	64	55	56	45	49
South Atlantic	47	49	39	43	34	39
East South Central	26	21	22	17	19	16
West South Central	43	35	32	31	24	24
West	62	61	47	46	33	39
Mountain	29	25	22	21	18	17
Pacific	55	56	41	41	27	35
<b>COUNTY TYPE</b>						
Large Metro	81	76	66	63	54	52
Small Metro	56	56	46	47	36	42
250K – 1 Mil. Pop.	49	45	39	38	30	34
< 250K Pop.	31	33	26	27	21	23
Nonmetro	44	46	37	38	30	34
Urbanized	28	23	22	20	20	18
Less Urbanized	29	35	26	30	20	25
Completely Rural	13	15	11	10	9	8

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.78D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.45	0.42	0.36	0.35	0.29	0.30
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.99	0.86	0.84	0.82	0.70	0.70
New England	2.02	1.68	1.50	1.59	1.33	1.41
Middle Atlantic	1.13	1.01	1.00	0.95	0.82	0.80
Midwest	0.76	0.73	0.69	0.64	0.61	0.52
East North Central	0.84	0.82	0.74	0.72	0.68	0.55
West North Central	1.57	1.51	1.52	1.35	1.24	1.17
South	0.77	0.71	0.61	0.62	0.51	0.54
South Atlantic	1.05	1.07	0.87	0.93	0.75	0.85
East South Central	1.76	1.43	1.53	1.20	1.31	1.11
West South Central	1.45	1.16	1.07	1.05	0.79	0.82
West	1.05	1.02	0.80	0.77	0.57	0.64
Mountain	1.66	1.42	1.29	1.23	1.07	1.00
Pacific	1.31	1.31	0.99	0.96	0.66	0.81
<b>COUNTY TYPE</b>						
Large Metro	0.61	0.57	0.50	0.47	0.40	0.39
Small Metro	0.76	0.74	0.62	0.61	0.49	0.55
250K – 1 Mil. Pop.	0.99	0.88	0.78	0.74	0.61	0.66
< 250K Pop.	1.29	1.31	1.07	1.06	0.88	0.92
Nonmetro	1.03	1.09	0.86	0.91	0.70	0.80
Urbanized	1.50	1.35	1.21	1.18	1.06	1.08
Less Urbanized	1.45	1.63	1.29	1.38	1.01	1.17
Completely Rural	2.97	3.93	2.47	2.67	1.95	2.04

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.78P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0039		0.2989		0.4951	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1458		0.9355		0.6992	
New England	0.7274		0.5060		0.8399	
Middle Atlantic	0.1409		0.7631		0.5554	
Midwest	0.1458		0.2969		0.1652	
East North Central	0.1474		0.5917		0.2813	
West North Central	0.6759		0.3166		0.3876	
South	0.0195		0.2611		0.4817	
South Atlantic	0.3533		0.9236		0.7327	
East South Central	0.7844		0.8947		0.7014	
West South Central	0.0058		0.0193		0.0335	
West	0.5546		0.9230		0.2857	
Mountain	0.0695		0.1818		0.4450	
Pacific	0.8849		0.4231		0.0962	
<b>COUNTY TYPE</b>						
Large Metro	0.1882		0.7583		0.6680	
Small Metro	0.0159		0.8001		0.8754	
250K – 1 Mil. Pop.	0.0734		0.5301		0.5520	
< 250K Pop.	0.0954		0.1779		0.2448	
Nonmetro	0.0812		0.0907		0.4722	
Urbanized	0.0835		0.3503		0.3501	
Less Urbanized	0.1680		0.1549		0.9486	
Completely Rural	0.7455		0.4731		0.4120	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.79C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	152	153	147	166	151	159
<b>GEOGRAPHIC DIVISION</b>						
Northeast	54	56	53	71	57	69
New England	28	26	22	29	22	24
Middle Atlantic	47	50	48	65	52	65
Midwest	65	59	67	69	66	68
East North Central	54	47	59	55	57	58
West North Central	36	35	33	42	33	35
South	96	98	92	102	94	97
South Atlantic	76	63	63	70	63	69
East South Central	35	40	41	42	45	37
West South Central	46	64	51	61	53	58
West	84	83	76	83	77	76
Mountain	34	36	39	37	34	33
Pacific	77	75	65	74	70	68
<b>COUNTY TYPE</b>						
Large Metro	116	116	114	118	116	111
Small Metro	86	81	77	94	79	94
250K – 1 Mil. Pop.	73	65	61	80	61	78
< 250K Pop.	45	55	48	55	50	53
Nonmetro	49	48	52	59	55	58
Urbanized	31	37	36	40	37	40
Less Urbanized	34	28	36	38	38	36
Completely Rural	11	9	13	15	14	15

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.79D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.48	0.48	0.46	0.52	0.47	0.49
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.96	0.99	0.95	1.25	1.01	1.22
New England	1.92	1.76	1.51	1.93	1.47	1.61
Middle Atlantic	1.12	1.19	1.16	1.54	1.26	1.54
Midwest	0.89	0.80	0.92	0.93	0.89	0.91
East North Central	1.07	0.92	1.15	1.07	1.12	1.13
West North Central	1.59	1.53	1.47	1.79	1.45	1.51
South	0.85	0.85	0.81	0.88	0.83	0.84
South Atlantic	1.36	1.11	1.12	1.23	1.13	1.22
East South Central	1.79	2.03	2.12	2.14	2.30	1.88
West South Central	1.21	1.64	1.34	1.58	1.38	1.48
West	1.13	1.11	1.02	1.10	1.05	1.01
Mountain	1.52	1.55	1.73	1.60	1.50	1.43
Pacific	1.49	1.44	1.26	1.41	1.35	1.29
<b>COUNTY TYPE</b>						
Large Metro	0.70	0.70	0.69	0.71	0.70	0.67
Small Metro	0.85	0.77	0.76	0.88	0.78	0.88
250K – 1 Mil. Pop.	1.10	0.94	0.92	1.15	0.92	1.13
< 250K Pop.	1.28	1.49	1.34	1.47	1.42	1.44
Nonmetro	1.00	0.97	1.06	1.20	1.12	1.18
Urbanized	1.32	1.60	1.54	1.72	1.57	1.73
Less Urbanized	1.53	1.19	1.63	1.63	1.75	1.56
Completely Rural	3.01	2.71	3.51	4.73	3.72	4.54

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 2.79P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0351		0.8453		0.3224	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8402		0.7049		0.3067	
New England	0.5496		0.3103		0.0865	
Middle Atlantic	0.9427		0.9645		0.7181	
Midwest	0.7646		0.3634		0.3136	
East North Central	0.8054		0.3144		0.2488	
West North Central	0.8598		0.9367		0.9830	
South	0.1098		0.4992		0.0688	
South Atlantic	0.7866		0.3706		1.0000	
East South Central	0.7927		0.9802		0.7015	
West South Central	0.0027		0.0098		0.0017	
West	0.1046		0.5107		0.1480	
Mountain	0.9796		0.7530		0.8651	
Pacific	0.0726		0.3337		0.0838	
<b>COUNTY TYPE</b>						
Large Metro	0.2570		0.9137		0.3210	
Small Metro	0.0768		0.5307		0.3744	
250K – 1 Mil. Pop.	0.0085		0.3270		0.2253	
< 250K Pop.	0.6029		0.7695		0.8898	
Nonmetro	0.2761		0.8571		0.5039	
Urbanized	0.2257		0.4939		0.2332	
Less Urbanized	0.7342		0.5182		0.9085	
Completely Rural	0.9349		0.4569		0.9769	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.80C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	773	783	764	733	738	718
<b>GEOGRAPHIC DIVISION</b>						
Northeast	334	320	274	309	283	302
New England	147	181	143	134	157	145
Middle Atlantic	301	261	232	278	235	264
Midwest	287	269	290	281	286	274
East North Central	232	221	236	241	229	242
West North Central	168	153	168	143	170	128
South	466	490	525	499	522	483
South Atlantic	341	387	386	421	391	403
East South Central	186	190	236	174	216	177
West South Central	254	231	270	203	271	195
West	433	449	382	328	329	336
Mountain	154	181	140	140	139	135
Pacific	405	413	346	294	289	307
<b>COUNTY TYPE</b>						
Large Metro	612	620	567	547	535	539
Small Metro	379	387	440	391	433	387
250K – 1 Mil. Pop.	312	307	376	313	366	306
< 250K Pop.	225	241	235	232	230	232
Nonmetro	273	280	281	300	274	293
Urbanized	182	194	202	185	191	181
Less Urbanized	178	195	173	219	171	214
Completely Rural	96	81	76	65	73	61

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.80D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.43	0.43	0.42	0.40	0.41	0.39
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.95	0.91	0.78	0.88	0.81	0.85
New England	1.59	1.95	1.54	1.45	1.69	1.56
Middle Atlantic	1.16	1.01	0.90	1.07	0.91	1.01
Midwest	0.70	0.65	0.71	0.68	0.70	0.67
East North Central	0.81	0.77	0.83	0.84	0.80	0.84
West North Central	1.39	1.25	1.39	1.17	1.40	1.04
South	0.72	0.75	0.81	0.76	0.81	0.74
South Atlantic	0.99	1.11	1.12	1.21	1.14	1.16
East South Central	1.72	1.73	2.18	1.58	1.99	1.61
West South Central	1.31	1.17	1.40	1.03	1.40	0.99
West	1.07	1.09	0.94	0.80	0.81	0.82
Mountain	1.32	1.51	1.20	1.17	1.20	1.13
Pacific	1.40	1.42	1.20	1.01	1.00	1.05
<b>COUNTY TYPE</b>						
Large Metro	0.64	0.63	0.59	0.56	0.56	0.55
Small Metro	0.70	0.73	0.82	0.73	0.81	0.73
250K – 1 Mil. Pop.	0.88	0.87	1.07	0.89	1.04	0.87
< 250K Pop.	1.22	1.33	1.27	1.27	1.24	1.27
Nonmetro	0.88	0.89	0.91	0.95	0.88	0.93
Urbanized	1.33	1.53	1.48	1.46	1.40	1.42
Less Urbanized	1.26	1.23	1.23	1.38	1.21	1.35
Completely Rural	2.93	2.83	2.32	2.26	2.21	2.11

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.80P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0258		0.5329		0.3049	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1652		0.5281		0.2644	
New England	0.9302		0.2177		0.3578	
Middle Atlantic	0.1381		0.8059		0.3988	
Midwest	0.4729		0.4396		0.9808	
East North Central	0.5586		0.9084		0.8625	
West North Central	0.6767		0.2561		0.7804	
South	0.4091		0.3705		0.6481	
South Atlantic	0.3867		0.0702		0.1933	
East South Central	0.4900		0.2827		0.5354	
West South Central	0.7840		0.9399		0.4947	
West	0.1125		0.1486		0.0382	
Mountain	0.7272		0.0069		0.0002	
Pacific	0.1087		0.5776		0.4108	
<b>COUNTY TYPE</b>						
Large Metro	0.0167		0.8049		0.4923	
Small Metro	0.6906		0.1407		0.3889	
250K – 1 Mil. Pop.	0.0399		0.0770		0.1824	
< 250K Pop.	0.0426		0.9515		0.6188	
Nonmetro	0.7631		0.8270		0.9861	
Urbanized	0.2419		0.8743		0.6453	
Less Urbanized	0.3344		0.3416		0.2857	
Completely Rural	0.6740		0.0239		0.0310	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.81C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	799	812	802	784	774	765
<b>GEOGRAPHIC DIVISION</b>						
Northeast	340	327	289	329	293	317
New England	152	180	150	152	162	155
Middle Atlantic	305	271	246	291	243	276
Midwest	304	278	315	300	302	292
East North Central	247	229	261	248	246	249
West North Central	177	157	177	169	175	151
South	467	511	548	526	545	506
South Atlantic	346	404	393	438	401	415
East South Central	181	196	250	181	232	183
West South Central	254	242	290	225	286	221
West	462	466	394	363	347	370
Mountain	167	197	139	154	135	151
Pacific	430	424	358	326	310	336
<b>COUNTY TYPE</b>						
Large Metro	637	638	580	571	550	565
Small Metro	393	401	468	423	458	409
250K – 1 Mil. Pop.	322	323	398	350	383	330
< 250K Pop.	234	257	249	246	245	244
Nonmetro	281	289	292	325	284	313
Urbanized	185	203	208	203	196	195
Less Urbanized	180	197	186	233	185	226
Completely Rural	98	82	76	71	74	65

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.81D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.38	0.38	0.38	0.36	0.36	0.36
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.83	0.80	0.71	0.80	0.72	0.77
New England	1.42	1.67	1.40	1.41	1.51	1.44
Middle Atlantic	1.01	0.90	0.82	0.96	0.81	0.91
Midwest	0.63	0.57	0.65	0.62	0.63	0.60
East North Central	0.73	0.68	0.78	0.73	0.73	0.73
West North Central	1.23	1.08	1.23	1.15	1.22	1.03
South	0.62	0.66	0.72	0.68	0.72	0.66
South Atlantic	0.87	0.99	0.98	1.08	1.00	1.02
East South Central	1.42	1.52	1.96	1.40	1.82	1.42
West South Central	1.10	1.02	1.25	0.96	1.23	0.93
West	0.96	0.96	0.82	0.75	0.72	0.76
Mountain	1.20	1.39	1.00	1.08	0.97	1.06
Pacific	1.26	1.23	1.05	0.95	0.91	0.98
<b>COUNTY TYPE</b>						
Large Metro	0.56	0.56	0.51	0.50	0.49	0.49
Small Metro	0.61	0.63	0.73	0.66	0.72	0.64
250K – 1 Mil. Pop.	0.77	0.77	0.95	0.83	0.91	0.78
< 250K Pop.	1.06	1.17	1.13	1.12	1.11	1.11
Nonmetro	0.78	0.79	0.81	0.89	0.79	0.86
Urbanized	1.16	1.35	1.30	1.36	1.23	1.30
Less Urbanized	1.11	1.08	1.15	1.29	1.14	1.25
Completely Rural	2.67	2.58	2.09	2.22	2.01	2.04

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.81P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0099		0.5391		0.2428	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1641		0.6220		0.4262	
New England	0.8248		0.4420		0.7138	
Middle Atlantic	0.1556		0.8169		0.4786	
Midwest	0.4499		0.6320		0.8207	
East North Central	0.5463		0.8662		0.6387	
West North Central	0.6470		0.2994		0.7934	
South	0.2617		0.4610		0.9237	
South Atlantic	0.4232		0.0515		0.2040	
East South Central	0.4628		0.3041		0.5062	
West South Central	0.6877		0.5177		0.1743	
West	0.0656		0.1417		0.0268	
Mountain	0.7517		0.0204		0.0007	
Pacific	0.0545		0.4774		0.2561	
<b>COUNTY TYPE</b>						
Large Metro	0.0119		0.8486		0.3539	
Small Metro	0.4284		0.1695		0.3669	
250K – 1 Mil. Pop.	0.0105		0.0783		0.1503	
< 250K Pop.	0.0425		0.8134		0.5586	
Nonmetro	0.6322		0.8226		0.9002	
Urbanized	0.1807		0.7163		0.8987	
Less Urbanized	0.3622		0.4946		0.3656	
Completely Rural	0.6934		0.0407		0.0342	

\*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.82C Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	879	893	736	743	713	750	0.61	0.64
<b>GEOGRAPHIC DIVISION</b>								
Northeast	368	386	277	307	316	345	1.25	1.45
New England	170	226	150	142	150	242	2.45	3.16
Middle Atlantic	327	312	233	273	279	244	1.46	1.55
Midwest	340	328	301	280	285	282	1.04	1.01
East North Central	287	273	250	232	242	236	1.24	1.19
West North Central	183	181	169	157	150	154	1.89	1.90
South	549	548	516	506	425	460	1.12	1.15
South Atlantic	402	411	389	426	323	352	1.62	1.74
East South Central	251	229	208	185	154	165	2.14	2.20
West South Central	286	275	273	197	230	240	2.13	1.85
West	468	475	327	340	381	388	1.39	1.54
Mountain	226	188	144	146	177	155	1.92	1.96
Pacific	405	434	286	306	338	356	1.82	2.09
<b>COUNTY TYPE</b>								
Large Metro	677	695	521	558	514	550	0.84	0.93
Small Metro	486	457	431	392	399	399	1.12	1.11
250K - 1 Mil. Pop.	372	345	364	308	314	305	1.45	1.35
< 250K Pop.	302	308	229	245	242	256	1.74	1.89
Nonmetro	314	340	267	298	290	346	1.29	1.57
Urbanized	208	220	187	189	200	219	2.00	2.40
Less Urbanized	201	233	181	219	181	233	1.94	2.21
Completely Rural	101	107	78	62	96	101	3.63	3.97

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 2.82D Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Percentages, 2003 and 2004**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.37	0.37	0.31	0.31	0.30	0.31	0.61	0.64
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.81	0.85	0.61	0.68	0.70	0.76	1.25	1.45
New England	1.43	1.89	1.26	1.19	1.26	2.03	2.45	3.16
Middle Atlantic	0.98	0.93	0.70	0.81	0.83	0.73	1.46	1.55
Midwest	0.63	0.61	0.56	0.52	0.53	0.52	1.04	1.01
East North Central	0.76	0.72	0.66	0.61	0.64	0.62	1.24	1.19
West North Central	1.14	1.11	1.05	0.96	0.93	0.95	1.89	1.90
South	0.65	0.64	0.61	0.59	0.50	0.53	1.12	1.15
South Atlantic	0.90	0.91	0.87	0.94	0.73	0.78	1.62	1.74
East South Central	1.76	1.59	1.47	1.29	1.09	1.15	2.14	2.20
West South Central	1.10	1.04	1.05	0.74	0.88	0.90	2.13	1.85
West	0.87	0.87	0.61	0.62	0.71	0.71	1.39	1.54
Mountain	1.45	1.17	0.92	0.91	1.13	0.97	1.92	1.96
Pacific	1.06	1.12	0.75	0.79	0.88	0.92	1.82	2.09
<b>COUNTY TYPE</b>								
Large Metro	0.54	0.54	0.41	0.44	0.41	0.43	0.84	0.93
Small Metro	0.68	0.64	0.60	0.55	0.56	0.56	1.12	1.11
250K - 1 Mil. Pop.	0.79	0.73	0.78	0.65	0.67	0.65	1.45	1.35
< 250K Pop.	1.23	1.26	0.94	1.00	0.99	1.04	1.74	1.89
Nonmetro	0.78	0.84	0.66	0.73	0.72	0.85	1.29	1.57
Urbanized	1.16	1.31	1.05	1.13	1.12	1.31	2.00	2.40
Less Urbanized	1.11	1.15	0.99	1.08	0.99	1.15	1.94	2.21
Completely Rural	2.47	2.99	1.89	1.73	2.34	2.84	3.63	3.97

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 2.82P Daily Cigarette Use in Lifetime and Past Month Smoking Status among Persons Aged 12 or Older, by Geographic Characteristics: P**  
**Values from Tests of Differences of Percentages, 2004 Versus 2003**

Geographic Characteristic	Daily Cigarette Use in Lifetime		Daily Cigarette Use in Lifetime and Cigarette Use in Past Month		Daily Cigarette Use in Lifetime but No Cigarette Use in Past Month		Percentage Who Did Not Smoke Cigarettes in the Past Month among Lifetime Daily Smokers	
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	0.0442		0.1083		0.3732		0.7653	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.2280		0.1348		0.8424		0.5055	
New England	0.8138		0.3294		0.7235		0.4413	
Middle Atlantic	0.2028		0.2370		0.6192		0.7757	
Midwest	0.2940		0.8097		0.3404		0.5942	
East North Central	0.5992		0.6174		0.2602		0.2976	
West North Central	0.2849		0.2628		0.9086		0.6436	
South	0.7693		0.7708		0.9727		0.8860	
South Atlantic	0.3503		0.2248		0.6840		0.3356	
East South Central	0.8126		0.6327		0.8309		0.6457	
West South Central	0.6302		0.2175		0.6285		0.3370	
West	0.0205		0.0101		0.4145		0.2967	
Mountain	0.1760		0.0000		0.2160		0.0019	
Pacific	0.0502		0.2349		0.1396		0.8365	
<b>COUNTY TYPE</b>								
Large Metro	0.1670		0.2246		0.5506		0.7799	
Small Metro	0.2705		0.2225		0.9167		0.5220	
250K - 1 Mil. Pop.	0.1204		0.1135		0.9079		0.3859	
< 250K Pop.	0.9166		0.8665		0.9821		0.9155	
Nonmetro	0.4226		0.9963		0.3765		0.5440	
Urbanized	0.1927		0.6427		0.3350		0.6364	
Less Urbanized	0.5047		0.3190		0.7420		0.4738	
Completely Rural	0.2976		0.0432		0.8072		0.2455	

\*Low precision; no estimate reported.

NOTE: Daily Cigarette Use in Lifetime is defined as ever smoking every day for at least 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.