

Key to Selected Variables

Age Categories (in Years):

Standard Age Groups: 12-17, 18-25, 26 or Older.

7 Detailed Age Categories: 12-13, 14-15, 16-17, 18-20, 21-25, 26-34, 35 or Older.

23 Detailed Age Categories: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65 or Older.

Racial/Ethnic Characteristics:

Hispanic Origin and Race: Not Hispanic or Latino White, Not Hispanic or Latino Black or African American, Not Hispanic or Latino American Indian or Alaska Native, Not Hispanic or Latino Native Hawaiian or Other Pacific Islander, Not Hispanic or Latino Asian, Not Hispanic or Latino Two or More Races, or Hispanic or Latino.

Racial/Ethnic Subgroups: Not Hispanic or Latino - White, Black or African American, American Indian or Alaska Native, Native Hawaiian or Other Pacific Islander, Chinese, Filipino, Japanese, Asian Indian, Korean, Vietnamese.

Hispanic or Latino - Mexican, Puerto Rican, Central or South American, or Cuban.

Gender/Race/Hispanic Origin: Male White Not Hispanic, Female White Not Hispanic, Male Black Not Hispanic, Female Black Not Hispanic, Male Hispanic, Female Hispanic.

Other Demographic Characteristics:

Education: Less Than High School, High School Graduate, Some College, College Graduate.

Current Employment: Full-Time, Part-Time, Unemployed, Other.

Geographic Characteristics:

Region: Northeast, Midwest, South, West.

Division: New England, Middle Atlantic, East North Central, West North Central, South Atlantic, East South Central, West South Central, Mountain, Pacific.

County Type: Large Metro counties; Small Metro counties, including counties with population of 250,000 up to 1 million, and counties with population of less than 250,000; Nonmetro, including urbanized counties, less urbanized counties, or completely rural counties.

Matrix of Section 1 Tables: Illicit Drug Use

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.132.

Characteristic	Use of Specific Illicit Drugs ¹			Illicit Drug Use			Marijuana Use			Cocaine Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 28, 73, 83	19, 28, 73, 83	19, 28, 73, 83	20, 33, 78, 88	20, 33, 78, 88	20, 33, 78, 88	21, 38, 93	21, 38, 93	21, 38, 93
All Persons Aged 18 or Older	12	12	12	32, 77, 87	32, 77, 87	32, 77, 87	37, 82, 92	37, 82, 92	37, 82, 92	42, 97	42, 97	42, 97
Standard Age Groups (in Years)	(2-4), (15-18)	(2-4), (15-18)	(2-4), (15-18)	28, (29-31), (74-76), (84-86)	28, (29-31), (74-76), (84-86)	28, (29-31), (74-76), (84-86)	33, (34-36), (79-81), (89-91)	33, (34-36), (79-81), (89-91)	33, (34-36), (79-81), (89-91)	38, (39-41), (94-96)	38, (39-41), (94-96)	38, (39-41), (94-96)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20	20	20	21	21	21
Gender	(13-18)	(13-18)	(13-18)	28-32	28-32	28-32	33-37	33-37	33-37	38-42	38-42	38-42
Hispanic Origin and Race				28-32	28-32	28-32	33-37	33-37	33-37	38-42	38-42	38-42
Gender/Race/Hispanic Origin				29	29	29	34	34	34	39	39	39
Racial/Ethnic Subgroups				73-77	73-77	73-77	78-82	78-82	78-82			
Education & Current Employment				30-32	30-32	30-32	35-37	35-37	35-37	40-42	40-42	40-42
Geographic Characteristics				83-87	83-87	83-87	88-92	88-92	88-92	93-97	93-97	93-97

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.
¹Tables indexed in this column present estimates for all NSDUH drugs and drug categories. See Table 1.1 for a complete listing of the specific drugs and classes of drugs.

Matrix of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.132.

Characteristic	Crack Use			Hallucinogen Use			Inhalant Use			Nonmedical Use of Prescription-Type Psychotherapeutics		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	22, 43, 98	22, 43, 98	22, 43, 98	23, 48, 103, 128	23, 48, 103	23, 48, 103	24, 53, 108, 128	24, 53, 108	24, 53, 108	25, 58, 113	25, 58, 113	25, 58, 113
All Persons Aged 18 or Older	47, 102	47, 102	47, 102	52, 107	52, 107	52, 107	57, 112	57, 112	57, 112	62, 117	62, 117	62, 117
Standard Age Groups (in Years)	43, (44-46), (99-101)	43, (44-46), (99-101)	43, (44-46), (99-101)	48, (49-51), (104-106), 128	48, (49-51), (104-106)	48, (49-51), (104-106)	53, (54-56), (109-111), 128	53, (54-56), (109-111)	53, (54-56), (109-111)	58, (59-61), (114-116)	58, (59-61), (114-116)	58, (59-61), (114-116)
7 Detailed Age Categories												
23 Detailed Age Categories	22	22	22	23	23	23	24	24	24	25	25	25
Gender	43-47	43-47	43-47	48-52	48-52	48-52	53-57	53-57	53-57	58-62	58-62	58-62
Hispanic Origin and Race	43-47	43-47	43-47	48-52	48-52	48-52	53-57	53-57	53-57	58-62	58-62	58-62
Gender/Race/Hispanic Origin	44	44	44	49	49	49	54	54	54	59	59	59
Racial/Ethnic Subgroups												
Education & Current Employment	45-47	45-47	45-47	50-52	50-52	50-52	55-57	55-57	55-57	60-62	60-62	60-62
Geographic Characteristics	98-102	98-102	98-102	103-107	103-107	103-107	108-112	108-112	108-112	113-117	113-117	113-117

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 1 Tables: Illicit Drug Use (continued)

Cell entries in this matrix refer to the tables in Section 1 numbered 1.1 to 1.132.

Characteristic	Nonmedical Use of Pain Reliever			Illicit Drug Use Other Than Marijuana			Use of Specific Hallucinogens and Inhalants	Use of Specific Pain Relievers	Use of Specific Tranquilizers	Use of Specific Stimulants	Use of Specific Sedatives	Methods of Administration ¹
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	
All Persons Aged 12 or Older	26, 63, 118	26, 63, 118	26, 63, 118	27, 68, 123	27, 68, 123	27, 68, 123	128	129	130	131	132	128
All Persons Aged 18 or Older	67, 122	67, 122	67, 122	72, 127	72, 127	72, 127						
Standard Age Groups (in Years)	63, (64-66), (119-121)	63, (64-66), (119-121)	63, (64-66), (119-121)	68, (69-71), (124-126)	68, (69-71), (124-126)	68, (69-71), (124-126)	128	129	130	131	132	128
7 Detailed Age Categories												
23 Detailed Age Categories	26	26	26	27	27	27						
Gender	63-67	63-67	63-67	68-72	68-72	68-72						
Hispanic Origin and Race	63-67	63-67	63-67	68-72	68-72	68-72						
Gender/Race/Hispanic Origin	64	64	64	69	69	69						
Racial/Ethnic Subgroups												
Education & Current Employment	65-67	65-67	65-67	70-72	70-72	70-72						
Geographic Characteristics	118-122	118-122	118-122	123-127	123-127	123-127						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ The methods of administration include needle use, and smoking or sniffing heroin.

Matrix of Section 2 Tables: Tobacco Product and Alcohol Use

Cell entries in this matrix refer to the tables in Section 2 numbered 2.1 to 2.114.

Characteristic	Use of Specific Tobacco Products and Alcohol ¹			Tobacco Product Use			Cigarette Use			Smokeless Tobacco Use		
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	1	1	1	19, 26, 72	19, 26, 72	19, 26, 72	20, 21, 31, 36, 57, 77, 82	20, 31, 57, 77	20, 21, 31, 36, 57, 77, 82	22, 37, 83	22, 37, 83	22, 37, 83
All Persons Aged 18 or Older	12	12	12	30, 76	30, 76	30, 76	35, 61, 81	35, 61, 81	35, 61, 81	41, 87	41, 87	41, 87
All Persons Aged 12 to 20												
All Persons Aged 21 or Older												
Standard Age Groups (in Years)	(2-4), (15-18)	(2-4), (15-18)	(2-4), (15-18)	26, (27-29), (73-75)	26, (27-29), (73-75)	26, (27-29), (73-75)	31, (32-34), 36, (58-60), (78-80)	31, (32-34), (58-60), (78-80)	31, (32-34), 36, (58-60), (78-80)	37, (38-40), (84-86)	37, (38-40), (84-86)	37, (38-40), (84-86)
7 Detailed Age Categories	(5-11)	(5-11)	(5-11)									
23 Detailed Age Categories				19	19	19	20-21	20	20-21	22	22	22
Gender	(13-18)	(13-18)	(13-18)	26-30	26-30	26-30	31-36	31-35	31-36	37-41	37-41	37-41
Hispanic Origin and Race				26-30	26-30	26-30	31-36	31-35	31-36	37-41	37-41	37-41
Gender/Race/Hispanic Origin				27	27	27	32	32	32	38	38	38
Racial/Ethnic Subgroups							57-61	57-61	57-61			
Education & Current Employment				28-30	28-30	28-30	33-35	33-35	33-35	39-41	39-41	39-41
Geographic Characteristics				72-76	72-76	72-76	77-82	77-81	77-82	83-87	83-87	83-87

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH tobacco product and alcohol categories. See Table 2.1 for a complete listing of all the tobacco product and alcohol types.

Matrix of Section 2 Tables: Tobacco Product and Alcohol Use (continued)

Cell entries in this matrix refer to the tables in Section 2 numbered 2.1 to 2.114.

Characteristic	Cigar Use			Alcohol Use			Binge Alcohol Use	Heavy Alcohol Use
	Lifetime	Past Year	Past Month	Lifetime	Past Year	Past Month	Past Month Only	
All Persons Aged 12 or Older	23, 42, 88	23, 42, 88	23, 42, 88	24, 47, 62, 93	24, 47, 62, 93	24, 25, 47, 52, 62, 67, 93, 98	25, 52, 67, 98	25, 52, 67, 98
All Persons Aged 18 or Older	46, 92	46, 92	46, 92	51, 66, 97	51, 66, 97	51, 56, 66, 71, 97, 102	56, 71, 102	56, 71, 102
All Persons Aged 12 to 20				103, 107, 111	103, 107, 111	103, 105, 107, 109,111,113	105, 109,113	105, 109,113
All Persons Aged 21 or Older				104, 108, 112	104, 108, 112	104, 106, 108, 110,112,114	106, 110,114	106, 110,114
Standard Age Groups (in Years)	42, (43-45), (89-91)	42, (43-45), (89-91)	42, (43-45), (89-91)	47, (48-50), (63-65), (94-96)	47, (48-50), (63-65), (94-96)	47, (48-50), 52, (53-55), (63-65), (68-70), (94-96), (99-101)	52, (53-55), (68-70), (99-101)	52, (53-55), (68-70), (99-101)
7 Detailed Age Categories								
23 Detailed Age Categories	23	23	23	24	24	24, 25	25	25
Gender	42-46	42-46	42-46	47-51, 103-104	47-51, 103-104	47-56, 103-106	52-56, 105-106	52-56, 105-106
Hispanic Origin and Race	42-46	42-46	42-46	47-51, 103-104	47-51, 103-104	47-56, 103-106	52-56, 105-106	52-56, 105-106
Gender/Race/Hispanic Origin	43	43	43	48, 103-104	48, 103-104	48, 53, 103-106	53, 105-106	53, 105-106
Racial/Ethnic Subgroups				62-66, 107-108	62-66, 107-108	62-71, 107-110	67-71, 109-110	67-71, 109-110
Education & Current Employment	44-46	44-46	44-46	49-51	49-51	49-51, 54-56	54-56	54-56
Geographic Characteristics	88-92	88-92	88-92	93-97, 111-112	93-97, 111-112	93-102,111-114	98-102, 113-114	98-102, 113-114

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 3 Tables: Risk and Protective Factors

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69

Risk and Protective Factors	Persons Aged 12 or Older and Standard Age Groups	Demographic Characteristics and Drug Use for Persons Aged 12 to 17 ¹
Perceptions of Risk		
Smoking One or More Packs of Cigarettes Per Day	1	2
Smoking Marijuana Once a Month	1	3
Smoking Marijuana Once or Twice a Week	1	4
Using Cocaine Once a Month	1	5
Using Cocaine Once or Twice a Week	1	6
Trying Heroin Once or Twice	1	7
Using Heroin Once or Twice a Week	1	8
Trying LSD Once or Twice	1	9
Using LSD Once or Twice a Week	1	10
Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day	1	11
Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week	1	12
Ease of Obtaining...		
Marijuana	1	13
Cocaine	1	14
Crack	1	15
Heroin	1	16
LSD	1	17
Approached in Past Month by Someone Selling Drugs	1	18

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of illicit drugs, marijuana, illicit drugs other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17¹
Persons Aged 12 to 17 Reporting...	
Number of Times They Have Moved in the Past 5 Years	19
Persons Aged 12 to 17 Reporting How They Think Their Parents Would Feel About Their...	
Smoking One or More Packs of Cigarettes Per Day	20
Trying Marijuana or Hashish Once or Twice	21
Using Marijuana or Hashish Once a Month or More	22
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	23
Persons Aged 12 to 17 Reporting How Many Times in the Past Year They Had...	
Gotten into a Serious Fight at School or at Work	24
Taken Part in a Group-Against-Group Fight	25
Carried a Handgun	26
Sold Illegal Drugs	27
Stolen or Tried to Steal Anything Worth More Than \$50	28
Attacked Someone with the Intent to Seriously Hurt Them	29
Persons Aged 12 to 17 Reporting How They Would Feel About Someone Their Own Age...	
Smoking One Or More Packs of Cigarettes Per Day	30
Trying Marijuana or Hashish Once or Twice	31
Using Marijuana or Hashish Once a Month or More	32
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	33
Persons Aged 12 to 17 Reporting...	
Participation in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year	34
Participation in a Violence Prevention Program in the Past Year	35
Participation in a Drug, Tobacco, or Alcohol Prevention Program Outside of School in the Past Year	36
Participation in a Program in the Past Year for Dealing with Drug or Alcohol Use	37
Participation in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year	38
Talking with at Least One of Their Parents in the Past Year About the Dangers of Drug, Tobacco, or Alcohol Use	39
Seeing or Hearing Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year	40
Seeing or Hearing Drug or Alcohol Prevention Messages at School in the Past Year	41
Participation in Youth Activities in the Past Year	42
Having No One to Talk with About Serious Problems	43

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of illicit drugs, marijuana, illicit drugs other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 3 Tables: Risk and Protective Factors (continued)

Cell entries in this matrix refer to the tables in Section 3 numbered 3.1 to 3.69.

Risk and Protective Factors	Demographic Characteristics and Drug Use for Persons Aged 12 to 17¹
Persons Aged 12 to 17 Reporting...	
Number of Religious Services Attended in the Past Year	44
Religious Beliefs Are a Very Important Part of Their Life	45
Religious Beliefs Influence How They Make Decisions in Life	46
It is Important for Friends to Share Their Religious Beliefs	47
Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting...	
Average Grade for the Last Grading Period Completed	48
Feelings About Going to School in the Past Year	49
Assigned Schoolwork Was Meaningful and Important	50
Level of Importance Later in Life of Things Learned in School	51
How Interesting Courses at School Have Been	52
Teachers Let Them Know They Were Doing a Good Job With Schoolwork	53
How Many Students in Their Grade Smoke Cigarettes	54
How Many Students in Their Grade Use Marijuana or Hashish	55
How Many Students in Their Grade Drink Alcoholic Beverages	56
How Many Students in Their Grade Get Drunk at Least Once a Week	57
Parents Checked Whether Homework was Done in the Past Year	58
Parents Provided Help on Homework in the Past Year	59
Parents Limited Amount of Time They Spent Out With Friends on School Nights	60
Persons Aged 12 to 17 Reporting....	
Parents Made Them Do Chores Around the House	61
Parents Limited Amount of Time They Watched TV	62
Parents Let Them Know They Had Done a Good Job	63
Parents Told Them They Were Proud of Something They Had Done	64
Number of Times They Argued or Had a Fight with at Least One Parent	65
Persons Aged 12 to 17 Reporting How They Think Their Close Friends' Would Feel About Their...	
Smoking One or More Packs of Cigarettes Per Day	66
Trying Marijuana or Hashish Once or Twice	67
Using Marijuana or Hashish Once a Month or More	68
Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	69

¹ Tables indexed in this column present estimates for demographic and geographic characteristics, including age, gender, Hispanic origin and race, and county type. Also included in these tables are estimates for lifetime, past year, and past month use of illicit drugs, marijuana, illicit drugs other than marijuana, cigarettes, alcohol, and binge alcohol.

Matrix of Section 4 Tables: Incidence

Cell entries in this matrix refer to the tables in Section 4 numbered 4.1 to 4.50.

Substance	Incidence Tables ¹
Marijuana	1
Cocaine	2
Crack	3
Heroin	4
Hallucinogens	5
LSD	6
PCP	7
Ecstasy	8
Inhalants	9
Pain Relievers	10
OxyContin®	11
Tranquilizers	12
Stimulants	13
Methamphetamine	14
Sedatives	15
Alcohol	16, 17
Cigarette Use	18
Daily Cigarette Use	19
Smokeless Tobacco	20
Cigars	21
Illicit Drugs	22

¹ Incidence tables include estimates for each year from 1965 through 2003 of the number of initiates (in thousands) by age group, mean age of first use, and age-specific rates of first use. Tables Indexed in this column (4.1 to 4.22) are among persons aged 12 or older.

Matrix of Section 4 Tables: Incidence (continued)

Cell entries in this matrix refer to the tables in Section 4 numbered 4.1 to 4.50.

Characteristic	Past Year Initiation Tables	
	2002/2003	2003/2004
Demographic Characteristics ¹	37-40	23-26
Specific Substance ²	41-44	27-30
Specific Substance and Gender ³	45, 48	31, 34
Specific Substance and Gender among Respondents Initiating Prior to Age 18 ³	46, 49	32, 35
Specific Substance and Gender among Respondents Initiating Prior to Age 21 ³	47, 50	33, 36

¹These Past Year Initiation tables show numbers (in thousands) and percentages (of total population, persons eligible to initiate, and past year substance users) of individuals who initiated use of a particular substance (illicit drugs, marijuana, cigarettes, or alcohol) in the past year, by demographic characteristics.

²These Past Year Initiation tables show numbers (in thousands) and percentages (of total population, persons eligible to initiate, and past year substance users) of individuals who initiated use of a specific substance among persons aged 12 or older or one of the standard age groupings.

³These Past Year Initiation tables show numbers (in thousands) of individuals who initiated use of a specific substance or mean age of first use of a specific substance, by gender.

Matrix of Section 5 Tables: Dependence, Abuse, and Treatment

Cell entries in this matrix refer to the tables in Section 5 numbered 5.1 to 5.99.

Characteristic	Past Year Dependence		Past Year Abuse	
	Specific Substances ¹	Illicit Drug or Alcohol	Specific Substances ¹	Illicit Drug or Alcohol
All Persons Aged 12 or Older	1, 25	1, 2, 3, 8, 25, 26, 27, 32, 37, 58, 71	13, 25	13, 14, 15, 20, 25, 26, 27, 32, 37, 58, 71
All Persons Aged 18 or Older		7, 12, 31, 36		19, 24, 31, 36
Standard Age Groups (in Years)	1, 25	3, (4-6), (9-11), 27, (28-30), (33-35), 58, 71	13, 25	15, (16-18), (21-23), 27, (28-30), (33-35), 58, 71
23 Detailed Age Categories		2, 26		14, 26
Gender		3-7, 27-31, 58, 71		15-19, 27-31, 58, 71
Hispanic Origin and Race		3-7, 27-31, 58, 71		15-19, 27-31, 58, 71
Gender/Race/Hispanic Origin		4, 28		16, 28
Education & Current Employment		5-7, 29-31		17-19, 29-31
Geographic Characteristics		8-12, 32-36		20-24, 32-36
Dependence/Abuse		37		37
Reasons for Not Receiving Treatment				

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates of specific NSDUH drug and alcohol categories. See Table 5.1, 5.13, or 5.25 for a complete listing of all the drugs, alcohol, and drug/alcohol combinations.

Matrix of Section 5 Tables: Dependence, Abuse, and Treatment (continued)

Cell entries in this matrix refer to the tables in Section 5 numbered 5.1 to 5.99.

Characteristic	Past Year Treatment			Received Illicit Drug or Alcohol Treatment (in Lifetime)
	Received at Any Facility (Illicit Drug and/or Alcohol) ^{1,2}	Received at Specialty Facility (Illicit Drug and/or Alcohol) ^{1,3}	Needed and Received or Perceived Need (Illicit Drug and/or Alcohol) ⁴	
All Persons Aged 12 or Older	38, 39, 44, 49-58	59-71	72, 73, 78, 79, 84-99	58, 71
All Persons Aged 18 or Older	43, 48		77, 83	
Standard Age Groups (in Years)	39, (40-42), (45-47), 49-55, 58	60, 62-68, 71	73, (74-76), 78, (80-82), 84-93	58, 71
23 Detailed Age Categories	38	59	72	
Gender	39-43, 58	60, 71	73-78, 84-93	58, 71
Hispanic Origin and Race	39-43, 58	60, 71	73-78, 86, 87, 90, 91	58, 71
Gender/Race/Hispanic Origin	40		74	
Education & Current Employment	41-43		75-77	
Geographic Characteristics	44-48	61	79-83	
Dependence/Abuse	56, 57	69, 70		58, 71
Reasons for Not Receiving Treatment			94-99	
Source of Payment	50-52	63-65		
Locations of Treatment	53-55	66-68		

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ Tables indexed in this column present estimates for receiving treatment for illicit drug use, alcohol use, both illicit drug and alcohol use, as well as receiving treatment for illicit drug or alcohol use.

² Tables indexed in this column present estimates for treatment received at any facility, such as a hospital, at a rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

³ Tables indexed in this column present estimates for treatment received at a specialty facility, such as a hospital (inpatient), a rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop substance use, or for medical problems associated with substance use.

⁴ Tables indexed in this column present estimates for needing treatment for an illicit drug problem, alcohol problem, or both illicit drug and alcohol problems; receiving treatment at a specialty facility; and treatment gap.

Matrix of Section 6 Tables: Mental Health

Cell entries in the matrix refer to tables in Section 6 numbered 6.1 to 6.81.

Characteristic	Serious Psychological Distress	Adult Mental Health Treatment/Counseling	Adult Outpatient Mental Health Treatment/Counseling
All Persons Aged 18 or Older	1-32	16-26, 29-38, 41-49	27, 28, 39, 40
Standard Age Groups (in Years)	(2, 3, 8, 9, 12-15, 17, 20, 23, 25, 27, 28)	(17, 20, 23, 25, 34, 41, 47, 48)	(27, 28, 39, 40)
23 Detailed Age Categories	(1, 16, 19, 22)	(16, 19, 22, 33)	
Gender	1, 2, 8, 9, 12-15, 17, 20, 23, 25	17, 20, 23, 25, 34, 41, 47, 48	
Hispanic Origin and Race	2, 8, 9, 17, 20, 23, 25	17, 20, 23, 25, 34, (41, 47, 48)	
Education & Current Employment	2, 8, 9, 17, 20, 23, 25	17, 20, 23, 25, 34, 41, 47, 48	
Geographic Characteristics	3, 18, 21, (24, 26)	18, 21, (24, 26, 35, 42)	
Family Income	24, 26	24, 26, 35, 42	
Government Assistance Programs	24, 26	24, 26, 35, 42	
Use of Specific Illicit Drugs in the Past Year ¹	4, 5	36 (45, 46)	
Illicit Drug Use in the Past Year	4, 5, 8, 9	36, 45, 46	
Use of Specific Tobacco Products/Alcohol in the Past Year ²	6, 7	37, (45, 46)	
Use of Specific Tobacco Products/Alcohol in the Past Month ²	6, 7	37	
Illicit Drug Dependence/Abuse	10-13, 31	31, 38, 45, 46	
Alcohol Dependence/Abuse	10, 11, 14, 15, 31	31, 38, 45, 46	
Adult Mental Health Treatment/Counseling	16-32		
Types of Mental Health Treatment/Counseling	22-24	22-24, 33-35	
Help Received from Mental Health Treatment/Counseling	25, 26	25, 26	
Location of Outpatient Mental Health Treatment/Counseling	27		27, 39
Source of Payment for Outpatient Mental Health Treatment/Counseling	28		28, 40
Reasons for Not Receiving Mental Health Treatment/Counseling	29, 30	29, 30, 43, 44	
Unmet Need for Mental Health Treatment/Counseling	29, 30	29, 30, 41-46	
Received Substance Use Treatment at Specialty Facility	31	31	
Alternative Mental Health Treatment/Support	32	32, 47-49	
Source of Alternative Mental Health Treatment/Support	32	32, 49	
Serious Psychological Distress		16-26, 29-32	27, 28

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this row present estimates for all NSDUH drugs and drug categories. See Table 6.4 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this row present estimates for all NSDUH tobacco product and alcohol categories. See table 6.6 for a complete listing of all the tobacco product and alcohol types.

Matrix of Section 6 Tables: Mental Health (continued)

Cell entries in the matrix refer to tables in Section 6 numbered 6.1 to 6.81.

Characteristic	Adolescent Mental Health Treatment/Counseling
All Persons Aged 12 to 17	50-58
7 Detailed Age Categories	(50-52, 54, 55)
Gender	50, 52
Hispanic Origin and Race	50, 52
Geographic Characteristics	(51, 53)
Family Income	51, 53
Government Assistance Programs	51, 53
Source of Mental Health Treatment/Counseling	54
Reasons for Mental Health Treatment/Counseling	55
Use of Specific Illicit Drugs in the Past Year ¹	56
Illicit Drug Use in the Past Year	52, 53, 56
Use of Specific Tobacco Products/Alcohol in the Past Year ²	57
Use of Specific Tobacco Products/Alcohol in the Past Month ²	57
Illicit Drug Dependence/Abuse	58
Alcohol Dependence/Abuse	58

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this row present estimates for all NSDUH drugs and drug categories. See Table 6.56 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this row present estimates for all NSDUH tobacco product and alcohol categories. See table 6.57 for a complete listing of all the tobacco product and alcohol types.

Matrix of Section 6 Tables: Mental Health (continued)

Cell entries in the matrix refer to tables in Section 6 numbered 6.1 to 6.81.

Characteristic	Major Depressive Episode	
	Lifetime	Past Year
All Persons Aged 12 or Older	59-61, 64	59-61, 64, 67, 70, 73-75, 78, 79
All Persons Aged 18 or Older	63, 66	63, 66, 69, 72-74, 77-79, 81
All Persons Aged 12 to 17	62, 65	62, 65, 68, 71, 73, 74, 76, 78-80
Standard Age Groups (in Years)	60	60, 75
23 Detailed Age Categories	59	59
Gender	60, 63	60, 63, 75-77
Hispanic Origin and Race	61-63	61-63, (75-77)
Education & Current Employment	63	63
Geographic Characteristics	(64-66)	(64-66)
Family Income	64-66	64-66, 75-77
Government Assistance Programs	64-66	64-66, 75-77
Received Treatment/Counseling for Depression in the Past Year	59-66	59-66
Marital Status	63	63
Health Measures (Health Insurance, Overall Health)	64-66	64-66, (75-77)
Use of Specific Illicit Drugs in the Past Year ¹		67-69
Illicit Drug Use in the Past Year		67-69, 73
Illicit Drug Dependence/Abuse		70-73
Alcohol Dependence/Abuse		70-73
Use of Specific Tobacco Products/Alcohol in the Past Month ¹		67-69, 73
Received Substance Use Treatment at Specialty Facility		73
Type of Medical Professional Seen		74
Help Received from Treatment/Counseling for Depression		78, 79
Saw or Talked to Medical Doctor about Depression		74-78
Received Prescription Medication for Depression		75-77, 79
Severity of Role Impairment (SDS Scale)		80, 81
Mean Number of Days Unable to Carry Out Normal Activities due to Depression		80, 81

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this row present estimates for all NSDUH drugs and drug categories and various tobacco product/alcohol categories. See Table 6.67 for a complete listing of the specific drugs, classes of drugs, and tobacco product/alcohol types.

Matrix of Section 7 Tables: Miscellaneous

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.129.

Characteristic	Use of Specific Illicit Drugs ¹	Use of Specific Tobacco Products and Alcohol ²	Illicit Drug Use					Illicit Drug Other Than Marijuana Use		
	Past Month	Past Month	Past Year	Past Month	Dependence (Past Year)	Abuse (Past Year)	Drove Under the Influence	Lifetime	Past Year	Past Month
All Persons Aged 12 or Older	13,17,21	26,30	106,109,112, 115,118	25	108,111,114, 117,120	108,111,114, 117,120	90-91	34,38	34,38,106, 109,112,115, 118	34,38
All Persons Aged 18 or Older	94,(95),100, (101)			96,102,123	48,54,97- 98,103-104	51,54,97- 98,103-104	92-93			
All Persons Aged 12 to 20										
All Persons Aged 21 or Older										
Standard Age Groups (in Years)	(14-16),(18-20), (22-24)	(27-29),(31-33)	106,109,112, 115,118	25,(96), (102),(121- 122)	(48),(54),(97- 98),(103-104), 108,111,114, 117,120	(51),(54),(97- 98),(103-104), 108,111,114, 117,120	91	(35-37), (39-41)	(35-37),(39- 41),106,109, 112,115,118	(35-37), (39-41)
23 Detailed Age Categories							90			
Gender	(70),(79-80)	(73),(84-85)		(71),81,96, 102,121-123	48,54,97-98, 103-104	51,54,97-98, 103-104	91-92			
Hispanic Origin and Race				71,81,(121- 123)	(48),(54)	(51),(54)	91-92			
Gender/Race/Hispanic Origin										
Education & Current Employment				(123)	(48),(54)	(51),(54)	92			
Geographic Characteristics				(121-122)			93			
Level of Cigarette Use	13-16,21-24	26-29		25						
Level of Alcohol Use	17-20,21-24	30-33		25						
Age First Used Marijuana					48,54	51,54				
Age First Used Alcohol										
Age First Used Cigarettes										
Pregnancy (Females Aged 15 to 44)	70	73		71						
College Enrollment (Persons Aged 18 to 22)	78-80	83-85		81						
Probation	94-95			96	97-98	97-98				
Parole/Supervised Release	100-101			102	103-104	103-104				
Government Assistance Programs			106		108	108			106	
Supplemental Security Income (SSI)			109		111	111			109	
Food Stamps			112		114	114			112	
Cash Assistance			115		117	117			115	
Noncash Assistance			118		120	120			118	
Family Income				(121-123)						
Healthy People 2010				121-123						

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹Tables indexed in this column present estimates for all NSDUH drugs and drug categories. See Table 7.13 for a complete listing of the specific drugs and classes of drugs.

²Tables indexed in this column present estimates for all NSDUH tobacco product and alcohol categories. See table 7.21 for a complete listing of all the tobacco product and alcohol types.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.129.

Characteristic	Marijuana Use					Obtaining Marijuana	Cocaine Use		Hallucinogen Use	Inhalant Use		Serious Psychological Distress
	Lifetime	Prior Year	Past Year	Past Month	Frequency of Use	Past Year	Past Year	Frequency of Use	Frequency of Use	Past Year	Frequency of Use	Past Year
All Persons Aged 12 or Older	34,38	42	34,38,42,106, 109,112,115, 118	34,38	1	57-59		2	3		4	
All Persons Aged 18 or Older				123								99,105
All Persons Aged 12 to 20												
All Persons Aged 21 or Older												
Standard Age Groups (in Years)	(35-37),(39-41)	42	(35-37),(39-41), 42,106,109,112, 115,118	(35-37),(39-41), (122),(128)	1	57-59	(129)	2	3	(124)	4	(99),(105)
23 Detailed Age Categories												
Gender	125	42	42	(72),82,122,123						124		99,105
Hispanic Origin and Race	(125)			72,82,(122),(123)						(124)		
Gender/Race/Hispanic Origin												
Education & Current Employment				(123)								
Geographic Characteristics	(125)			(122)						(124)		
Level of Cigarette Use												
Level of Alcohol Use												
Age First Used Marijuana												
Age First Used Alcohol												
Age First Used Cigarettes												
Pregnancy (Females Aged 15 to 44)				72								
College Enrollment (Persons Aged 18 to 22)				82								
Probation												99
Parole/Supervised Release												105
Government Assistance Programs			106									
Supplemental Security Income (SSI)			109									
Food Stamps			112									
Cash Assistance			115									
Noncash Assistance			118									
Family Income	(125)			(122-123)						(124)		
Healthy People 2010	125			122-123						124		

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.129.

	Alcohol Use								Binge Alcohol Use	Heavy Alcohol Use
Characteristic	Lifetime	Past Year	Past Month	Frequency of Use	Measures of Consumption	Dependence (Past Year)	Abuse (Past Year)	Drove Under the Influence	Past Month Only	
All Persons Aged 12 or Older	34,38	34,38	7-8,34,38, 107,110,113, 116,119	6	7-8	108,111,114, 117,120	108,111,114, 117,120	90-91	107,110,113, 116,119	
All Persons Aged 18 or Older						49,55,98,104	52,55,98,104	92-93	123	
All Persons Aged 12 to 20			9		9					
All Persons Aged 21 or Older			10		10	50,56	53,56			
Standard Age Groups (in Years)	(35-37), (39-41)	(35-37), (39-41)	8,(35-37),(39-41),107,110, 113,116,119, (121)	6	8	(49),(55),(98), (104),108,111, 114,117,120	(52),(55),(98), (104),108,111, 114,117,120	91	107,110,113, 116,119,(122)	
23 Detailed Age Categories			7		7			90		
Gender	125		8-10,(75),87, 121		8-10	49,55,98,104	52,55,98,104	91-92	(76),88,122-123	(77),89
Hispanic Origin and Race	(125)		8-10,75,87, (121)		8-10	(49),(55)	(52),(55)	91-92	76,88,(122-123)	77,89
Gender/Race/Hispanic Origin			9-10		9-10					
Education & Current Employment						(49),(55)	(52),(55)	92	(123)	
Geographic Characteristics	(125)		(121)					93	(122)	
Level of Cigarette Use										
Level of Alcohol Use										
Age First Used Marijuana										
Age First Used Alcohol						49,50,55,56	52,53,55,56			
Aged First Used Cigarettes										
Pregnancy (Females Aged 15 to 44)			75						76	77
College Enrollment (Persons Aged 18 to 22)			87						88	89
Probation						98	98			
Parole/Supervised Release						104	104			
Government Assistance Programs			107			108	108		107	
Supplemental Security Income (SSI)			110			111	111		110	
Food Stamps			113			114	114		113	
Cash Assistance			116			117	117		116	
Noncash Assistance			119			120	120		119	
Family Income	(125)		(121)						(122-123)	
Healthy People 2010	125		121						122-123	

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 7 Tables: Miscellaneous (continued)

Cell entries in this matrix refer to the tables in Section 7 numbered 7.1 to 7.129.

Characteristic	Cigarette Use						Cigarette Brand Used Most Often	Cigar Brand Used Most Often	Smokeless Tobacco	Perceptions of Great Risk	Received Substance Treatment
	Lifetime	Past Year	Past Month	Frequency of Use	Measures of Consumption	Dependence (Past Month)	Past Month	Past Month	Past Month		
All Persons Aged 12 or Older	34,38	34,38	11-12,34,38,43,107,110,113,116,119	5	11-12	43-45	(60)	(66-68)	(69)		(127)
All Persons Aged 18 or Older						(46-47)					
All Persons Aged 12 to 20											
All Persons Aged 21 or Older											
Standard Age Groups (in Years)	(35-37), (39-41)	(35-37) (39-41)	12,(35-37),(39-41), 107,110,113,116,119	5	12	44-45, (46-47)	60-65	66	69	(126)	(127)
23 Detailed Age Categories			11,43		11	43					
Gender	125		12,(74),86		12	44,46-47	(61-62)	67		126	127
Hispanic Origin and Race	(125)		12,74,86		12	44,(46-47)	(63-65)	(68)		(126)	(127)
Gender/Race/Hispanic Origin											
Education & Current Employment						(46-47)					
Geographic Characteristics	(125)					45				(126)	
Level of Cigarette Use											
Level of Alcohol Use											
Age First Used Marijuana											
Age First Used Alcohol											
Age First Used Cigarettes						46-47					
Pregnancy (Females Aged 15 to 44)			74								
College Enrollment (Persons Aged 18 to 22)			86								
Probation											
Parole/Supervised Release											
Government Assistance Programs			107								
Supplemental Security Income (SSI)			110								
Food Stamps			113								
Cash Assistance			116								
Noncash Assistance			119								
Family Income	(125)					44				(126)	(127)
Healthy People 2010	125									126	127

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

Matrix of Section 8 Tables: Sample Sizes and Population Estimates

Cell entries in the matrix refer to tables in Section 8 numbered 8.1 to 8.19.

Characteristic	2004
All Persons Aged 12 or Older	1-10, 16
All Persons Aged 18 or Older	11, 14, 15, 17-19
Youth and Adult Age Groups (12 to 17, 18 or Older)	3, 6, 9
Underage and Legal Drinking Age Groups (12 to 20, 21 or Older)	4, 7, 10
Standard Age Groups (in Years)	2, 5, 8, (11), 16, (18-19)
23 Detailed Age Groups	1, (17)
Gender	1-4, 11, (12), 13, 17, 18
Gender/Age	14, 15
Hispanic Origin and Race	2-4, (11), 12, 13, 18
Gender/Race/Hispanic Origin	2-4, 18
Racial/Ethnic Subgroups	5-7
Education & Current Employment	2, 3, 11, 18
Geographic Characteristics	8-10, (11), 19
Mental Health Treatment or Counseling	11
Pregnancy	12
College Enrollment	13
Probation	14
Parole/Supervised Release	15
Participation in Selected Government Assistance Programs	16
Serious Psychological Distress/Depression split sample ¹	17-19

NOTE: Table numbers in parentheses indicate tables that contain estimates for some subset of the information listed in the row heading.

¹ In 2004, a split-sample design was implemented for adults aged 18 or older. Respondents assigned to sample A were administered the long form of the serious psychological distress (SPD) module. Respondents assigned to sample B were administered the short form of the SPD module plus the adult depression module. The analysis weights for each subsample were poststratified separately to the U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. The population totals for each subsample may differ slightly for demographic domains that were not controlled or controlled differently in the poststratification. Six respondents broke off their interviews prior to their split-sample assignment; therefore, they are not included in this table. See Sections A.1 and A.3.2 of Appendix A of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.