

Table 7.21C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLICIT DRUG¹	279	293	121	111	246	223	133	100
Marijuana and Hashish	238	252	99	85	188	187	75	63
Cocaine	125	103	43	28	52	59	9	17
Crack	80	60	38	20	16	13	7	6
Heroin	22	23	13	21	10	11	*	*
Hallucinogens	52	43	20	17	41	32	12	13
LSD	14	17	3	12	10	7	4	2
PCP	12	11	2	*	2	*	*	13
Ecstasy	37	32	10	10	37	29	6	5
Inhalants	26	26	14	7	22	30	24	49
Nonmedical Use of Psychotherapeutics ²	128	132	72	75	157	119	112	65
Pain Relievers	110	109	62	65	118	89	103	56
OxyContin [®]	--	30	--	12	--	13	--	10
Tranquilizers	75	70	39	41	77	60	31	28
Stimulants	63	58	19	29	52	58	24	19
Methamphetamine	53	49	17	22	42	32	9	18
Sedatives	33	35	9	20	41	21	12	16
ILLICIT DRUG OTHER THAN MARIJUANA¹	178	175	81	85	170	135	114	83

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.21D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	0.60	0.63	0.54	0.57	0.30	0.27	0.13	0.10
Marijuana and Hashish	0.54	0.56	0.46	0.44	0.23	0.23	0.08	0.06
Cocaine	0.30	0.24	0.21	0.14	0.07	0.07	0.01	0.02
Crack	0.20	0.14	0.18	0.10	0.02	0.02	0.01	0.01
Heroin	0.06	0.06	0.06	0.11	0.01	0.01	*	*
Hallucinogens	0.13	0.11	0.10	0.09	0.05	0.04	0.01	0.01
LSD	0.04	0.04	0.02	0.06	0.01	0.01	0.00	0.00
PCP	0.03	0.03	0.01	*	0.00	*	*	0.01
Ecstasy	0.09	0.08	0.05	0.05	0.05	0.04	0.01	0.00
Inhalants	0.07	0.06	0.07	0.03	0.03	0.04	0.02	0.05
Nonmedical Use of Psychotherapeutics ²	0.31	0.31	0.34	0.38	0.19	0.15	0.11	0.06
Pain Relievers	0.27	0.25	0.29	0.33	0.15	0.11	0.10	0.06
OxyContin [®]	--	0.07	--	0.06	--	0.02	--	0.01
Tranquilizers	0.18	0.17	0.19	0.21	0.10	0.07	0.03	0.03
Stimulants	0.16	0.14	0.09	0.15	0.07	0.07	0.02	0.02
Methamphetamine	0.13	0.12	0.08	0.11	0.05	0.04	0.01	0.02
Sedatives	0.08	0.09	0.04	0.10	0.05	0.03	0.01	0.02
ILLCIT DRUG OTHER THAN MARIJUANA¹	0.41	0.40	0.38	0.43	0.21	0.16	0.11	0.08

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.21P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG ¹	0.5601		0.3791		0.5080		0.0511	
Marijuana and Hashish	0.6061		0.4633		0.8794		0.2958	
Cocaine	0.1411		0.2749		0.8490		0.5178	
Crack	0.4650		0.2292		0.5984		0.3540	
Heroin	0.7222		0.2303		0.8015		*	
Hallucinogens	0.1972		0.9044		0.5341		0.9316	
LSD	0.6828		0.3101		0.3268		0.3912	
PCP	0.3552		*		*		*	
Ecstasy	0.7015		0.6246		0.9644		0.8093	
Inhalants	0.9295		0.2509		0.7430		0.2648	
Nonmedical Use of Psychotherapeutics ²	0.5796		0.3703		0.1829		0.0143	
Pain Relievers	0.5150		0.5894		0.1416		0.0266	
OxyContin [®]	--		--		--		--	
Tranquilizers	0.0578		0.4881		0.4492		0.7499	
Stimulants	0.8643		0.2201		0.8204		0.3665	
Methamphetamine	0.5907		0.4621		0.6364		0.5098	
Sedatives	0.7072		0.5279		0.3328		0.3740	
ILLCIT DRUG OTHER THAN MARIJUANA ¹	0.4480		0.4399		0.0864		0.0999	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.22C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLICIT DRUG¹	45	47	24	29	34	33	38	37
Marijuana and Hashish	42	43	22	25	31	28	23	23
Cocaine	14	14	3	4	7	5	4	*
Crack	7	4	1	*	2	2	2	*
Heroin	6	4	1	1	2	3	*	1
Hallucinogens	17	15	7	7	8	7	8	6
LSD	7	7	3	2	4	2	4	2
PCP	5	5	1	1	2	1	1	*
Ecstasy	10	11	4	5	5	4	2	1
Inhalants	14	14	6	6	11	9	15	20
Nonmedical Use of Psychotherapeutics ²	26	27	9	14	18	17	27	24
Pain Relievers	23	25	9	12	16	16	24	23
OxyContin [®]	--	9	--	5	--	2	--	2
Tranquilizers	14	11	4	8	11	6	11	7
Stimulants	14	14	4	5	8	8	9	8
Methamphetamine	8	10	3	2	4	1	5	6
Sedatives	6	3	2	1	4	2	5	4
ILLICIT DRUG OTHER THAN MARIJUANA¹	31	33	13	17	21	20	31	31

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.22D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	1.47	1.51	1.69	2.07	1.15	1.17	0.19	0.19
Marijuana and Hashish	1.55	1.54	1.58	1.79	1.09	1.01	0.12	0.12
Cocaine	0.70	0.76	0.25	0.33	0.27	0.18	0.02	*
Crack	0.37	0.25	0.11	*	0.07	0.09	0.01	*
Heroin	0.30	0.20	0.12	0.05	0.08	0.10	*	0.01
Hallucinogens	0.82	0.77	0.58	0.62	0.31	0.26	0.04	0.03
LSD	0.40	0.37	0.26	0.20	0.17	0.09	0.02	0.01
PCP	0.28	0.26	0.07	0.06	0.09	0.05	0.00	*
Ecstasy	0.52	0.56	0.35	0.45	0.18	0.17	0.01	0.01
Inhalants	0.71	0.70	0.54	0.51	0.41	0.33	0.08	0.10
Nonmedical Use of Psychotherapeutics ²	1.21	1.28	0.76	1.14	0.68	0.63	0.14	0.12
Pain Relievers	1.09	1.21	0.71	0.97	0.63	0.58	0.12	0.12
OxyContin [®]	--	0.49	--	0.39	--	0.09	--	0.01
Tranquilizers	0.74	0.58	0.36	0.66	0.41	0.24	0.06	0.04
Stimulants	0.75	0.73	0.36	0.40	0.32	0.31	0.04	0.04
Methamphetamine	0.44	0.55	0.22	0.13	0.15	0.04	0.03	0.03
Sedatives	0.34	0.18	0.20	0.08	0.17	0.07	0.03	0.02
ILLCIT DRUG OTHER THAN MARIJUANA¹	1.29	1.43	1.05	1.30	0.81	0.74	0.16	0.16

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.22P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG ¹	0.2839		0.5325		0.0791		0.4896	
Marijuana and Hashish	0.1673		0.4971		0.6711		0.9396	
Cocaine	0.9381		0.6694		0.1009		*	
Crack	0.1594		*		0.9746		*	
Heroin	0.5136		0.4073		0.5095		*	
Hallucinogens	0.2894		0.7640		0.2362		0.1147	
LSD	0.6407		0.8773		0.3341		0.5376	
PCP	0.5597		0.9239		0.2024		*	
Ecstasy	0.6744		0.9417		0.4597		0.5784	
Inhalants	0.6156		0.7926		0.3650		0.4969	
Nonmedical Use of Psychotherapeutics ²	0.3654		0.2416		0.2059		0.2368	
Pain Relievers	0.7795		0.5968		0.2325		0.4865	
OxyContin [®]	--		--		--		--	
Tranquilizers	0.0452		0.2769		0.0788		0.2604	
Stimulants	0.3709		0.6464		0.2138		0.5314	
Methamphetamine	0.9513		0.1277		0.0401		0.7161	
Sedatives	0.0429		0.2104		0.3822		0.8827	
ILLCIT DRUG OTHER THAN MARIJUANA ¹	0.4850		0.5129		0.1298		0.4365	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.23C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	111	122	33	34	76	63	30	33
Marijuana and Hashish	102	112	29	31	70	54	22	23
Cocaine	36	39	7	9	18	16	2	3
Crack	13	12	2	5	2	4	1	*
Heroin	6	8	4	4	1	2	*	1
Hallucinogens	32	29	10	6	17	14	4	7
LSD	9	13	1	2	9	7	1	*
PCP	10	5	2	*	*	*	1	1
Ecstasy	19	21	9	4	8	9	2	5
Inhalants	14	14	4	3	11	10	5	6
Nonmedical Use of Psychotherapeutics ²	54	59	17	16	33	32	21	23
Pain Relievers	46	50	15	14	29	27	20	22
OxyContin [®]	--	19	--	4	--	4	--	1
Tranquilizers	29	32	7	7	17	18	5	6
Stimulants	27	28	7	10	13	12	5	5
Methamphetamine	20	19	7	8	7	7	4	3
Sedatives	7	7	6	2	5	5	0	3
ILLCIT DRUG OTHER THAN MARIJUANA¹	65	72	19	18	40	40	21	24

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.23D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLICIT DRUG¹	0.79	0.86	1.13	1.15	0.69	0.58	0.31	0.32
Marijuana and Hashish	0.77	0.83	1.01	1.07	0.65	0.52	0.23	0.22
Cocaine	0.35	0.37	0.27	0.34	0.19	0.16	0.02	0.03
Crack	0.13	0.12	0.06	0.19	0.02	0.04	0.01	*
Heroin	0.06	0.08	0.13	0.13	0.01	0.02	*	0.01
Hallucinogens	0.32	0.29	0.38	0.22	0.17	0.15	0.04	0.07
LSD	0.09	0.13	0.03	0.06	0.09	0.07	0.01	*
PCP	0.10	0.05	0.07	*	*	*	0.01	0.01
Ecstasy	0.19	0.21	0.33	0.15	0.08	0.09	0.02	0.05
Inhalants	0.14	0.14	0.16	0.10	0.12	0.10	0.05	0.06
Nonmedical Use of Psychotherapeutics ²	0.50	0.51	0.61	0.57	0.33	0.33	0.22	0.22
Pain Relievers	0.43	0.45	0.55	0.48	0.30	0.28	0.21	0.22
OxyContin [®]	--	0.18	--	0.13	--	0.04	--	0.01
Tranquilizers	0.28	0.30	0.24	0.25	0.18	0.19	0.06	0.06
Stimulants	0.26	0.27	0.27	0.36	0.14	0.12	0.06	0.05
Methamphetamine	0.19	0.19	0.26	0.29	0.07	0.08	0.04	0.03
Sedatives	0.07	0.07	0.22	0.08	0.06	0.06	0.01	0.03
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.58	0.60	0.70	0.64	0.40	0.39	0.22	0.24

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.23P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG ¹	0.5692		0.8192		0.0703		0.9831	
Marijuana and Hashish	0.7469		0.5453		0.0158		0.7117	
Cocaine	0.7488		0.4280		0.1835		0.3154	
Crack	0.4293		0.1348		0.2154		*	
Heroin	0.2059		0.8382		0.6618		*	
Hallucinogens	0.4342		0.1202		0.3388		0.3204	
LSD	0.2026		0.5620		0.6564		*	
PCP	0.3239		*		*		0.8162	
Ecstasy	0.6813		0.1332		0.9770		0.3454	
Inhalants	0.2947		0.6047		0.2488		0.2999	
Nonmedical Use of Psychotherapeutics ²	0.2394		0.8518		0.4036		0.9610	
Pain Relievers	0.2518		0.7584		0.2546		0.8790	
OxyContin [®]	--		--		--		--	
Tranquilizers	0.5115		0.8330		0.7731		0.6370	
Stimulants	0.1781		0.2331		0.2915		0.8652	
Methamphetamine	0.9216		0.6530		0.9963		0.9961	
Sedatives	0.6421		0.3511		0.5682		0.0673	
ILLCIT DRUG OTHER THAN MARIJUANA ¹	0.7992		0.7839		0.1415		0.6534	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.24C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG¹	244	256	113	102	224	212	119	85
Marijuana and Hashish	208	215	90	76	165	177	66	52
Cocaine	116	94	43	26	49	57	8	17
Crack	79	58	38	20	16	12	6	6
Heroin	21	22	12	20	9	11	*	*
Hallucinogens	35	31	16	14	36	27	7	14
LSD	7	6	*	11	*	*	*	*
PCP	4	8	*	*	*	*	*	13
Ecstasy	29	22	*	7	36	27	5	*
Inhalants	18	19	12	*	16	28	18	45
Nonmedical Use of Psychotherapeutics ²	115	115	68	71	153	114	103	53
Pain Relievers	97	93	59	61	113	83	96	46
OxyContin [®]	--	21	--	10	--	12	--	9
Tranquilizers	68	58	38	40	74	57	28	27
Stimulants	54	48	17	26	51	56	22	17
Methamphetamine	48	43	15	21	41	31	7	17
Sedatives	31	34	6	20	40	20	11	15
ILLCIT DRUG OTHER THAN MARIJUANA¹	165	154	78	79	162	126	105	72

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.24D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Standard Errors of Percentages, 2003 and 2004

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLICIT DRUG¹	0.78	0.81	0.62	0.65	0.32	0.30	0.17	0.12
Marijuana and Hashish	0.69	0.69	0.51	0.48	0.24	0.25	0.10	0.07
Cocaine	0.40	0.32	0.25	0.17	0.07	0.08	0.01	0.02
Crack	0.28	0.20	0.22	0.13	0.02	0.02	0.01	0.01
Heroin	0.08	0.08	0.07	0.13	0.01	0.02	*	*
Hallucinogens	0.13	0.11	0.09	0.09	0.05	0.04	0.01	0.02
LSD	0.03	0.02	*	0.07	*	*	*	*
PCP	0.01	0.03	*	*	*	*	*	0.02
Ecstasy	0.10	0.08	*	0.04	0.05	0.04	0.01	*
Inhalants	0.06	0.06	0.07	*	0.02	0.04	0.03	0.06
Nonmedical Use of Psychotherapeutics ²	0.40	0.39	0.40	0.45	0.22	0.16	0.15	0.07
Pain Relievers	0.34	0.31	0.35	0.39	0.17	0.12	0.14	0.06
OxyContin [®]	--	0.07	--	0.07	--	0.02	--	0.01
Tranquilizers	0.24	0.20	0.22	0.26	0.11	0.08	0.04	0.04
Stimulants	0.19	0.17	0.10	0.17	0.07	0.08	0.03	0.02
Methamphetamine	0.17	0.15	0.09	0.13	0.06	0.05	0.01	0.02
Sedatives	0.11	0.12	0.04	0.13	0.06	0.03	0.02	0.02
ILLICIT DRUG OTHER THAN MARIJUANA¹	0.56	0.51	0.45	0.50	0.24	0.18	0.15	0.10

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.24P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2003	2004	2003	2004	2003	2004	2003	2004
ILLCIT DRUG ¹	0.9941		0.6093		0.9607		0.0451	
Marijuana and Hashish	0.9507		0.8735		0.5045		0.2591	
Cocaine	0.1031		0.1897		0.6741		0.2826	
Crack	0.4417		0.1746		0.4114		0.6405	
Heroin	0.9296		0.2176		0.9748		*	
Hallucinogens	0.7231		0.6533		0.9858		0.6884	
LSD	0.6419		*		*		*	
PCP	0.7566		*		*		*	
Ecstasy	0.6145		*		0.8832		*	
Inhalants	0.9261		*		0.1851		0.4403	
Nonmedical Use of Psychotherapeutics ²	0.6416		0.4756		0.2893		0.0213	
Pain Relievers	0.6417		0.6321		0.2666		0.0330	
OxyContin [®]	--		--		--		--	
Tranquilizers	0.0474		0.6266		0.5282		0.9456	
Stimulants	0.5671		0.3762		0.8403		0.4922	
Methamphetamine	0.6135		0.4606		0.7439		0.5316	
Sedatives	0.9804		0.2827		0.4248		0.5464	
ILLCIT DRUG OTHER THAN MARIJUANA ¹	0.5426		0.5091		0.2071		0.1005	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.25C Illicit Drug Use in the Past Month, by Levels of Past Month Alcohol Use and Past Month Cigarette Use and Age Group: Standard Errors of Numbers in Thousands, 2003 and 2004

Level of Alcohol Use/ Cigarette Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	430	432	73	76	155	158	380	379
Heavy Alcohol Use ¹	178	199	27	30	83	97	146	172
Binge Alcohol Use But Not Heavy Use ¹	202	230	44	40	81	76	174	210
Alcohol Use But Not Binge Use ¹	223	203	28	27	51	50	215	189
No Alcohol Use	181	149	45	48	45	48	165	135
PAST MONTH CIGARETTE USE	310	324	52	56	116	128	270	278
Heavy Alcohol Use ¹	152	162	25	26	68	81	128	141
Binge Alcohol Use But Not Heavy Use ¹	166	172	33	33	66	63	149	149
Alcohol Use But Not Binge Use ¹	136	129	21	18	39	40	126	119
No Alcohol Use	121	111	24	29	33	34	113	102
NO PAST MONTH CIGARETTE USE	269	248	50	52	81	71	253	228
Heavy Alcohol Use ¹	88	115	10	15	43	32	79	108
Binge Alcohol Use But Not Heavy Use ¹	119	149	27	22	41	41	104	143
Alcohol Use But Not Binge Use ¹	161	147	18	20	33	31	157	138
No Alcohol Use	133	100	38	37	30	33	119	85

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.25D Illicit Drug Use in the Past Month, by Levels of Past Month Alcohol Use and Past Month Cigarette Use and Age Group: Standard Errors of Percentages, 2003 and 2004

Level of Alcohol Use/ Cigarette Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.17	0.17	0.27	0.27	0.40	0.40	0.20	0.20
Heavy Alcohol Use ¹	0.93	1.04	2.50	2.65	1.08	1.21	1.23	1.39
Binge Alcohol Use But Not Heavy Use ¹	0.51	0.55	1.51	1.42	0.76	0.75	0.61	0.70
Alcohol Use But Not Binge Use ¹	0.33	0.30	1.42	1.47	0.74	0.72	0.37	0.32
No Alcohol Use	0.15	0.12	0.21	0.22	0.36	0.35	0.19	0.15
PAST MONTH CIGARETTE USE	0.45	0.48	1.17	1.25	0.70	0.74	0.55	0.58
Heavy Alcohol Use ¹	1.29	1.33	2.71	3.08	1.32	1.39	1.85	1.96
Binge Alcohol Use But Not Heavy Use ¹	0.90	0.95	2.03	2.17	1.10	1.12	1.24	1.25
Alcohol Use But Not Binge Use ¹	0.94	0.87	3.17	3.31	1.59	1.65	1.08	0.98
No Alcohol Use	0.54	0.57	1.69	2.07	1.13	1.15	0.62	0.65
NO PAST MONTH CIGARETTE USE	0.15	0.14	0.21	0.22	0.39	0.33	0.18	0.16
Heavy Alcohol Use ¹	1.37	1.61	4.51	5.10	2.12	1.89	1.66	2.00
Binge Alcohol Use But Not Heavy Use ¹	0.54	0.65	2.06	1.66	0.92	0.95	0.62	0.81
Alcohol Use But Not Binge Use ¹	0.31	0.28	1.29	1.46	0.76	0.68	0.34	0.29
No Alcohol Use	0.13	0.10	0.19	0.19	0.31	0.32	0.17	0.12

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.25P Illicit Drug Use in the Past Month, by Levels of Past Month Alcohol Use and Past Month Cigarette Use and Age Group: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Level of Alcohol Use/ Cigarette Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.2576		0.0803		0.1142		0.7090	
Heavy Alcohol Use ¹	0.8523		0.7522		0.0531		0.5543	
Binge Alcohol Use But Not Heavy Use ¹	0.9679		0.0007		0.5890		0.5227	
Alcohol Use But Not Binge Use ¹	0.1641		0.4507		0.4312		0.3233	
No Alcohol Use	0.2281		0.7977		0.9766		0.1795	
PAST MONTH CIGARETTE USE	0.7568		0.5726		0.6037		0.5528	
Heavy Alcohol Use ¹	0.9016		0.5478		0.4559		0.6460	
Binge Alcohol Use But Not Heavy Use ¹	0.7581		0.3357		0.9265		0.9798	
Alcohol Use But Not Binge Use ¹	0.4131		0.6037		0.4376		0.7823	
No Alcohol Use	0.3791		0.5325		0.8192		0.6093	
NO PAST MONTH CIGARETTE USE	0.1239		0.1166		0.0782		0.3961	
Heavy Alcohol Use ¹	0.7024		0.1415		0.0023		0.5873	
Binge Alcohol Use But Not Heavy Use ¹	0.6412		0.0010		0.7212		0.3344	
Alcohol Use But Not Binge Use ¹	0.1754		0.7301		0.8589		0.2031	
No Alcohol Use	0.0511		0.4896		0.9831		0.0451	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.