

Table 5.72C Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2003 and 2004

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	215	228	91	114	192	203	1.12	1.26
12	6	10	2	1	6	10	*	*
13	11	12	1	3	11	12	*	*
14	18	19	5	5	18	18	2.54	2.29
15	21	22	5	6	20	21	1.90	2.26
16	26	23	8	9	25	22	2.16	2.36
17	24	26	7	8	24	25	1.79	1.81
18	34	34	11	14	32	32	2.14	2.47
19	35	31	11	8	33	31	2.33	1.88
20	28	30	9	7	27	30	2.10	1.59
21	27	35	11	13	25	33	3.23	2.71
22	27	27	9	8	26	27	2.66	2.18
23	21	24	10	11	19	22	3.90	4.00
24	24	21	11	10	21	19	3.91	4.20
25	19	21	8	7	18	20	4.05	3.10
26-29	85	93	31	39	81	83	3.70	4.06
30-34	63	74	21	36	59	65	3.67	*
35-39	86	81	44	44	77	69	*	*
40-44	76	90	34	53	69	67	*	5.40
45-49	72	67	21	39	69	55	*	*
50-54	58	70	33	24	49	66	*	*
55-59	28	35	11	10	26	33	*	*
60-64	*	58	*	40	*	42	*	*
65 or Older	6	12	*	*	6	12	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.72D Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2003 and 2004

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.09	0.09	0.04	0.05	0.08	0.08	1.12	1.26
12	0.16	0.25	0.05	0.02	0.15	0.24	*	*
13	0.24	0.28	0.01	0.06	0.24	0.27	*	*
14	0.45	0.43	0.12	0.11	0.43	0.41	2.54	2.29
15	0.50	0.51	0.12	0.14	0.49	0.50	1.90	2.26
16	0.63	0.57	0.20	0.22	0.60	0.53	2.16	2.36
17	0.60	0.65	0.18	0.20	0.59	0.61	1.79	1.81
18	0.73	0.74	0.24	0.31	0.69	0.69	2.14	2.47
19	0.90	0.80	0.27	0.20	0.84	0.78	2.33	1.88
20	0.70	0.76	0.22	0.18	0.67	0.75	2.10	1.59
21	0.70	0.85	0.29	0.31	0.63	0.80	3.23	2.71
22	0.67	0.68	0.22	0.20	0.64	0.66	2.66	2.18
23	0.52	0.62	0.26	0.28	0.46	0.55	3.90	4.00
24	0.66	0.52	0.29	0.25	0.59	0.47	3.91	4.20
25	0.53	0.58	0.23	0.19	0.48	0.56	4.05	3.10
26-29	0.58	0.60	0.21	0.25	0.55	0.54	3.70	4.06
30-34	0.31	0.38	0.11	0.18	0.29	0.33	3.67	*
35-39	0.41	0.39	0.21	0.21	0.37	0.33	*	*
40-44	0.34	0.39	0.15	0.23	0.31	0.29	*	5.40
45-49	0.34	0.31	0.10	0.18	0.32	0.25	*	*
50-54	0.29	0.36	0.16	0.12	0.24	0.34	*	*
55-59	0.19	0.21	0.07	0.06	0.17	0.20	*	*
60-64	*	0.46	*	0.32	*	0.33	*	*
65 or Older	0.02	0.03	*	*	0.02	0.03	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.72P Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2003	2004	2003	2004	2003	2004	
TOTAL	0.0419		0.0369		0.2558		0.1239
12	0.4735		0.4457		0.3751		*
13	0.5898		0.1906		0.7362		*
14	0.6690		0.6365		0.7559		0.7208
15	1.0000		0.1438		0.6911		0.1374
16	0.9973		0.7501		0.9050		0.7343
17	0.4240		0.4432		0.5571		0.5982
18	0.4001		0.1790		0.7088		0.2616
19	0.9068		0.6721		0.9966		0.6865
20	0.4173		0.3724		0.2806		0.2456
21	0.0184		0.6445		0.0214		0.7073
22	0.3295		0.9397		0.3007		0.6984
23	0.6011		0.5611		0.3688		0.3935
24	0.1025		0.9905		0.0617		0.3880
25	0.3810		0.8560		0.3233		0.5601
26-29	0.7922		0.1417		0.7310		0.1310
30-34	0.1277		0.3480		0.2148		*
35-39	0.2038		0.3200		0.3888		*
40-44	0.3577		0.0706		0.9356		*
45-49	0.4758		0.0095		0.6233		*
50-54	0.6217		0.4077		0.3463		*
55-59	0.4239		0.8899		0.3672		*
60-64	*		*		*		*
65 or Older	0.5946		*		0.5946		*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.73C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	215	228	91	114	192	203	1.12	1.26
AGE								
12-17	46	48	14	16	45	45	1.02	1.06
18-25	75	84	29	28	70	82	1.03	0.96
26 or Older	187	209	84	107	168	181	2.24	2.44
GENDER								
Male	175	173	75	87	158	153	1.48	1.54
Female	120	138	50	72	110	119	1.66	2.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	196	209	89	108	170	184	1.24	1.38
White	174	171	69	73	156	156	1.25	1.28
Black or African American	78	95	50	62	60	75	4.43	4.00
American Indian or Alaska Native	15	28	9	3	11	27	*	*
Native Hawaiian or Other Pacific Islander	12	*	*	*	12	11	*	*
Asian	31	62	6	40	30	47	*	*
Two or More Races	26	35	9	11	25	33	*	*
Hispanic or Latino	91	84	21	38	90	80	1.98	3.20

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.73D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.09	0.09	0.04	0.05	0.08	0.08	1.12	1.26
AGE								
12-17	0.18	0.19	0.05	0.06	0.18	0.18	1.02	1.06
18-25	0.24	0.26	0.09	0.09	0.22	0.25	1.03	0.96
26 or Older	0.10	0.11	0.05	0.06	0.09	0.10	2.24	2.44
GENDER								
Male	0.15	0.15	0.06	0.08	0.14	0.13	1.48	1.54
Female	0.10	0.11	0.04	0.06	0.09	0.10	1.66	2.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.09	0.10	0.04	0.05	0.08	0.09	1.24	1.38
White	0.10	0.10	0.04	0.04	0.09	0.09	1.25	1.28
Black or African American	0.28	0.34	0.18	0.22	0.22	0.27	4.43	4.00
American Indian or Alaska Native	1.16	2.13	0.74	0.26	0.86	2.12	*	*
Native Hawaiian or Other Pacific Islander	2.35	*	*	*	2.35	1.79	*	*
Asian	0.31	0.62	0.07	0.40	0.31	0.47	*	*
Two or More Races	1.01	1.36	0.34	0.43	0.96	1.28	*	*
Hispanic or Latino	0.31	0.27	0.07	0.12	0.30	0.26	1.98	3.20

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.73P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		
	2003	2004	2003	2004	2003	2004	
TOTAL	0.0419		0.0369		0.2558		0.1239
AGE							
12-17	0.3792		0.3077		0.5599		0.4342
18-25	0.0982		0.8726		0.0994		0.6356
26 or Older	0.1694		0.0443		0.7017		0.1089
GENDER							
Male	0.0889		0.1423		0.2551		0.3439
Female	0.2796		0.1220		0.7017		0.1738
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.0312		0.0642		0.1663		0.2100
White	0.4315		0.4116		0.6317		0.5565
Black or African American	0.0148		0.1234		0.0676		0.4180
American Indian or Alaska Native	0.2868		0.1215		0.0999		*
Native Hawaiian or Other Pacific Islander	*		*		0.5361		*
Asian	0.7906		0.3616		0.7338		*
Two or More Races	0.2043		0.4754		0.2724		*
Hispanic or Latino	0.8697		0.2632		0.8167		0.2757

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.74C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	46	48	14	16	45	45	1.02	1.06
GENDER								
Male	33	33	10	11	33	33	1.41	1.51
Female	31	36	9	11	30	33	1.37	1.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	42	43	13	15	41	40	1.13	1.20
White	37	37	12	14	36	34	1.26	1.42
Black or African American	13	16	4	5	13	15	*	3.00
American Indian or Alaska Native	4	3	1	1	4	3	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	10	6	0	*	10	6	*	*
Two or More Races	9	9	2	1	9	9	*	*
Hispanic or Latino	22	23	4	6	21	23	2.17	2.23
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	27	26	10	9	25	25	1.86	1.96
Female, White, Not Hispanic	25	28	6	10	25	25	1.52	1.97
Male, Black, Not Hispanic	10	12	3	5	10	12	*	*
Female, Black, Not Hispanic	10	10	3	2	9	10	*	*
Male, Hispanic	16	18	2	4	16	17	*	3.02
Female, Hispanic	16	17	4	4	15	16	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.74D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.18	0.19	0.05	0.06	0.18	0.18	1.02	1.06
GENDER								
Male	0.26	0.26	0.08	0.08	0.26	0.25	1.41	1.51
Female	0.25	0.29	0.07	0.09	0.25	0.27	1.37	1.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.21	0.06	0.07	0.20	0.19	1.13	1.20
White	0.24	0.24	0.08	0.09	0.23	0.22	1.26	1.42
Black or African American	0.36	0.43	0.12	0.13	0.35	0.40	*	3.00
American Indian or Alaska Native	2.24	1.95	0.46	0.75	2.17	1.84	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.99	0.59	0.04	*	0.99	0.59	*	*
Two or More Races	2.35	2.15	0.60	0.20	2.31	2.14	*	*
Hispanic or Latino	0.54	0.54	0.11	0.14	0.52	0.53	2.17	2.23
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.34	0.33	0.12	0.11	0.31	0.31	1.86	1.96
Female, White, Not Hispanic	0.33	0.37	0.09	0.13	0.32	0.33	1.52	1.97
Male, Black, Not Hispanic	0.54	0.63	0.16	0.24	0.52	0.60	*	*
Female, Black, Not Hispanic	0.54	0.55	0.18	0.08	0.51	0.54	*	*
Male, Hispanic	0.78	0.82	0.09	0.20	0.78	0.79	*	3.02
Female, Hispanic	0.79	0.80	0.20	0.21	0.73	0.78	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.74P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR				Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility	
	2003	2004	2003	2004	2003	2004
TOTAL	0.3792		0.3077		0.5599	0.4342
GENDER						
Male	0.6733		0.8805		0.6379	0.7665
Female	0.0943		0.1938		0.1763	0.3571
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8482		0.6144		0.7113	0.5556
White	0.8088		0.5155		0.6236	0.4432
Black or African American	0.4780		0.8521		0.5003	*
American Indian or Alaska Native	0.3487		0.6316		0.3996	*
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.0899		*		0.0957	*
Two or More Races	0.7811		0.2148		0.5946	*
Hispanic or Latino	0.0282		0.1402		0.0629	0.3382
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.1606		0.4495		0.2278	0.7847
Female, White, Not Hispanic	0.2876		0.0726		0.5988	0.1060
Male, Black, Not Hispanic	0.2389		0.7202		0.2738	*
Female, Black, Not Hispanic	0.7746		0.8362		0.8123	*
Male, Hispanic	0.2175		0.0634		0.3672	*
Female, Hispanic	0.0745		0.6907		0.0810	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.75C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004		
TOTAL	75	84	29	28	70	82	1.03	0.96
GENDER								
Male	61	64	23	23	56	62	1.28	1.18
Female	46	45	17	18	43	43	1.68	1.70
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	68	75	25	26	63	73	1.05	1.03
White	59	66	22	24	56	64	1.21	1.17
Black or African American	26	28	10	9	23	27	2.98	2.35
American Indian or Alaska Native	5	6	2	*	5	6	*	*
Native Hawaiian or Other Pacific Islander	5	*	*	*	5	*	*	*
Asian	13	10	2	4	13	9	*	*
Two or More Races	9	9	4	2	8	9	*	*
Hispanic or Latino	32	35	15	9	32	34	3.30	2.25
EDUCATION								
< High School	42	39	18	19	39	35	2.00	2.15
High School Graduate	45	45	19	17	40	42	1.87	1.54
Some College	38	50	11	10	38	49	1.48	1.11
College Graduate	19	19	4	3	18	19	2.15	1.62
CURRENT EMPLOYMENT								
Full-Time	49	51	18	17	45	49	1.44	1.36
Part-Time	38	40	11	12	37	40	1.60	1.63
Unemployed	28	27	10	10	27	25	2.71	2.51
Other ¹	34	35	17	15	30	32	3.06	2.56

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.75D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.24	0.26	0.09	0.09	0.22	0.25	1.03	0.96
GENDER								
Male	0.39	0.39	0.15	0.14	0.35	0.38	1.28	1.18
Female	0.29	0.28	0.11	0.11	0.27	0.27	1.68	1.70
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.26	0.28	0.10	0.10	0.24	0.27	1.05	1.03
White	0.30	0.33	0.11	0.12	0.28	0.32	1.21	1.17
Black or African American	0.60	0.65	0.24	0.21	0.54	0.62	2.98	2.35
American Indian or Alaska Native	2.98	3.47	0.95	*	2.87	3.30	*	*
Native Hawaiian or Other Pacific Islander	3.33	*	*	*	3.33	*	*	*
Asian	0.92	0.68	0.11	0.29	0.91	0.62	*	*
Two or More Races	2.36	2.66	1.02	0.58	2.18	2.62	*	*
Hispanic or Latino	0.57	0.62	0.26	0.16	0.57	0.60	3.30	2.25
EDUCATION								
< High School	0.61	0.58	0.25	0.29	0.57	0.53	2.00	2.15
High School Graduate	0.41	0.41	0.18	0.15	0.37	0.38	1.87	1.54
Some College	0.38	0.48	0.11	0.09	0.38	0.48	1.48	1.11
College Graduate	0.47	0.46	0.09	0.06	0.46	0.46	2.15	1.62
CURRENT EMPLOYMENT								
Full-Time	0.33	0.34	0.12	0.11	0.31	0.33	1.44	1.36
Part-Time	0.47	0.50	0.13	0.14	0.45	0.49	1.60	1.63
Unemployed	1.05	1.04	0.36	0.40	1.00	0.99	2.71	2.51
Other ¹	0.54	0.55	0.27	0.24	0.47	0.50	3.06	2.56

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.75P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR				Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0982		0.8726		0.0994	0.6356
GENDER						
Male	0.0609		0.5568		0.0276	0.1754
Female	0.7541		0.3120		0.9424	0.3403
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0239		0.4221		0.0394	0.9595
White	0.0314		0.2732		0.0662	0.7631
Black or African American	0.1221		0.4449		0.0567	0.1719
American Indian or Alaska Native	0.7856		*		0.8614	*
Native Hawaiian or Other Pacific Islander	*		*		*	*
Asian	0.1282		0.4284		0.0797	*
Two or More Races	0.7922		0.8692		0.7392	*
Hispanic or Latino	0.4053		0.1967		0.7095	0.2687
EDUCATION						
< High School	0.7191		0.1691		0.7699	0.1723
High School Graduate	0.2690		0.3953		0.1224	0.1783
Some College	0.0314		0.9843		0.0289	0.5007
College Graduate	0.4153		0.5111		0.4825	0.6135
CURRENT EMPLOYMENT						
Full-Time	0.7219		0.7244		0.6102	0.6089
Part-Time	0.2720		0.6162		0.3315	0.8600
Unemployed	0.0626		0.5882		0.0842	0.9257
Other ¹	0.3973		0.9925		0.3360	0.7063

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.76C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	187	209	84	107	168	181	2.24	2.44
GENDER								
Male	155	157	70	83	142	136	2.94	2.87
Female	107	128	44	70	98	108	3.37	4.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	171	188	83	101	150	161	2.47	2.58
White	151	149	63	64	137	136	2.48	2.55
Black or African American	71	91	50	62	56	67	*	*
American Indian or Alaska Native	12	27	9	1	8	27	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	25	60	6	*	24	45	*	*
Two or More Races	23	30	8	11	21	28	*	*
Hispanic or Latino	80	81	14	36	78	73	*	*
EDUCATION								
< High School	108	103	50	62	94	81	4.77	*
High School Graduate	103	121	43	69	94	101	3.58	4.57
Some College	100	101	38	46	92	91	3.58	4.09
College Graduate	56	99	19	29	53	96	*	*
CURRENT EMPLOYMENT								
Full-Time	148	160	56	71	139	146	2.43	3.06
Part-Time	55	64	26	38	49	52	*	*
Unemployed	40	69	20	45	35	51	*	*
Other ¹	90	90	49	52	77	75	*	5.00

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.76D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.10	0.11	0.05	0.06	0.09	0.10	2.24	2.44
GENDER								
Male	0.18	0.18	0.08	0.09	0.16	0.16	2.94	2.87
Female	0.11	0.13	0.05	0.07	0.10	0.11	3.37	4.48
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.11	0.12	0.05	0.06	0.09	0.10	2.47	2.58
White	0.12	0.11	0.05	0.05	0.10	0.10	2.48	2.55
Black or African American	0.37	0.46	0.25	0.31	0.29	0.34	*	*
American Indian or Alaska Native	1.32	2.81	1.01	0.13	0.84	2.81	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.34	0.81	0.08	*	0.33	0.61	*	*
Two or More Races	1.25	1.70	0.45	0.61	1.17	1.59	*	*
Hispanic or Latino	0.40	0.39	0.07	0.17	0.39	0.35	*	*
EDUCATION								
< High School	0.35	0.35	0.16	0.21	0.30	0.27	4.77	*
High School Graduate	0.18	0.21	0.08	0.12	0.17	0.18	3.58	4.57
Some College	0.24	0.23	0.09	0.10	0.22	0.21	3.58	4.09
College Graduate	0.11	0.19	0.04	0.06	0.10	0.18	*	*
CURRENT EMPLOYMENT								
Full-Time	0.14	0.15	0.05	0.07	0.14	0.14	2.43	3.06
Part-Time	0.27	0.33	0.13	0.20	0.24	0.27	*	*
Unemployed	0.75	1.43	0.36	0.95	0.65	1.07	*	*
Other ¹	0.17	0.16	0.09	0.10	0.15	0.14	*	5.00

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.76P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.1694		0.0443		0.7017		0.1089	
GENDER								
Male	0.2273		0.0900		0.6665		0.1946	
Female	0.5462		0.2594		0.9650		0.3109	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1301		0.0986		0.4830		0.2497	
White	0.9749		0.7063		0.8231		0.6682	
Black or African American	0.0579		0.0961		0.3110		*	
American Indian or Alaska Native	0.3388		0.0703		0.1077		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.3470		*		0.5905		*	
Two or More Races	0.2174		0.2915		0.3626		*	
Hispanic or Latino	0.9950		0.1112		0.5489		*	
EDUCATION								
< High School	0.9716		0.4450		0.5919		*	
High School Graduate	0.3818		0.0659		0.9461		0.0918	
Some College	0.9876		0.4627		0.7227		0.4159	
College Graduate	0.0272		0.4278		0.0395		*	
CURRENT EMPLOYMENT								
Full-Time	0.8305		0.1870		0.4124		0.1391	
Part-Time	0.2206		0.3806		0.3877		*	
Unemployed	0.0141		0.2505		0.0256		*	
Other ¹	0.2413		0.3336		0.4600		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.77C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	209	225	89	113	187	199	1.33	1.50
GENDER								
Male	171	170	73	86	155	150	1.73	1.76
Female	118	135	48	72	108	116	2.05	2.71
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	191	206	87	107	166	179	1.47	1.61
White	168	169	67	71	152	154	1.49	1.51
Black or African American	78	95	50	62	61	72	5.05	4.43
American Indian or Alaska Native	14	28	9	3	10	27	*	*
Native Hawaiian or Other Pacific Islander	11	*	*	*	11	11	*	*
Asian	28	61	6	40	28	46	*	*
Two or More Races	24	33	9	11	23	31	*	*
Hispanic or Latino	86	82	20	37	86	77	2.39	4.12
EDUCATION								
< High School	121	111	54	68	106	88	2.72	3.32
High School Graduate	113	131	47	71	103	111	2.11	2.71
Some College	110	113	40	47	102	105	2.16	2.29
College Graduate	61	101	19	29	57	97	3.23	3.56
CURRENT EMPLOYMENT								
Full-Time	160	166	59	74	149	153	1.66	2.02
Part-Time	67	74	28	40	62	68	2.66	3.23
Unemployed	50	76	22	47	46	61	3.69	*
Other ¹	100	94	53	54	84	81	3.75	3.26

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.77D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.10	0.10	0.04	0.05	0.09	0.09	1.33	1.50
GENDER								
Male	0.17	0.16	0.07	0.08	0.15	0.14	1.73	1.76
Female	0.11	0.12	0.04	0.06	0.10	0.10	2.05	2.71
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.10	0.11	0.05	0.06	0.09	0.09	1.47	1.61
White	0.11	0.11	0.04	0.05	0.10	0.10	1.49	1.51
Black or African American	0.33	0.39	0.21	0.26	0.26	0.30	5.05	4.43
American Indian or Alaska Native	1.25	2.44	0.86	0.27	0.89	2.43	*	*
Native Hawaiian or Other Pacific Islander	2.65	*	*	*	2.65	1.97	*	*
Asian	0.32	0.68	0.07	0.45	0.31	0.52	*	*
Two or More Races	1.12	1.58	0.41	0.52	1.05	1.48	*	*
Hispanic or Latino	0.33	0.31	0.08	0.14	0.33	0.29	2.39	4.12
EDUCATION								
< High School	0.32	0.30	0.14	0.19	0.28	0.24	2.72	3.32
High School Graduate	0.17	0.19	0.07	0.10	0.15	0.16	2.11	2.71
Some College	0.21	0.21	0.08	0.09	0.19	0.19	2.16	2.29
College Graduate	0.11	0.18	0.03	0.05	0.10	0.17	3.23	3.56
CURRENT EMPLOYMENT								
Full-Time	0.14	0.14	0.05	0.06	0.13	0.13	1.66	2.02
Part-Time	0.23	0.27	0.10	0.14	0.22	0.25	2.66	3.23
Unemployed	0.62	1.04	0.27	0.63	0.57	0.82	3.69	*
Other ¹	0.17	0.15	0.09	0.09	0.14	0.13	3.75	3.26

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.77P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR				Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility	
	2003	2004	2003	2004	2003	2004
TOTAL	0.0578		0.0487		0.2991	0.1581
GENDER						
Male	0.0708		0.1426		0.2093	0.3952
Female	0.4933		0.1736		0.9817	0.2029
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0247		0.0721		0.1286	0.2716
White	0.3841		0.4712		0.5351	0.6766
Black or African American	0.0214		0.1279		0.0885	0.4530
American Indian or Alaska Native	0.3449		0.1012		0.1224	*
Native Hawaiian or Other Pacific Islander	*		*		0.6047	*
Asian	0.5766		0.3567		1.0000	*
Two or More Races	0.2299		0.3379		0.3532	*
Hispanic or Latino	0.6699		0.3762		0.4522	0.3022
EDUCATION						
< High School	0.8992		0.2590		0.5715	0.2138
High School Graduate	0.2443		0.1345		0.6198	0.2373
Some College	0.4001		0.4708		0.5375	0.6678
College Graduate	0.0437		0.4831		0.0589	0.9607
CURRENT EMPLOYMENT						
Full-Time	0.9909		0.2324		0.5874	0.2027
Part-Time	0.0697		0.3137		0.1540	0.5901
Unemployed	0.0028		0.2062		0.0061	*
Other ¹	0.1943		0.3634		0.3358	0.7696

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.78C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	163	158	73	72	144	139	0.87	0.82
AGE								
12-17	35	33	11	11	33	32	0.78	0.76
18-25	56	54	19	21	52	51	0.67	0.71
26 or Older	144	143	69	66	124	124	1.68	1.58
GENDER								
Male	134	120	59	56	121	108	1.14	1.06
Female	92	91	45	44	79	80	1.39	1.36
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	151	147	71	69	128	126	0.94	0.91
White	135	125	60	49	115	113	1.04	0.87
Black or African American	65	61	36	39	56	48	2.88	2.90
American Indian or Alaska Native	11	16	7	5	8	15	*	*
Native Hawaiian or Other Pacific Islander	8	12	0	*	8	8	*	*
Asian	19	35	4	20	19	28	2.93	*
Two or More Races	17	22	7	7	16	21	*	4.18
Hispanic or Latino	66	63	21	21	66	59	1.93	1.84

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.78D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.07	0.07	0.03	0.03	0.06	0.06	0.87	0.82
AGE								
12-17	0.14	0.13	0.05	0.04	0.13	0.13	0.78	0.76
18-25	0.18	0.17	0.06	0.07	0.17	0.16	0.67	0.71
26 or Older	0.08	0.08	0.04	0.04	0.07	0.07	1.68	1.58
GENDER								
Male	0.12	0.10	0.05	0.05	0.11	0.09	1.14	1.06
Female	0.08	0.07	0.04	0.04	0.06	0.06	1.39	1.36
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.07	0.03	0.03	0.06	0.06	0.94	0.91
White	0.08	0.07	0.04	0.03	0.07	0.07	1.04	0.87
Black or African American	0.24	0.22	0.13	0.14	0.21	0.17	2.88	2.90
American Indian or Alaska Native	0.77	1.24	0.52	0.40	0.56	1.18	*	*
Native Hawaiian or Other Pacific Islander	1.18	2.21	0.05	*	1.18	1.45	*	*
Asian	0.21	0.35	0.04	0.21	0.20	0.29	2.93	*
Two or More Races	0.68	0.85	0.27	0.27	0.63	0.81	*	4.18
Hispanic or Latino	0.22	0.21	0.07	0.07	0.22	0.20	1.93	1.84

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.78P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.6869		0.9354		0.6147		0.8122	
AGE								
12-17	0.5448		0.6706		0.6164		0.7766	
18-25	0.5228		0.1494		0.8337		0.2157	
26 or Older	0.8050		0.7133		0.5997		0.5795	
GENDER								
Male	0.8089		0.6023		0.9807		0.6223	
Female	0.7349		0.4133		0.3805		0.3027	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4246		0.8665		0.4042		0.9109	
White	0.6984		0.6519		0.4890		0.5158	
Black or African American	0.8148		0.6470		0.5430		0.5158	
American Indian or Alaska Native	0.1530		0.1709		0.0483		*	
Native Hawaiian or Other Pacific Islander	0.3505		*		0.7927		*	
Asian	0.4273		0.3664		0.7640		*	
Two or More Races	0.1158		0.6434		0.1280		*	
Hispanic or Latino	0.3801		0.5147		0.5424		0.6489	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.79C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	215	228	91	114	192	203	1.12	1.26
GEOGRAPHIC DIVISION								
Northeast	85	92	40	57	75	78	2.51	3.17
New England	49	35	17	21	45	33	3.29	4.24
Middle Atlantic	70	85	36	53	61	71	3.36	4.11
Midwest	92	100	35	40	81	94	2.01	2.20
East North Central	76	90	26	28	69	86	2.19	2.20
West North Central	50	44	24	29	43	37	4.23	5.09
South	134	139	64	77	114	110	2.17	2.26
South Atlantic	112	111	56	70	92	76	3.42	3.71
East South Central	43	50	26	16	37	47	*	2.81
West South Central	59	68	18	27	56	65	2.07	3.01
West	112	118	36	47	109	119	2.01	2.34
Mountain	46	41	18	12	41	39	2.86	2.23
Pacific	102	111	31	45	101	112	2.61	3.04
COUNTY TYPE								
Large Metro	165	185	77	88	144	166	1.72	1.85
Small Metro	114	112	35	56	107	106	1.44	2.04
250K - 1 Mil. Pop.	85	92	33	46	76	87	2.07	2.52
< 250K Pop.	77	68	15	33	75	64	1.71	3.50
Nonmetro	73	88	33	41	66	73	2.83	2.83
Urbanized	57	67	29	27	50	58	4.55	3.57
Less Urbanized	46	48	14	31	44	40	2.94	5.00
Completely Rural	14	13	9	2	10	13	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.79D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.09	0.09	0.04	0.05	0.08	0.08	1.12	1.26
GEOGRAPHIC DIVISION								
Northeast	0.19	0.20	0.09	0.12	0.17	0.17	2.51	3.17
New England	0.41	0.30	0.14	0.17	0.38	0.27	3.29	4.24
Middle Atlantic	0.21	0.25	0.11	0.16	0.18	0.21	3.36	4.11
Midwest	0.17	0.19	0.07	0.07	0.15	0.17	2.01	2.20
East North Central	0.20	0.24	0.07	0.07	0.18	0.23	2.19	2.20
West North Central	0.31	0.27	0.15	0.18	0.27	0.23	4.23	5.09
South	0.16	0.16	0.08	0.09	0.13	0.13	2.17	2.26
South Atlantic	0.25	0.24	0.13	0.15	0.21	0.17	3.42	3.71
East South Central	0.31	0.35	0.19	0.11	0.26	0.33	*	2.81
West South Central	0.23	0.26	0.07	0.10	0.21	0.24	2.07	3.01
West	0.21	0.22	0.07	0.09	0.20	0.22	2.01	2.34
Mountain	0.29	0.25	0.12	0.07	0.26	0.24	2.86	2.23
Pacific	0.27	0.29	0.08	0.12	0.26	0.29	2.61	3.04
COUNTY TYPE								
Large Metro	0.13	0.14	0.06	0.07	0.11	0.13	1.72	1.85
Small Metro	0.16	0.16	0.05	0.08	0.15	0.15	1.44	2.04
250K - 1 Mil. Pop.	0.18	0.19	0.07	0.10	0.16	0.19	2.07	2.52
< 250K Pop.	0.32	0.28	0.06	0.13	0.31	0.26	1.71	3.50
Nonmetro	0.18	0.22	0.08	0.10	0.16	0.18	2.83	2.83
Urbanized	0.32	0.40	0.16	0.16	0.28	0.35	4.55	3.57
Less Urbanized	0.25	0.24	0.07	0.15	0.24	0.20	2.94	5.00
Completely Rural	0.33	0.38	0.21	0.06	0.25	0.36	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.79P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0419		0.0369		0.2558		0.1239	
GEOGRAPHIC DIVISION								
Northeast	0.3808		0.1415		0.9592		0.1694	
New England	0.6828		0.1200		0.1967		0.0374	
Middle Atlantic	0.2178		0.3332		0.4444		0.5297	
Midwest	0.2617		0.3008		0.4470		0.5381	
East North Central	0.1680		0.7398		0.1751		0.7843	
West North Central	0.8552		0.2372		0.3394		0.1558	
South	0.3262		0.2480		0.6885		0.3276	
South Atlantic	0.9631		0.2423		0.3887		0.1667	
East South Central	0.0330		0.5225		0.0048		*	
West South Central	0.7787		0.2879		0.9349		0.3176	
West	0.2574		0.5995		0.3459		0.9078	
Mountain	0.1921		0.4216		0.2671		0.7456	
Pacific	0.0829		0.3703		0.1635		0.7623	
COUNTY TYPE								
Large Metro	0.3575		0.4153		0.5559		0.5824	
Small Metro	0.1070		0.0159		0.5480		0.0513	
250K - 1 Mil. Pop.	0.0568		0.1787		0.1722		0.4788	
< 250K Pop.	0.9468		0.0185		0.4311		0.0150	
Nonmetro	0.1484		0.2982		0.3002		0.5648	
Urbanized	0.1746		0.5671		0.2034		0.9455	
Less Urbanized	0.7102		0.2180		0.7751		0.2338	
Completely Rural	0.2812		0.3297		0.0881		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.80C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2003	2004
	2003	2004	2003	2004	2003	2004		
TOTAL	46	48	14	16	45	45	1.02	1.06
GEOGRAPHIC DIVISION								
Northeast	18	23	5	7	17	22	2.05	2.49
New England	9	13	1	3	9	12	1.14	*
Middle Atlantic	16	19	5	7	14	19	2.88	3.26
Midwest	23	20	6	7	22	19	1.87	2.03
East North Central	19	16	4	4	19	15	1.65	1.85
West North Central	12	12	5	5	12	11	*	*
South	28	29	8	11	28	26	1.85	2.25
South Atlantic	19	22	3	8	19	19	1.27	3.43
East South Central	9	8	4	1	8	8	*	*
West South Central	18	16	7	7	18	16	4.00	4.08
West	21	25	8	6	22	23	2.30	1.59
Mountain	13	9	2	4	12	8	1.75	2.98
Pacific	17	23	7	5	18	22	3.42	1.91
COUNTY TYPE								
Large Metro	34	36	10	10	34	35	1.47	1.37
Small Metro	22	25	7	10	21	24	1.67	2.13
250K - 1 Mil. Pop.	18	21	6	10	17	20	2.10	2.79
< 250K Pop.	13	14	5	4	12	14	3.04	2.96
Nonmetro	19	17	6	6	18	16	2.36	2.37
Urbanized	11	11	4	4	11	10	3.64	3.49
Less Urbanized	13	12	4	4	12	12	3.51	3.49
Completely Rural	6	4	0	1	6	3	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.80D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.18	0.19	0.05	0.06	0.18	0.18	1.02	1.06
GEOGRAPHIC DIVISION								
Northeast	0.40	0.50	0.10	0.16	0.37	0.49	2.05	2.49
New England	0.76	1.08	0.06	0.21	0.75	1.03	1.14	*
Middle Atlantic	0.47	0.55	0.14	0.20	0.42	0.55	2.88	3.26
Midwest	0.40	0.35	0.11	0.12	0.39	0.33	1.87	2.03
East North Central	0.48	0.39	0.10	0.11	0.48	0.38	1.65	1.85
West North Central	0.70	0.70	0.28	0.31	0.70	0.64	*	*
South	0.31	0.32	0.09	0.12	0.31	0.29	1.85	2.25
South Atlantic	0.43	0.49	0.06	0.18	0.43	0.41	1.27	3.43
East South Central	0.62	0.57	0.25	0.08	0.56	0.55	*	*
West South Central	0.61	0.53	0.24	0.22	0.62	0.53	4.00	4.08
West	0.36	0.41	0.13	0.11	0.37	0.38	2.30	1.59
Mountain	0.72	0.50	0.12	0.20	0.70	0.46	1.75	2.98
Pacific	0.41	0.54	0.18	0.12	0.42	0.51	3.42	1.91
COUNTY TYPE								
Large Metro	0.26	0.27	0.08	0.08	0.26	0.26	1.47	1.37
Small Metro	0.30	0.33	0.10	0.14	0.28	0.31	1.67	2.13
250K - 1 Mil. Pop.	0.37	0.42	0.12	0.19	0.34	0.38	2.10	2.79
< 250K Pop.	0.52	0.56	0.19	0.17	0.51	0.54	3.04	2.96
Nonmetro	0.45	0.40	0.14	0.13	0.43	0.38	2.36	2.37
Urbanized	0.62	0.63	0.22	0.22	0.59	0.58	3.64	3.49
Less Urbanized	0.65	0.57	0.22	0.18	0.60	0.56	3.51	3.49
Completely Rural	1.32	0.93	0.10	0.31	1.32	0.86	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.80P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR					Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility	
	2003	2004	2003	2004	2003	2004
TOTAL	0.3792		0.3077		0.5599	0.4342
GEOGRAPHIC DIVISION						
Northeast	0.0209		0.0994		0.0526	0.2421
New England	0.3922		0.2803		0.4930	*
Middle Atlantic	0.0287		0.1687		0.0620	0.3807
Midwest	0.5246		0.5410		0.3962	0.3782
East North Central	0.5997		0.3457		0.4467	0.2446
West North Central	0.7166		0.9687		0.6877	*
South	0.5448		0.4990		0.3855	0.3839
South Atlantic	0.9907		0.0188		0.3911	0.0077
East South Central	0.9834		0.0165		0.3933	*
West South Central	0.3659		0.9089		0.4072	0.8602
West	0.3261		0.3457		0.2199	0.2205
Mountain	0.6494		0.4347		0.5010	0.3356
Pacific	0.1625		0.1256		0.0757	0.0681
COUNTY TYPE						
Large Metro	0.4950		0.6957		0.5630	0.8369
Small Metro	0.2539		0.3263		0.4271	0.4784
250K - 1 Mil. Pop.	0.0604		0.2230		0.1489	0.4202
< 250K Pop.	0.4616		0.8548		0.4881	0.9564
Nonmetro	0.5577		0.7576		0.4653	0.5889
Urbanized	0.9955		0.8791		0.9472	0.8683
Less Urbanized	0.4973		1.0000		0.4854	0.8099
Completely Rural	0.6801		0.2374		0.5003	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.81C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2003	2004
	2003	2004	2003	2004	2003	2004		
TOTAL	75	84	29	28	70	82	1.03	0.96
GEOGRAPHIC DIVISION								
Northeast	31	34	12	10	28	34	2.17	1.78
New England	13	16	6	7	12	15	3.23	3.68
Middle Atlantic	28	30	11	7	25	30	2.78	1.96
Midwest	32	34	11	12	29	33	1.71	1.88
East North Central	26	26	9	7	22	25	1.87	1.65
West North Central	18	22	6	10	19	21	3.62	*
South	41	49	16	16	38	48	1.76	1.56
South Atlantic	32	33	10	13	30	31	2.23	2.43
East South Central	11	23	5	6	11	23	*	3.64
West South Central	24	28	11	8	21	28	3.39	2.37
West	45	47	18	17	42	46	2.40	2.48
Mountain	17	17	7	7	17	17	3.25	3.76
Pacific	42	44	17	15	39	43	3.12	3.09
COUNTY TYPE								
Large Metro	61	57	24	18	57	56	1.57	1.24
Small Metro	36	56	14	18	34	54	1.65	1.78
250K - 1 Mil. Pop.	29	47	11	13	27	46	1.90	1.90
< 250K Pop.	20	28	9	13	18	26	2.97	3.51
Nonmetro	22	27	9	11	21	27	2.18	2.52
Urbanized	16	17	5	5	15	17	2.38	2.93
Less Urbanized	16	20	7	9	15	19	3.97	4.01
Completely Rural	4	7	*	*	3	7	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.81D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.24	0.26	0.09	0.09	0.22	0.25	1.03	0.96
GEOGRAPHIC DIVISION								
Northeast	0.55	0.60	0.22	0.17	0.50	0.60	2.17	1.78
New England	0.88	1.07	0.39	0.46	0.81	1.01	3.23	3.68
Middle Atlantic	0.67	0.72	0.26	0.17	0.60	0.72	2.78	1.96
Midwest	0.43	0.46	0.14	0.17	0.40	0.45	1.71	1.88
East North Central	0.52	0.50	0.18	0.13	0.44	0.49	1.87	1.65
West North Central	0.79	0.97	0.24	0.45	0.82	0.93	3.62	*
South	0.36	0.43	0.14	0.14	0.34	0.41	1.76	1.56
South Atlantic	0.56	0.58	0.18	0.22	0.53	0.54	2.23	2.43
East South Central	0.56	1.16	0.27	0.30	0.58	1.19	*	3.64
West South Central	0.62	0.73	0.29	0.21	0.55	0.73	3.39	2.37
West	0.61	0.63	0.25	0.22	0.57	0.61	2.40	2.48
Mountain	0.77	0.75	0.32	0.32	0.76	0.73	3.25	3.76
Pacific	0.81	0.84	0.33	0.28	0.75	0.81	3.12	3.09
COUNTY TYPE								
Large Metro	0.37	0.34	0.15	0.11	0.34	0.34	1.57	1.24
Small Metro	0.35	0.52	0.14	0.17	0.33	0.50	1.65	1.78
250K - 1 Mil. Pop.	0.44	0.69	0.17	0.18	0.41	0.67	1.90	1.90
< 250K Pop.	0.56	0.74	0.25	0.36	0.51	0.69	2.97	3.51
Nonmetro	0.45	0.55	0.18	0.22	0.42	0.55	2.18	2.52
Urbanized	0.69	0.75	0.22	0.24	0.65	0.76	2.38	2.93
Less Urbanized	0.74	0.85	0.30	0.39	0.68	0.80	3.97	4.01
Completely Rural	1.03	2.22	*	*	0.77	2.16	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.81P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0982		0.8726		0.0994		0.6356	
GEOGRAPHIC DIVISION								
Northeast	0.4240		0.6497		0.3188		0.4255	
New England	0.7231		0.4443		0.9763		0.4573	
Middle Atlantic	0.4760		0.2825		0.2858		0.1569	
Midwest	0.1605		0.8166		0.1142		0.4127	
East North Central	0.6507		0.1427		0.3275		0.0682	
West North Central	0.0841		0.2616		0.1919		*	
South	0.0153		0.4499		0.0240		0.9145	
South Atlantic	0.4073		0.7010		0.4552		0.9257	
East South Central	0.0118		0.4758		0.0260		*	
West South Central	0.1653		0.6691		0.2018		0.9652	
West	0.3007		0.9941		0.3052		0.6949	
Mountain	0.2810		0.4226		0.1541		0.2288	
Pacific	0.4881		0.6595		0.5783		0.8683	
COUNTY TYPE								
Large Metro	0.7425		0.2843		0.9659		0.3203	
Small Metro	0.0230		0.3362		0.0415		0.9686	
250K - 1 Mil. Pop.	0.1044		0.8911		0.1058		0.5914	
< 250K Pop.	0.0620		0.2054		0.1496		0.5174	
Nonmetro	0.0828		0.2339		0.2064		0.5685	
Urbanized	0.7848		0.3941		0.5998		0.3592	
Less Urbanized	0.0484		0.3436		0.1071		0.8866	
Completely Rural	0.0327		*		0.0215		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.82C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2003	2004
	2003	2004	2003	2004	2003	2004		
TOTAL	187	209	84	107	168	181	2.24	2.44
GEOGRAPHIC DIVISION								
Northeast	78	87	37	53	70	69	4.85	*
New England	48	35	16	19	45	27	*	*
Middle Atlantic	62	80	34	49	54	64	*	*
Midwest	73	89	34	38	67	82	4.75	4.65
East North Central	58	81	24	27	55	77	*	*
West North Central	43	38	24	27	38	26	*	*
South	123	128	62	73	106	98	4.07	4.15
South Atlantic	106	106	55	67	88	70	*	*
East South Central	43	42	24	16	36	41	*	*
West South Central	48	59	13	25	46	55	*	*
West	91	107	27	42	88	107	3.66	*
Mountain	42	33	16	8	39	33	*	*
Pacific	81	102	22	42	79	102	*	*
COUNTY TYPE								
Large Metro	143	169	72	85	124	151	3.41	3.56
Small Metro	105	100	29	51	100	87	2.60	4.06
250K - 1 Mil. Pop.	76	82	28	43	69	69	3.96	4.99
< 250K Pop.	72	60	12	28	71	56	*	*
Nonmetro	63	80	31	37	56	64	*	5.14
Urbanized	50	63	28	27	43	53	*	*
Less Urbanized	37	41	11	26	36	32	*	*
Completely Rural	12	9	8	*	8	9	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.82D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.10	0.11	0.05	0.06	0.09	0.10	2.24	2.44
GEOGRAPHIC DIVISION								
Northeast	0.22	0.25	0.11	0.15	0.20	0.20	4.85	*
New England	0.52	0.38	0.18	0.20	0.49	0.30	*	*
Middle Atlantic	0.24	0.31	0.13	0.19	0.21	0.25	*	*
Midwest	0.18	0.22	0.08	0.09	0.16	0.20	4.75	4.65
East North Central	0.20	0.28	0.08	0.09	0.19	0.27	*	*
West North Central	0.36	0.31	0.20	0.22	0.31	0.21	*	*
South	0.19	0.20	0.10	0.11	0.16	0.15	4.07	4.15
South Atlantic	0.31	0.30	0.16	0.19	0.26	0.20	*	*
East South Central	0.40	0.38	0.22	0.14	0.33	0.37	*	*
West South Central	0.25	0.30	0.07	0.13	0.24	0.28	*	*
West	0.23	0.26	0.07	0.10	0.22	0.26	3.66	*
Mountain	0.36	0.28	0.14	0.07	0.33	0.27	*	*
Pacific	0.28	0.35	0.07	0.14	0.27	0.35	*	*
COUNTY TYPE								
Large Metro	0.15	0.17	0.08	0.09	0.13	0.15	3.41	3.56
Small Metro	0.20	0.19	0.05	0.10	0.19	0.16	2.60	4.06
250K - 1 Mil. Pop.	0.21	0.23	0.08	0.12	0.20	0.19	3.96	4.99
< 250K Pop.	0.39	0.33	0.06	0.15	0.38	0.31	*	*
Nonmetro	0.20	0.25	0.10	0.12	0.18	0.20	*	5.14
Urbanized	0.37	0.50	0.21	0.21	0.31	0.42	*	*
Less Urbanized	0.27	0.26	0.08	0.16	0.26	0.20	*	*
Completely Rural	0.35	0.33	0.25	*	0.24	0.33	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.82P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.1694		0.0443		0.7017		0.1089	
GEOGRAPHIC DIVISION								
Northeast	0.9756		0.1434		0.3380		*	
New England	0.4335		0.2185		0.1079		*	
Middle Atlantic	0.6260		0.2801		0.8412		*	
Midwest	0.3752		0.3063		0.6584		0.5371	
East North Central	0.1154		0.5096		0.1657		*	
West North Central	0.3154		0.4271		0.0692		*	
South	0.7828		0.3521		0.7575		0.3302	
South Atlantic	0.8134		0.3659		0.3131		*	
East South Central	0.1820		0.6029		0.0758		*	
West South Central	0.9918		0.3245		0.6897		*	
West	0.0988		0.4465		0.1675		*	
Mountain	0.3974		0.1014		0.7459		*	
Pacific	0.0319		0.1533		0.1073		*	
COUNTY TYPE								
Large Metro	0.2675		0.2787		0.5424		0.5084	
Small Metro	0.9081		0.0409		0.4184		0.0287	
250K - 1 Mil. Pop.	0.4818		0.2563		0.8368		0.3602	
< 250K Pop.	0.4806		0.0413		0.1522		*	
Nonmetro	0.2496		0.4548		0.3627		*	
Urbanized	0.1455		0.6911		0.1299		*	
Less Urbanized	0.9550		0.2409		0.4612		*	
Completely Rural	0.7027		*		0.2481		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.83C Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	209	225	89	113	187	199	1.33	1.50
GEOGRAPHIC DIVISION								
Northeast	85	91	39	55	76	76	2.91	3.73
New England	51	35	17	21	49	34	3.93	*
Middle Atlantic	68	84	35	52	60	68	3.87	4.80
Midwest	85	97	35	39	74	91	2.50	2.63
East North Central	70	87	26	28	61	84	2.72	2.68
West North Central	49	43	23	28	41	34	*	*
South	132	140	64	77	112	108	2.58	2.63
South Atlantic	112	113	56	70	92	75	3.94	4.17
East South Central	44	51	25	16	38	47	*	3.22
West South Central	55	64	17	26	52	63	2.53	3.73
West	109	115	34	46	105	117	2.30	2.88
Mountain	46	37	18	10	40	36	3.48	2.60
Pacific	98	109	28	45	97	111	2.91	3.72
COUNTY TYPE								
Large Metro	161	181	76	88	140	161	2.03	2.22
Small Metro	111	110	33	54	105	105	1.66	2.42
250K - 1 Mil. Pop.	81	90	31	44	74	86	2.38	3.04
< 250K Pop.	75	66	14	31	74	63	2.06	4.04
Nonmetro	68	87	33	41	61	70	3.55	3.29
Urbanized	55	66	29	27	48	56	*	4.14
Less Urbanized	41	48	13	31	39	37	3.75	*
Completely Rural	12	12	9	2	9	12	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.83D Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.10	0.10	0.04	0.05	0.09	0.09	1.33	1.50
GEOGRAPHIC DIVISION								
Northeast	0.21	0.22	0.10	0.14	0.19	0.18	2.91	3.73
New England	0.48	0.32	0.16	0.19	0.45	0.32	3.93	*
Middle Atlantic	0.23	0.28	0.12	0.17	0.20	0.23	3.87	4.80
Midwest	0.18	0.20	0.07	0.08	0.15	0.19	2.50	2.63
East North Central	0.21	0.26	0.08	0.08	0.18	0.25	2.72	2.68
West North Central	0.34	0.30	0.16	0.19	0.29	0.23	*	*
South	0.17	0.18	0.08	0.10	0.15	0.14	2.58	2.63
South Atlantic	0.28	0.28	0.14	0.17	0.23	0.18	3.94	4.17
East South Central	0.34	0.39	0.20	0.12	0.30	0.37	*	3.22
West South Central	0.24	0.27	0.07	0.11	0.22	0.27	2.53	3.73
West	0.23	0.24	0.07	0.10	0.22	0.24	2.30	2.88
Mountain	0.33	0.26	0.13	0.07	0.29	0.25	3.48	2.60
Pacific	0.29	0.32	0.08	0.13	0.29	0.32	2.91	3.72
COUNTY TYPE								
Large Metro	0.14	0.16	0.07	0.08	0.12	0.14	2.03	2.22
Small Metro	0.17	0.17	0.05	0.08	0.16	0.16	1.66	2.42
250K - 1 Mil. Pop.	0.19	0.21	0.07	0.11	0.18	0.20	2.38	3.04
< 250K Pop.	0.34	0.30	0.07	0.14	0.34	0.29	2.06	4.04
Nonmetro	0.19	0.24	0.09	0.11	0.17	0.19	3.55	3.29
Urbanized	0.34	0.44	0.18	0.18	0.30	0.38	*	4.14
Less Urbanized	0.25	0.26	0.08	0.17	0.24	0.20	3.75	*
Completely Rural	0.33	0.39	0.24	0.05	0.23	0.38	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.83P Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.0578		0.0487		0.2991		0.1581	
GEOGRAPHIC DIVISION								
Northeast	0.7248		0.1845		0.6532		0.1633	
New England	0.5481		0.1425		0.1688		*	
Middle Atlantic	0.4494		0.4013		0.7612		0.5270	
Midwest	0.1746		0.3556		0.2973		0.7111	
East North Central	0.1099		0.8443		0.1022		0.5730	
West North Central	0.9536		0.2495		0.4027		*	
South	0.2653		0.2858		0.5332		0.4158	
South Atlantic	0.9622		0.3440		0.4850		0.2503	
East South Central	0.0347		0.7228		0.0106		*	
West South Central	0.5642		0.2667		0.8564		0.3416	
West	0.3317		0.4984		0.4679		0.7651	
Mountain	0.2154		0.3208		0.3272		0.5906	
Pacific	0.1285		0.2604		0.2723		0.5680	
COUNTY TYPE								
Large Metro	0.4078		0.4413		0.6163		0.6075	
Small Metro	0.1764		0.0220		0.6916		0.0626	
250K - 1 Mil. Pop.	0.1287		0.2578		0.2945		0.5641	
< 250K Pop.	0.8507		0.0139		0.4793		0.0130	
Nonmetro	0.1003		0.3130		0.1889		0.6844	
Urbanized	0.1667		0.5771		0.1892		*	
Less Urbanized	0.5127		0.2076		0.9549		*	
Completely Rural	0.1921		0.2394		0.0349		*	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.84C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	198	211	51	58	29	36	41	45	189	202
AGE										
12-17	47	47	8	12	2	5	8	11	46	45
18-25	76	92	15	24	6	12	14	20	73	87
26 or Older	172	186	47	52	28	33	38	41	165	175
GENDER										
Male	160	159	41	44	25	27	33	34	155	152
Female	111	121	28	38	14	23	25	30	106	113

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.84D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	0.00	0.00	0.78	0.84	0.45	0.52	0.64	0.67	0.78	0.84
AGE										
12-17	0.00	0.00	0.68	0.90	0.20	0.37	0.65	0.83	0.68	0.90
18-25	0.00	0.00	0.63	0.91	0.24	0.49	0.59	0.77	0.63	0.91
26 or Older	0.00	0.00	1.66	1.72	1.01	1.12	1.35	1.38	1.66	1.72
GENDER										
Male	0.00	0.00	1.05	1.02	0.64	0.64	0.84	0.81	1.05	1.02
Female	0.00	0.00	1.13	1.42	0.57	0.92	1.00	1.15	1.13	1.42

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.84P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	.		0.0549		0.1715		0.1785		0.0549	
AGE										
12-17	.		0.8839		0.5442		0.9309		0.8839	
18-25	.		0.0004		0.0035		0.0164		0.0004	
26 or Older	.		0.4752		0.6211		0.6254		0.4752	
GENDER										
Male	.		0.3099		0.6180		0.3941		0.3099	
Female	.		0.0615		0.1027		0.2755		0.0615	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 5.85C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	147	143	32	39	17	23	28	31	144	136
AGE										
12-17	34	33	6	7	2	3	6	7	34	32
18-25	56	58	11	14	5	7	10	12	54	55
26 or Older	125	127	30	36	16	22	25	28	123	119
GENDER										
Male	120	110	26	31	15	18	21	24	119	107
Female	80	81	19	23	8	14	17	19	76	76

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.85D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, Annual Averages Based on 2002-2003 and 2003-2004

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	0.00	0.00	0.51	0.57	0.27	0.35	0.44	0.47	0.51	0.57
AGE										
12-17	0.00	0.00	0.51	0.57	0.12	0.22	0.50	0.53	0.51	0.57
18-25	0.00	0.00	0.43	0.57	0.20	0.28	0.40	0.50	0.43	0.57
26 or Older	0.00	0.00	1.10	1.21	0.61	0.75	0.91	0.97	1.10	1.21
GENDER										
Male	0.00	0.00	0.66	0.75	0.39	0.45	0.54	0.59	0.66	0.75
Female	0.00	0.00	0.78	0.90	0.35	0.54	0.71	0.76	0.78	0.90

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5.85P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2003-2004 Versus 2002-2003

Demographic Characteristic	Total Needing But Not Receiving Treatment ¹		FELT NEED FOR TREATMENT ²						Did Not Feel Need for Treatment ²	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	.		0.0022		0.0139		0.0450		0.0022	
AGE										
12-17	.		0.4285		0.1964		0.1959		0.4285	
18-25	.		0.0049		0.0137		0.0608		0.0049	
26 or Older	.		0.0198		0.1324		0.0802		0.0198	
GENDER										
Male	.		0.0246		0.1849		0.0733		0.0246	
Female	.		0.0320		0.0201		0.3392		0.0320	

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.