

Table 6.75C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	524	283	102	428
AGE				
12-17	41	32	11	25
18-25	83	51	19	62
26 or Older	518	272	100	424
GENDER				
Male	276	176	50	202
Female	448	224	88	377
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	493	259	99	414
White	439	237	98	363
Black or African American	164	100	18	128
Other or Two or More Races	*	27	6	*
Hispanic or Latino	156	115	22	100
FAMILY INCOME				
Less Than \$20,000	260	150	60	195
\$20,000 - \$49,999	275	123	58	235
\$50,000 - \$74,999	257	170	24	192
\$75,000 or More	267	115	54	241
GOVERNMENT ASSISTANCE²				
Yes	247	130	55	195
No	462	254	86	380
HEALTH INSURANCE³				
Private	453	240	86	373
Medicaid/CHIP ⁴	201	95	13	165
Other ⁵	213	66	56	194
No Coverage	177	113	30	106

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.75D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	1.57	1.32	0.52	1.64
AGE				
12-17	1.38	1.25	0.47	1.03
18-25	1.93	1.44	0.58	1.67
26 or Older	2.08	1.76	0.71	2.22
GENDER				
Male	2.85	2.47	0.78	2.57
Female	1.81	1.54	0.68	2.04
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	1.66	1.38	0.57	1.73
White	1.74	1.51	0.68	1.87
Black or African American	4.99	4.37	0.90	5.17
Other or Two or More Races	*	2.75	0.61	*
Hispanic or Latino	4.95	4.53	1.04	4.28
FAMILY INCOME				
Less Than \$20,000	3.21	2.68	1.17	2.97
\$20,000 - \$49,999	2.59	1.74	0.87	2.62
\$50,000 - \$74,999	3.88	4.24	0.71	4.35
\$75,000 or More	3.02	2.55	1.25	3.56
GOVERNMENT ASSISTANCE²				
Yes	3.57	2.75	1.25	3.42
No	1.73	1.52	0.57	1.85
HEALTH INSURANCE³				
Private	1.91	1.76	0.70	2.14
Medicaid/CHIP ⁴	3.80	3.12	0.50	4.06
Other ⁵	3.82	2.75	2.34	4.75
No Coverage	3.91	2.71	0.83	2.67

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on all respondents aged 12 to 17 and a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.76C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	41	32	11	25
GENDER				
Male	20	14	7	13
Female	35	28	8	20
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	38	28	10	23
White	33	24	9	22
Black or African American	13	12	*	5
Other or Two or More Races	*	*	2	*
Hispanic or Latino	17	14	4	9
FAMILY INCOME				
Less Than \$20,000	15	11	5	7
\$20,000 - \$49,999	26	20	6	15
\$50,000 - \$74,999	19	14	5	12
\$75,000 or More	22	17	5	13
GOVERNMENT ASSISTANCE²				
Yes	18	11	5	12
No	37	30	9	22
HEALTH INSURANCE³				
Private	32	25	9	20
Medicaid/CHIP ⁴	22	16	5	14
Other ⁵	7	6	2	4
No Coverage	8	7	2	2

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.76D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	1.38	1.25	0.47	1.03
GENDER				
Male	2.56	1.98	1.04	1.99
Female	1.67	1.55	0.51	1.20
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	1.48	1.31	0.53	1.14
White	1.62	1.49	0.65	1.39
Black or African American	3.60	3.48	*	1.71
Other or Two or More Races	*	*	1.63	*
Hispanic or Latino	3.63	3.27	0.96	2.42
FAMILY INCOME				
Less Than \$20,000	3.05	2.49	1.19	1.78
\$20,000 - \$49,999	2.49	2.19	0.80	1.77
\$50,000 - \$74,999	3.05	2.70	1.01	2.47
\$75,000 or More	2.61	2.47	0.89	2.05
GOVERNMENT ASSISTANCE²				
Yes	3.05	2.50	1.16	2.48
No	1.57	1.44	0.52	1.13
HEALTH INSURANCE³				
Private	1.66	1.47	0.60	1.22
Medicaid/CHIP ⁴	2.85	2.43	0.82	2.22
Other ⁵	5.74	4.72	2.28	3.52
No Coverage	4.87	4.67	1.59	1.37

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004.

Table 6.77C Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	520	280	101	425
GENDER				
Male	275	175	50	201
Female	444	221	88	375
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	489	257	99	411
White	434	235	97	359
Black or African American	163	100	18	*
Other or Two or More Races	*	26	*	*
Hispanic or Latino	154	*	21	99
FAMILY INCOME				
Less Than \$20,000	259	150	60	195
\$20,000 - \$49,999	271	121	58	233
\$50,000 - \$74,999	259	*	23	193
\$75,000 or More	266	113	54	240
GOVERNMENT ASSISTANCE²				
Yes	246	129	54	194
No	459	251	86	378
HEALTH INSURANCE³				
Private	450	238	85	369
Medicaid/CHIP ⁴	199	92	12	165
Other ⁵	213	66	56	194
No Coverage	177	112	30	106

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).

Table 6.77D Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2004

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT ¹			
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication	Saw or Talked to Medical Doctor or Other Professional Only	Used Prescription Medication Only	Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
TOTAL	1.75	1.48	0.59	1.83
GENDER				
Male	3.14	2.71	0.86	2.85
Female	2.03	1.75	0.77	2.30
HISPANIC ORIGIN OR RACE				
Not Hispanic or Latino	1.83	1.54	0.64	1.91
White	1.91	1.67	0.75	2.06
Black or African American	5.67	5.07	1.04	*
Other or Two or More Races	*	3.03	*	*
Hispanic or Latino	5.97	*	1.26	5.22
FAMILY INCOME				
Less Than \$20,000	3.45	2.91	1.26	3.21
\$20,000 - \$49,999	2.91	1.95	0.98	2.95
\$50,000 - \$74,999	4.36	*	0.80	4.99
\$75,000 or More	3.44	2.91	1.44	4.01
GOVERNMENT ASSISTANCE²				
Yes	3.95	3.03	1.38	3.78
No	1.93	1.71	0.64	2.08
HEALTH INSURANCE³				
Private	2.13	2.00	0.79	2.41
Medicaid/CHIP ⁴	4.59	3.86	0.59	5.02
Other ⁵	3.88	2.87	2.44	4.88
No Coverage	4.08	2.81	0.86	2.77

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Major Depressive Episode (MDE) is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of the symptoms for depression as described in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Respondents with unknown past year treatment data are excluded.

² Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

³ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁴ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁵ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 (subsample).