

Table 7.94C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLICIT DRUG²	418	419	95	90	402	403
Marijuana and Hashish	329	353	76	78	324	340
Cocaine	147	120	65	46	129	108
Crack	92	66	58	29	63	53
Heroin	27	37	9	23	25	21
Hallucinogens	68	55	25	23	63	50
LSD	15	22	8	6	13	22
PCP	11	16	4	3	10	16
Ecstasy	53	45	23	21	47	40
Inhalants	37	59	6	11	37	58
Nonmedical Use of Psychotherapeutics ³	252	205	50	54	243	194
Pain Relievers	206	169	36	46	201	160
OxyContin [®]	--	35	--	13	--	32
Tranquilizers	117	101	21	29	116	96
Stimulants	91	89	30	28	82	84
Methamphetamine	74	67	28	27	63	60
Sedatives	54	48	13	10	52	47
ILLICIT DRUG OTHER THAN MARIJUANA²	293	256	77	68	279	240

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.94D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2003 and 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	0.19	0.19	1.78	1.75	0.18	0.19
Marijuana and Hashish	0.15	0.16	1.49	1.52	0.15	0.16
Cocaine	0.07	0.06	1.32	0.95	0.06	0.05
Crack	0.04	0.03	1.18	0.60	0.03	0.03
Heroin	0.01	0.02	0.18	0.48	0.01	0.01
Hallucinogens	0.03	0.03	0.54	0.49	0.03	0.02
LSD	0.01	0.01	0.17	0.12	0.01	0.01
PCP	0.01	0.01	0.09	0.06	0.00	0.01
Ecstasy	0.03	0.02	0.48	0.44	0.02	0.02
Inhalants	0.02	0.03	0.12	0.24	0.02	0.03
Nonmedical Use of Psychotherapeutics ³	0.12	0.09	1.00	1.12	0.12	0.09
Pain Relievers	0.10	0.08	0.75	0.95	0.10	0.07
OxyContin [®]	--	0.02	--	0.27	--	0.02
Tranquilizers	0.05	0.05	0.44	0.60	0.06	0.05
Stimulants	0.04	0.04	0.61	0.58	0.04	0.04
Methamphetamine	0.03	0.03	0.59	0.57	0.03	0.03
Sedatives	0.03	0.02	0.27	0.22	0.03	0.02
ILLCIT DRUG OTHER THAN MARIJUANA²	0.13	0.11	1.51	1.37	0.13	0.11

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.94P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	0.3915		0.4663		0.4899	
Marijuana and Hashish	0.7409		0.6575		0.8190	
Cocaine	0.1697		0.5762		0.2030	
Crack	0.2516		0.2753		0.4852	
Heroin	0.2859		0.0673		0.8426	
Hallucinogens	0.4076		0.7915		0.4373	
LSD	0.4823		0.6592		0.3426	
PCP	0.9343		0.6338		0.8214	
Ecstasy	0.8866		0.9814		0.8802	
Inhalants	0.3021		0.2948		0.4161	
Nonmedical Use of Psychotherapeutics ³	0.3400		0.6919		0.2837	
Pain Relievers	0.2870		0.2088		0.1716	
OxyContin [®]	--		--		--	
Tranquilizers	0.2558		0.6041		0.1855	
Stimulants	0.8181		0.8791		0.7863	
Methamphetamine	0.8505		0.8557		0.8856	
Sedatives	0.8735		0.6265		0.9459	
ILLCIT DRUG OTHER THAN MARIJUANA²	0.1132		0.8451		0.1045	

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.95C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2003 and 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	368	375	84	83	355	358
Marijuana and Hashish	296	323	74	71	293	309
Cocaine	123	110	50	46	114	98
Crack	69	60	40	29	56	45
Heroin	27	36	9	23	25	21
Hallucinogens	68	55	25	23	63	50
LSD	15	22	8	6	13	22
PCP	11	16	4	3	10	16
Ecstasy	53	45	23	21	47	40
Inhalants	36	43	6	11	36	42
Nonmedical Use of Psychotherapeutics ³	224	183	50	51	213	173
Pain Relievers	185	152	36	42	179	143
OxyContin [®]	--	35	--	13	--	32
Tranquilizers	97	96	21	29	95	90
Stimulants	89	81	30	28	80	75
Methamphetamine	74	63	28	27	63	56
Sedatives	36	36	13	10	34	34
ILLCIT DRUG OTHER THAN MARIJUANA²	256	227	64	66	244	212

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.95D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2003 and 2004

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	0.26	0.26	1.76	1.71	0.26	0.26
Marijuana and Hashish	0.21	0.23	1.60	1.54	0.22	0.23
Cocaine	0.09	0.08	1.14	1.05	0.09	0.08
Crack	0.05	0.04	0.92	0.66	0.04	0.04
Heroin	0.02	0.03	0.20	0.53	0.02	0.02
Hallucinogens	0.05	0.04	0.60	0.54	0.05	0.04
LSD	0.01	0.02	0.19	0.14	0.01	0.02
PCP	0.01	0.01	0.10	0.07	0.01	0.01
Ecstasy	0.04	0.03	0.54	0.49	0.04	0.03
Inhalants	0.03	0.03	0.14	0.27	0.03	0.03
Nonmedical Use of Psychotherapeutics ³	0.16	0.13	1.11	1.15	0.16	0.13
Pain Relievers	0.14	0.11	0.83	0.96	0.14	0.11
OxyContin [®]	--	0.03	--	0.30	--	0.02
Tranquilizers	0.07	0.07	0.48	0.66	0.07	0.07
Stimulants	0.07	0.06	0.68	0.65	0.06	0.06
Methamphetamine	0.06	0.05	0.66	0.64	0.05	0.04
Sedatives	0.03	0.03	0.29	0.24	0.03	0.03
ILLCIT DRUG OTHER THAN MARIJUANA²	0.19	0.16	1.43	1.41	0.18	0.15

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.95P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Drug	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
ILLCIT DRUG²	0.2551		0.4477		0.3190	
Marijuana and Hashish	0.4730		0.5228		0.5521	
Cocaine	0.2626		0.9790		0.2087	
Crack	0.3719		0.6321		0.4122	
Heroin	0.2970		0.0666		0.8071	
Hallucinogens	0.4443		0.7911		0.4734	
LSD	0.4653		0.6594		0.3307	
PCP	0.9228		0.6340		0.8118	
Ecstasy	0.9198		0.9814		0.9121	
Inhalants	0.4460		0.2946		0.6279	
Nonmedical Use of Psychotherapeutics ³	0.5969		0.8396		0.5465	
Pain Relievers	0.4286		0.3108		0.2883	
OxyContin [®]	--		--		--	
Tranquilizers	0.8594		0.5311		0.7005	
Stimulants	0.9371		0.8793		0.9458	
Methamphetamine	0.6106		0.8560		0.6037	
Sedatives	0.9720		0.7844		0.9216	
ILLCIT DRUG OTHER THAN MARIJUANA²	0.2008		0.9085		0.1575	

*Low precision; no estimate reported.

-- Not available.

¹ Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.³ Nonmedical use of prescription-type pain relievers, tranquilizers, stimulants, or sedatives; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.96C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	418	419	95	90	402	403
AGE						
18-49	368	375	84	83	355	358
18-25	155	158	45	41	144	150
26-34	199	201	53	49	197	195
35-49	250	241	57	52	245	235
GENDER/AGE						
Male 18 or Older	297	310	87	80	282	295
Male 18-49	263	276	75	72	252	262
Female 18 or Older	248	230	40	40	242	227
Female 18-49	216	207	40	40	209	204

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.96D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.19	0.19	1.78	1.75	0.18	0.19
AGE						
18-49	0.26	0.26	1.76	1.71	0.26	0.26
18-25	0.40	0.40	1.89	1.90	0.40	0.41
26-34	0.52	0.52	4.20	3.80	0.54	0.53
35-49	0.36	0.36	4.04	3.49	0.36	0.36
GENDER/AGE						
Male 18 or Older	0.27	0.29	2.23	2.12	0.27	0.29
Male 18-49	0.38	0.39	2.16	2.09	0.38	0.39
Female 18 or Older	0.22	0.20	2.92	2.98	0.21	0.20
Female 18-49	0.31	0.30	3.05	3.18	0.30	0.29

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.96P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.3915		0.4663		0.4899	
AGE						
18-49	0.2551		0.4477		0.3190	
18-25	0.1142		0.6835		0.1586	
26-34	0.6532		0.7281		0.5449	
35-49	0.2442		0.7968		0.2236	
GENDER/AGE						
Male 18 or Older	0.9804		0.6357		0.8251	
Male 18-49	0.9562		0.4971		0.8279	
Female 18 or Older	0.1524		0.5465		0.1522	
Female 18-49	0.0650		0.7728		0.0582	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.97C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	205	213	79	77	186	200
AGE						
18-49	196	190	78	77	175	172
18-25	79	93	34	33	71	84
26-34	108	112	40	44	99	102
35-49	134	123	55	52	119	109
GENDER/AGE						
Male 18 or Older	166	167	72	64	146	153
Male 18-49	156	157	71	63	134	141
Female 18 or Older	116	122	33	43	110	114
Female 18-49	114	107	33	43	107	97

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.97D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.09	0.10	1.51	1.55	0.09	0.09
AGE						
18-49	0.14	0.14	1.63	1.68	0.13	0.13
18-25	0.23	0.26	1.54	1.64	0.22	0.25
26-34	0.30	0.31	3.39	3.56	0.29	0.29
35-49	0.20	0.19	3.83	3.50	0.18	0.17
GENDER/AGE						
Male 18 or Older	0.16	0.16	1.92	1.80	0.15	0.15
Male 18-49	0.24	0.23	2.07	1.96	0.21	0.22
Female 18 or Older	0.10	0.11	2.48	3.05	0.10	0.10
Female 18-49	0.17	0.16	2.61	3.29	0.16	0.15

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.97P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.2373		0.7622		0.1706	
AGE						
18-49	0.4144		0.7961		0.3328	
18-25	0.1625		0.8319		0.0733	
26-34	0.3532		0.9641		0.2957	
35-49	0.5705		0.9053		0.4382	
GENDER/AGE						
Male 18 or Older	0.1383		0.5241		0.0519	
Male 18-49	0.1596		0.4462		0.0597	
Female 18 or Older	0.8993		0.5840		0.7101	
Female 18-49	0.4886		0.4087		0.3010	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.98C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	428	454	123	110	404	439
AGE						
18-49	367	356	115	106	344	333
18-25	149	161	48	47	136	148
26-34	202	194	72	62	194	185
35-49	241	246	74	77	227	233
GENDER/AGE						
Male 18 or Older	349	365	117	99	328	348
Male 18-49	296	293	110	95	276	271
Female 18 or Older	230	226	41	49	223	220
Female 18-49	202	188	41	49	195	180

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.98D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.19	0.20	2.02	2.06	0.18	0.20
AGE						
18-49	0.25	0.25	2.10	2.06	0.25	0.25
18-25	0.37	0.40	1.81	1.97	0.36	0.40
26-34	0.53	0.51	5.00	4.28	0.52	0.51
35-49	0.35	0.37	4.67	4.51	0.34	0.36
GENDER/AGE						
Male 18 or Older	0.32	0.32	2.52	2.45	0.31	0.32
Male 18-49	0.41	0.41	2.57	2.47	0.40	0.40
Female 18 or Older	0.20	0.20	3.11	3.47	0.20	0.20
Female 18-49	0.29	0.27	3.25	3.60	0.29	0.26

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 7.98P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.2635		0.8404		0.2101	
AGE						
18-49	0.3349		0.8764		0.3097	
18-25	0.7182		0.5829		0.4581	
26-34	0.9627		0.9864		0.9055	
35-49	0.2876		0.5169		0.3923	
GENDER/AGE						
Male 18 or Older	0.1866		0.5960		0.0951	
Male 18-49	0.1547		0.6573		0.0784	
Female 18 or Older	0.9039		0.4014		0.9196	
Female 18-49	0.7161		0.2027		0.4956	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 7.99C Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	481	922	90	127	476	906
AGE						
18-49	339	534	85	127	336	503
18-25	117	181	32	61	112	168
26-34	180	303	45	*	179	284
35-49	240	390	59	*	238	381
GENDER/AGE						
Male 18 or Older	282	639	67	117	281	621
Male 18-49	202	367	60	117	200	334
Female 18 or Older	374	646	55	51	371	644
Female 18-49	268	374	54	51	267	371

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD), referred to as Serious Mental Illness (SMI) in prior NSDUH reports, is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004 (subsample).

Table 7.99D Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2003 and 2004

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.20	0.41	1.71	2.53	0.21	0.41
AGE						
18-49	0.23	0.39	1.71	2.66	0.23	0.38
18-25	0.32	0.51	1.52	2.88	0.32	0.50
26-34	0.47	0.82	3.81	*	0.49	0.79
35-49	0.34	0.58	3.81	*	0.35	0.58
GENDER/AGE						
Male 18 or Older	0.26	0.60	1.79	3.18	0.27	0.60
Male 18-49	0.29	0.54	1.77	3.30	0.31	0.52
Female 18 or Older	0.31	0.54	3.48	4.09	0.31	0.54
Female 18-49	0.36	0.52	3.55	4.49	0.37	0.53

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD), referred to as Serious Mental Illness (SMI) in prior NSDUH reports, is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004 (subsample).

**Table 7.99P Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2004 Versus 2003**

Demographic Characteristic	Total ¹		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2003	2004	2003	2004	2003	2004
TOTAL 18 OR OLDER	0.1052		0.8363		0.0969	
AGE						
18-49	0.8918		0.6461		0.8227	
18-25	0.7137		0.3680		0.5415	
26-34	0.1112		*		0.1924	
35-49	0.2067		*		0.2998	
GENDER/AGE						
Male 18 or Older	0.1422		0.3839		0.1574	
Male 18-49	0.2943		0.2909		0.4217	
Female 18 or Older	0.4026		0.2121		0.3399	
Female 18-49	0.2479		0.3859		0.3144	

*Low precision; no estimate reported.

NOTE: Estimates in this table are based on a subsample of respondents aged 18 or older. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

NOTE: Serious Psychological Distress (SPD), referred to as Serious Mental Illness (SMI) in prior NSDUH reports, is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004 (subsample).