

Table 3.24C Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	96	96	96	96
AGE				
12-13	56	52	56	52
14-15	56	54	56	54
16-17	49	52	49	52
GENDER				
Male	72	71	72	71
Female	59	60	59	60
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	80	83	80	83
White	65	68	65	68
Black or African American	39	39	39	39
American Indian or Alaska Native	7	6	7	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	19	18	19	18
Two or More Races	11	11	11	11
Hispanic or Latino	49	43	49	43
COUNTY TYPE				
Large Metro	72	75	72	75
Small Metro	53	51	53	51
Nonmetro	35	32	35	32
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	42	40	49	54
Marijuana	38	35	45	46
Illicit Drug Other Than Marijuana ²	32	32	36	40
Cigarettes	41	43	59	58
Alcohol	41	45	67	69
Binge Alcohol ³	38	41	52	61
PAST YEAR				
Illicit Drug ²	50	47	74	73
Marijuana	44	43	64	64
Illicit Drug Other Than Marijuana ²	46	43	61	60
Cigarettes	49	52	70	72
Alcohol	50	53	86	92
LIFETIME				
Illicit Drug ²	53	49	88	78
Marijuana	49	46	74	71
Illicit Drug Other Than Marijuana ²	52	49	76	69
Cigarettes	55	53	85	90
Alcohol	53	52	95	94

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.24D Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.39	0.38	0.39	0.38
AGE				
12-13	0.66	0.63	0.66	0.63
14-15	0.68	0.62	0.68	0.62
16-17	0.59	0.64	0.59	0.64
GENDER				
Male	0.57	0.56	0.57	0.56
Female	0.49	0.49	0.49	0.49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.38	0.40	0.38	0.40
White	0.42	0.44	0.42	0.44
Black or African American	1.04	1.02	1.04	1.02
American Indian or Alaska Native	3.90	3.61	3.90	3.61
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.98	1.76	1.98	1.76
Two or More Races	2.81	2.54	2.81	2.54
Hispanic or Latino	1.22	1.03	1.22	1.03
COUNTY TYPE				
Large Metro	0.55	0.56	0.55	0.56
Small Metro	0.72	0.67	0.72	0.67
Nonmetro	0.81	0.77	0.81	0.77
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.71	0.69	0.26	0.28
Marijuana	0.64	0.60	0.24	0.24
Illicit Drug Other Than Marijuana ²	0.54	0.55	0.19	0.21
Cigarettes	0.69	0.75	0.31	0.30
Alcohol	0.69	0.78	0.35	0.36
Binge Alcohol ³	0.64	0.71	0.27	0.32
PAST YEAR				
Illicit Drug ²	0.84	0.81	0.39	0.38
Marijuana	0.74	0.73	0.34	0.33
Illicit Drug Other Than Marijuana ²	0.77	0.74	0.32	0.31
Cigarettes	0.83	0.89	0.37	0.37
Alcohol	0.84	0.92	0.45	0.48
LIFETIME				
Illicit Drug ²	0.88	0.84	0.46	0.41
Marijuana	0.82	0.78	0.39	0.37
Illicit Drug Other Than Marijuana ²	0.87	0.83	0.40	0.36
Cigarettes	0.92	0.91	0.45	0.47
Alcohol	0.89	0.89	0.50	0.49

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.24P Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.2173		0.2173	
AGE				
12-13	0.9338		0.9338	
14-15	0.1342		0.1342	
16-17	0.4195		0.4195	
GENDER				
Male	0.8984		0.8984	
Female	0.0574		0.0574	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6229		0.6229	
White	0.8723		0.8723	
Black or African American	0.8862		0.8862	
American Indian or Alaska Native	0.0686		0.0686	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0333		0.0333	
Two or More Races	0.5459		0.5459	
Hispanic or Latino	0.0824		0.0824	
COUNTY TYPE				
Large Metro	0.0820		0.0820	
Small Metro	0.5603		0.5603	
Nonmetro	0.4915		0.4915	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.4764		0.1571	
Marijuana	0.8565		0.3705	
Illicit Drug Other Than Marijuana ²	0.7371		0.1517	
Cigarettes	0.3000		0.1424	
Alcohol	0.6788		0.6834	
Binge Alcohol ³	0.0683		0.7596	
PAST YEAR				
Illicit Drug ²	0.9494		0.1007	
Marijuana	0.8182		0.2189	
Illicit Drug Other Than Marijuana ²	0.8216		0.2091	
Cigarettes	0.4075		0.0873	
Alcohol	0.5909		0.3523	
LIFETIME				
Illicit Drug ²	0.8044		0.5187	
Marijuana	0.6545		0.1603	
Illicit Drug Other Than Marijuana ²	0.9115		0.8372	
Cigarettes	0.4269		0.0036	
Alcohol	0.6340		0.2258	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.25C Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	83	85	83	85
AGE				
12-13	49	47	49	47
14-15	51	49	51	49
16-17	47	45	47	45
GENDER				
Male	60	60	60	60
Female	58	57	58	57
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	74	72	74	72
White	61	56	61	56
Black or African American	34	36	34	36
American Indian or Alaska Native	6	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	20	19	20	19
Two or More Races	11	11	11	11
Hispanic or Latino	39	47	39	47
COUNTY TYPE				
Large Metro	61	64	61	64
Small Metro	48	48	48	48
Nonmetro	28	33	28	33
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	37	38	53	54
Marijuana	34	35	48	45
Illicit Drug Other Than Marijuana ²	26	28	39	40
Cigarettes	37	40	62	59
Alcohol	40	39	71	68
Binge Alcohol ³	35	37	56	61
PAST YEAR				
Illicit Drug ²	44	43	76	74
Marijuana	40	39	65	64
Illicit Drug Other Than Marijuana ²	39	40	63	59
Cigarettes	43	46	74	73
Alcohol	42	46	91	92
LIFETIME				
Illicit Drug ²	44	44	94	85
Marijuana	42	43	77	71
Illicit Drug Other Than Marijuana ²	43	44	83	74
Cigarettes	46	49	95	92
Alcohol	43	44	98	100

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.25D Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.33	0.34	0.33	0.34
AGE				
12-13	0.59	0.57	0.59	0.57
14-15	0.62	0.57	0.62	0.57
16-17	0.57	0.55	0.57	0.55
GENDER				
Male	0.47	0.46	0.47	0.46
Female	0.48	0.46	0.48	0.46
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.36	0.34	0.36	0.34
White	0.39	0.36	0.39	0.36
Black or African American	0.90	0.96	0.90	0.96
American Indian or Alaska Native	3.42	*	3.42	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.11	1.94	2.11	1.94
Two or More Races	2.64	2.50	2.64	2.50
Hispanic or Latino	0.96	1.11	0.96	1.11
COUNTY TYPE				
Large Metro	0.46	0.48	0.46	0.48
Small Metro	0.66	0.63	0.66	0.63
Nonmetro	0.66	0.78	0.66	0.78
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.82	0.88	0.26	0.26
Marijuana	0.75	0.81	0.23	0.21
Illicit Drug Other Than Marijuana ²	0.58	0.66	0.19	0.19
Cigarettes	0.82	0.94	0.30	0.28
Alcohol	0.90	0.91	0.35	0.33
Binge Alcohol ³	0.78	0.86	0.27	0.29
PAST YEAR				
Illicit Drug ²	0.97	1.01	0.37	0.36
Marijuana	0.89	0.92	0.32	0.31
Illicit Drug Other Than Marijuana ²	0.87	0.94	0.31	0.28
Cigarettes	0.95	1.09	0.36	0.35
Alcohol	0.94	1.07	0.44	0.44
LIFETIME				
Illicit Drug ²	0.97	1.03	0.46	0.41
Marijuana	0.92	0.99	0.38	0.34
Illicit Drug Other Than Marijuana ²	0.96	1.02	0.41	0.36
Cigarettes	1.01	1.14	0.47	0.44
Alcohol	0.96	1.03	0.48	0.48

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.25P Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: *P* Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0231		0.0231	
AGE				
12-13	0.0061		0.0061	
14-15	0.1557		0.1557	
16-17	0.9559		0.9559	
GENDER				
Male	0.6986		0.6986	
Female	0.0026		0.0026	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0307		0.0307	
White	0.1069		0.1069	
Black or African American	0.0882		0.0882	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6056		0.6056	
Two or More Races	0.9311		0.9311	
Hispanic or Latino	0.3614		0.3614	
COUNTY TYPE				
Large Metro	0.0452		0.0452	
Small Metro	0.0997		0.0997	
Nonmetro	0.7130		0.7130	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.2920		0.0116	
Marijuana	0.1625		0.0505	
Illicit Drug Other Than Marijuana ²	0.9459		0.1098	
Cigarettes	0.0435		0.0616	
Alcohol	0.2178		0.4752	
Binge Alcohol ³	0.0806		0.5371	
PAST YEAR				
Illicit Drug ²	0.0837		0.0143	
Marijuana	0.0611		0.0351	
Illicit Drug Other Than Marijuana ²	0.4420		0.1542	
Cigarettes	0.1253		0.0636	
Alcohol	0.4736		0.4114	
LIFETIME				
Illicit Drug ²	0.0989		0.2016	
Marijuana	0.0150		0.0247	
Illicit Drug Other Than Marijuana ²	0.5504		0.9491	
Cigarettes	0.9214		0.0022	
Alcohol	0.3151		0.4171	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.26C Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	40	37	40	37
AGE				
12-13	21	17	21	17
14-15	23	22	23	22
16-17	25	26	25	26
GENDER				
Male	36	35	36	35
Female	17	14	17	14
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	34	32	34	32
White	28	27	28	27
Black or African American	13	17	13	17
American Indian or Alaska Native	3	3	3	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	10	7	10	7
Two or More Races	4	3	4	3
Hispanic or Latino	21	17	21	17
COUNTY TYPE				
Large Metro	29	28	29	28
Small Metro	21	21	21	21
Nonmetro	18	15	18	15
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	19	19	62	65
Marijuana	17	17	56	55
Illicit Drug Other Than Marijuana ²	17	14	44	48
Cigarettes	18	20	70	73
Alcohol	19	18	79	79
Binge Alcohol ³	17	18	64	70
PAST YEAR				
Illicit Drug ²	21	20	86	84
Marijuana	19	20	75	75
Illicit Drug Other Than Marijuana ²	19	17	75	69
Cigarettes	20	20	85	86
Alcohol	20	20	99	102
LIFETIME				
Illicit Drug ²	21	19	102	93
Marijuana	21	20	88	85
Illicit Drug Other Than Marijuana ²	21	18	94	83
Cigarettes	20	19	104	101
Alcohol	19	18	107	107

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.26D Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.16	0.15	0.16	0.15
AGE				
12-13	0.25	0.21	0.25	0.21
14-15	0.28	0.26	0.28	0.26
16-17	0.31	0.32	0.31	0.32
GENDER				
Male	0.28	0.27	0.28	0.27
Female	0.14	0.11	0.14	0.11
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.16	0.16	0.16	0.16
White	0.18	0.17	0.18	0.17
Black or African American	0.36	0.44	0.36	0.44
American Indian or Alaska Native	1.46	1.63	1.46	1.63
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.00	0.73	1.00	0.73
Two or More Races	1.06	0.72	1.06	0.72
Hispanic or Latino	0.51	0.40	0.51	0.40
COUNTY TYPE				
Large Metro	0.22	0.21	0.22	0.21
Small Metro	0.28	0.28	0.28	0.28
Nonmetro	0.43	0.36	0.43	0.36
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2.06	2.35	0.26	0.27
Marijuana	1.85	2.08	0.23	0.23
Illicit Drug Other Than Marijuana ²	1.84	1.76	0.18	0.20
Cigarettes	2.00	2.39	0.29	0.30
Alcohol	2.07	2.16	0.33	0.32
Binge Alcohol ³	1.86	2.18	0.27	0.29
PAST YEAR				
Illicit Drug ²	2.28	2.38	0.36	0.34
Marijuana	2.09	2.41	0.31	0.31
Illicit Drug Other Than Marijuana ²	2.14	2.03	0.31	0.28
Cigarettes	2.19	2.50	0.35	0.35
Alcohol	2.26	2.41	0.41	0.42
LIFETIME				
Illicit Drug ²	2.29	2.37	0.43	0.38
Marijuana	2.27	2.48	0.37	0.35
Illicit Drug Other Than Marijuana ²	2.32	2.19	0.39	0.34
Cigarettes	2.18	2.34	0.43	0.42
Alcohol	2.15	2.26	0.45	0.44

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.26P Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Carried a Handgun ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.0929		0.0929	
AGE				
12-13	0.0273		0.0273	
14-15	0.3428		0.3428	
16-17	0.8890		0.8890	
GENDER				
Male	0.1546		0.1546	
Female	0.3432		0.3432	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2569		0.2569	
White	0.0833		0.0833	
Black or African American	0.1254		0.1254	
American Indian or Alaska Native	0.9693		0.9693	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.2573		0.2573	
Two or More Races	0.6307		0.6307	
Hispanic or Latino	0.1266		0.1266	
COUNTY TYPE				
Large Metro	0.2604		0.2604	
Small Metro	0.4280		0.4280	
Nonmetro	0.3567		0.3567	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.7007		0.0954	
Marijuana	0.2365		0.2631	
Illicit Drug Other Than Marijuana ²	0.1517		0.3442	
Cigarettes	0.2779		0.3906	
Alcohol	0.4156		0.7691	
Binge Alcohol ³	0.0354		0.3901	
PAST YEAR				
Illicit Drug ²	0.6226		0.1668	
Marijuana	0.5731		0.2815	
Illicit Drug Other Than Marijuana ²	0.1630		0.5034	
Cigarettes	0.8038		0.3246	
Alcohol	0.7539		0.5050	
LIFETIME				
Illicit Drug ²	0.2783		0.6167	
Marijuana	0.4652		0.2686	
Illicit Drug Other Than Marijuana ²	0.1607		0.7457	
Cigarettes	0.8995		0.0037	
Alcohol	0.8758		0.1851	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.27C Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	40	40	40	40
AGE				
12-13	9	11	9	11
14-15	23	24	23	24
16-17	29	30	29	30
GENDER				
Male	33	32	33	32
Female	20	23	20	23
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	35	37	35	37
White	31	32	31	32
Black or African American	14	16	14	16
American Indian or Alaska Native	3	2	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3	6	3	6
Two or More Races	9	8	9	8
Hispanic or Latino	17	19	17	19
COUNTY TYPE				
Large Metro	30	30	30	30
Small Metro	20	23	20	23
Nonmetro	16	16	16	16
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	19	20	57	61
Marijuana	20	20	51	49
Illicit Drug Other Than Marijuana ²	19	20	43	43
Cigarettes	20	21	66	67
Alcohol	18	22	75	75
Binge Alcohol ³	19	23	59	64
PAST YEAR				
Illicit Drug ²	13	14	81	81
Marijuana	15	15	70	70
Illicit Drug Other Than Marijuana ²	19	21	72	66
Cigarettes	18	19	83	81
Alcohol	13	13	98	100
LIFETIME				
Illicit Drug ²	9	12	99	91
Marijuana	13	14	83	82
Illicit Drug Other Than Marijuana ²	17	20	91	79
Cigarettes	15	16	104	100
Alcohol	10	10	107	107

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.27D Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.16	0.16	0.16	0.16
AGE				
12-13	0.11	0.13	0.11	0.13
14-15	0.28	0.28	0.28	0.28
16-17	0.36	0.37	0.36	0.37
GENDER				
Male	0.26	0.25	0.26	0.25
Female	0.16	0.19	0.16	0.19
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.17	0.18	0.17	0.18
White	0.20	0.20	0.20	0.20
Black or African American	0.37	0.42	0.37	0.42
American Indian or Alaska Native	1.44	1.48	1.44	1.48
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.26	0.55	0.26	0.55
Two or More Races	2.25	1.84	2.25	1.84
Hispanic or Latino	0.43	0.45	0.43	0.45
COUNTY TYPE				
Large Metro	0.23	0.22	0.23	0.22
Small Metro	0.27	0.30	0.27	0.30
Nonmetro	0.38	0.38	0.38	0.38
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2.12	2.03	0.24	0.25
Marijuana	2.24	2.09	0.21	0.20
Illicit Drug Other Than Marijuana ²	2.10	2.06	0.18	0.18
Cigarettes	2.18	2.14	0.28	0.28
Alcohol	1.97	2.27	0.31	0.31
Binge Alcohol ³	2.12	2.33	0.25	0.27
PAST YEAR				
Illicit Drug ²	1.41	1.43	0.34	0.34
Marijuana	1.61	1.60	0.29	0.29
Illicit Drug Other Than Marijuana ²	2.12	2.16	0.30	0.27
Cigarettes	1.99	2.00	0.35	0.33
Alcohol	1.49	1.31	0.41	0.41
LIFETIME				
Illicit Drug ²	1.01	1.23	0.41	0.38
Marijuana	1.45	1.45	0.34	0.34
Illicit Drug Other Than Marijuana ²	1.93	2.05	0.38	0.33
Cigarettes	1.65	1.69	0.43	0.41
Alcohol	1.11	1.05	0.45	0.44

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.27P Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.3343		0.3343	
AGE				
12-13	0.2702		0.2702	
14-15	0.7697		0.7697	
16-17	0.2501		0.2501	
GENDER				
Male	0.9441		0.9441	
Female	0.0791		0.0791	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4274		0.4274	
White	0.8620		0.8620	
Black or African American	0.1868		0.1868	
American Indian or Alaska Native	0.5007		0.5007	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3113		0.3113	
Two or More Races	0.7953		0.7953	
Hispanic or Latino	0.5646		0.5646	
COUNTY TYPE				
Large Metro	0.6741		0.6741	
Small Metro	0.3168		0.3168	
Nonmetro	0.7756		0.7756	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.3754		0.0104	
Marijuana	0.1048		0.0391	
Illicit Drug Other Than Marijuana ²	0.4363		0.1143	
Cigarettes	0.8282		0.2454	
Alcohol	0.3336		0.4660	
Binge Alcohol ³	0.1132		0.6147	
PAST YEAR				
Illicit Drug ²	0.9534		0.0430	
Marijuana	0.4599		0.0967	
Illicit Drug Other Than Marijuana ²	0.9930		0.1545	
Cigarettes	0.9566		0.1596	
Alcohol	0.1575		0.2824	
LIFETIME				
Illicit Drug ²	0.9859		0.2418	
Marijuana	0.3302		0.1012	
Illicit Drug Other Than Marijuana ²	0.9411		0.7068	
Cigarettes	0.8774		0.0009	
Alcohol	0.1842		0.0814	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.28C Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	45	47	45	47
AGE				
12-13	17	19	17	19
14-15	31	29	31	29
16-17	29	29	29	29
GENDER				
Male	36	37	36	37
Female	24	28	24	28
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	40	43	40	43
White	33	34	33	34
Black or African American	16	16	16	16
American Indian or Alaska Native	3	*	3	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	9	11	9	11
Two or More Races	4	8	4	8
Hispanic or Latino	24	22	24	22
COUNTY TYPE				
Large Metro	35	34	35	34
Small Metro	23	28	23	28
Nonmetro	18	17	18	17
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	22	24	62	62
Marijuana	22	22	55	52
Illicit Drug Other Than Marijuana ²	18	18	45	46
Cigarettes	23	23	65	70
Alcohol	23	23	75	78
Binge Alcohol ³	22	22	60	68
PAST YEAR				
Illicit Drug ²	22	25	85	83
Marijuana	23	24	71	73
Illicit Drug Other Than Marijuana ²	21	25	73	67
Cigarettes	23	23	81	82
Alcohol	19	20	98	101
LIFETIME				
Illicit Drug ²	20	21	102	93
Marijuana	22	24	85	84
Illicit Drug Other Than Marijuana ²	22	23	93	82
Cigarettes	21	21	103	101
Alcohol	18	18	107	107

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.28D Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.18	0.19	0.18	0.19
AGE				
12-13	0.20	0.23	0.20	0.23
14-15	0.37	0.33	0.37	0.33
16-17	0.35	0.36	0.35	0.36
GENDER				
Male	0.28	0.29	0.28	0.29
Female	0.20	0.23	0.20	0.23
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.19	0.20	0.19	0.20
White	0.21	0.22	0.21	0.22
Black or African American	0.43	0.43	0.43	0.43
American Indian or Alaska Native	1.44	*	1.44	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.88	1.11	0.88	1.11
Two or More Races	1.03	1.83	1.03	1.83
Hispanic or Latino	0.60	0.52	0.60	0.52
COUNTY TYPE				
Large Metro	0.26	0.25	0.26	0.25
Small Metro	0.31	0.37	0.31	0.37
Nonmetro	0.41	0.40	0.41	0.40
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	2.01	2.14	0.26	0.26
Marijuana	2.00	1.95	0.23	0.22
Illicit Drug Other Than Marijuana ²	1.62	1.64	0.19	0.19
Cigarettes	2.04	2.03	0.27	0.29
Alcohol	2.06	2.04	0.31	0.32
Binge Alcohol ³	1.98	1.96	0.25	0.28
PAST YEAR				
Illicit Drug ²	1.99	2.18	0.36	0.34
Marijuana	2.09	2.15	0.30	0.30
Illicit Drug Other Than Marijuana ²	1.92	2.19	0.31	0.28
Cigarettes	2.11	2.00	0.34	0.34
Alcohol	1.75	1.79	0.41	0.42
LIFETIME				
Illicit Drug ²	1.76	1.82	0.43	0.39
Marijuana	1.99	2.14	0.36	0.35
Illicit Drug Other Than Marijuana ²	1.95	2.01	0.39	0.34
Cigarettes	1.91	1.83	0.43	0.42
Alcohol	1.59	1.64	0.45	0.44

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.28P Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.9342		0.9342	
AGE				
12-13	0.7804		0.7804	
14-15	0.6456		0.6456	
16-17	0.7214		0.7214	
GENDER				
Male	0.5834		0.5834	
Female	0.3442		0.3442	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6338		0.6338	
White	0.9896		0.9896	
Black or African American	0.7835		0.7835	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.9688		0.9688	
Two or More Races	0.1295		0.1295	
Hispanic or Latino	0.4498		0.4498	
COUNTY TYPE				
Large Metro	0.7363		0.7363	
Small Metro	0.6063		0.6063	
Nonmetro	0.9090		0.9090	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.5209		0.0300	
Marijuana	0.7687		0.2205	
Illicit Drug Other Than Marijuana ²	0.8661		0.1148	
Cigarettes	0.6686		0.5101	
Alcohol	0.7942		0.9081	
Binge Alcohol ³	0.4179		0.3040	
PAST YEAR				
Illicit Drug ²	0.4766		0.0584	
Marijuana	0.7598		0.2891	
Illicit Drug Other Than Marijuana ²	0.4248		0.1493	
Cigarettes	0.5913		0.1815	
Alcohol	0.8640		0.4996	
LIFETIME				
Illicit Drug ²	0.1845		0.2577	
Marijuana	0.8227		0.2367	
Illicit Drug Other Than Marijuana ²	0.1011		0.6142	
Cigarettes	0.9508		0.0020	
Alcohol	0.7332		0.1644	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.29C Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	61	60	61	60
AGE				
12-13	32	31	32	31
14-15	35	36	35	36
16-17	36	35	36	35
GENDER				
Male	47	47	47	47
Female	36	36	36	36
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	52	53	52	53
White	39	41	39	41
Black or African American	28	29	28	29
American Indian or Alaska Native	3	3	3	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	10	13	10	13
Two or More Races	10	6	10	6
Hispanic or Latino	29	27	29	27
COUNTY TYPE				
Large Metro	49	43	49	43
Small Metro	31	35	31	35
Nonmetro	23	23	23	23
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	29	28	58	61
Marijuana	25	26	53	52
Illicit Drug Other Than Marijuana ²	21	23	42	43
Cigarettes	28	28	66	68
Alcohol	28	29	78	76
Binge Alcohol ³	26	28	62	66
PAST YEAR				
Illicit Drug ²	30	30	84	80
Marijuana	28	30	72	72
Illicit Drug Other Than Marijuana ²	29	28	71	65
Cigarettes	31	30	81	82
Alcohol	30	31	99	101
LIFETIME				
Illicit Drug ²	28	30	99	90
Marijuana	28	31	85	80
Illicit Drug Other Than Marijuana ²	29	30	86	78
Cigarettes	31	33	102	98
Alcohol	26	29	106	105

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.29D Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2003 and 2004

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.25	0.24	0.25	0.24
AGE				
12-13	0.38	0.37	0.38	0.37
14-15	0.42	0.42	0.42	0.42
16-17	0.44	0.43	0.44	0.43
GENDER				
Male	0.37	0.37	0.37	0.37
Female	0.29	0.29	0.29	0.29
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.25	0.25	0.25	0.25
White	0.25	0.26	0.25	0.26
Black or African American	0.76	0.76	0.76	0.76
American Indian or Alaska Native	1.76	1.90	1.76	1.90
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.04	1.29	1.04	1.29
Two or More Races	2.38	1.46	2.38	1.46
Hispanic or Latino	0.71	0.63	0.71	0.63
COUNTY TYPE				
Large Metro	0.37	0.32	0.37	0.32
Small Metro	0.42	0.46	0.42	0.46
Nonmetro	0.54	0.53	0.54	0.53
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	1.40	1.34	0.25	0.26
Marijuana	1.22	1.26	0.23	0.22
Illicit Drug Other Than Marijuana ²	1.00	1.11	0.18	0.19
Cigarettes	1.35	1.35	0.29	0.30
Alcohol	1.34	1.39	0.34	0.33
Binge Alcohol ³	1.26	1.33	0.27	0.29
PAST YEAR				
Illicit Drug ²	1.46	1.46	0.37	0.35
Marijuana	1.33	1.45	0.31	0.31
Illicit Drug Other Than Marijuana ²	1.39	1.36	0.31	0.28
Cigarettes	1.51	1.47	0.36	0.36
Alcohol	1.45	1.52	0.43	0.44
LIFETIME				
Illicit Drug ²	1.34	1.45	0.43	0.39
Marijuana	1.36	1.49	0.37	0.35
Illicit Drug Other Than Marijuana ²	1.39	1.47	0.38	0.34
Cigarettes	1.51	1.60	0.45	0.42
Alcohol	1.27	1.42	0.46	0.45

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

Table 3.29P Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Substance Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2004 Versus 2003

(I) Demographic Characteristic and (II) Substance Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2003	2004	2003	2004
(I) Demographic Characteristic				
TOTAL	0.8071		0.8071	
AGE				
12-13	0.4907		0.4907	
14-15	0.7428		0.7428	
16-17	0.6584		0.6584	
GENDER				
Male	0.7438		0.7438	
Female	0.3944		0.3944	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5223		0.5223	
White	0.3166		0.3166	
Black or African American	0.5253		0.5253	
American Indian or Alaska Native	0.5983		0.5983	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4548		0.4548	
Two or More Races	0.6965		0.6965	
Hispanic or Latino	0.1078		0.1078	
COUNTY TYPE				
Large Metro	0.0548		0.0548	
Small Metro	0.1238		0.1238	
Nonmetro	0.3535		0.3535	
(II) Substance Use				
PAST MONTH				
Illicit Drug ²	0.4080		0.0277	
Marijuana	0.1870		0.0950	
Illicit Drug Other Than Marijuana ²	0.6356		0.0785	
Cigarettes	0.3916		0.2407	
Alcohol	0.1900		0.4698	
Binge Alcohol ³	0.0108		0.8461	
PAST YEAR				
Illicit Drug ²	0.2134		0.0403	
Marijuana	0.2046		0.1158	
Illicit Drug Other Than Marijuana ²	0.8389		0.2335	
Cigarettes	0.6079		0.1828	
Alcohol	0.4761		0.3744	
LIFETIME				
Illicit Drug ²	0.1554		0.2042	
Marijuana	0.1500		0.1092	
Illicit Drug Other Than Marijuana ²	0.3067		0.6934	
Cigarettes	0.8266		0.0016	
Alcohol	0.4976		0.2208	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.