

**Table 5.72A Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands, 2003 and 2004**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	7,333 <sup>a</sup>	8,053	1,103 <sup>a</sup>	1,427	6,230	6,626	15.0	17.7
12	36	43	3	1	34	42	*	*
13	76	86	1	4	76	82	*	*
14	185	207	13	17	172	190	7.0	8.3
15	257	267	17	29	241	238	6.5	10.9
16	369	362	43	38	326	324	11.7	10.6
17	404	430	37	45	367	385	9.1	10.4
18	489	530	56	81	433	449	11.5	15.2
19	419	419	42	37	376	381	10.1	8.9
20	408	438	39	28	369	410	9.5	6.5
21	323 <sup>a</sup>	440	47	57	276 <sup>a</sup>	384	14.4	12.8
22	315	351	34	33	281	318	10.7	9.3
23	241	253	46	36	195	217	19.1	14.3
24	242	214	45	50	197	164	18.6	23.5
25	188	212	32	30	156	182	16.9	14.0
26-29	790	855	94	171	696	684	11.9	20.0
30-34	540	671	78	114	462	557	14.4	*
35-39	721	571	199	138	522	433	*	*
40-44	629	735	137	251	492	484	*	34.2
45-49	422	496	55 <sup>b</sup>	173	367	323	*	*
50-54	222	259	76	41	146	218	*	*
55-59	53	95	11	10	42	85	*	*
60-64	*	105	*	43	*	62	*	*
65 or Older	6	13	*	*	6	13	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.72B Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2003 and 2004**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	3.1 <sup>a</sup>	3.3	0.5 <sup>a</sup>	0.6	2.6	2.8	15.0	17.7
12	0.9	1.1	0.1	0.0	0.8	1.1	*	*
13	1.8	2.0	0.0	0.1	1.7	1.9	*	*
14	4.5	4.7	0.3	0.4	4.2	4.3	7.0	8.3
15	6.2	6.2	0.4	0.7	5.8	5.6	6.5	10.9
16	8.8	8.8	1.0	0.9	7.8	7.9	11.7	10.6
17	9.9	10.6	0.9	1.1	9.0	9.5	9.1	10.4
18	10.6	11.5	1.2	1.8	9.4	9.8	11.5	15.2
19	10.8	10.6	1.1	0.9	9.7	9.7	10.1	8.9
20	10.1	11.0	1.0	0.7	9.2	10.3	9.5	6.5
21	8.2 <sup>a</sup>	10.8	1.2	1.4	7.0 <sup>a</sup>	9.4	14.4	12.8
22	7.8	8.7	0.8	0.8	7.0	7.9	10.7	9.3
23	6.0	6.4	1.1	0.9	4.9	5.5	19.1	14.3
24	6.7	5.3	1.2	1.2	5.4	4.1	18.6	23.5
25	5.2	5.9	0.9	0.8	4.3	5.1	16.9	14.0
26-29	5.4	5.6	0.6	1.1	4.7	4.5	11.9	20.0
30-34	2.7	3.4	0.4	0.6	2.3	2.8	14.4	*
35-39	3.4	2.7	0.9	0.7	2.5	2.1	*	*
40-44	2.8	3.2	0.6	1.1	2.2	2.1	*	34.2
45-49	2.0	2.3	0.3 <sup>b</sup>	0.8	1.7	1.5	*	*
50-54	1.1	1.3	0.4	0.2	0.7	1.1	*	*
55-59	0.4	0.6	0.1	0.1	0.3	0.5	*	*
60-64	*	0.8	*	0.3	*	0.5	*	*
65 or Older	0.0	0.0	*	*	0.0	0.0	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.73A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	7,333 <sup>a</sup>	8,053	1,103 <sup>a</sup>	1,427	6,230	6,626	15.0	17.7
AGE								
12-17	1,327	1,397	113	134	1,214	1,262	8.5	9.6
18-25	2,624	2,856	340	352	2,284	2,505	13.0	12.3
26 or Older	3,382	3,801	649 <sup>a</sup>	941	2,732	2,860	19.2	24.8
GENDER								
Male	4,559	5,049	732	914	3,828	4,135	16.0	18.1
Female	2,774	3,004	371	513	2,403	2,492	13.4	17.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,278 <sup>a</sup>	6,938	1,014	1,285	5,264	5,652	16.1	18.5
White	4,947	5,158	757	845	4,190	4,313	15.3	16.4
Black or African American	945 <sup>a</sup>	1,268	202	334	743	933	21.4	26.4
American Indian or Alaska Native	72	108	21	7	51	101	*	*
Native Hawaiian or Other Pacific Islander	28	*	*	*	28	24	*	*
Asian	150	171	9	46	141	125	*	*
Two or More Races	137	190	24	34	112	156	*	*
Hispanic or Latino	1,055	1,116	89	142	966	974	8.4	12.7

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.73B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	3.1 <sup>a</sup>	3.3	0.5 <sup>a</sup>	0.6	2.6	2.8	15.0	17.7
AGE								
12-17	5.3	5.5	0.5	0.5	4.9	5.0	8.5	9.6
18-25	8.3	8.9	1.1	1.1	7.2	7.8	13.0	12.3
26 or Older	1.9	2.1	0.4 <sup>a</sup>	0.5	1.5	1.6	19.2	24.8
GENDER								
Male	4.0	4.3	0.6	0.8	3.3	3.5	16.0	18.1
Female	2.3	2.4	0.3	0.4	2.0	2.0	13.4	17.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.0 <sup>a</sup>	3.3	0.5	0.6	2.5	2.7	16.1	18.5
White	3.0	3.1	0.5	0.5	2.5	2.6	15.3	16.4
Black or African American	3.4 <sup>a</sup>	4.5	0.7	1.2	2.7	3.3	21.4	26.4
American Indian or Alaska Native	5.7	8.3	1.7	0.5	4.0	7.8	*	*
Native Hawaiian or Other Pacific Islander	5.6	*	*	*	5.6	3.8	*	*
Asian	1.5	1.7	0.1	0.5	1.4	1.3	*	*
Two or More Races	5.3	7.4	0.9	1.3	4.4	6.1	*	*
Hispanic or Latino	3.5	3.6	0.3	0.5	3.2	3.1	8.4	12.7

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.74A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	1,327	1,397	113	134	1,214	1,262	8.5	9.6
GENDER								
Male	716	702	71	74	645	628	9.9	10.5
Female	611	695	42	61	569	634	6.9	8.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,135	1,126	105	115	1,030	1,011	9.2	10.2
White	907	891	89	100	818	791	9.8	11.2
Black or African American	136	153	10	11	127	142	*	7.3
American Indian or Alaska Native	18	22	1	2	17	20	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	32	13	0	*	32	13	*	*
Two or More Races	36	44	4	1	32	43	*	*
Hispanic or Latino	193 <sup>a</sup>	271	8	20	184 <sup>a</sup>	251	4.3	7.3
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	485	429	60	50	425	379	12.4	11.7
Female, White, Not Hispanic	423	463	29	50	394	412	6.8	10.9
Male, Black, Not Hispanic	72	93	6	8	66	84	*	*
Female, Black, Not Hispanic	65	61	4	3	61	58	*	*
Male, Hispanic	104	140	4	13	101	127	*	9.0
Female, Hispanic	88 <sup>a</sup>	131	5	7	84	124	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.74B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	5.3	5.5	0.5	0.5	4.9	5.0	8.5	9.6
<b>GENDER</b>								
Male	5.6	5.5	0.6	0.6	5.1	4.9	9.9	10.5
Female	5.0	5.6	0.3	0.5	4.7	5.1	6.9	8.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5.4	5.4	0.5	0.5	4.9	4.8	9.2	10.2
White	5.8	5.7	0.6	0.6	5.3	5.1	9.8	11.2
Black or African American	3.6	4.0	0.3	0.3	3.4	3.7	*	7.3
American Indian or Alaska Native	10.3	13.3	0.8	1.3	9.4	12.1	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3.3	1.3	0.0	*	3.3	1.3	*	*
Two or More Races	9.1	10.0	1.1	0.3	8.0	9.7	*	*
Hispanic or Latino	4.7 <sup>a</sup>	6.4	0.2	0.5	4.5	5.9	4.3	7.3
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	6.1	5.4	0.8	0.6	5.3	4.8	12.4	11.7
Female, White, Not Hispanic	5.6	6.1	0.4	0.7	5.2	5.4	6.8	10.9
Male, Black, Not Hispanic	3.8	4.8	0.3	0.4	3.5	4.3	*	*
Female, Black, Not Hispanic	3.5	3.3	0.2	0.1	3.3	3.1	*	*
Male, Hispanic	5.0	6.5	0.2	0.6	4.9	5.9	*	9.0
Female, Hispanic	4.4	6.3	0.2	0.4	4.2	6.0	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.75A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	2,624	2,856	340	352	2,284	2,505	13.0	12.3
<b>GENDER</b>								
Male	1,661	1,860	231	216	1,430 <sup>a</sup>	1,644	13.9	11.6
Female	963	996	109	135	854	861	11.3	13.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2,185 <sup>a</sup>	2,453	287	320	1,899 <sup>a</sup>	2,134	13.1	13.0
White	1,736 <sup>a</sup>	1,960	228	267	1,509	1,693	13.1	13.6
Black or African American	310	375	47	38	262	337	15.3	10.1
American Indian or Alaska Native	21	21	3	*	18	18	*	*
Native Hawaiian or Other Pacific Islander	13	*	*	*	13	*	*	*
Asian	61	38	2	6	59	32	*	*
Two or More Races	44	46	6	5	38	41	*	*
Hispanic or Latino	439	403	54	32	385	371	12.2	7.9
<b>EDUCATION</b>								
< High School	816	812	126	158	689	653	15.5	19.5
High School Graduate	930	1,007	152	131	778	876	16.4	13.0
Some College	706 <sup>a</sup>	879	54	57	651 <sup>a</sup>	822	7.7	6.5
College Graduate	172	158	7	5	165	154	4.2	2.9
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1,151	1,221	156	153	995	1,068	13.5	12.5
Part-Time	650	706	52	59	598	647	8.0	8.4
Unemployed	337	392	43	48	294	343	12.7	12.4
Other <sup>1</sup>	487	538	90	91	397	447	18.5	17.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.75B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	8.3	8.9	1.1	1.1	7.2	7.8	13.0	12.3
<b>GENDER</b>								
Male	10.4	11.5	1.5	1.3	9.0 <sup>a</sup>	10.2	13.9	11.6
Female	6.1	6.2	0.7	0.8	5.4	5.4	11.3	13.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	8.4 <sup>a</sup>	9.3	1.1	1.2	7.3 <sup>a</sup>	8.1	13.1	13.0
White	8.8 <sup>a</sup>	9.8	1.2	1.3	7.7	8.5	13.1	13.6
Black or African American	7.2	8.6	1.1	0.9	6.1	7.7	15.3	10.1
American Indian or Alaska Native	11.3	12.5	1.6	*	9.7	10.4	*	*
Native Hawaiian or Other Pacific Islander	8.4	*	*	*	8.4	*	*	*
Asian	4.2	2.5	0.2	0.4	4.1	2.1	*	*
Two or More Races	12.2	13.1	1.7	1.6	10.5	11.6	*	*
Hispanic or Latino	7.7	7.0	0.9	0.6	6.8	6.5	12.2	7.9
<b>EDUCATION</b>								
< High School	11.9	12.2	1.8	2.4	10.0	9.8	15.5	19.5
High School Graduate	8.5	9.1	1.4	1.2	7.1	7.9	16.4	13.0
Some College	7.1 <sup>a</sup>	8.5	0.6	0.6	6.6 <sup>a</sup>	8.0	7.7	6.5
College Graduate	4.3	3.8	0.2	0.1	4.2	3.7	4.2	2.9
<b>CURRENT EMPLOYMENT</b>								
Full-Time	7.9	8.1	1.1	1.0	6.8	7.1	13.5	12.5
Part-Time	7.9	8.7	0.6	0.7	7.3	8.0	8.0	8.4
Unemployed	12.5	15.2	1.6	1.9	10.9	13.3	12.7	12.4
Other <sup>1</sup>	7.8	8.4	1.4	1.4	6.3	7.0	18.5	17.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 5.76A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	3,382	3,801	649 <sup>a</sup>	941	2,732	2,860	19.2	24.8
<b>GENDER</b>								
Male	2,181	2,487	429	624	1,752	1,863	19.7	25.1
Female	1,200	1,314	220	317	980	997	18.3	24.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2,958	3,358	622	851	2,335	2,507	21.0	25.3
White	2,303	2,306	440	478	1,863	1,828	19.1	20.7
Black or African American	499	739	145	285	354	454	*	*
American Indian or Alaska Native	33	64	17	1	16	63	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	57	119	6	*	51	79	*	*
Two or More Races	56	100	14	27	42	73	*	*
Hispanic or Latino	424	443	27	90	397	352	*	*
<b>EDUCATION</b>								
< High School	916	876	210	262	706	614	22.9	*
High School Graduate	1,096	1,258	208	366	888	893	19.0	29.1
Some College	984	1,023	185	238	799	785	18.8	23.3
College Graduate	386 <sup>a</sup>	643	47	75	339 <sup>a</sup>	568	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2,145	2,131	297	423	1,847	1,707	13.9	19.9
Part-Time	335	418	76	113	258	305	*	*
Unemployed	207 <sup>a</sup>	374	58	107	150	267	*	*
Other <sup>1</sup>	695	878	218	298	477	580	*	34.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.76B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	1.9	2.1	0.4 <sup>a</sup>	0.5	1.5	1.6	19.2	24.8
<b>GENDER</b>								
Male	2.5	2.8	0.5	0.7	2.0	2.1	19.7	25.1
Female	1.3	1.4	0.2	0.3	1.0	1.0	18.3	24.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.8	2.1	0.4	0.5	1.5	1.5	21.0	25.3
White	1.8	1.8	0.3	0.4	1.4	1.4	19.1	20.7
Black or African American	2.6	3.7	0.7	1.4	1.8	2.3	*	*
American Indian or Alaska Native	3.7	6.7	1.9	0.1	1.8	6.6	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.8	1.6	0.1	*	0.7	1.1	*	*
Two or More Races	3.1	5.7	0.8	1.6	2.3	4.1	*	*
Hispanic or Latino	2.1	2.1	0.1	0.4	2.0	1.7	*	*
<b>EDUCATION</b>								
< High School	3.0	2.9	0.7	0.9	2.3	2.1	22.9	*
High School Graduate	2.0	2.2	0.4	0.6	1.6	1.6	19.0	29.1
Some College	2.3	2.3	0.4	0.5	1.9	1.8	18.8	23.3
College Graduate	0.8 <sup>a</sup>	1.2	0.1	0.1	0.7 <sup>a</sup>	1.1	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2.1	2.1	0.3	0.4	1.8	1.6	13.9	19.9
Part-Time	1.6	2.1	0.4	0.6	1.3	1.6	*	*
Unemployed	3.8 <sup>a</sup>	7.8	1.1	2.2	2.8 <sup>a</sup>	5.6	*	*
Other <sup>1</sup>	1.3	1.6	0.4	0.5	0.9	1.1	*	34.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.77A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	6,006 <sup>a</sup>	6,657	990 <sup>a</sup>	1,293	5,016	5,364	16.5	19.4
<b>GENDER</b>								
Male	3,843 <sup>a</sup>	4,347	661	841	3,182	3,506	17.2	19.3
Female	2,163	2,310	329	452	1,834	1,858	15.2	19.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5,143 <sup>a</sup>	5,812	909	1,171	4,234	4,641	17.7	20.1
White	4,039	4,266	668	745	3,371	3,522	16.5	17.5
Black or African American	809 <sup>a</sup>	1,114	193	323	616	791	23.8	29.0
American Indian or Alaska Native	54	86	20	5	34	81	*	*
Native Hawaiian or Other Pacific Islander	23	*	*	*	23	22	*	*
Asian	118	157	8	46	110	111	*	*
Two or More Races	100	146	20	33	80	114	*	*
Hispanic or Latino	862	845	81	122	782	723	9.4	14.4
<b>EDUCATION</b>								
< High School	1,731	1,688	336	421	1,396	1,267	19.4	24.9
High School Graduate	2,027	2,266	360	497	1,666	1,769	17.8	21.9
Some College	1,689	1,902	239	295	1,450	1,607	14.2	15.5
College Graduate	558 <sup>a</sup>	802	54	80	504	722	9.7	10.0
<b>CURRENT EMPLOYMENT</b>								
Full-Time	3,295	3,351	453	576	2,842	2,775	13.7	17.2
Part-Time	984	1,124	128	172	856	952	13.0	15.3
Unemployed	544 <sup>a</sup>	766	100	156	444 <sup>a</sup>	611	18.5	*
Other <sup>1</sup>	1,182	1,416	308	390	874	1,026	26.1	27.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.77B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
<b>TOTAL</b>	2.8	3.1	0.5 <sup>a</sup>	0.6	2.4	2.5	16.5	19.4
<b>GENDER</b>								
Male	3.8	4.2	0.6	0.8	3.1	3.4	17.2	19.3
Female	2.0	2.1	0.3	0.4	1.7	1.7	15.2	19.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2.8 <sup>a</sup>	3.1	0.5	0.6	2.3	2.5	17.7	20.1
White	2.7	2.8	0.4	0.5	2.2	2.3	16.5	17.5
Black or African American	3.4 <sup>a</sup>	4.6	0.8	1.3	2.6	3.3	23.8	29.0
American Indian or Alaska Native	5.0	7.6	1.8	0.4	3.2	7.1	*	*
Native Hawaiian or Other Pacific Islander	5.6	*	*	*	5.6	3.9	*	*
Asian	1.3	1.8	0.1	0.5	1.2	1.2	*	*
Two or More Races	4.6	6.9	0.9	1.6	3.7	5.4	*	*
Hispanic or Latino	3.3	3.2	0.3	0.5	3.0	2.7	9.4	14.4
<b>EDUCATION</b>								
< High School	4.6	4.6	0.9	1.2	3.7	3.5	19.4	24.9
High School Graduate	3.0	3.3	0.5	0.7	2.5	2.6	17.8	21.9
Some College	3.2	3.5	0.5	0.5	2.8	2.9	14.2	15.5
College Graduate	1.0 <sup>a</sup>	1.4	0.1	0.1	0.9	1.3	9.7	10.0
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2.8	2.8	0.4	0.5	2.4	2.3	13.7	17.2
Part-Time	3.4	4.1	0.4	0.6	3.0	3.5	13.0	15.3
Unemployed	6.7 <sup>b</sup>	10.4	1.2	2.1	5.5 <sup>b</sup>	8.3	18.5	*
Other <sup>c</sup>	2.0	2.3	0.5	0.6	1.5	1.7	26.1	27.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired persons, disabled persons, homemakers, students, or other persons not in the labor force are included in the Other Employment category.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.78A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	7,540	7,693	1,257	1,265	6,283	6,428	16.7	16.4
<b>AGE</b>								
12-17	1,371	1,362	128	124	1,243	1,238	9.3	9.1
18-25	2,652	2,740	313	346	2,339	2,394	11.8	12.6
26 or Older	3,518	3,591	816	795	2,701	2,796	23.2	22.1
<b>GENDER</b>								
Male	4,713	4,804	779	823	3,934	3,981	16.5	17.1
Female	2,827	2,889	479	442	2,348	2,447	16.9	15.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	6,433	6,608	1,127	1,150	5,306	5,458	17.5	17.4
White	4,977	5,052	825	801	4,151	4,251	16.6	15.9
Black or African American	1,099	1,106	244	268	855	838	22.2	24.3
American Indian or Alaska Native	72	90	23	14	49	76	*	*
Native Hawaiian or Other Pacific Islander	28	36	0	*	28	26	*	*
Asian	128	160	9	27	120	133	6.8	*
Two or More Races	129	163	25	29	104	134	*	17.9
Hispanic or Latino	1,108	1,085	131	115	977	970	11.8	10.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.78B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	3.2	3.2	0.5	0.5	2.7	2.7	16.7	16.4
<b>AGE</b>								
12-17	5.5	5.4	0.5	0.5	5.0	4.9	9.3	9.1
18-25	8.5	8.6	1.0	1.1	7.5	7.5	11.8	12.6
26 or Older	2.0	2.0	0.5	0.4	1.5	1.5	23.2	22.1
<b>GENDER</b>								
Male	4.1	4.2	0.7	0.7	3.4	3.4	16.5	17.1
Female	2.3	2.3	0.4	0.4	1.9	2.0	16.9	15.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	3.1	3.2	0.5	0.6	2.6	2.6	17.5	17.4
White	3.0	3.0	0.5	0.5	2.5	2.6	16.6	15.9
Black or African American	4.0	4.0	0.9	1.0	3.2	3.0	22.2	24.3
American Indian or Alaska Native	5.2	7.0	1.7	1.1	3.6 <sup>a</sup>	5.9	*	*
Native Hawaiian or Other Pacific Islander	4.3	6.3	0.1	*	4.3	4.6	*	*
Asian	1.4	1.6	0.1	0.3	1.3	1.3	6.8	*
Two or More Races	5.1	6.4	1.0	1.1	4.1	5.2	*	17.9
Hispanic or Latino	3.8	3.6	0.4	0.4	3.3	3.2	11.8	10.6

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.79A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	7,333 <sup>a</sup>	8,053	1,103 <sup>a</sup>	1,427	6,230	6,626	15.0	17.7
GEOGRAPHIC DIVISION								
Northeast	1,418	1,536	237	345	1,181	1,191	16.7	22.5
New England	472	448	54	96	418	352	11.4 <sup>a</sup>	21.4
Middle Atlantic	946	1,088	183	249	763	839	19.4	22.9
Midwest	1,556	1,714	250	307	1,306	1,407	16.1	17.9
East North Central	1,078	1,242	162	176	915	1,065	15.1	14.2
West North Central	479	473	88	130	391	342	18.4	27.6
South	2,595	2,820	401	527	2,194	2,293	15.5	18.7
South Atlantic	1,414	1,445	231	344	1,183	1,101	16.4	23.8
East South Central	378 <sup>a</sup>	533	82	62	295 <sup>b</sup>	472	*	11.5
West South Central	803	842	87	122	716	720	10.9	14.4
West	1,764	1,983	214	248	1,550	1,735	12.1	12.5
Mountain	576	508	83	68	492	440	14.5	13.3
Pacific	1,188	1,475	131	180	1,058	1,295	11.0	12.2
COUNTY TYPE								
Large Metro	3,957	4,260	629	740	3,328	3,520	15.9	17.4
Small Metro	2,309	2,562	291 <sup>a</sup>	447	2,019	2,115	12.6	17.5
250K - 1 Mil. Pop.	1,448	1,694	209	284	1,239	1,410	14.5	16.8
< 250K Pop.	861	868	81 <sup>a</sup>	163	780	705	9.4 <sup>a</sup>	18.8
Nonmetro	1,067	1,231	183	240	884	991	17.1	19.5
Urbanized	568	644	99	115	469	529	17.4	17.8
Less Urbanized	451	526	70	122	380	405	15.6	23.1
Completely Rural	48	61	13	4	34	57	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.79B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	3.1 <sup>a</sup>	3.3	0.5 <sup>a</sup>	0.6	2.6	2.8	15.0	17.7
GEOGRAPHIC DIVISION								
Northeast	3.1	3.4	0.5	0.8	2.6	2.6	16.7	22.5
New England	4.0	3.7	0.5	0.8	3.5	2.9	11.4 <sup>a</sup>	21.4
Middle Atlantic	2.8	3.2	0.5	0.7	2.3	2.5	19.4	22.9
Midwest	2.9	3.2	0.5	0.6	2.4	2.6	16.1	17.9
East North Central	2.9	3.3	0.4	0.5	2.4	2.8	15.1	14.2
West North Central	3.0	2.9	0.5	0.8	2.4	2.1	18.4	27.6
South	3.1	3.3	0.5	0.6	2.6	2.7	15.5	18.7
South Atlantic	3.2	3.2	0.5	0.8	2.7	2.4	16.4	23.8
East South Central	2.7 <sup>a</sup>	3.7	0.6	0.4	2.1 <sup>b</sup>	3.3	*	11.5
West South Central	3.1	3.2	0.3	0.5	2.7	2.7	10.9	14.4
West	3.3	3.6	0.4	0.5	2.9	3.2	12.1	12.5
Mountain	3.7	3.2	0.5	0.4	3.2	2.8	14.5	13.3
Pacific	3.1	3.8	0.3	0.5	2.8	3.3	11.0	12.2
COUNTY TYPE								
Large Metro	3.1	3.3	0.5	0.6	2.6	2.7	15.9	17.4
Small Metro	3.2	3.6	0.4 <sup>a</sup>	0.6	2.8	3.0	12.6	17.5
250K - 1 Mil. Pop.	3.1	3.6	0.4	0.6	2.6	3.0	14.5	16.8
< 250K Pop.	3.5	3.5	0.3 <sup>a</sup>	0.7	3.2	2.9	9.4 <sup>a</sup>	18.8
Nonmetro	2.7	3.0	0.5	0.6	2.2	2.4	17.1	19.5
Urbanized	3.2	3.9	0.6	0.7	2.6	3.2	17.4	17.8
Less Urbanized	2.5	2.6	0.4	0.6	2.1	2.0	15.6	23.1
Completely Rural	1.2	1.7	0.3	0.1	0.8	1.6	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 5.80A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	1,327	1,397	113	134	1,214	1,262	8.5	9.6
GEOGRAPHIC DIVISION								
Northeast	209 <sup>a</sup>	278	10	24	198	254	5.0	8.7
New England	66	78	2	4	64	74	2.4	*
Middle Atlantic	143 <sup>a</sup>	200	9	20	134	180	6.2	10.0
Midwest	332	312	31	36	301	276	9.3	11.6
East North Central	237	224	14	20	223	205	6.0	8.8
West North Central	95	87	17	17	79	71	*	*
South	455	436	41	50	414	386	8.9	11.5
South Atlantic	208	211	7 <sup>a</sup>	27	201	184	3.3 <sup>b</sup>	13.0
East South Central	69	68	11 <sup>a</sup>	1	57	67	*	*
West South Central	178	157	22	21	156	136	12.5	13.5
West	331	370	31	24	300	346	9.4	6.4
Mountain	117	110	8	12	108	99	7.2	10.6
Pacific	214	260	23	12	192	248	10.6	4.6
COUNTY TYPE								
Large Metro	677	712	50	55	627	657	7.4	7.8
Small Metro	408	460	38	52	370	408	9.4	11.3
250K - 1 Mil. Pop.	259 <sup>a</sup>	318	22	37	237	281	8.6	11.5
< 250K Pop.	149	142	16	15	133	127	10.6	10.9
Nonmetro	242	224	25	27	217	197	10.3	12.1
Urbanized	107	98	12	12	95	86	11.2	12.0
Less Urbanized	117	113	12	13	104	100	10.5	11.7
Completely Rural	18	13	1	2	18	11	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.80B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2003	2004
	2003	2004	2003	2004	2003	2004		
TOTAL	5.3	5.5	0.5	0.5	4.9	5.0	8.5	9.6
GEOGRAPHIC DIVISION								
Northeast	4.7 <sup>a</sup>	6.1	0.2	0.5	4.4	5.6	5.0	8.7
New England	5.6	6.7	0.1	0.4	5.5	6.3	2.4	*
Middle Atlantic	4.3 <sup>a</sup>	5.9	0.3	0.6	4.1	5.4	6.2	10.0
Midwest	5.8	5.5	0.5	0.6	5.3	4.9	9.3	11.6
East North Central	5.9	5.6	0.4	0.5	5.6	5.1	6.0	8.8
West North Central	5.6	5.2	1.0	1.0	4.6	4.2	*	*
South	5.1	4.8	0.5	0.6	4.6	4.3	8.9	11.5
South Atlantic	4.6	4.6	0.2 <sup>a</sup>	0.6	4.5	4.0	3.3 <sup>b</sup>	13.0
East South Central	4.7	4.7	0.8 <sup>a</sup>	0.1	3.9	4.6	*	*
West South Central	6.0	5.3	0.7	0.7	5.3	4.6	12.5	13.5
West	5.6	6.2	0.5	0.4	5.1	5.8	9.4	6.4
Mountain	6.8	6.3	0.5	0.7	6.3	5.7	7.2	10.6
Pacific	5.2	6.1	0.5	0.3	4.6	5.8	10.6	4.6
COUNTY TYPE								
Large Metro	5.1	5.3	0.4	0.4	4.7	4.9	7.4	7.8
Small Metro	5.5	6.0	0.5	0.7	5.0	5.3	9.4	11.3
250K - 1 Mil. Pop.	5.2	6.2	0.4	0.7	4.8	5.5	8.6	11.5
< 250K Pop.	6.2	5.6	0.7	0.6	5.5	5.0	10.6	10.9
Nonmetro	5.6	5.3	0.6	0.6	5.1	4.7	10.3	12.1
Urbanized	5.8	5.7	0.6	0.7	5.1	5.1	11.2	12.0
Less Urbanized	5.9	5.3	0.6	0.6	5.3	4.6	10.5	11.7
Completely Rural	4.2	3.5	0.2	0.6	4.0	3.0	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.81A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	2,624	2,856	340	352	2,284	2,505	13.0	12.3
GEOGRAPHIC DIVISION								
Northeast	517	561	70	64	447	497	13.6	11.4
New England	167	177	15	22	152	154	9.1	12.6
Middle Atlantic	350	384	55	41	295	343	15.7	10.8
Midwest	565	639	79	76	486	563	14.0	11.9
East North Central	400	420	58	42	342	379	14.6	9.9
West North Central	165	218	21	34	144	184	12.6	*
South	829 <sup>a</sup>	1,004	105	125	724 <sup>a</sup>	879	12.7	12.4
South Atlantic	427	476	55	63	373	414	12.8	13.2
East South Central	109 <sup>a</sup>	179	19	24	90 <sup>a</sup>	155	*	13.4
West South Central	293	348	32	38	261	310	10.8	10.9
West	713	653	86	87	627	566	12.0	13.3
Mountain	210	188	25	34	185	155	11.9	18.0
Pacific	502	465	61	53	442	412	12.1	11.4
COUNTY TYPE								
Large Metro	1,440	1,416	186	155	1,254	1,261	12.9	10.9
Small Metro	814 <sup>b</sup>	1,007	105	131	709 <sup>a</sup>	876	12.9	13.0
250K - 1 Mil. Pop.	539	652	66	71	472	581	12.3	10.9
< 250K Pop.	275 <sup>a</sup>	355	39	60	236	295	14.1	16.9
Nonmetro	370	433	49	66	321	367	13.3	15.2
Urbanized	205	193	19	24	186	169	9.2	12.6
Less Urbanized	154 <sup>a</sup>	214	27	40	127	174	17.8	18.6
Completely Rural	11	26	*	*	8	25	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.81B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2003	2004
	2003	2004	2003	2004	2003	2004		
TOTAL	8.3	8.9	1.1	1.1	7.2	7.8	13.0	12.3
GEOGRAPHIC DIVISION								
Northeast	9.2	9.9	1.2	1.1	7.9	8.7	13.6	11.4
New England	11.4	11.9	1.0	1.5	10.3	10.4	9.1	12.6
Middle Atlantic	8.4	9.2	1.3	1.0	7.1	8.2	15.7	10.8
Midwest	7.7	8.6	1.1	1.0	6.6	7.6	14.0	11.9
East North Central	7.9	8.2	1.1	0.8	6.7	7.4	14.6	9.9
West North Central	7.2	9.4	0.9	1.5	6.3	7.9	12.6	*
South	7.3 <sup>a</sup>	8.7	0.9	1.1	6.4 <sup>a</sup>	7.6	12.7	12.4
South Atlantic	7.7	8.3	1.0	1.1	6.7	7.3	12.8	13.2
East South Central	5.6 <sup>a</sup>	9.2	1.0	1.2	4.6 <sup>a</sup>	8.0	*	13.4
West South Central	7.7	9.0	0.8	1.0	6.9	8.0	10.8	10.9
West	9.6	8.7	1.2	1.2	8.5	7.5	12.0	13.3
Mountain	9.4	8.2	1.1	1.5	8.3	6.8	11.9	18.0
Pacific	9.7	8.9	1.2	1.0	8.5	7.8	12.1	11.4
COUNTY TYPE								
Large Metro	8.7	8.5	1.1	0.9	7.6	7.6	12.9	10.9
Small Metro	8.0 <sup>a</sup>	9.5	1.0	1.2	6.9 <sup>a</sup>	8.3	12.9	13.0
250K - 1 Mil. Pop.	8.1	9.5	1.0	1.0	7.1	8.4	12.3	10.9
< 250K Pop.	7.7	9.6	1.1	1.6	6.6	7.9	14.1	16.9
Nonmetro	7.5	8.8	1.0	1.3	6.5	7.4	13.3	15.2
Urbanized	8.7	8.4	0.8	1.1	7.9	7.3	9.2	12.6
Less Urbanized	7.0 <sup>a</sup>	9.2	1.3	1.7	5.8	7.5	17.8	18.6
Completely Rural	3.0 <sup>a</sup>	8.1	*	*	2.3 <sup>a</sup>	7.6	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.82A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	3,382	3,801	649 <sup>a</sup>	941	2,732	2,860	19.2	24.8
GEOGRAPHIC DIVISION								
Northeast	692	697	156	257	535	440	22.6	*
New England	239	193	37	69	202	124	*	*
Middle Atlantic	452	504	119	188	333	316	*	*
Midwest	660	764	141	194	519	569	21.3	25.5
East North Central	441	597	90	115	351	482	*	*
West North Central	218	167	51	80	168	87	*	*
South	1,311	1,380	255	352	1,056	1,028	19.5	25.5
South Atlantic	779	758	170	254	609	504	*	*
East South Central	200	286	52	36	148	250	*	*
West South Central	331	337	34	62	298	274	*	*
West	720	960	97	137	622	822	13.5	*
Mountain	248	209	50	22	198	187	*	*
Pacific	472 <sup>a</sup>	750	47	115	424	635	*	*
COUNTY TYPE								
Large Metro	1,840	2,132	393	530	1,446	1,602	21.4	24.8
Small Metro	1,087	1,095	147 <sup>a</sup>	264	940	830	13.6 <sup>a</sup>	24.2
250K - 1 Mil. Pop.	650	725	121	177	529	548	18.6	24.4
< 250K Pop.	437	370	27 <sup>a</sup>	88	410	282	*	*
Nonmetro	455	574	109	147	346	427	*	25.6
Urbanized	256	353	68	79	188	275	*	*
Less Urbanized	180	200	31	69	149	131	*	*
Completely Rural	18	21	10	*	9	21	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.82B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	1.9	2.1	0.4 <sup>a</sup>	0.5	1.5	1.6	19.2	24.8
GEOGRAPHIC DIVISION								
Northeast	2.0	2.0	0.4	0.7	1.5	1.2	22.6	*
New England	2.6	2.1	0.4	0.7	2.2	1.3	*	*
Middle Atlantic	1.7	1.9	0.5	0.7	1.3	1.2	*	*
Midwest	1.6	1.9	0.3	0.5	1.3	1.4	21.3	25.5
East North Central	1.5	2.1	0.3	0.4	1.2	1.7	*	*
West North Central	1.8	1.4	0.4	0.6	1.4	0.7	*	*
South	2.0	2.1	0.4	0.5	1.6	1.6	19.5	25.5
South Atlantic	2.3	2.2	0.5	0.7	1.8	1.4	*	*
East South Central	1.8	2.6	0.5	0.3	1.4	2.3	*	*
West South Central	1.7	1.7	0.2	0.3	1.5	1.4	*	*
West	1.8	2.3	0.2	0.3	1.5	2.0	13.5	*
Mountain	2.1	1.7	0.4	0.2	1.7	1.6	*	*
Pacific	1.6 <sup>a</sup>	2.6	0.2	0.4	1.5	2.2	*	*
COUNTY TYPE								
Large Metro	1.9	2.2	0.4	0.5	1.5	1.6	21.4	24.8
Small Metro	2.0	2.1	0.3 <sup>a</sup>	0.5	1.7	1.6	13.6 <sup>a</sup>	24.2
250K - 1 Mil. Pop.	1.8	2.1	0.3	0.5	1.5	1.6	18.6	24.4
< 250K Pop.	2.4	2.0	0.1 <sup>a</sup>	0.5	2.2	1.6	*	*
Nonmetro	1.5	1.8	0.4	0.5	1.1	1.4	*	25.6
Urbanized	1.9	2.8	0.5	0.6	1.4	2.2	*	*
Less Urbanized	1.3	1.3	0.2	0.4	1.1	0.8	*	*
Completely Rural	0.6	0.7	0.3	*	0.3	0.7	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.83A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	6,006 <sup>a</sup>	6,657	990 <sup>a</sup>	1,293	5,016	5,364	16.5	19.4
GEOGRAPHIC DIVISION								
Northeast	1,209	1,258	227	321	982	937	18.7	25.5
New England	406	370	52	91	354	278	12.9	*
Middle Atlantic	803	888	174	230	628	659	21.7	25.8
Midwest	1,224	1,402	220	271	1,005	1,132	17.9	19.3
East North Central	841	1,017	148	157	693	860	17.6	15.4
West North Central	383	385	72	114	312	271	*	*
South	2,140	2,384	360	477	1,779	1,907	16.8	20.0
South Atlantic	1,206	1,234	224	317	982	917	18.6	25.7
East South Central	309 <sup>a</sup>	465	71	60	238 <sup>a</sup>	405	*	12.9
West South Central	624	685	65	100	559	585	10.4	14.7
West	1,433	1,613	183	224	1,250	1,388	12.8	13.9
Mountain	459	398	75	56	384	342	16.4	14.1
Pacific	974	1,215	108	168	866	1,047	11.1	13.8
COUNTY TYPE								
Large Metro	3,280	3,548	580	684	2,700	2,863	17.7	19.3
Small Metro	1,901	2,102	252 <sup>a</sup>	395	1,648	1,706	13.3	18.8
250K - 1 Mil. Pop.	1,189	1,376	187	248	1,002	1,129	15.7	18.0
< 250K Pop.	712	726	65 <sup>a</sup>	148	647	578	9.2 <sup>a</sup>	20.4
Nonmetro	825	1,008	158	213	667	794	19.1	21.2
Urbanized	461	547	87	103	374	443	*	18.9
Less Urbanized	334	413	58	108	276	305	17.4	*
Completely Rural	29	47	12	2	17	46	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.83B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2003 and 2004**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility			
	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	2.8	3.1	0.5 <sup>a</sup>	0.6	2.4	2.5	16.5	19.4
GEOGRAPHIC DIVISION								
Northeast	3.0	3.1	0.6	0.8	2.4	2.3	18.7	25.5
New England	3.8	3.4	0.5	0.8	3.3	2.6	12.9	*
Middle Atlantic	2.7	2.9	0.6	0.8	2.1	2.2	21.7	25.8
Midwest	2.5	2.9	0.5	0.6	2.1	2.3	17.9	19.3
East North Central	2.5	3.0	0.4	0.5	2.1	2.5	17.6	15.4
West North Central	2.7	2.6	0.5	0.8	2.2	1.9	*	*
South	2.8	3.1	0.5	0.6	2.3	2.5	16.8	20.0
South Atlantic	3.0	3.0	0.6	0.8	2.5	2.3	18.6	25.7
East South Central	2.4 <sup>a</sup>	3.6	0.6	0.5	1.9 <sup>a</sup>	3.1	*	12.9
West South Central	2.7	2.9	0.3	0.4	2.4	2.5	10.4	14.7
West	3.0	3.3	0.4	0.5	2.6	2.9	12.8	13.9
Mountain	3.3	2.8	0.5	0.4	2.8	2.4	16.4	14.1
Pacific	2.9	3.5	0.3	0.5	2.5	3.0	11.1	13.8
COUNTY TYPE								
Large Metro	2.9	3.1	0.5	0.6	2.4	2.5	17.7	19.3
Small Metro	3.0	3.3	0.4 <sup>a</sup>	0.6	2.6	2.7	13.3	18.8
250K - 1 Mil. Pop.	2.8	3.3	0.4	0.6	2.4	2.7	15.7	18.0
< 250K Pop.	3.2	3.3	0.3 <sup>a</sup>	0.7	2.9	2.6	9.2 <sup>a</sup>	20.4
Nonmetro	2.3	2.8	0.4	0.6	1.9	2.2	19.1	21.2
Urbanized	2.9	3.6	0.5	0.7	2.3	3.0	*	18.9
Less Urbanized	2.1	2.3	0.4	0.6	1.7	1.7	17.4	*
Completely Rural	0.8	1.5	0.3	0.1	0.5 <sup>a</sup>	1.4	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.



**Table 5.84A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2003 and 2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	6,230	6,626	426 <sup>a</sup>	598	123	194	303	404	5,805	6,028
AGE										
12-17	1,214	1,262	46	50	7	11	38	39	1,168	1,212
18-25	2,284	2,505	103 <sup>b</sup>	211	21 <sup>b</sup>	63	83 <sup>b</sup>	148	2,180	2,294
26 or Older	2,732	2,860	276	338	95	121	182	217	2,456	2,522
GENDER										
Male	3,828	4,135	256	336	83	108	173	228	3,572	3,799
Female	2,403	2,492	170	262	40	86	130	176	2,232	2,229

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.84B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2003 and 2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2003	2004	2003	2004	2003	2004	2003	2004	2003	2004
TOTAL	100.00	100.00	6.8	9.0	2.0	2.9	4.9	6.1	93.2	91.0
AGE										
12-17	100.00	100.00	3.8	3.9	0.6	0.9	3.2	3.1	96.2	96.1
18-25	100.00	100.00	4.5 <sup>b</sup>	8.4	0.9 <sup>b</sup>	2.5	3.6 <sup>a</sup>	5.9	95.5 <sup>b</sup>	91.6
26 or Older	100.00	100.00	10.1	11.8	3.5	4.2	6.7	7.6	89.9	88.2
GENDER										
Male	100.00	100.00	6.7	8.1	2.2	2.6	4.5	5.5	93.3	91.9
Female	100.00	100.00	7.1	10.5	1.7	3.5	5.4	7.1	92.9	89.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003 and 2004.

**Table 5.85A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
<b>TOTAL</b>	6,283	6,428	394 <sup>b</sup>	512	106 <sup>a</sup>	159	288 <sup>a</sup>	353	5,889	5,916
<b>AGE</b>										
12-17	1,243	1,238	54	48	6	9	48	39	1,189	1,190
18-25	2,339	2,394	115 <sup>b</sup>	157	24 <sup>a</sup>	42	91 <sup>a</sup>	115	2,224	2,237
26 or Older	2,701	2,796	225 <sup>a</sup>	307	76	108	149	199	2,476	2,489
<b>GENDER</b>										
Male	3,934	3,981	231 <sup>a</sup>	296	73	95	158	200	3,703	3,685
Female	2,348	2,447	163 <sup>a</sup>	216	33 <sup>a</sup>	63	130	153	2,186	2,231

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

**Table 5.85B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, Annual Averages Based on 2002-2003 and 2003-2004**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004	2002-2003	2003-2004
TOTAL	100.0	100.0	6.3 <sup>b</sup>	8.0	1.7 <sup>a</sup>	2.5	4.6 <sup>a</sup>	5.5	93.7 <sup>b</sup>	92.0
AGE										
12-17	100.0	100.0	4.3	3.9	0.5	0.7	3.9	3.1	95.7	96.1
18-25	100.0	100.0	4.9 <sup>b</sup>	6.6	1.0 <sup>a</sup>	1.7	3.9	4.8	95.1 <sup>b</sup>	93.4
26 or Older	100.0	100.0	8.3 <sup>a</sup>	11.0	2.8	3.9	5.5	7.1	91.7 <sup>a</sup>	89.0
GENDER										
Male	100.0	100.0	5.9 <sup>a</sup>	7.4	1.8	2.4	4.0	5.0	94.1 <sup>a</sup>	92.6
Female	100.0	100.0	6.9 <sup>a</sup>	8.8	1.4 <sup>a</sup>	2.6	5.5	6.3	93.1 <sup>a</sup>	91.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2003-2004 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.