

Table 1.103A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	34,333	33,728	3,878	3,809	929	1,088
GEOGRAPHIC DIVISION						
Northeast	6,579	6,520	774	690	212	161
New England	2,060	1,984	276	251	83	61
Middle Atlantic	4,519	4,536	498	439	129	99
Midwest	7,078	7,518	744	795	175 ^a	270
East North Central	5,132	5,222	536	594	118 ^a	198
West North Central	1,947	2,297	208	201	57	72
South	10,974	10,254	1,228	1,287	344	349
South Atlantic	6,202	5,706	611	711	152	209
East South Central	1,689	1,476	193	187	64	40
West South Central	3,084	3,071	425	389	128	99
West	9,701	9,435	1,132	1,038	198	308
Mountain	2,664	2,969	385	283	61	85
Pacific	7,037	6,465	747	754	137	224
COUNTY TYPE						
Large Metro	19,397	18,716	2,070	1,968	415 ^a	589
Small Metro	10,481	10,293	1,343	1,344	390	387
250K – 1 Mil. Pop.	6,861	7,053	882	972	281	285
< 250K Pop.	3,620	3,240	461	372	109	102
Nonmetro	4,455	4,719	465	497	125	112
Urbanized	2,361	2,143	287	246	76	59
Less Urbanized	1,790	2,165	152	216	45	43
Completely Rural	304	411	26	35	4	10

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.103B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	14.3	13.9	1.6	1.6	0.4	0.4
GEOGRAPHIC DIVISION						
Northeast	14.5	14.3	1.7	1.5	0.5	0.4
New England	17.2	16.6	2.3	2.1	0.7	0.5
Middle Atlantic	13.5	13.5	1.5	1.3	0.4	0.3
Midwest	13.1	13.8	1.4	1.5	0.3 ^a	0.5
East North Central	13.5	13.7	1.4	1.6	0.3 ^a	0.5
West North Central	12.0	14.0	1.3	1.2	0.4	0.4
South	12.7	11.7	1.4	1.5	0.4	0.4
South Atlantic	13.7	12.4	1.4	1.5	0.3	0.5
East South Central	11.7	10.2	1.3	1.3	0.4	0.3
West South Central	11.6	11.4	1.6	1.4	0.5	0.4
West	17.7	17.0	2.1	1.9	0.4	0.6
Mountain	16.7	18.1	2.4	1.7	0.4	0.5
Pacific	18.2	16.6	1.9	1.9	0.4	0.6
COUNTY TYPE						
Large Metro	15.1	14.3	1.6	1.5	0.3 ^a	0.4
Small Metro	14.6	14.4	1.9	1.9	0.5	0.5
250K – 1 Mil. Pop.	14.5	14.8	1.9	2.0	0.6	0.6
< 250K Pop.	14.8	13.6	1.9	1.6	0.4	0.4
Nonmetro	11.0	11.6	1.1	1.2	0.3	0.3
Urbanized	14.1	13.9	1.7	1.6	0.5	0.4
Less Urbanized	8.8	10.6	0.8	1.1	0.2	0.2
Completely Rural	8.5	8.6	0.7	0.7	0.1	0.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.104A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	1,160 ^b	998	753	665	211	205
GEOGRAPHIC DIVISION						
Northeast	212	167	140	107	42	28
New England	81 ^a	49	50	33	12	8
Middle Atlantic	131	118	90	74	29	20
Midwest	232	206	151	150	38 ^b	68
East North Central	173	144	109	102	29 ^a	47
West North Central	60	63	42	48	9	20
South	366	358	242	222	77	55
South Atlantic	184	164	125	107	35	25
East South Central	65	66	42	40	15	12
West South Central	116	129	75	75	27	18
West	350 ^a	266	220	185	55	55
Mountain	112	100	70	70	20	17
Pacific	237 ^a	166	150	115	35	38
COUNTY TYPE						
Large Metro	560 ^a	466	369	314	89	124
Small Metro	398	372	248	260	83 ^a	49
250K – 1 Mil. Pop.	234	272	150	201	54	36
< 250K Pop.	165 ^b	101	98 ^a	58	29	12
Nonmetro	202	160	137 ^a	91	39	32
Urbanized	97	68	72 ^a	40	23	14
Less Urbanized	88	78	50	45	14	17
Completely Rural	17	13	14	6	2	1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.104B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	4.6 ^b	3.9	3.0	2.6	0.8	0.8
GEOGRAPHIC DIVISION						
Northeast	4.7	3.7	3.1	2.4	0.9	0.6
New England	6.9 ^a	4.2	4.3	2.8	1.1	0.7
Middle Atlantic	3.9	3.5	2.7	2.2	0.9	0.6
Midwest	4.1	3.6	2.7	2.7	0.7 ^b	1.2
East North Central	4.3	3.6	2.7	2.5	0.7 ^a	1.2
West North Central	3.6	3.8	2.5	2.9	0.5	1.2
South	4.1	4.0	2.7	2.5	0.9	0.6
South Atlantic	4.0	3.5	2.7	2.3	0.8	0.5
East South Central	4.5	4.5	2.9	2.8	1.1	0.8
West South Central	3.9	4.3	2.5	2.5	0.9	0.6
West	5.8 ^a	4.4	3.7	3.0	0.9	0.9
Mountain	6.4	5.7	4.0	4.0	1.1	1.0
Pacific	5.6 ^a	3.8	3.5	2.7	0.8	0.9
COUNTY TYPE						
Large Metro	4.2 ^a	3.4	2.8	2.3	0.7	0.9
Small Metro	5.2	5.0	3.2	3.5	1.1 ^a	0.7
250K – 1 Mil. Pop.	4.6	5.3	2.9 ^a	3.9	1.1	0.7
< 250K Pop.	6.5 ^b	4.3	3.8 ^a	2.5	1.1	0.5
Nonmetro	4.8	3.8	3.2 ^a	2.2	0.9	0.8
Urbanized	5.7	4.3	4.3 ^a	2.5	1.3	0.9
Less Urbanized	4.1	3.7	2.3	2.1	0.7	0.8
Completely Rural	4.4	2.6	3.7 ^a	1.2	0.5	0.3

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.105A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	6,855	6,820	1,944	2,051	477	503
GEOGRAPHIC DIVISION						
Northeast	1,401	1,314	464	404	128	94
New England	418	418	149	148	45	32
Middle Atlantic	983	896	315	256	83	62
Midwest	1,525	1,515	454	467	96	96
East North Central	1,060	1,067	309	341	66	69
West North Central	465	447	145	126	30	27
South	2,169	2,205	615	676	162	172
South Atlantic	1,133	1,140	300	332	72	84
East South Central	364	341	88	111	23	23
West South Central	671	724	228	234	67	66
West	1,760	1,786	411	505	92	141
Mountain	575	602	156	169	33	44
Pacific	1,186	1,184	254	335	59	97
COUNTY TYPE						
Large Metro	3,561	3,664	1,014	1,025	232	265
Small Metro	2,358	2,254	679	761	187	188
250K – 1 Mil. Pop.	1,549	1,522	426	522	112	127
< 250K Pop.	810	732	253	240	75	60
Nonmetro	935	902	251	265	58	50
Urbanized	499	459	147	144	30	25
Less Urbanized	382	376	93	98	26	21
Completely Rural	54	67	10	22	2	4

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.105B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	21.3	21.0	6.0	6.3	1.5	1.5
GEOGRAPHIC DIVISION						
Northeast	24.6	23.0	8.2	7.1	2.3	1.6
New England	28.1	28.0	10.0	9.9	3.0	2.1
Middle Atlantic	23.4	21.2	7.5	6.1	2.0	1.5
Midwest	20.5	20.3	6.1	6.3	1.3	1.3
East North Central	20.7	20.8	6.0	6.7	1.3	1.4
West North Central	20.1	19.2	6.3	5.4	1.3	1.1
South	18.8	18.8	5.3	5.8	1.4	1.5
South Atlantic	19.9	19.6	5.3	5.7	1.3	1.4
East South Central	18.7	17.5	4.5	5.7	1.2	1.2
West South Central	17.3	18.4	5.9	6.0	1.7	1.7
West	23.4	23.4	5.5	6.6	1.2	1.8
Mountain	25.1	25.7	6.8	7.2	1.4	1.9
Pacific	22.6	22.4	4.9	6.4	1.1	1.8
COUNTY TYPE						
Large Metro	21.4	21.3	6.1	6.0	1.4	1.5
Small Metro	22.2	21.8	6.4	7.4	1.8	1.8
250K – 1 Mil. Pop.	22.5	22.5	6.2	7.7	1.6	1.9
< 250K Pop.	21.8	20.7	6.8	6.8	2.0	1.7
Nonmetro	18.9	18.2	5.1	5.3	1.2	1.0
Urbanized	21.7	21.8	6.4	6.9	1.3	1.2
Less Urbanized	16.5	16.0	4.0	4.2	1.1	0.9
Completely Rural	16.6	13.6	3.2	4.5	0.6	0.8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.106A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	26,318	25,910	1,182	1,093	241	380
GEOGRAPHIC DIVISION						
Northeast	4,966	5,040	170	178	42	39
New England	1,561	1,518	77	69	26	22
Middle Atlantic	3,406	3,522	93	109	17	18
Midwest	5,321	5,797	140	178	42	107
East North Central	3,899	4,011	119	151	24 ^a	82
West North Central	1,422 ^a	1,787	21	27	18	25
South	8,440	7,691	370	389	105	121
South Atlantic	4,884	4,402	186	272	46	101
East South Central	1,259	1,069	63	36	25	6
West South Central	2,296	2,219	122	81	35	15
West	7,591	7,382	501	348	52	113
Mountain	1,978	2,267	158 ^a	44	9	24
Pacific	5,613	5,115	343	304	43	89
COUNTY TYPE						
Large Metro	15,276	14,586	687	629	93	199
Small Metro	7,725	7,666	417	323	120	151
250K – 1 Mil. Pop.	5,079	5,259	307	249	114	122
< 250K Pop.	2,646	2,407	110	74	6	29
Nonmetro	3,318	3,658	77	141	28	29
Urbanized	1,765	1,617	67	61	23	19
Less Urbanized	1,319 ^a	1,711	9 ^a	72	5	5
Completely Rural	233	330	1	7	*	5

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.106B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	14.4	14.0	0.6	0.6	0.1	0.2
GEOGRAPHIC DIVISION						
Northeast	14.1	14.2	0.5	0.5	0.1	0.1
New England	16.8	16.3	0.8	0.7	0.3	0.2
Middle Atlantic	13.1	13.5	0.4	0.4	0.1	0.1
Midwest	12.9	14.0	0.3	0.4	0.1	0.3
East North Central	13.5	13.8	0.4	0.5	0.1 ^a	0.3
West North Central	11.6	14.4	0.2	0.2	0.1	0.2
South	12.9	11.5	0.6	0.6	0.2	0.2
South Atlantic	14.0	12.4	0.5	0.8	0.1	0.3
East South Central	11.5	9.6	0.6	0.3	0.2	0.1
West South Central	11.7	11.1	0.6	0.4	0.2	0.1
West	18.5	17.7	1.2	0.8	0.1	0.3
Mountain	16.5	18.4	1.3 ^a	0.4	0.1	0.2
Pacific	19.2	17.4	1.2	1.0	0.1	0.3
COUNTY TYPE						
Large Metro	15.5	14.6	0.7	0.6	0.1	0.2
Small Metro	14.5	14.2	0.8	0.6	0.2	0.3
250K – 1 Mil. Pop.	14.4	14.7	0.9	0.7	0.3	0.3
< 250K Pop.	14.5	13.4	0.6	0.4	0.0	0.2
Nonmetro	10.6	11.7	0.2	0.4	0.1	0.1
Urbanized	13.9	13.8	0.5	0.5	0.2	0.2
Less Urbanized	8.3 ^a	10.8	0.1 ^a	0.5	0.0	0.0
Completely Rural	8.1	8.8	0.1	0.2	*	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.107A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	33,173	32,730	3,125	3,144	719	883
GEOGRAPHIC DIVISION						
Northeast	6,367	6,353	634	582	170	133
New England	1,978	1,936	226	218	71	54
Middle Atlantic	4,389	4,418	408	365	99	80
Midwest	6,846	7,312	593	644	138	203
East North Central	4,959	5,078	428	492	89	151
West North Central	1,887	2,234	166	152	48	52
South	10,609	9,896	986	1,065	267	294
South Atlantic	6,017	5,543	486	604	117	184
East South Central	1,624	1,411	151	147	48	28
West South Central	2,968	2,943	349	315	102	81
West	9,351	9,169	912	853	144 ^a	253
Mountain	2,552	2,869	315	213	42	68
Pacific	6,799	6,299	597	639	102	185
COUNTY TYPE						
Large Metro	18,837	18,250	1,701	1,654	326	465
Small Metro	10,083	9,920	1,096	1,084	307	339
250K – 1 Mil. Pop.	6,628	6,781	732	770	226	249
< 250K Pop.	3,456	3,139	363	314	80	90
Nonmetro	4,253	4,559	328	406	86	79
Urbanized	2,264	2,075	214	206	53	44
Less Urbanized	1,702	2,087	102 ^a	171	31	26
Completely Rural	287	397	12 ^a	29	2	8

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.107B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	15.4	15.0	1.5	1.4	0.3	0.4
GEOGRAPHIC DIVISION						
Northeast	15.5	15.5	1.5	1.4	0.4	0.3
New England	18.4	17.9	2.1	2.0	0.7	0.5
Middle Atlantic	14.5	14.6	1.4	1.2	0.3	0.3
Midwest	14.1	15.0	1.2	1.3	0.3	0.4
East North Central	14.6	14.9	1.3	1.4	0.3	0.4
West North Central	12.9	15.1	1.1	1.0	0.3	0.3
South	13.8	12.6	1.3	1.4	0.3	0.4
South Atlantic	14.8	13.4	1.2	1.5	0.3	0.4
East South Central	12.5	10.8	1.2	1.1	0.4	0.2
West South Central	12.6	12.3	1.5	1.3	0.4	0.3
West	19.2	18.6	1.9	1.7	0.3	0.5
Mountain	17.9	19.6	2.2	1.5	0.3	0.5
Pacific	19.7	18.1	1.7	1.8	0.3	0.5
COUNTY TYPE						
Large Metro	16.4	15.5	1.5	1.4	0.3	0.4
Small Metro	15.8	15.5	1.7	1.7	0.5	0.5
250K – 1 Mil. Pop.	15.8	15.9	1.7	1.8	0.5	0.6
< 250K Pop.	15.8	14.6	1.7	1.5	0.4	0.4
Nonmetro	11.7	12.6	0.9	1.1	0.2	0.2
Urbanized	15.1	15.0	1.4	1.5	0.4	0.3
Less Urbanized	9.4	11.4	0.6 ^a	0.9	0.2	0.1
Completely Rural	9.0	9.3	0.4	0.7	0.1	0.2

*Low precision; no estimate reported.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.