

Table 1.123A Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	70,657	71,822	19,658	20,109	8,247	8,963
GEOGRAPHIC DIVISION						
Northeast	13,242	13,538	3,381	3,567	1,487	1,661
New England	3,787	3,742	931	1,015	415	464
Middle Atlantic	9,455	9,796	2,449	2,552	1,072	1,197
Midwest	15,081	15,612	4,230	4,194	1,737	1,793
East North Central	10,900	10,953	3,125	2,914	1,295	1,267
West North Central	4,181 ^a	4,659	1,105	1,280	443	526
South	24,504	23,869	6,843	7,337	3,119	3,346
South Atlantic	13,345	12,636	3,537	3,802	1,608	1,744
East South Central	3,769	3,858	1,203	1,212	570	575
West South Central	7,391	7,375	2,103	2,323	941	1,028
West	17,830	18,803	5,205	5,011	1,904	2,163
Mountain	5,388	5,890	1,637	1,549	650	673
Pacific	12,442	12,913	3,568	3,462	1,254	1,489
COUNTY TYPE						
Large Metro	38,942	39,608	10,379	10,571	4,189 ^a	4,847
Small Metro	21,451	21,471	6,277	6,400	2,828	2,820
250K – 1 Mil. Pop.	14,308	14,531	4,215	4,422	1,880	1,964
< 250K Pop.	7,143	6,940	2,062	1,977	947	856
Nonmetro	10,263	10,743	3,002	3,139	1,231	1,296
Urbanized	4,650	4,403	1,357	1,332	568	541
Less Urbanized	4,772	5,220	1,434	1,510	581	624
Completely Rural	841	1,121	212	297	82	131

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.123B Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	29.4	29.5	8.2	8.3	3.4	3.7
GEOGRAPHIC DIVISION						
Northeast	29.1	29.7	7.4	7.8	3.3	3.6
New England	31.7	31.3	7.8	8.5	3.5	3.9
Middle Atlantic	28.2	29.1	7.3	7.6	3.2	3.6
Midwest	27.8	28.6	7.8	7.7	3.2	3.3
East North Central	28.7	28.7	8.2	7.6	3.4	3.3
West North Central	25.7	28.4	6.8	7.8	2.7	3.2
South	28.4	27.2	7.9	8.4	3.6	3.8
South Atlantic	29.5	27.4	7.8	8.2	3.6	3.8
East South Central	26.2	26.5	8.4	8.3	4.0	4.0
West South Central	27.8	27.4	7.9	8.6	3.5	3.8
West	32.6	33.9	9.5	9.0	3.5	3.9
Mountain	33.7	35.8	10.2	9.4	4.1	4.1
Pacific	32.2	33.1	9.2	8.9	3.2	3.8
COUNTY TYPE						
Large Metro	30.3	30.2	8.1	8.1	3.3 ^a	3.7
Small Metro	29.9	30.0	8.8	8.9	3.9	3.9
250K – 1 Mil. Pop.	30.3	30.5	8.9	9.3	4.0	4.1
< 250K Pop.	29.2	29.0	8.4	8.3	3.9	3.6
Nonmetro	25.3	26.5	7.4	7.7	3.0	3.2
Urbanized	27.9	28.6	8.1	8.7	3.4	3.5
Less Urbanized	23.5	25.6	7.1	7.4	2.9	3.1
Completely Rural	23.6	23.5	5.9	6.2	2.3	2.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.124A Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	5,355 ^b	4,944	3,269	3,129	1,328	1,253
GEOGRAPHIC DIVISION						
Northeast	891 ^a	763	561	503	242	205
New England	248	203	169	143	71	57
Middle Atlantic	643	561	392	360	171	148
Midwest	1,176	1,104	722	683	284	302
East North Central	849 ^a	751	523 ^a	446	203	204
West North Central	327	353	198	237	81	98
South	1,874	1,836	1,135	1,183	457	463
South Atlantic	945	884	568	561	213	225
East South Central	320	327	200	215	75	103
West South Central	609	626	367	406	169	136
West	1,414 ^a	1,240	852	761	344	282
Mountain	394	425	240	252	90	94
Pacific	1,021 ^b	816	612 ^a	509	254 ^a	188
COUNTY TYPE						
Large Metro	2,672	2,526	1,608	1,550	647	623
Small Metro	1,699 ^b	1,489	1,050	994	435	406
250K – 1 Mil. Pop.	1,111	1,010	676	694	279	296
< 250K Pop.	588 ^a	479	373	301	156	110
Nonmetro	984	929	612	585	245	223
Urbanized	384	355	248	225	99	93
Less Urbanized	518	465	317	284	131	105
Completely Rural	81	110	47	76	16	26

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.124B Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	21.2 ^b	19.5	13.0	12.3	5.3	4.9
GEOGRAPHIC DIVISION						
Northeast	19.6 ^b	16.8	12.4	11.1	5.3	4.5
New England	21.1	17.2	14.4	12.2	6.0	4.8
Middle Atlantic	19.1	16.6	11.7	10.7	5.1	4.4
Midwest	20.7	19.5	12.7	12.0	5.0	5.3
East North Central	21.2 ^b	18.7	13.1 ^a	11.1	5.1	5.1
West North Central	19.5	21.3	11.9	14.3	4.9	5.9
South	20.8	20.3	12.6	13.0	5.1	5.1
South Atlantic	20.6	19.1	12.4	12.1	4.7	4.9
East South Central	22.1	22.6	13.8	14.8	5.2	7.1
West South Central	20.5	21.0	12.4	13.6	5.7	4.6
West	23.6 ^b	20.4	14.2	12.5	5.7	4.6
Mountain	22.6	24.1	13.7	14.3	5.2	5.4
Pacific	24.0 ^b	18.9	14.4 ^a	11.8	6.0 ^a	4.4
COUNTY TYPE						
Large Metro	20.0 ^a	18.5	12.0	11.3	4.8	4.6
Small Metro	22.2 ^b	20.0	13.7	13.3	5.7	5.4
250K – 1 Mil. Pop.	21.8	19.8	13.3	13.6	5.5	5.8
< 250K Pop.	23.1	20.3	14.7	12.7	6.2	4.7
Nonmetro	23.3	22.0	14.5	13.8	5.8	5.3
Urbanized	22.6	22.4	14.6	14.3	5.8	5.9
Less Urbanized	24.1	21.7	14.7	13.3	6.1	4.9
Completely Rural	21.5	21.8	12.5	15.0	4.1	5.2

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.125A Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	12,630	12,800	6,201	6,467	2,619	2,850
GEOGRAPHIC DIVISION						
Northeast	2,248	2,231	1,214	1,194	534	541
New England	637	643	347	387	168	188
Middle Atlantic	1,611	1,588	867	808	366	353
Midwest	2,846	2,856	1,407	1,415	564	558
East North Central	2,009	1,994	1,011	1,006	410	404
West North Central	837	861	396	409	154	154
South	4,364	4,407	2,132	2,288	970	1,068
South Atlantic	2,135	2,118	1,000	1,075	462	472
East South Central	757	724	363	379	169	188
West South Central	1,472	1,565	769	833	340	409
West	3,172	3,306	1,447	1,570	550 ^a	682
Mountain	1,034	1,098	501	487	173	211
Pacific	2,138	2,208	946	1,083	377	471
COUNTY TYPE						
Large Metro	6,349	6,636	3,062	3,294	1,226 ^b	1,494
Small Metro	4,358	4,225	2,188	2,210	961	961
250K – 1 Mil. Pop.	2,778	2,795	1,411	1,475	609	651
< 250K Pop.	1,580	1,430	777	735	352	310
Nonmetro	1,922	1,940	951	963	432	395
Urbanized	935	859	463	449	202	187
Less Urbanized	861	880	419	415	197	172
Completely Rural	126 ^a	200	70	99	33	36

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.125B Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	39.2	39.4	19.3	19.9	8.1	8.8
GEOGRAPHIC DIVISION						
Northeast	39.5	39.1	21.4	20.9	9.4	9.5
New England	42.8	43.0	23.3	25.9	11.3	12.6
Middle Atlantic	38.4	37.7	20.7	19.2	8.7	8.4
Midwest	38.3	38.3	18.9	19.0	7.6	7.5
East North Central	39.2	38.9	19.7	19.6	8.0	7.9
West North Central	36.2	37.0	17.1	17.6	6.7	6.6
South	37.8	37.7	18.5	19.5	8.4	9.1
South Atlantic	37.4	36.3	17.5	18.4	8.1	8.1
East South Central	38.8	37.2	18.6	19.5	8.7	9.6
West South Central	37.9	39.9	19.8	21.2	8.8	10.4
West	42.1	43.4	19.2	20.6	7.3	8.9
Mountain	45.2	46.8	21.9	20.8	7.6	9.0
Pacific	40.8	41.9	18.0	20.5	7.2	8.9
COUNTY TYPE						
Large Metro	38.1	38.5	18.4	19.1	7.4 ^b	8.7
Small Metro	41.1	40.9	20.6	21.4	9.1	9.3
250K – 1 Mil. Pop.	40.3	41.2	20.5	21.8	8.8	9.6
< 250K Pop.	42.5	40.4	20.9	20.7	9.5	8.8
Nonmetro	38.9	39.2	19.2	19.4	8.7	8.0
Urbanized	40.6	40.8	20.1	21.3	8.8	8.9
Less Urbanized	37.2	37.4	18.1	17.6	8.5	7.3
Completely Rural	38.8	40.8	21.4	20.1	10.3	7.4

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.126A Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	52,672	54,078	10,189	10,513	4,301	4,860
GEOGRAPHIC DIVISION						
Northeast	10,103	10,544	1,605	1,869	711	914
New England	2,902	2,897	415	485	176	219
Middle Atlantic	7,201	7,648	1,190	1,384	535	695
Midwest	11,059	11,652	2,102	2,097	888	934
East North Central	8,042	8,207	1,590	1,463	681	659
West North Central	3,017	3,445	511	634	207	274
South	18,267	17,625	3,576	3,867	1,692	1,814
South Atlantic	10,264	9,634	1,969	2,165	933	1,047
East South Central	2,692	2,807	640	618	327	285
West South Central	5,310	5,184	967	1,084	432	483
West	13,243	14,256	2,905	2,680	1,010	1,198
Mountain	3,960	4,367	896	809	387	368
Pacific	9,283	9,889	2,010	1,870	622	830
COUNTY TYPE						
Large Metro	29,920	30,446	5,710	5,727	2,316	2,730
Small Metro	15,394	15,758	3,039	3,196	1,432	1,453
250K – 1 Mil. Pop.	10,419	10,727	2,128	2,254	992	1,017
< 250K Pop.	4,975	5,031	911	942	439	436
Nonmetro	7,358	7,875	1,440	1,590	553	677
Urbanized	3,332	3,188	646	657	267	261
Less Urbanized	3,392	3,875	699	810	253	347
Completely Rural	634	811	95	123	33	69

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.126B Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	28.8	29.2	5.6	5.7	2.3	2.6
GEOGRAPHIC DIVISION						
Northeast	28.6	29.8	4.6	5.3	2.0	2.6
New England	31.3	31.2	4.5	5.2	1.9	2.4
Middle Atlantic	27.7	29.3	4.6	5.3	2.1	2.7
Midwest	26.9	28.1	5.1	5.1	2.2	2.3
East North Central	27.9	28.3	5.5	5.0	2.4	2.3
West North Central	24.6	27.7	4.2	5.1	1.7	2.2
South	27.8	26.4	5.5	5.8	2.6	2.7
South Atlantic	29.4	27.0	5.6	6.1	2.7	2.9
East South Central	24.5	25.2	5.8	5.5	3.0	2.6
West South Central	27.0	25.8	4.9	5.4	2.2	2.4
West	32.2	34.1	7.1	6.4	2.5	2.9
Mountain	33.1	35.4	7.5	6.6	3.2	3.0
Pacific	31.8	33.6	6.9	6.4	2.1	2.8
COUNTY TYPE						
Large Metro	30.4	30.4	5.8	5.7	2.4	2.7
Small Metro	28.8	29.3	5.7	5.9	2.7	2.7
250K – 1 Mil. Pop.	29.6	29.9	6.0	6.3	2.8	2.8
< 250K Pop.	27.3	28.0	5.0	5.2	2.4	2.4
Nonmetro	23.4	25.1	4.6	5.1	1.8	2.2
Urbanized	26.2	27.3	5.1	5.6	2.1	2.2
Less Urbanized	21.4	24.4	4.4	5.1	1.6	2.2
Completely Rural	22.1	21.5	3.3	3.3	1.2	1.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.127A Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	65,302	66,879	16,389	16,980	6,920 ^a	7,710
GEOGRAPHIC DIVISION						
Northeast	12,351	12,775	2,820	3,064	1,245	1,456
New England	3,539	3,540	763	872	344	407
Middle Atlantic	8,812	9,236	2,057	2,192	900	1,048
Midwest	13,905	14,508	3,508	3,512	1,453	1,491
East North Central	10,051	10,201	2,601	2,469	1,091	1,063
West North Central	3,854	4,307	907	1,043	361	428
South	22,630	22,033	5,708	6,155	2,662	2,883
South Atlantic	12,399	11,753	2,969	3,240	1,394	1,519
East South Central	3,449	3,531	1,003	997	495	472
West South Central	6,783	6,749	1,736	1,917	772	892
West	16,415	17,563	4,353	4,250	1,560	1,880
Mountain	4,994	5,465	1,397	1,296	560	579
Pacific	11,421	12,097	2,956	2,953	1,000	1,301
COUNTY TYPE						
Large Metro	36,270	37,082	8,771	9,021	3,542 ^a	4,224
Small Metro	19,752	19,983	5,227	5,405	2,392	2,414
250K – 1 Mil. Pop.	13,197	13,521	3,539	3,729	1,601	1,668
< 250K Pop.	6,555	6,462	1,688	1,677	791	746
Nonmetro	9,280	9,814	2,391	2,554	985	1,072
Urbanized	4,266	4,048	1,109	1,106	468	448
Less Urbanized	4,254	4,755	1,117	1,226	450	519
Completely Rural	760	1,011	164	222	67	105

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.

Table 1.127B Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2004 and 2005

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2004	2005	2004	2005	2004	2005
TOTAL	30.3	30.7	7.6	7.8	3.2	3.5
GEOGRAPHIC DIVISION						
Northeast	30.2	31.1	6.9	7.5	3.0	3.5
New England	32.9	32.8	7.1	8.1	3.2	3.8
Middle Atlantic	29.2	30.5	6.8	7.2	3.0	3.5
Midwest	28.7	29.7	7.2	7.2	3.0	3.1
East North Central	29.6	29.9	7.7	7.2	3.2	3.1
West North Central	26.4	29.2	6.2	7.1	2.5	2.9
South	29.3	28.1	7.4	7.8	3.5	3.7
South Atlantic	30.5	28.3	7.3	7.8	3.4	3.7
East South Central	26.6	27.0	7.7	7.6	3.8	3.6
West South Central	28.8	28.1	7.4	8.0	3.3	3.7
West	33.7	35.6	8.9	8.6	3.2	3.8
Mountain	35.1	37.2	9.8	8.8	3.9	3.9
Pacific	33.2	34.9	8.6	8.5	2.9	3.7
COUNTY TYPE						
Large Metro	31.5	31.6	7.6	7.7	3.1 ^a	3.6
Small Metro	30.9	31.2	8.2	8.4	3.7	3.8
250K – 1 Mil. Pop.	31.4	31.7	8.4	8.8	3.8	3.9
< 250K Pop.	29.9	30.0	7.7	7.8	3.6	3.5
Nonmetro	25.5	27.0	6.6	7.0	2.7	3.0
Urbanized	28.4	29.3	7.4	8.0	3.1	3.2
Less Urbanized	23.4	26.0	6.2	6.7	2.5	2.8
Completely Rural	23.8	23.7	5.2	5.2	2.1	2.5

*Low precision; no estimate reported.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

^a Difference between estimate and 2005 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2005 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004 and 2005.